



Yes, you can:

Tel: 01656 776222 Fax: 01656 776220
 Email: ordersuk@invacare.com
 Online Spares available at: www.invacare.co.uk

JANUARY 2022
 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Action 3 Junior Large

Standard Features

- Max user weight 80kg (12.5 stone)
- Crash tested ISO 7176-19
- Self Propulsion or Attendant Propulsion
- Choice of 4 seat widths 12" - 15" (305mm - 380mm)
- Choice of 2 seat depths (depth adjustable upholstery)
- Choice of 3 seat heights 16" - 18" (410mm - 460mm)
- Black nylon upholstery
- Folding backrest set at 16" (400mm)
- Width and height adjustable backrest upholstery
- 80° Detachable swing away legrest hangers
- Flip up, angle and depth adjustable footplates
- Removable and height adjustable desk armrests
- Adjustable heel straps
- Choice of 7 colours (with 8 special colour options)
- Push or pull to lock brakes (configuration dependant)
- Transportation kit and buckle belt (adjustable both sides)
- User tool kit



Standard Base price: £616

Please make your selection with a cross in the box ○ Free of charge ◆ standard feature POA special request

Customer weight = KG

Code	Description		
BASE PRODUCT*			
CNC0001	ACTION ³ JUNIOR		○
CNCSPEC	SPECIAL		POA
PROPULSION*			
CNC0100	SELF PROPULSION	(NC 1055, 1170)	£616
CNC0110	TRANSIT PROPULSION	(NC 0280, 1020, 1030, 1045, 1140, 1141, 1180, 1190, 1195, 1275, 1390, 1430, 1440)	£616

SEAT WIDTH*			
CNC0150		12" SW	(NC 0520, 0570) ○
CNC0151		13" SW	○
CNC0152		14" SW	◆
CNC0153		15" SW	○
SEAT DEPTH*			
CNC0170		ADJ SD 11" - 13"	○
CNC0171		ADJ SD 13" - 15"	◆
SEAT HEIGHT*			
CNC0260		18" SH	○
CNC0270		17" SH	○
CNC0280		16" SH	(NC 1430, 1440) ○
SEAT UPHOLSTERY*			
CNC0335		NYLON WITH HOOK AND LOOP STRIPS SEAT UPHOLSTERY, WIDTH AND DEPTH ADJUSTABLE	◆
SEAT CUSHION*			
CNC33333		WITHOUT SEAT CUSHION	○
CNC0362		BASIC SEAT CUSHION (ESSENTIAL JUNIOR)	£48
BACKREST*			
CNC0370		FIXED 0° BACKREST 3 HEIGHTS 15" / 370MM, 16" / 400MM OR 17" / 430MM	○
CNC0380		FIXED 7° BACKREST 3 HEIGHTS 15" / 370MM, 16" / 400MM OR 17" / 430MM	○
CNC0381		FIXED 7° BACKREST 20"	○
CNC0390		RECLINING (RATCHET) 0/30° 5 HEIGHTS 13" - 17"	(NC 1050, 1190, 1195) £106
CNC0395		RECLINING (GAS) 0/30° 16"	(NC 1050, 1190, 1195) £175
CNC0400		FOLDING BACKREST 3 HEIGHTS 15" / 370MM, 16" / 400 OR 17" / 430MM	◆
CNC0401		FOLDING BACKREST 20"	○
CNC0402		FOLDING BACKREST 2 HEIGHTS 15" / 20" REAR SET PUSH HANDLES	(NC 0480, 0855, 0902, 1426) £133
CNC0420		FOLDING BACKREST 16" HEIGHT ADJUSTABLE PUSH HANDLES	(NC 0855) £72
CNC0425		FIXED 7° BACKREST 16" HEIGHT ADJUSTABLE PUSH HANDLES	(NC 0855) £72
BACKREST UPHOLSTERY*			
CNC0465		W/O BACK UPH - DELIVERED WITH SIMPLY SLEEVE	(NC 0855) ○
CNC0475		WIDTH AND HEIGHT ADJUSTABLE NYLON SLING TYPE	◆
CNC0480		CONTOUR (TENSION) ADJUSTABLE NYLON TYPE	(NC 0855) £100

LEGREST HANGER RH*				
CNC0505		90° STRAIGHT RH REMOVABLE HANGER UL STD 125 TO 260 MM	(NC 0600)	£28
CNC0510		80° SHORT RH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY	(NC 0561, 0562, 0563)	◆
CNC0511		80° SHORT RH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY	(NC 0560, 0562, 0563, 0611, 0881)	○
CNC0512		80° LONG RH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM	(NC 0560, 0561, 0563)	○
CNC0513		80° LONG RH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 300 TO 450 MM	(NC 0560, 0561, 0562, 0611, 0881)	○
CNC0520		ELEVATING LEGREST (0° TO 80°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL STD 275 TO 375 MM	(NC 0600, 0611, 0880, 0886)	£85
LEGREST HANGER LH*				
CNC0555		90° STRAIGHT LH REMOVABLE HANGER UL STD 125 TO 260 MM	(NC 0620)	£28
CNC0560		80° SHORT LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY		◆
CNC0561		80° SHORT LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY	(NC 0611, 0881)	○
CNC0562		80° LONG LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM		○
CNC0563		80° LONG LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 300 TO 450 MM	(NC 0611, 0881)	○
CNC0570		ELEVATING LEGREST (0° TO 80°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL ST 275 TO 375 MM	(NC 0611, 0620, 0880, 0886)	£85
FOOTREST RH*				
CNC0600		FLIP UP RH FOOTPLATE	(NC 0875, 0886)	○
CNC0605		FLIP UP DEPTH AND ANGLE ADJ RH		◆
CNC0611		ONE PIECE FOOTBOARD	(NC 0620, 0625, 0875)	○
FOOTREST LH*				
CNC0620		FLIP UP LH FOOTPLATE	(NC 0875, 0886)	○
CNC0625		FLIP UP DEPTH AND ANGLE ADJ LH		◆
CNC66666		NO FOOTPLATE REQUIRED (PLEASE SELECT IN COMBINATION WITH OPTION 0611)		○
ARMREST RH*				
CNC0640		REMOVABLE RH (N°1) DESK, STD ARMPAD (60 MM) ADJ. 180 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED	(NC 0745, 0746, 0750, 0755)	◆
CNC0645		REMOVABLE RH (N°1) JUNIOR, STD ARMPAD (60 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED	(NC 0740, 0746, 0750, 0755)	○
CNC0646		REMOVABLE RH (N°1) NARROW ARMPAD JUNIOR (50 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED	(NC 0740, 0745, 0750, 0755)	○
CNC0650		MUDGUARD RH HEIGHT ADJUSTABLE (155 TO 220 MM)	(NC 0740, 0745, 0746, 0755, 0910, 1201, 1471, 1472)	£33
CNC0655		SKIRTGUARD RH JUNIOR	(NC 0740, 0745, 0746, 0750, 0910, 1471, 1472)	○

ARMREST LH*			
CNC0740		REMOVABLE LH (N°1) DESK, STD ARMPAD (60 MM) ADJ. 180 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED	◆
CNC0745		REMOVABLE LH (N°1) JUNIOR, STD ARMPAD (60 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED	○
CNC0746		REMOVABLE LH (N°1) NARROW ARMPAD JUNIOR (50 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED	○
CNC0750		MUDGUARD LH HEIGHT ADJUSTABLE (155 TO 220 MM)	(NC 0910, 1201, 1471, 1472) £33
CNC0755		SKIRTGUARD LH JUNIOR	(NC 0910, 1471, 1472) ○
OTHER SEATING OPTIONS			
CNC0855		BACKREST EXTENSION	(NC 0860, 0865) £69
CNC0860		HEADREST STANDARD MULTI - ADJUSTABLE	(NC 0865, 0902) £128
CNC0865		HEADREST ROUND MULTI - ADJUSTABLE	(NC 0902) £144
CNC0880		ADJUSTABLE CALF STRAP	£10
CNC0881		FRONT STABILISER KIT + 100 MM	○
CNC0875		BODYPOINT ANKLE HUGGERS (PAIR) SIZE S - UNMOUNTED	£109
CNC0886		FOOTPLATE ADJUSTMENT OPTIMIZER KIT	£20
CNC0902		WIDTH ADJUSTABLE BACK BRACE	£38
CNC0910		WITHOUT AUTOLOCK SAFETY DEVICE ON ARMRESTS N°1	○
COLOUR*			
CNC0952		PEARL WHITE	○
CNC0953		MATT BLACK	○
CNC0954		MATT RED	○
CNC0955		INTENSE YELLOW	○
CNC0956		POLAR BLUE	○
CNC0957		CANDY PINK	○
CNC0958		POP BLUE	○
CNC0991		SPECIAL COLOUR (ON DEMAND ONLY)	£161
SWO0001		SLATE GREY - 3 WEEK LEAD TIME	£161
SWO0002		ELECTRIC GREEN - 3 WEEK LEAD TIME	£161
SWO0003		HYPNOTIC PURPLE - 3 WEEK LEAD TIME	£161
SWO0004		ANTHRACITE BLACK - 3 WEEK LEAD TIME	£161
SWO0005		DARK RED - 3 WEEK LEAD TIME	£161
SWO0006		PEARL GREY - 3 WEEK LEAD TIME	£161
SWO0007		VIBRANT ORANGE - 3 WEEK LEAD TIME	£161
FRONT CASTORS*			
CNC0999		5" X 1" BLACK SOLID TYRE	◆
CNC1001		5" X 1" FLASHING LIGHTS SOLID TYRE	£42
CNC1007		5" X 1.3/4" BLACK SOLID TYRE	○
REAR WHEEL SIZE*			
CNC1010		12"	(NC 1040, 1045, 1130, 1140, 1141, 1180, 1253, 1254, 1255, 1256, 1380, 1390) ○
CNC1020		20"	(NC 1040, 1055, 1050, 1170) ○
CNC1030		22"	(NC 1045, 1055, 1170) ○

REAR WHEELS*			
CNC1040	<input type="checkbox"/>	STANDARD SELF-PROPEL REAR WHEEL (BLACK HUB, COLORLESS RIM AND ZINC PLATTED SPOKES)	(NC 1280) ○
CNC1045	<input type="checkbox"/>	REINFORCED STANDARD SELF-PROPEL REAR WHEEL (COLORLESS HUB, CLEAR ANODIZED RIM AND STAINLESS STEEL SPOKES)	(NC 1280) ○
CNC1050	<input type="checkbox"/>	DRUM BRAKE SELF-PROPEL 22" or TRANSIT 12"	(NC 1270, 1275) ○
CNC1055	<input type="checkbox"/>	TRANSIT COMPOSITE (BLACK PLASTIC HUB AND RIM)	(NC 1280) ○
TYRES*			
CNC1120	<input type="checkbox"/>	SOLID BLACK	○
CNC1130	<input type="checkbox"/>	PNEUMATIC PROFILE BLACK	○
HANDRIM - A SELECTION MUST BE MADE FOR SELF PROPULSION			
CNC1140	<input type="checkbox"/>	ALUMINIUM PRE-ANODIZED HANDRIM	○
CNC1141	<input type="checkbox"/>	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC	£71
REAR WHEEL AXLE*			
CNC1170	<input type="checkbox"/>	FIXED AXLE	○
CNC1180	<input type="checkbox"/>	Q/R AXLE	○
REAR WHEEL POSITION*			
CNC1190	<input type="checkbox"/>	STANDARD REAR WHEELS POSITION	○
CNC1195	<input type="checkbox"/>	MEDIUM REAR WHEEL POSITION	○
CNC1200	<input type="checkbox"/>	PASSIVE REAR WHEEL POSITION	○
CNC1201	<input type="checkbox"/>	DUAL AMPUTEE REAR WHEEL POSITION	(NC 1275, 1280) £65
PUMP			
CNC1220	<input type="checkbox"/>	W/O PUMP	○
CNC1230	<input type="checkbox"/>	PUMP AND SUPPORT	£9
CHASSIS OPTION			
CNC1253	<input type="checkbox"/>	SPOKE GUARDS CLEAR	£77
CNC1254	<input type="checkbox"/>	SPOKE GUARDS PIXEL	£95
CNC1255	<input type="checkbox"/>	SPOKE GUARDS SNOWFLAKES	£95
CNC1256	<input type="checkbox"/>	SPOKE GUARDS COLOR ME	£95
BRAKES*			
CNC1270	<input type="checkbox"/>	PUSH TO LOCK BRAKES	◆
CNC1275	<input type="checkbox"/>	PULL TO LOCK BRAKES	○
CNC1280	<input type="checkbox"/>	ATTENDANT HUB BRAKES	(NC 1426) £140
TRANSPORTATION KIT*			
CNC1345	<input type="checkbox"/>	TRANSPORTATION BRACKETS	◆
SAFETY OPTIONS*			
CNC1360	<input type="checkbox"/>	POSTURE BELT	◆
CNC1361	<input type="checkbox"/>	PEDIATRIC BELT (Flotech dual pull)	£87
CNC1370	<input type="checkbox"/>	REAR ANTI-TIPPERS WITH TIPPING AID	(NC 1430, 1440) £33
CNC1380	<input type="checkbox"/>	REFLECTORS KIT	£6
CNC1390	<input type="checkbox"/>	BRAKE EXTENSION PAIR	£13

OTHER OPTIONS

CNC1426		STROLLER PUSH HANDLES	£85
CNC1430		RH TIPPING AID	£13
CNC1440		LH TIPPING AID	£13
CNC1471		RH SWING AWAY ACRYLIC TRAY	£187
CNC1472		LH SWING AWAY ACRYLIC TRAY	£187

TOTAL PRICE

Non Conforming Options:

CNC0280	16" SH
CNC0480	CONTOUR (TENSION) ADJUSTABLE NYLON TYPE
CNC0520	ELEVATING LEGREST (0° TO 80°) RH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL STD 275 TO 375 MM
CNC0560	80° SHORT LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY
CNC0561	80° SHORT LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 220 TO 320 MM BLACK COLOUR ONLY
CNC0562	80° LONG LH SWING IN/OUT HANGER 0° STANDARD POSITION; UL STD 300 TO 450 MM
CNC0563	80° LONG LH SWING IN/OUT HANGER 30° ABDUCTION POSITION; UL STD 300 TO 450 MM
CNC0570	ELEVATING LEGREST (0° TO 80°) LH SWING IN/SWING OUT HANGER (INCLUDING CALFPAD); UL ST 275 TO 375 MM
CNC0600	FLIP UP RH FOOTPLATE
CNC0611	ONE PIECE FOOTBOARD
CNC0620	FLIP UP LH FOOTPLATE
CNC0625	FLIP UP DEPTH AND ANGLE ADJ LH
CNC0740	REMOVABLE LH (N°1) DESK, STD ARMPAD (60 MM) ADJ. 180 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED
CNC0745	REMOVABLE LH (N°1) JUNIOR, STD ARMPAD (60 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED
CNC0746	REMOVABLE LH (N°1) NARROW ARMPAD JUNIOR (50 MM) ADJ. 150 TO 250 MM AUTOLOCK SAFETY DEVICE INCLUDED
CNC0750	MUDGUARD LH HEIGHT ADJUSTABLE (155 TO 220 MM)
CNC0755	SKIRTGUARD LH JUNIOR
CNC0855	BACKREST EXTENSION
CNC0860	HEADREST STANDARD MULTI - ADJUSTABLE
CNC0865	HEADREST ROUND MULTI - ADJUSTABLE
CNC0880	ADJUSTABLE CALF STRAP
CNC0881	FRONT STABILISER KIT + 100 MM
CNC0875	BODYPOINT ANKLE HUGGERS (PAIR) SIZE S - UNMOUNTED
CNC0886	FOOTPLATE ADJUSTMENT OPTIMIZER KIT
CNC0902	WIDTH ADJUSTABLE BACK BRACE
CNC0910	WITHOUT AUTOLOCK SAFETY DEVICE ON ARMRESTS N°1
CNC1020	20"
CNC1030	22"
CNC1040	STANDARD SELF-PROPEL REAR WHEEL (BLACK HUB, COLORLESS RIM AND ZINC PLATTED SPOKES)
CNC1045	REINFORCED STANDARD SELF-PROPEL REAR WHEEL (COLORLESS HUB, CLEAR ANODIZED RIM AND STAINLESS STEEL SPOKES)
CNC1050	DRUM BRAKE SELF-PROPEL 22" or TRANSIT 12"
CNC1055	TRANSIT COMPOSITE (BLACK PLASTIC HUB AND RIM)
CNC1130	PNEUMATIC PROFILE BLACK
CNC1140	ALUMINIUM PRE-ANODIZED HANDRIM
CNC1141	HANDRIM COATED IN BLACK ANTI-SLIP PLASTIC
CNC1170	FIXED AXLE
CNC1180	Q/R AXLE
CNC1190	STANDARD REAR WHEELS POSITION
CNC1195	MEDIUM REAR WHEEL POSITION
CNC1201	DUAL AMPUTEE REAR WHEEL POSITION
CNC1253	SPOKE GUARDS CLEAR
CNC1254	SPOKE GUARDS PIXEL

CNC1255	SPOKE GUARDS SNOWFLAKES
CNC1256	SPOKE GUARDS COLOR ME
CNC1270	PUSH TO LOCK BRAKES
CNC1275	PULL TO LOCK BRAKES
CNC1280	ATTENDANT HUB BRAKES
CNC1380	REFLECTORS KIT
CNC1390	BRAKE EXTENSION PAIR
CNC1426	STROLLER PUSH HANDLES
CNC1430	RH TIPPING AID
CNC1440	LH TIPPING AID
CNC1471	RH SWING AWAY ACRYLIC TRAY
CNC1472	LH SWING AWAY ACRYLIC TRAY



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: _____ Email: _____

Phone: _____ Fax: _____

Description of special request (please include relevant option code or part number):