

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com Online Spares available at www.invacare.co.uk **OCTOBER 2018** 

	Order Date:
Delivery Address:	Order Qty:
Contact No:	Order No:
Customer Ref:	Account No:

(E



Max user weight: 100kg - seat widths

Max user weight: 130kg - seat widths 14" - 16"

### **Standard Features**

- Self Propulsion with 22" or 24" quick release rear wheels
- Choice of 5 seat widths 305mm to 405mm (12" 16")
- Choice of 7 seat depths 350mm or 500mm (14" 20")
- Choice of 8 front seat to floor heights 360mm to 535mm (14" 21")
- Choice of 7 rear seat to floor heights 360mm to 510mm (14" 20")
- Nylon seat upholstery
- Fixed backrest (90° to the seat rail)
- Fixed backrest, nylon and mesh padded cover
- Fixed front end or 80° swing in/swing out legrest hangers with
- Flip up footplates
- Sideguards / skirtguards
- Choice of 10 exciting colours and 2 component accents!
- 2° Camber
- · Push to lock brakes
- Transportation kit with buckle belt
- · Adjustable heel straps
- · User tool kit







Configurations may vary to the image shown

# Standard Base Price: £1,075

	Χ	Please make your selection with a cross in the box • Standard feature • Free of Charge (NC : 9999) Non Conformance with 9999	
<b>→</b>		Customer weight = Kg	
Code		Description NC's (Non Conformance)	DEALER
MODEL			
SJG0014		ACTION 5 RIGID JUNIOR	£1,075
SJGSPEC		ACTION 5 SPECIAL BASIC MODEL - PLEASE COMPLETE DETAILS AT THE END OF THE FORM	
FRAME T	YPE		
SJG0200		SWING AWAY LEGREST FRONT FRAME (NC: 3230, 3440)	0
SJG0210		(NC: LEGREST OPTIONS 3010, 3020, 3030, 3040, FIXED FRONT FRAME (80° ANGLE) 3050, 3110, 3120, 3130, 3140, 3150, 3400, 3410, 3420, 3430)	•
PROPUL!	SIOI	N TYPE	
SJG0300	Х	SELF PROPULSION	•

### **SEAT WIDTHS AND DEPTHS**

Product	Seat depth		SE	AT WIDTH (M	M)					
Code	in (MM)	305MM (12") SJG1000	330MM (13") SJG1010	355MM (14") SJG1020	380MM (15") SJG1030	405MM (16") SJG1040				
		MAX WEIG	SHT 100KG		MAX WEIGHT 130KG					
SJG1100	350MM (14")	0	0	0	0	0				
SJG1110	375MM (15")	0	0	0	0	0				
SJG1120	400MM (16")	0	0	0	0	0 0				
SJG1130	425MM (17")	0	0	0	0					
SJG1140	450MM (18")	0	0	0	0					
SJG1150	475MM (19")			0	0	0				
SJG1160	500MM (20")			0	0	0				
ADJUSTABLE	DEPTHS				•					
SJG1170	350-400MM (14"-16")	0	0	0	0	0				
SJG1180	400-450MM (16"-18")	0	0	0 0		0				
SJG1190	450-500MM (18"-20")			0	0	0				

SJG1000 and SJG1010 is not compatible with code 3400.

SJG1100 is also not compatiable with code 7600.

EDONT SE	AT TO E	LOOP HEICHTS	`									
RUNT SEA	ALIUF	LOOR HEIGHTS		NT+ h	-:-b+/F	CTE/ 0		:	-			
		(0.40.4)		NT seat h		435					E25	
	ize	(MM)	360 ✓	385	410 ✓	435		60 ✓	485 ✓	510	535	
	Castor Size		•					-				
	ast	5″		<b>✓</b>	✓	✓		<b>′</b>	✓	<b>√</b>		
	0	6"				<b>✓</b>	'	<b>′</b>	✓	✓		
		7"					,	<b>/</b>	✓	✓	<b>~</b>	
			MBINATION OF FRONT							LE IN BLACK.		
JG1200	360 MI	M (14")					(NC: 3	040, 314	40, 3420, 343	0, 7040)		0
IG1210	385 M	M (15")					(NC: 3	040, 314	40, 7070)			0
IG1220	410 M											0
JG1230	435 MI						(NC: 7	110)				0
JG1240	460 MI											0
JG1250 JG1260	510 M											0
JG1270	535 MI	. ,					(NC: 3	030, 313	30)			0
EAR SEA		OOR HEIGHTS	(REAR SEAT	THEIGHT M	IUST BE	EQUAL TO	OR L	OWER	THAN FRO	ONT SEAT	HEIGHT)	
	Г	Front sea	t hoight	7			_	_				
			_			/1			t height	rr\		
		360 (FST	<u>-</u>	-				eat to	Floor RS	(F)		
		385		-	<u>.</u>	-	360 385	_	360			
	-	410		-	eigh		410		385	_	360	
	-	435			eath							
	-	460		-	ar s		435 460		410		385 410	
	-	485		4	- e		485		460			
	-	510		4	Available rear seat height		510		485		435	
	-	535		-	A		310		510		485	
	L	333		_ B: RSTF heig	tht can no		or that	n ESTE			403	
JG1300	360 N	IM (14")		b. K31F Heig	iii caii iie	ver be mgi	iei tiiai	111311	ileigiit.			0
IG1310	_	IM (15")										0
IG1320		IM (16")										0
IG1330	435 N	IM (17")										0
JG1340	_	IM (18")										0
JG1350	_	IM (19")										0
JG1360		IM (20")	<u> </u>									0
JG1520	TENSI	ERY OPTIONS ON ADJUSTABLE S		ERY & DEPTH	ADJUSTAE	BLE -						+
BACKREST 50MM												
	ANE ATTA	ACHMENT - INDEP	ENDENT OF T	HE BACKREST	CANE							
SJG2000 FIXED ANGLE (90° TO THE SEAT RAIL)									•			
JG2020		E ADJUSTABLE ANI AT & LOCKS IN PO		N (-15° to + 15	5°) FOLDS F	ORWARD			200	District C		£85

## BACKREST CANE- COMPLETE SECTION 1 FOR A FIXED BACKREST OR SECTION 2 FOR A HEIGHT ADJUSTABLE BACKREST

SECTION 1 - FIXED BACKREST CANE (MAKE YOUR SELECTION USING THE TABLE BELOW)


	FIXED BACKREST SECTION ONLY									
	PUSH HANDLES INCLUDED *Short **Long									
SJG2130 (12") 300MM*	SJG2140 (13") 325MM*	SJG2143 (14") 350MM*	SJG2150 (15") 375MM**	SJG2153 (16") 400MM**	SJG2160 (17") 425MM**	SJG2163 (18") 450MM**	SJG2170 (19") 475MM**	SJG2173 (20") 500MM**		
0	0	0	0	0	0	0	0	0		

### **Additional Info:**

- 1. Heights 12"-20" are not compatible with codes 2300, 2310, 2400, 2410, 2420 .
- 2. Heights 12"-14" are also not compatible with 2505 and 8160.
- 3. Heights 12"-15" are not compatible with code 8200. Wheelchairs must have a backrest height of 400mm (16") or above, in order to be used during

## SECTION 2 - HEIGHT ADJUSTABLE BACKREST CANE (MAKE YOUR SELECTION USING A CROSS X IN THE TABLE BELOW)

	HEIGHT AL	JJUSTABLE	
	BACKRE	ST ONLY	
	SJG2300	SJG2310	£32
	(14.5"-16")	(16"-19.5")	
	360-400MM	410-490MM	
PUSH HANDLE TYPE			
SJG2400			
WITHOUT			•
SJG2410			
REAR SET			£68
(HT ADJ +150MM)			
SJG2420			
VERTICAL INTEGRATED			£108
(HT ADJ +135MM)			1100



#### **Additional Info:**

- 1. Height adjustable backrest 2300 is not compatible with code 2505.
- 2. Without push handles 2400 is not compatible with code 8160, 9100 and 9200.
- 3. Rear set push handles 2410 are not compatible with code 2505.

PACKBES	T UPHOLSTERY OPTIONS					
SJG2500	WITHOUT BACKREST UPHOLSTERY / OMIT UPHOLSTERY		0			
SJG2500	FIXED BACKREST, NYLON & MESH PADDED COVER (WITH REFLECTIVE STRIP & BACK POCKET)	(NC: 5500)	•			
SJG2510	TENSION ADJUSTABLE STRAPS, NYLON & MESH COVER (WITH REFLECTIVE STRIP & BACK POCKET)					
FOOT AN	D LEG SUPPORT OPTIONS					
LEGREST	HANGERS: PAIRS RH					
SJG3010	70° STRAIGHT RH		0			
SJG3020	80° STRAIGHT RH		<b>*</b>			
SJG3030	90° STRAIGHT RH	(NC: 3200, 7080, 7100, 7110)	0			
SJG3040	ELEVATING LEGREST (0° TO 80°) RH WITH CALF PAD	(NC: 3400, 5400)	£99			
SJG3050	AMPUTEE LEGREST RH	(NC: 3200, 3210, 5400, 8100, 8120)	£114			
LEGREST	HANGERS: PAIRS LH					
SJG3110	70° STRAIGHT LH		0			
SJG3120	80° STRAIGHT LH		<b>*</b>			
SJG3130	90° STRAIGHT LH	(NC: 3300, 7080, 7100, 7110)	0			
SJG3140	ELEVATING LEGREST (0° TO 80°) LH WITH CALF PAD	(NC: 3400, 5400)	£99			
SJG3150	AMPUTEE LEGREST LH	(NC: 3300, 3310, 5400, 8100, 8120, 9400)	£114			



SJG3010 - RH SJG3020 - RH SJG3110 - LH SJG3120 - LH








SJG3040 - RH SJG3140 - LH




SJG3050 - RH SJG3150 - LH










SJG3200 RH SJG3300 LH

SJG3210 RH SJG3310 LH

<b>FOOTREST</b>	TUBE (Given knee to heel lengths for adjustable footplates only	y. Add +15mm with fixed footplate)	
SJG3400	SWING AWAY FRAME, HIGH MOUNTED TUBE FOR KNEE TO HEEL 160 - 375 MM		0
SJG3410	SWING AWAY FRAME, SHORT TUBE FOR KNEE TO HEEL 285 - 375		0
SJG3420	SWING AWAY FRAME, STANDARD TUBE FOR KNEE TO HEEL 295 - 420 MM		0
SJG3430	SWING AWAY FRAME, LONG TUBE FOR KNEE TO HEEL 400 - 525		0
ARMREST	AND SIDEGUARD OPTIONS		
	RDS / SIDE GUARDS (Pair)		
SJG3750	SIDE GUARDS/SKIRTGUARDS	(NC: 4010, 4020, 4030, 4040, 4110, 4120, 4130, 4140)	•
SJG3800	REMOVABLE MUDGUARD	(NC: 4010, 4020, 4030, 4040, 4110, 4120, 4130, 4140, 8160)	£63
ARMRESTS	S RH		
SJG4010	REMOVABLE RH, HEIGHT ADJUSTABLE (N°.1) T-ARM DESK ARMPAD (280 MM), ADJUSTABLE ON SEATRAIL BY 150 MM		£63
SJG4020	REMOVABLE RH, HEIGHT ADJUSTABLE (N°.1) T-ARM FULL ARMPAD (380 MM), ADJUSTABLE ON SEATRAIL BY 50 MM		£63
SJG4030	SWING AWAY DETACHABLE HEIGHT ADJ RH ( N°3) DESK ARMPAD (280 MM), REVERSIBLE INCREASES FRONT BY 50 MM		£84
SJG4040	SWING AWAY DETACHABLE HEIGHT ADJ RH ( N°3) FULL ARMPAD (380 MM)		£84
ARMRESTS	SLH CONTRACTOR OF THE CONTRACT		
SJG4110	REMOVABLE LH, HEIGHT ADJUSTABLE (N°.1) T-ARM DESK ARMPAD (280 MM), ADJUSTABLE ON SEATRAIL BY 150 MM		£63
SJG4120	REMOVABLE LH, HEIGHT ADJUSTABLE (N°.1) T-ARM FULL ARMPAD (380 MM), ADJUSTABLE ON SEATRAIL BY 50 MM		£63
SJG4130	SWING AWAY DETACHABLE HEIGHT ADJ LH ( N°3) DESK ARMPAD (280 MM), REVERSIBLE INCREASES FRONT BY 50 MM		£84
SJG4140	SWING AWAY DETACHABLE HEIGHT ADJ RH ( N°3) FULL ARMPAD (380 MM)		£84
			L






.....

SJG4110 - LH

SEATING C	SEATING OPTIONS									
SJG5000	50 MM / 2" FOAM CUSHION NYLON & ANTI-SLIP COVER	£17								
SJG5100	CLIP TO KEEP THE CHAIR FOLDED	£13								
SJG5400	ADJUSTABLE CALF STRAP	0								
SJG5500	FOLDING BACKBRACE	£17								





SJG5500

SJG5100

CHASSIS											
FRAME C	OLO	URS									
SJG6000		PEARL W									0
SJG6010			ANTHRACITE BLACK								0
SJG6020			POP BLUE								
SJG6030		DARK RE									0
SJG6040		ELECTRIC									0
SJG6050			C PURPLE								0
SJG6060		PEARL GI									0
SJG6070		MATT BL									0
SJG6080		INTENSE									0
SJG6090		VIBRANT									0
SJG6099			RAL COLOUR - 3 WE								£145
SW00615			REY - SPECIAL COLOU								£145
SWO0456			T - SPECIAL COLOUR	-							£145
SW00651			UE - SPECIAL COLO								£145
SWO0652			INK - SPECIAL COLO	•							£145
	COLO		ar wheel plate, for			<u> </u>	ар)				
SJG6100			T ACCENT (SILVER FO	JRK & REAR W	HEEL SUPPORT	)					0
SJG6110		BLUE									0
SJG6200	W.155	PURPLE	CODC)								0
FRONT V	_			OCT DOLL							500
SJG7000			1" (100 x 30 MM) SO								£32
SJG7020			(100 x 20 MM) SOLID		LICUTO!!						0
SJG7030			00 x 25 MM) SOLID,		LIGHTS						£22
SJG7040			3" (100 x 35 MM) AL	U SOFTROLL							£32
SJG7055			25 x 25 MM) SOLID 25 x 25 MM) SOLID,	INITECDATED "	UCUTC"						£22
SJG7060 SJG7070	-	,			цинтэ						£32
SJG7070	-	-	3" (125 x 35 MM) AL 50 x 25 MM) SOLID	.U SUFTRULL							, , , , , , , , , , , , , , , , , , ,
SJG7100	-	,	3" (150 x 35 MM) AL	LLSOETBOLL							£32
SJG7110		-	1" (180 x 30 MM) SC								Q
REAR W	HEEL		1 (180 x 30 IVIIVI) 3C	LID							
			PE (MOUNTED W	ITU 12mm O	IICV DELEAC	·c\					
REAR VVI	HEEL	KIIVI I I I	TE (INICOINTED W	IIII IZIIIII Q	OTCK RELEAS	, E ,					
				REAR sea	at height	(RSTF) &	wheel siz	e availak	ole		
			()								
		ze	(MM)	360	385	410	435	460	485	510	
			22"	<b>✓</b>	<b>✓</b>	_	<b>/</b>	<b>✓</b>			
		Wheel Si	22	,	,	,		•			
		Š	24"	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>√</b>		
		>	24								
			25"			✓	<b>✓</b>	✓	✓	✓	
		I									<del></del>
SJG7200		22" (560	MM) STANDARD, CI	ROSS SPOKED V	VHEEL						•
SJG7210		22" (560	MM) LIGHTWEIGHT	, RADIAL SPOKI	ED, BLACK RIM	I & HUB -	(NC: 8000, 81	(60)			£50
3,67210		6 POINTS	HANDRIM				(140. 0000, 81	100)			230
SJG7230		24" (610	MM) STANDARD, CI	ROSS SPOKED V	VHEEL						•
SJG7240			MM) LIGHTWEIGHT	, RADIAL SPOKI	ED, BLACK RIM	I & HUB -	(NC: 8000, 81	160)			£50
			HANDRIM	B.B							<del> </del>
SJG7250		,	MM) LIGHTWEIGHT	, KADIAL SPOKI	ED, BLACK RIM	I & HUB -	(NC: 8000, 81	160)			£50
\$167260	1		6 POINTS HANDRIM  25" (625 MM) SPINISPCY WHEELS PLACE (NC: 2000, 2150)								C404


SJG7260

25" (635 MM) SPINERGY WHEELS - BLACK

(NC: 8000, 8160)

£481

SJG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE  SJG7500 QUICK RELEASE AXLE  REAR WHEEL POSITION  SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle	TYRE TY	PE									
Tyre type  SJG7300 SOLID GREY 1.3/8" (35MM)  SJG7305 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN							Rear wh	neel typ	e		
SIG7300 SOLID GREY 1.3/8" (35MM)  SIG7305 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN  SIG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM)  SIG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  Handrim type  SIG7400 ALUMINIUM HANDRIM  SIG7410 STAINLESS STEEL SIG7420 HANDRIM COATED IN BLACK ANTI-SLIP  SIG7300 SOLID GREY 1.3/8" (35MM)  SIG7320 SCHWALBE PNEUMATIC TYRE GREY AND BLACK 1" (25MM)  SIG7320 PNEUMATIC TYRE GREY 1.3/8" (35MM)  SIG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM)  SIG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HANDRIM TYPE  SIG7400 ALUMINIUM HANDRIM  SIG7410 STAINLESS STEEL  SIG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE  SIG7420 QUICK RELEASE AXLE  REAR WHEEL AXLE TYPE  SIG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SIG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE THE SIGNON - From front of backrest to axle position + 2" (50 mm)  SIG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle position + 2" (50 mm)  SIG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle					22" Standard	22" Lightweight	24" Standard	24" Lightweight	25" Lightweight	25" Spinergy	
SJG7305 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN  SJG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM)  SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  Handrim type  SJG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  SJG7300 SOLID GREY 1.3/8" (35MM) SJG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM)  SJG7310 HANDRIM COATED IN BLACK ANTI-SLIP  SJG7300 SCHWALBE PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN SJG7310 HP PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN SJG7310 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HANDRIM TYPE SJG7400 ALUMINIUM HANDRIM SJG7410 STAINLESS STEEL SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE SJG7500 QUICK RELEASE AXLE  REAR WHEEL POSITION  SJG7610 POSITION  SJG7610 ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7630 STANDARD REAR WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle		Tyre	type	I	I	1		I	100 0 m 200 0 m		
SJG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM)  SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  Handrim type  SJG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  SJG7300 SOLID GREY 1.3/8" (35MM)  SJG7310 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN  SJG7310 HP PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN  SJG7310 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HANDRIM TYPE  SJG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  PREAR WHEEL AXLE TYPE  SJG7500 QUICK RELEASE AXLE  REAR WHEEL AXLE TYPE  SJG7600 POSITION  SJG7610 ACTIVE RHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle		SJG	7300	SOLID GREY 1.3/8" (35MM)	✓	✓	✓	✓			
SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  Handrim type  SJG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  SJG7300 SOLID GREY 1.3/8" (35MM)  SJG7305 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN  SJG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM)  SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM)  SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HANDRIM TYPE  SJG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE  SJG7500 QUICK RELEASE AXLE  REAR WHEEL POSITION  SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7620 STANDARD REAR WHEELS POSITION - From front of backrest to axle position + 2" (50 mm)		SJG	7305	PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN	✓	<b>✓</b>	✓	✓			
Handrim type  SIG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  SJG7300 SOLID GREY 1.3/8" (35MM) SJG7305 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN SJG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM) SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM) HANDRIM TYPE SJG7400 ALUMINIUM HANDRIM SJG7410 STAINLESS STEEL SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP REAR WHEEL AXLE TYPE SJG7500 QUICK RELEASE AXLE  REAR WHEEL POSITION SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle		SJG	7310	HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM)			✓	✓			
SJG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  SJG7300 SOLID GREY 1.3/8" (35MM)  SJG7305 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN  SJG7310 HP PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN  SJG7310 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HANDRIM TYPE  SJG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE  SJG7500 QUICK RELEASE AXLE  REAR WHEEL AXLE TYPE  SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7620 STANDARD REAR WHEELS POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle		SJG	7320	SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)				✓	✓	✓	
SJG7410 STAINLESS STEEL SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  SJG7300 SOLID GREY 1.3/8" (35MM) SJG7305 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN SJG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM) SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM) HANDRIM TYPE SJG7400 ALUMINIUM HANDRIM SJG7410 STAINLESS STEEL SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP REAR WHEEL AXLE TYPE SJG7500 QUICK RELEASE AXLE REAR WHEEL POSITION SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm) SJG7620 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm) SJG7620 STANDARD REAR WHEEL POSITION - From front of backrest to axle position + 2" (50 mm) SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle		Han	drim ty	pe 							
SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  SJG7300 SOLID GREY 1.3/8" (35MM) SJG7305 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN SJG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM) SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HANDRIM TYPE SJG7400 ALUMINIUM HANDRIM SJG7410 STAINLESS STEEL SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE SJG7500 QUICK RELEASE AXLE REAR WHEEL POSITION SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm) SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle		SJG	7400	ALUMINIUM HANDRIM	✓	✓	✓	✓	✓	✓	
SJG7300 SOLID GREY 1.3/8" (35MM) SJG7305 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN SJG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM) SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HANDRIM TYPE SJG7400 ALUMINIUM HANDRIM SJG7410 STAINLESS STEEL SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP REAR WHEEL AXLE TYPE SJG7500 QUICK RELEASE AXLE REAR WHEEL POSITION SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm) SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle		SJG	7410	STAINLESS STEEL			✓				
SIG7305 PNEUMATIC TYRE GREY 1.3/8" (35MM) BLOCK PATTERN  SIG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM)  SIG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HANDRIM TYPE  SIG7400 ALUMINIUM HANDRIM  SIG7410 STAINLESS STEEL  SIG7420 HANDRIM COATED IN BLACK ANTI-SLIP  SEAR WHEEL AXLE TYPE  SIG7500 QUICK RELEASE AXLE  SEAR WHEEL POSITION  SIG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SIG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SIG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SIG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle		SJG	7420	HANDRIM COATED IN BLACK ANTI-SLIP	✓	✓	✓	✓	✓		
SJG7310 HP PNEUMATIC TYRE GREY AND BLACK 1" (25MM)  SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HANDRIM TYPE  SJG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE  SJG7500 QUICK RELEASE AXLE  REAR WHEEL POSITION  SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7620 STANDARD REAR WHEELS POSITION - From front of backrest to axle	SJG7300		SOLID G	GREY 1.3/8" (35MM)							
SJG7320 SCHWALBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)  HANDRIM TYPE  SJG7400 ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE  SJG7500 QUICK RELEASE AXLE  REAR WHEEL POSITION  SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle	SJG7305										
ALUMINIUM HANDRIM  SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE  SJG7500 QUICK RELEASE AXLE  REAR WHEEL POSITION  SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle	SJG7310		HP PNE	UMATIC TYRE GREY AND BLACK 1" (25MM)							
SJG7400 ALUMINIUM HANDRIM SJG7410 STAINLESS STEEL SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE SJG7500 QUICK RELEASE AXLE REAR WHEEL POSITION SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm) ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7620 STANDARD REAR WHEELS POSITION - From front of backrest to axle				LBE PNEUMATIC MARATHON PLUS EVO 1" (25MM)							
SJG7410 STAINLESS STEEL  SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE  SJG7500 QUICK RELEASE AXLE  REAR WHEEL POSITION  SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle		VI TY		DILLIA HANDRIA							
SJG7420 HANDRIM COATED IN BLACK ANTI-SLIP  REAR WHEEL AXLE TYPE SJG7500 QUICK RELEASE AXLE  REAR WHEEL POSITION  SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle			1								
SJG7500 QUICK RELEASE AXLE  REAR WHEEL POSITION  SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle			1								
SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle		IEEL	1								
SJG7600 VERY ACTIVE WHEEL POSITION - From front of backrest to axle position + 4" (100 mm)  SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  STANDARD REAR WHEELS POSITION - From front of backrest to axle	SJG7500		QUICK	RELEASE AXLE							
SJG7600 position + 4" (100 mm)  ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  SIG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle	REAR WI	HEEL	POSITI	ION							
SJG7610 ACTIVE REAR WHEEL POSITION - From front of backrest to axle position + 3" (75 mm)  SJG7620 MEDIUM ACTIVE WHEEL POSITION - From front of backrest to axle position + 2" (50 mm)  STANDARD REAR WHEELS POSITION - From front of backrest to axle	SJG7600										
SJG7630 STANDARD REAR WHEELS POSITION - From front of backrest to axle  position + 2" (50 mm)  STANDARD REAR WHEELS POSITION - From front of backrest to axle	0107017		•	,							
position + 2" (50 mm)  STANDARD REAR WHEELS POSITION - From front of backrest to axle	SJG7610		•	,							
STANDARD REAR WHEELS POSITION - From front of backrest to axle	SJG7620										
	SJG7630		STAND								





<b>CAMBER</b>	CAMBER ANGLE (0°, 1° and 2° DELIVERED WITH 2 CAMBER SPACERS, 3° and 4° DELIVERED WITH 4 CAMBER SPACERS)									
SJG7700	0° CAMBER	0								
SJG7710	1° CAMBER	0								
SJG7720	2° CAMBER	•								
SJG7730	3° CAMBER	•								
SJG7740	4° CAMBER	0								

CHASSIS OPTIONS TYPE				
SJG8000		SPOKE PROTECTORS PAIR - Clear (except in black for the Standard cross spoked wheel 24" SJD7230)		
SJG8020	20 PUMP - LOW PRESSURE		£19	
SJG8030	PUMP - HIGH PRESSURE		£35	
BRAKES TYPE				
SJG8100		PUSH TO LOCK BRAKES	<b>♦</b>	
SJG8110		PULL TO LOCK BRAKES	0	
SJG8120		PUSH TO LOCK BRAKES WITH extension	£15	
SJG8130		PULL TO LOCK BRAKES WITH extension	£15	
SJG8160		ATTENDANT HUB BRAKES (INCLUDED STANDARD PUSH TO LOCK BRAKE) - 22" & 24" STANDARD CROSS SPOKED WHEELS ONLY	£198	
SAFETY C	PTI	ONS TYPE		
SJG8200	Х	TRANSPORTATION KIT INCLUDING BUCKLE BELT (only for use with back heights 400mm and over)	<b>♦</b>	
SJG8300		BUCKLE BELT	0	
SJG8500		REAR ANTI-TIPPER ACTIVE RH (NC: 9200)	£54	
SJG8550		REAR ANTI-TIPPER ACTIVE LH (NC: 9100)	£54	
SJG8600		REFLECTORS KIT (WHEELS)	£15	
ATTENDANT OPTIONS TYPE				
SJG9000		CANE HOLDER	£19	
SJG9100		TIPPING AID (LH)	£43	
SJG9200		TIPPING AID (RH)	£43	
Total				

Non Conforming Option				
SJG3400	SWING AWAY, HIGH MOUNTED TUBE FOR KNEE TO HEEL 160-375MM			
SJG7600	VERY ACTIVE WHEEL POSITION - From front of backrest to axle position +4" (100mm)			
SJG3450	FIXED FRAME, LONG TUBE, FOR KNEE TO HEEL 360 - 500MM			
SJG7040	4" X 1.3/8" (100 X 35MM) ALU SOFTROLL			
SJG7070	5" X 1.3/8" (125 X 35MM) ALU SOFTROLL			
SJG7110	7" X 1.1/4" (180 X 30MM) SOLID			
SJG2300	HEIGHT ADJUSTABLE FROM 360 - 400MM (14.5" - 16") SET AT 400MM (16")			
SJG2310	HEIGHT ADJUSTABLE FROM 410 - 490MM (16" - 19.5") SET AT 450MM (18")			
SJG2400	WITHOUT PUSH HANDLES (7° bend)			
SJG2410	REAR SET (REA TYPE) (7° bend)			
SJG2420	VERTICAL INTEGRATED (TELESCOPIC 120 - 140MM ADJUSTMENT. 5"-7")			
SJG2505	FIXED BACKREST, NYLON & MESH PADDED COVER (WITH REFLECTIVE STRIP & BACK POCKET)			
SJG8160	ATTENDANT HUB BRAKES (INCLUDED STANDARD PUSH TO LOCK BRAKE) - 22" & 24" STANDARD CROSS SPOKED WHEELS ONLY			
SJG8200	TRANSPORTATION KT INCLUDING BUCKLE BELT			
SJG9100	TIPPING AID (LH)			
SJG9200	TIPPING AID (RH)			
SJG9000	CANE HOLDER			
SJG5500	FOLDING BACKBRACE			
SJG4010	REMOVABLE RH, HEIGHT ADJUSTABLE (NO.1) T-ARM DESK ARMPAD (280MM), ADJUSTABLE ON SEATRAIL BY 150MM			
SJG4020	REMOVABLE RH, HEIGHT ADJUSTABLE (NO.1) T-ARM FULL ARMPAD (380MM), ADJUSTABLE ON SEATRAIL BY 50MM			
SJG4030	SWING AWAY DETACHABLE HEIGHT ADJ RH (NO.3) DESK ARMPAD (280MM), REVERSIBLE INCREASES FRONT BY 50MM			
SJG4040	SWING AWAY DETACHABLE HEIGHT ADJ RH (NO.3) FULL ARMPAD (380MM)			
SJG4110	REMOVABLE LH, HEIGHT ADJUSTABLE (NO.1) T-ARM DESK ARMPAD (280MM), ADJUSTABLE ON SEATRAIL BY 150MM			
SJG4120	REMOVABLE LH, HEIGHT ADJUSTABLE (NO.1) T-ARM FULL ARMPAD (380MM)			
SJG4130	SWING AWAY DETACHABLE HEIGHT ADJ LH (NO.3) DESK ARMPAD (280MM), REVERSIBLE INCREASES FRONT BY 50MM			
SJG4140	SWING AWAY DETACHABLE HEIGHT ADJ LH (NO.3) FULL ARMPAD (380MM)			
SJG8000	SPOKE PROTECTORS PAIR - CLEAR (except in black for standard cross spoked wheel 24" SJD7230)			



Please refer to our Invacare Unique special order form, for more complex custom requirements.

Available at www.invacare.co.uk

	Available at www.invacare.co.uk			
Special Instructions - Please supply the following information:				
Name:	Email:			
Phone:	<u>Fax:</u>			
Description of special request (please include relevant option code or part number):				