# **BODILINK® HEAD SUPPORT ORDER FORM**







GT Lateral Hardware Shown on Acta-Back®

| Company Name/ACCT #: |      |
|----------------------|------|
| P.O. Number:         |      |
| Requested By:        |      |
| Phone:               | Fax: |
| Email:               |      |
| Ship To:             |      |
| Patient Reference:   |      |

• You may make <u>one</u> selection per column.

Choose between premium (1.1) -or- basic (1.3).
Choose a cover material in 1.2 -or- 1.4.

PREMIUM PAD

**GlideWear** 

COMFORT-TEK

**COVER MATERIAL** 

2

# BODILINK<sup>®</sup> HEAD SUPPORT PAD



# PREMIUM PAD SIZE

Length (L) refers to the actual size dimension of the support from bottom to top edge.

| ₩ >                   | Pad Firmness |               |
|-----------------------|--------------|---------------|
| 6W x 3L               | Soft         | BL-HSP1-6W3L  |
| OVV X 3L              | Extra Soft   | BL-HSP2-6W3L  |
| 8W x 4L               | Soft         | BL-HSP1-8W4L  |
| ovv x 4L              | Extra Soft   | BL-HSP2-8W4L  |
| 10W x 5L              | Soft         | BL-HSP1-10W5L |
| with adjustable wings | Extra Soft   | BL-HSP2-10W5L |
| 12W x 5L              | Soft         | BL-HSP1-12W5L |
| with adjustable wings | Extra Soft   | BL-HSP2-12W5L |
| 14W x 5L              | Soft         | BL-HSP1-14W5L |
| with adjustable wings | Extra Soft   | BL-HSP2-14W5L |
| 18W x 5L              | Soft         | BL-HSP1-18W5L |
| with adjustable wings | Extra Soft   | BL-HSP2-18W5L |
| <b>≺</b> w            |              |               |



Premium Head Support Pads angles can be formed by adjusting the plates in the pad. SURFACE. STRETCH-AIR STRETCH-AIR FOR AIR TRANSMISSION & HEAT DISSIPATION. GlideWear® (GLIDEWEAR) (additional cost) Comfort-Tek (COMFORT-TEK) Stretch-Air (STRETCH-AIR)

& SHEAR REDUCTION. NOT FLUID RESISTANT. FOR FLUID PROTECTION & AN EASILY CLEANED SURFACE. FOR AIR TRANSMISSION

FOR SKIN PROTECTION

BODILINK-HEAD-SUPPORT-FORM REV0418

## BASIC PAD SIZE RRP £69.00

| NNE | 107.00 |   |
|-----|--------|---|
|     |        |   |
|     |        | - |

| <b>↔</b> ₩ |               |
|------------|---------------|
| 6W x 5L    | BL-HSP3-6W5L  |
| 8W x 5L    | BL-HSP3-8W5L  |
| 10W × 6L   | BL-HSP3-10W6L |
| L 12W x 6L | BL-HSP3-12W6L |
| 14W x 6L   | BL-HSP3-14W6L |
| 18W x 6L   | BL-HSP3-18W6L |
| <          | •             |

Length (L) refers to the actual size dimension of the support from bottom to top edge.



Basic head support pads can be formed to any shape using the moldable steel insert inside the pad.






# **HEAD SUPPORT HARDWARE**

PT HARDWARE, REMOVABLE Α.




Ę[

PT HARDWARE, MID 8







Ч

\*Recommended for Acta-Relief™ back supports. See options for mounting hardware selections.

lg


\*\*Provides the greatest amount of articulation and range of motion.

## PT HARDWARE RANGE OF MOTION

| PT<br>MODEL | TOTAL<br># OF<br>LINKS | TOTAL<br>LINK<br>LENGTH | MAX.<br>ANTERIOR<br>REACH | MAX.<br>POSTERIOR<br>REACH | MAX.<br>LATERAL<br>REACH |
|-------------|------------------------|-------------------------|---------------------------|----------------------------|--------------------------|
| MID 6       | 2                      | 6″                      | 5.5″                      | 1″                         | N/A                      |
| LAT 6       | 3                      | 6″                      | 5.5″                      | 1″                         | 6″                       |
| MID 8       | 2                      | 8″                      | 7.5″                      | 1″                         | N/A                      |
| LAT 8       | 3                      | 8″                      | 7.5″                      | 1″                         | 8″                       |
| MAX 8       | 4                      | 8″                      | 7.5″                      | 3″                         | 8″                       |

• You may make one selection per column in either A -or- B. • If choosing 2.1 A, choose a stem length option to the right.

• Choose which mounting block option you require in 2.2.



#### OPTION ENICTH PT HARDV

| STEM L   | ENGTH     | RRP | PART NUMBER |  |
|----------|-----------|-----|-------------|--|
| STANDARI | D 7" STEM |     | (HS-STEM-7) |  |
| ***3″    | STEM      |     | (HS-STEM-3) |  |

there may be special constraints with power chair functions

## **GT HARDWARE RANGE OF MOTION**

| GT<br>MODEL | TOTAL<br># OF<br>LINKS | TOTAL<br>LINK<br>LENGTH | MAX.<br>ANTERIOR<br>REACH | MAX.<br>POSTERIOR<br>REACH | MAX.<br>LATERAL<br>REACH |
|-------------|------------------------|-------------------------|---------------------------|----------------------------|--------------------------|
| LAT         | 5                      | 10.5″                   | 10″                       | 2″                         | 7.5″                     |
| MID         | 3                      | 8.5″                    | 8″                        | 2″                         | N/A                      |

| SIZE & SHAPE RRP |         | PART NUMBER      |
|------------------|---------|------------------|
| LATERAL          | £102.00 | (BL-HS-GT3RMLAT) |
| MID-LINE         | £102.00 | (BL-HS-GT3RMMID) |

| MOUNTING BLOCK OR BRACKET        | RRP    |
|----------------------------------|--------|
| POSTERIOR A MOUNTING BLOCK       | £0.00  |
| POSTERIOR B MOUNTING BLOCK       | £0.00  |
| ANTERIOR A MOUNTING BLOCK        | £0.00  |
| QUANTUM A MOUNTING BLOCK         | £53.00 |
| PERMOBIL A MOUNTING BLOCK        | £53.00 |
| PERMOBIL B MOUNTING BLOCK        | £53.00 |
| *ACTA-RELIEF™ 14W MOUNTING BLOCK | £55.00 |
| *ACTA-RELIEF™ 16W MOUNTING BLOCK | £55.00 |
| *ACTA-RELIEF™ 18W MOUNTING BLOCK | £55.00 |
| *ACTA-RELIEF™ 20W MOUNTING BLOCK | £55.00 |

|  | (HS-MB-ANTA)  |   |
|--|---------------|---|
|  | (HS-MB-PW1A)  |   |
|  | (HS-MB-PW2A)  |   |
|  | (HS-MB-PW2B)  |   |
|  | (HS-MB-AR14W) |   |
|  | (HS-MB-AR16W) |   |
|  | (HS-MB-AR18W) |   |
|  | (HS-MB-AR20W) |   |
|  |               | _ |

PART NUMBER

(HS-MB-POSTA) (HS-MB-POSTB)

\*For Acta Relief™, includes mounting bracket and POSTA block If you already have an Acta-Relief<sup>™</sup> head support bracket, order POSTA Block

#### **GT HARDWARE, REMOVABLE** Β.







# **HEAD SUPPORT** MOUNTING OPTION

BODILINK HEAD SUPPORT ORDER FORM



MOUNTING BLOCK-POSTERIOR A or B A: For Acta-Back®, Acta-Embrace™, Visco-Back, and \*Acta-Relief with Power Mount Only\*

B: For Radius Back® or OEM wood/t-nut back supports



MOUNTING BLOCK-QUANTUM A For Quantum Tru-Comfort back supports



MOUNTING BLOCK-ANTERIOR A For other OEM back supports



MOUNTING BLOCK-PERMOBIL B For Permobil Corpus 3G Back Supports (20"H)

MOUNTING BLOCK-PERMOBIL A For Permobil Corpus 3G Back Supports (23" - 28"H)



MOUNTING BLOCK-ACTA-RELIEF™ 18W Shown Above \*For Non-Power Mount Only.\*

**Patient Reference:** 



| WARE, STEWILENGTH OPTIC |     |             |  |
|-------------------------|-----|-------------|--|
| ENGTH                   | RRP | PART NUM    |  |
| 7" STEM                 |     | (HS-STEM-7) |  |
| STEM                    |     | (HS-STEM-3) |  |

\*\*\*3" Stem is recommended for use with power mounting where

# HEAD SUPPORT ADDITIONAL **MOUNTING HARDWARE**



3.

# **EXTRA LINKS & WING LOCKS**

(FOR PT HARDWARE ONLY)



# **EXTRA MOUNTING HARDWARE**



MOUNTING BLOCK-POSTERIOR A or B A: For Acta-Back®, Acta-Embrace™, Visco-Back, and \*Acta-Relief with Power Mount Only

**B:** For Radius Back\* or OEM wood/t-nut back supports



MOUNTING BLOCK-ANTERIOR A For other OEM back supports



MOUNTING BLOCK-QUANTUM A For Quantum Tru-Comfort back supports





MOUNTING BLOCK-PERMOBIL B For Permobil Corpus 3G Back Supports (20"H)



MOUNTING BRACKET-ACTA-RELIEF™ 18W Shown Above

| MOUNTING BLOCK OR BRACKET          | RRP     | PART NUMBER     |
|------------------------------------|---------|-----------------|
| POSTERIOR A MOUNTING BLOCK         | £37.00  | (BL-HS-MBPOSTA) |
| POSTERIOR B MOUNTING BLOCK         | £37.00  | (BL-HS-MBPOSTB) |
| ANTERIOR A MOUNTING BLOCK          | £37.00  | (BL-HS-MBANTA)  |
| QUANTUM A MOUNTING BLOCK           | £53.00  | (BL-HS-MBPW1A)  |
| PERMOBIL A MOUNTING BLOCK          | £53.00  | (BL-HS-MBPW2A)  |
| PERMOBIL B MOUNTING BLOCK          | £53.00  | (BL-HS-MBPW2B)  |
| *ACTA-RELIEF™ 14W MOUNTING BRACKET | £109.00 | (BL-HS-AR14W)   |
| *ACTA-RELIEF™ 16W MOUNTING BRACKET | £109.00 | (BL-HS-AR16W)   |
| *ACTA-RELIEF™ 18W MOUNTING BRACKET | £109.00 | (BL-HS-AR18W)   |
| *ACTA-RELIEF™ 20W MOUNTING BRACKET | £109.00 | (BL-HS-AR20W)   |
|                                    |         |                 |

\*Bracket only, does not include mounting block.

| 000 | ADDITIONAL        | RRP    | EXTRA PART    |
|-----|-------------------|--------|---------------|
|     | 1/4" SPACER PLATE | £29.00 | (BL-HS-SPCRA) |

OSTA) OSTB) NTA) V1A) V2A) V2B) 1W) 5W) 3W) )W)