

# BODILINK® LATERAL PELVIC/THIGH SUPPORT ORDER FORM



Company Name/ACCT #: \_\_\_\_\_  
 P.O. Number: \_\_\_\_\_  
 Requested By: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Ship To: \_\_\_\_\_  
 Patient Reference: \_\_\_\_\_



Lateral Pelvic Thigh Support with TT Slot Mount Removable Hardware Shown on Removable Solid Seat Pan



Lateral Pelvic Thigh Support with TT Power Mount Removable Hardware



Lateral Pelvic Thigh Support with GT Slot Mount Removable Hardware Shown on Removable Solid Seat Pan



Removable Solid Seat Pan

## 1 SUPPORT PADS

Please select sizes in the appropriate fabric & style charts below. Contact Customer Support for custom sizes that are not listed below.



1.1

### BASIC PAD SIZE & SHAPE

RRP £71.00

- You may make one selection per column (Left, Extra Left, Right, and Extra Right) in section 1.1.
- Follow each column down to section 1.2 and select a style and cover for each pad selected in section 1.1.

\*Length (L) refers to the actual size dimension of the support from top to bottom edge. Depth (D) refers to the actual size dimension from anterior to posterior edge.

	STYLE	SIZE	LEFT	*EXTRA LEFT	RIGHT	*EXTRA RIGHT
ZERO ELEVATION 		3" L x 4" D	BL-LPTSP1Z-3L4D-LH	BL-LPTSP1Z-3L4D-LH	BL-LPTSP1Z-3L4D-RH	BL-LPTSP1Z-3L4D-RH
		3" L x 5" D	BL-LPTSP1Z-3L5D-LH	BL-LPTSP1Z-3L5D-LH	BL-LPTSP1Z-3L5D-RH	BL-LPTSP1Z-3L5D-RH
		4" L x 4" D	BL-LPTSP1Z-4L4D-LH	BL-LPTSP1Z-4L4D-LH	BL-LPTSP1Z-4L4D-RH	BL-LPTSP1Z-4L4D-RH
		4" L x 6" D	BL-LPTSP1Z-4L6D-LH	BL-LPTSP1Z-4L6D-LH	BL-LPTSP1Z-4L6D-RH	BL-LPTSP1Z-4L6D-RH
		4" L x 8" D	BL-LPTSP1Z-4L8D-LH	BL-LPTSP1Z-4L8D-LH	BL-LPTSP1Z-4L8D-RH	BL-LPTSP1Z-4L8D-RH
		4" L x 10" D	BL-LPTSP1Z-4L10D-LH	BL-LPTSP1Z-4L10D-LH	BL-LPTSP1Z-4L10D-RH	BL-LPTSP1Z-4L10D-RH
		4" L x 12" D	BL-LPTSP1Z-4L12D-LH	BL-LPTSP1Z-4L12D-LH	BL-LPTSP1Z-4L12D-RH	BL-LPTSP1Z-4L12D-RH
		4" L x 14" D	BL-LPTSP1Z-4L14D-LH	BL-LPTSP1Z-4L14D-LH	BL-LPTSP1Z-4L14D-RH	BL-LPTSP1Z-4L14D-RH
		4" L x 16" D	BL-LPTSP1Z-4L16D-LH	BL-LPTSP1Z-4L16D-LH	BL-LPTSP1Z-4L16D-RH	BL-LPTSP1Z-4L16D-RH
	5" L x 7" D	BL-LPTSP1Z-5L7D-LH	BL-LPTSP1Z-5L7D-LH	BL-LPTSP1Z-5L7D-RH	BL-LPTSP1Z-5L7D-RH	
OR ANTI-THRUST 		3" L x 4" D	BL-LPTSP1A-3L4D-LH	BL-LPTSP1A-3L4D-LH	BL-LPTSP1A-3L4D-RH	BL-LPTSP1A-3L4D-RH
		3" L x 5" D	BL-LPTSP1A-3L5D-LH	BL-LPTSP1A-3L5D-LH	BL-LPTSP1A-3L5D-RH	BL-LPTSP1A-3L5D-RH
		4" L x 4" D	BL-LPTSP1A-4L4D-LH	BL-LPTSP1A-4L4D-LH	BL-LPTSP1A-4L4D-RH	BL-LPTSP1A-4L4D-RH
		4" L x 6" D	BL-LPTSP1A-4L6D-LH	BL-LPTSP1A-4L6D-LH	BL-LPTSP1A-4L6D-RH	BL-LPTSP1A-4L6D-RH
		4" L x 8" D	BL-LPTSP1A-4L8D-LH	BL-LPTSP1A-4L8D-LH	BL-LPTSP1A-4L8D-RH	BL-LPTSP1A-4L8D-RH
		4" L x 10" D	BL-LPTSP1A-4L10D-LH	BL-LPTSP1A-4L10D-LH	BL-LPTSP1A-4L10D-RH	BL-LPTSP1A-4L10D-RH
		4" L x 12" D	BL-LPTSP1A-4L12D-LH	BL-LPTSP1A-4L12D-LH	BL-LPTSP1A-4L12D-RH	BL-LPTSP1A-4L12D-RH
		4" L x 14" D	BL-LPTSP1A-4L14D-LH	BL-LPTSP1A-4L14D-LH	BL-LPTSP1A-4L14D-RH	BL-LPTSP1A-4L14D-RH
		4" L x 16" D	BL-LPTSP1A-4L16D-LH	BL-LPTSP1A-4L16D-LH	BL-LPTSP1A-4L16D-RH	BL-LPTSP1A-4L16D-RH
	5" L x 7" D	BL-LPTSP1A-5L7D-LH	BL-LPTSP1A-5L7D-LH	BL-LPTSP1A-5L7D-RH	BL-LPTSP1A-5L7D-RH	

## 1.2 BASIC PAD COVER

COVER OPTIONS	RRP	LEFT	*EXTRA LEFT	RIGHT	*EXTRA RIGHT
COMFORT-TEK™	£0.00/ea.	LPTS-P1-COMFORT	LPTS-P1-COMFORT	LPTS-P1-COMFORT	LPTS-P1-COMFORT
STRETCH-AIR™	£0.00/ea.	LPTS-P1-STRETCH	LPTS-P1-STRETCH	LPTS-P1-STRETCH	LPTS-P1-STRETCH
GLIDEWEAR®	£13.00/ea.	LPTS-P1-GLIDE	LPTS-P1-GLIDE	LPTS-P1-GLIDE	LPTS-P1-GLIDE

**COMFORT-TEK™**  
FOR FLUID PROTECTION & AN EASILY CLEANED SURFACE.

**STRETCH-AIR™**  
FOR AIR TRANSMISSION & HEAT DISSIPATION.

**GlideWear**  
FOR SKIN PROTECTION & SHEAR REDUCTION. NOT FLUID RESISTANT.

## 2 MOUNTING HARDWARE

- You may make one selection per column (Left, Extra Left, Right, and Extra Right) in section 2.1 from group A, B, -OR- C.
- TT long extension arms (section 2.2) will only work with TT style hardware.
- GT hardware extra links (section 2.2) will only work with GT style hardware.

### 2.1 BODILINK® LATERAL PELVIC/ THIGH SUPPORT HARDWARE

#### A. TT HARDWARE, SLOT MOUNT


TT HARDWARE  
SLOT MOUNT - FIXED



TT HARDWARE  
SLOT MOUNT - REMOVABLE



HARDWARE SIZE  
V. CUSHION THICKNESS




HARDWARE SIZE	MAX CUSHION THICKNESS CLEARANCE	RECOMMENDED CUSHION THICKNESS
SMALL	3.0"	2.0" - 3.0"
MEDIUM	4.5"	3.0" - 4.5"
LARGE	6.5"	4.0" - 6.5"


	SIZE	RRP	LEFT	*EXTRA LEFT	RIGHT	*EXTRA RIGHT
FIXED	SMALL	£73.00	BL-LPTS-TT1FXSL1-LH	BL-LPTS-TT1FXSL1-LH	BL-LPTS-TT1FXSL1-RH	BL-LPTS-TT1FXSL1-RH
	MEDIUM	£73.00	BL-LPTS-TT1FXSL2-LH	BL-LPTS-TT1FXSL2-LH	BL-LPTS-TT1FXSL2-RH	BL-LPTS-TT1FXSL2-RH
	LARGE	£73.00	BL-LPTS-TT1FXSL3-LH	BL-LPTS-TT1FXSL3-LH	BL-LPTS-TT1FXSL3-RH	BL-LPTS-TT1FXSL3-RH
REMOVABLE	SMALL	£104.00	BL-LPTS-TT1RMSL1-LH	BL-LPTS-TT1RMSL1-LH	BL-LPTS-TT1RMSL1-RH	BL-LPTS-TT1RMSL1-RH
	MEDIUM	£104.00	BL-LPTS-TT1RMSL2-LH	BL-LPTS-TT1RMSL2-LH	BL-LPTS-TT1RMSL2-RH	BL-LPTS-TT1RMSL2-RH
	LARGE	£104.00	BL-LPTS-TT1RMSL3-LH	BL-LPTS-TT1RMSL3-LH	BL-LPTS-TT1RMSL3-RH	BL-LPTS-TT1RMSL3-RH

#### B. TT HARDWARE, POWER MOUNT


TT HARDWARE  
POWER MOUNT - FIXED



TT HARDWARE  
POWER MOUNT - REMOVABLE



HARDWARE SIZE  
V. CUSHION THICKNESS



HARDWARE SIZE	MAX CUSHION THICKNESS CLEARANCE	RECOMMENDED CUSHION THICKNESS
SMALL	3.5"	2.0" - 3.5"
MEDIUM	5.5"	3.0" - 5.5"
LARGE	7.5"	4.0" - 7.5"

	SIZE	RRP	LEFT	*EXTRA LEFT	RIGHT	*EXTRA RIGHT
FIXED	SMALL	£95.00	BL-LPTS-TT1FXPWL1-LH	BL-LPTS-TT1FXPWL1-LH	BL-LPTS-TT1FXPWL1-RH	BL-LPTS-TT1FXPWL1-RH
	MEDIUM	£95.00	BL-LPTS-TT1FXPWL2-LH	BL-LPTS-TT1FXPWL2-LH	BL-LPTS-TT1FXPWL2-RH	BL-LPTS-TT1FXPWL2-RH
	LARGE	£95.00	BL-LPTS-TT1FXPWL3-LH	BL-LPTS-TT1FXPWL3-LH	BL-LPTS-TT1FXPWL3-RH	BL-LPTS-TT1FXPWL3-RH
REMOVABLE	SMALL	£120.00	BL-LPTS-TT1RMPWL1-LH	BL-LPTS-TT1RMPWL1-LH	BL-LPTS-TT1RMPWL1-RH	BL-LPTS-TT1RMPWL1-RH
	MEDIUM	£120.00	BL-LPTS-TT1RMPWL2-LH	BL-LPTS-TT1RMPWL2-LH	BL-LPTS-TT1RMPWL2-RH	BL-LPTS-TT1RMPWL2-RH
	LARGE	£120.00	BL-LPTS-TT1RMPWL3-LH	BL-LPTS-TT1RMPWL3-LH	BL-LPTS-TT1RMPWL3-RH	BL-LPTS-TT1RMPWL3-RH

## TT HARDWARE, POWER MOUNT (CONTINUED)


### TT HARDWARE, POWER MOUNT OPTION

**NOTE:** If choosing the Power Mount Hardware, choose the appropriate power mount type below.


POWER MOUNT	RRP	PART NUMBER
QUANTUM	£0.00	LPTS-TT1-PW1
PERMOBIL	£0.00	LPTS-TT1-PW2
QUICKIE	£0.00	LPTS-TT1-PW3
ROVI	£0.00	LPTS-TT1-PW4
AVID REHAB	£0.00	LPTS-TT1-PW5

## C. GT HARDWARE (ONLY SLOT MOUNT)


GT HARDWARE  
SLOT MOUNT- FIXED



GT HARDWARE  
SLOT MOUNT-  
REMOVABLE



NO MEDIAL



1" MEDIAL




HARDWARE	MAX CUSHION THICKNESS CLEARANCE	RECOMMENDED CUSHION THICKNESS
NO MEDIAL	*5.0"	2.5" - 5.0"
1" MEDIAL	*4.0"	2.25" - 4.0"

\*If you need to increase the height or medial reach, add additional links in section 2.2.


SIZE	RRP	LEFT	*EXTRA LEFT	RIGHT	*EXTRA RIGHT
FIXED	£75.00	BL-LPTS-GT2FXS-LH	BL-LPTS-GT2FXS-LH	BL-LPTS-GT2FXS-RH	BL-LPTS-GT2FXS-RH
REMOVABLE	£75.00	BL-LPTS-GT2RMS-LH	BL-LPTS-GT2RMS-LH	BL-LPTS-GT2RMS-RH	BL-LPTS-GT2RMS-RH

## 2.2

### ADDITIONAL OPTIONS



TT LONG EXTENSION ARM 4"	LEFT	*EXTRA LEFT	RIGHT	*EXTRA RIGHT
RRP £18.00	BL-LPTS-TT1LARM4	BL-LPTS-TT1LARM4	BL-LPTS-TT1LARM4	BL-LPTS-TT1LARM4



GT ADDITIONAL HARDWARE LINKS	LEFT	*EXTRA LEFT	RIGHT	*EXTRA RIGHT
RRP £18.00 (2 Additional 1.25" Links Allowed Per Hardware Ordered)	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK
	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK	BL-LPTS-GT2LINK

## 3 SOLID SEAT PANS

### 3.1

#### REMOVABLE SOLID SEAT PAN & HARDWARE KIT

RRP £358.00

The solid seat pan kit includes a slotted aluminum pan and attaching hardware to accommodate 7/8" or 1" tubing. The kit also comes with two different cross bars to accommodate various wheelchair frame types. This will fit both folding and non-folding seat rails. Lateral thigh support hardware can be easily attached.

Please fill in the below with dimensions.  
Example Part for 14W x 16D: **RSSP-1-1416**

RSSP-1-\_\_\_\_\_

SIZE RANGE:  
WIDTH: 10" - 28"  
DEPTH: 10" - 22"

Part Number:  
RSSP-1-VVWDD

