

# Aids for Daily Living Catalogue 2012



### Welcome to the 2012 Coopers Catalogue

Coopers is one of the leading brands in the aids for daily living market place, with a history that spans over 100 years.

We work closely with healthcare professionals to develop products that are innovative, of high quality and offer outstanding value for money.

The range for 2012 is made up of our own manufactured products and products which are sourced from carefully selected and trusted suppliers.

#### Why choose Coopers?

- We are one of the most trusted suppliers to the NHS, community loan stores and mobility dealers
- We hold all items in stock
- Most orders are despatched within 24 hours
- Our products have an outstanding quality and safety record
- We have a dedicated and knowledgeable Customer Service team and a team of Area Sales Managers who can assist you with choosing the right product, provide additional product support and arrange product demonstrations
- Ordering is easy via fax, email and online
- For our customers who are participating in the TCES (Transforming Community Equipment Services) programme we now offer a range of standard products and higher specification alternatives (details are on page 57)

For further information or to discuss your needs in more detail please contact your Area Sales Manager, or alternatively a member of the Customer Service Team on **01384 44 66 66** between 9am and 5pm Monday to Friday. Alternatively email us at [enquiries@sunmed.co.uk](mailto:enquiries@sunmed.co.uk).

#### For enquiries:

Phone: **01384 44 66 66**

#### To place your order:

Fax: **01384 44 66 44**

E-mail: [orders@sunmed.co.uk](mailto:orders@sunmed.co.uk)

Online: <http://parts.sunrisemedical.eu>

## Contents

### Bariatric Range

|                           |   |
|---------------------------|---|
| Toilet Seat and Surrounds | 4 |
| Commodes                  | 5 |
| Bath Step                 | 6 |
| Perching Stool            | 6 |
| Shower Stools and Chairs  | 7 |
| Commode / Shower Chair    | 8 |
| Permanent User Crutches   | 9 |
| Rolling Walker            | 9 |
| Walking Frame             | 9 |

### Bathroom

|                           |    |
|---------------------------|----|
| Bathboards                | 10 |
| Showerboards              | 10 |
| Bathseats                 | 11 |
| Shower Chairs and Stools  | 12 |
| Wall Mounted Shower Seats | 13 |
| Reclining Bathlift        | 15 |
| Bath Steps                | 16 |
| Shower / Commode Chairs   | 16 |

### Toileting

|                                  |    |
|----------------------------------|----|
| Raised Toilet Seats              | 18 |
| Toilet Seat Frames and Surrounds | 18 |
| Urinals                          | 20 |
| Commodes                         | 23 |

### Grab Rails

|           |    |
|-----------|----|
| Bathing   | 24 |
| Outdoor   | 25 |
| Toileting | 25 |

### Perching Stools

|                 |    |
|-----------------|----|
| Perching Stools | 26 |
|-----------------|----|

### Household

|                           |    |
|---------------------------|----|
| Bed Aids                  | 27 |
| Dressing Aids             | 28 |
| Reaching and Lifting Aids | 29 |
| Bed and Chair Raisers     | 30 |
| Tables and Trolleys       | 30 |
| Tap Turners               | 31 |
| Eating and Drinking       | 32 |
| Jar Opener                | 33 |
| Medicine Storage          | 34 |

### Mobility

|                                       |    |
|---------------------------------------|----|
| Three Wheeled and Rolling Walkers     | 35 |
| Walking Frames                        | 37 |
| Children's Walking Frames             | 40 |
| Walking Frame Accessories             | 41 |
| Elbow Crutches                        | 42 |
| Axilla Crutches                       | 46 |
| Crutch and Walking Stick Accessories  | 46 |
| Folding Seat                          | 46 |
| Ferrules                              | 47 |
| Wooden Walking Sticks                 | 48 |
| Fixed Height Aluminium Support Sticks | 51 |
| Folding Walking Sticks                | 52 |
| Aluminium Support Sticks              | 53 |
| Tripods and Tetrapods                 | 56 |

## Bariatric Adjustable Toilet Surround



This height adjustable toilet surround is manufactured from powder coated steel. It is ideal for use by people who need extra help whilst raising and lowering.

- Height adjustable
- Arm supports for improved grip
- Suitable for industrial cleaning
- Non-slip, non-marking rubber feet

| Coopers Product Code | TCES Code Number | Coopers Product Name                 | Technical Specification  | Max User Weight |
|----------------------|------------------|--------------------------------------|--|-----------------|
| X154                 | -                | Bariatric Adjustable Toilet Surround | Floor to top of arms: 654mm - 807mm (25¾" x 32"). Width between arms: 546mm (21½"). Frame depth: 470mm (18½"). Footprint: 500mm x 640mm (19¾" x 25¼"). Product weight: 6.18kg. | 250kg (40st)    |

## Bariatric Raised Toilet Seat and Frame

# COOPERS RECOMMENDS

This height adjustable frame is manufactured from powder coated steel and features a comfortable plastic seat which provides a high sitting position, making it easier for the user to raise and lower.

- Wide clip on/clip off seat for easy cleaning
- Height adjustable to cater for both varying toilet heights and customer requirements
- Suitable for industrial cleaning
- Integral arm supports
- Non-slip, non-marking rubber feet
- Transit wheels on two of the legs to enable tipping of frame and easy moving



| Coopers Product Code | TCES Code Number | Coopers Product Name                   | Technical Specification   | Max User Weight |
|----------------------|------------------|--|---|-----------------|
| X152                 | BTA03            | Bariatric Raised Toilet Seat and Frame | Seat height: 485mm - 620mm (19" - 24½"). Seat width: 615mm (24¼"). Seat depth: 445mm (17½"). Width between arms: 645mm (25½"). Seat to top of arms: 110mm (4½"). Footprint: 600mm x 720mm (23½" x 28¼"). Product weight: 9.1kg. | 250kg (40st)    |

## Extra Heavy Duty Commode



This adjustable height commode features an extra wide base and seat, offering increased comfort and stability.

- Height adjustable
- Comfortable wide seat
- Arm rests
- Supplied with commode pan

| Coopers Product Code | TCES Code Number | Coopers Product Name     | Technical Specification   | Max User Weight |
|----------------------|------------------|--------------------------|---|-----------------|
| 10405C               | -                | Extra Heavy Duty Commode | Seat height: 420mm - 600mm (16½" - 23½"). Seat depth: 470mm (18½"). Seat width: 510mm (20"). Product weight: 6kg. | 227kg (36st)    |
| 10413C               | -                | Spare Commode Pan        | -   | -               |

## Bariatric Commode

# COOPERS RECOMMENDS

This top selling bariatric commode is manufactured from tubular steel and offers reinforced framework in heavier gauge tube to cater for users of up to 250kg/40st.

- Padded upholstery is heat-sealed so can be cleaned without risk of water ingress
- Commode seat is contoured for ultimate comfort and rear is scalloped to allow access for personal hygiene
- Transit wheels on two of the legs to enable tipping of frame and easy moving
- Non-slip, non-marking rubber feet



| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification  | Max User Weight |
|----------------------|------------------|----------------------|--|-----------------|
| X222                 | -                | Bariatric Commode    | Seat height: 450mm - 580mm (17¾" - 23"). Width between arms: 686mm (27"). Seat depth: 530mm (23 ¾"). Seat to top of arms: 200mm (8"). Seat to top of back: 405mm (16"). Product weight: 18.15kg. | 250kg (40st)    |
| 71019F/H             | -                | -                    | Spare Commode Pan with Handle  | -               |



## Bariatric Perching Stool with Arms and Back



This high quality perching stool with angled seat enables the user to rest and then stand again with minimum effort. It is particularly useful for those who tire easily.

- New 'H' frame for additional strength
- Variable height options accommodate most customer requirements
- Splayed legs of frame ensure maximum stability
- Arms give user increased sense of security
- Padded back for user comfort
- Gentle seat incline for greater user comfort and safety
- Non-slip rubber feet ensure stability

| Coopers Product Code | TCES Code Number | Coopers Product Name                        | Technical Specification  | Max User Weight |
|----------------------|------------------|---|--|-----------------|
| X161                 | BFU02            | Bariatric Perching Stool with Arms and Back | Seat height: 580mm - 720mm (22¾"-28¼"). Width between arms: 660mm (23½"). Seat width: 520mm (20½"). Seat depth: 380mm (15"). Seat incline: 25mm (1"). Seat to top of arms: 200mm (8"). Seat to top of back: 280mm (11"). Footprint: (max) 890mm x 770mm (35" x 30¼"). Product weight: 10.11kg. | 380kg (60st)    |

## Prima Bath Step

With a large flat surface area and built in non-slip pads, this bath step is safe and secure. It has been designed in modular components, allowing the step height to be altered if necessary.

- The set comprises a 50mm (2") step, plus two 25mm (1") risers
- Four non-slip feet and a link to allow two steps to be fixed together side by side
- The bath step's modular nature gives heights from 50mm (2") to 100mm (4")
- May be assembled up to 355mm (14") high by purchasing additional 25mm (1") risers



| Coopers Product Code | TCES Code Number | Coopers Product Name      | Technical Specification                   | Max User Weight |
|----------------------|------------------|---------------------------|---|-----------------|
| 62920                | -                | Prima Bath Step           | Surface area: 445mm x 350mm (17½" - 13½") | 240kg (38st)    |
| 61921                | -                | Riser for Prima Bath Step | Height: 25mm (1")                         | -               |

## Extra Heavy Duty Shower Chair



Free standing, adjustable height shower chair.

- Reinforced height adjustable frame
- Extra wide seating surface
- Supplied with non-slip rubber feet

| Coopers Product Code | TCES Code Number | Coopers Product Name          | Technical Specification  | Max User Weight |
|----------------------|------------------|-------------------------------|--|-----------------|
| 10220C               | -                | Extra Heavy Duty Shower Chair | Seat height: 380mm-480mm (15"-19"). Seat width: 510mm (20"). Seat depth: 380mm (15"). Product weight: 6kg. | 227kg (36st)    |

## Bariatric Shower Stool

# COOPERS RECOMMENDS

This free standing, adjustable height shower stool offers an extra wide seat providing comfort and support to the larger user. This product is ideal for someone who needs to sit down whilst showering.

- Manufactured from heavy gauge steel tube, this stool/chair can support patient weight of up to 250kg (40st)
- Perforated seat is 610mm (24") wide by 430mm (17") deep
- Integral handles offer patient support
- Height adjustable
- Ideal for level access showers



| Coopers Product Code | TCES Code Number | Coopers Product Name   | Technical Specification  | Max User Weight |
|----------------------|------------------|------------------------|--|-----------------|
| X156                 | BBA01            | Bariatric Shower Stool | Seat height: 483mm - 635mm (19" - 25"). Width between arms: 670mm (26½"). Seat width: 610mm (24"). Seat depth: 430mm (17"). Seat to top of arms: 229mm (9"). Max footprint: 647mm x 762mm (25½" x 30"). Min footprint: 572mm x 737mm (22½" x 29"). Product weight: 9.61kg. | 250kg (40st)    |

# COOPERS RECOMMENDS

High specification toileting and showering chair. Designed to maximise user comfort and security.

- Designed to wheel over standard toilet or Clos-O-Mat, or to be used for assisted showering
- Manufactured from high gauge epoxy powder coated steel, this frame is robust and wide enough for bariatric comfort, but is dimensionally sized to fit through a standard door
- Seat and back are polyurethane so are soft feel for patient comfort and easy to clean
- Back framework is reinforced and designed to fit flush with toilet cistern
- Adjustable 'pram handles' ensure carer best positioning when pushing patient
- Seat is reversible, facilitating personal hygiene with access to front or back
- Seat has PU 'plug' fitting for use as a seat only
- Pan carrier is fitted to the underside of the seat and provides lever 'clip in' holder for the oval potty with handle
- Oval pan with handle can be inserted at front or rear of frame and so allows frame to 'park' against a wall and still be used
- Swing-away arms also detach for side transfer
- Footplates clip-on and swing away.
- Substantial 125mm (5") braked castors all round



| Coopers Product Code | TCES Code Number | Coopers Product Name               | Technical Specification   | Max User Weight |
|----------------------|------------------|------------------------------------|---|-----------------|
| X399                 | -                | Bariatric Commode and Shower Chair | Seat height: 610mm (24"). Floor to underside: 540mm (21¼"). Width between arms: 640mm (25¼"). Seat width: 635mm (25"). Seat depth: 460mm (18"). Seat to top of back: 310mm (12"). Back width: 540mm (21¼"). Back height: 360mm (14¼"). Handle protrusion: 180mm (7"). Handle height: 820mm - 970mm (32¼" to 38¼"). Product weight: 30.86kg. | 250kg (40st)    |
| 71019F/H             | -                | Spare Commode Pan with Handle      |   |                 |



# COOPERS RECOMMENDS

This extra strong crutch made from reinforced aluminium is designed for those users with longer term needs.

- The absence of adjustment holes makes the crutch 'silent' in use
- The crutch is supplied in one standard length, and may be cut to the required length
- Supplied with a choice of standard or Stepsafe™ ferrules
- Choice of PVC or comfy handle
- Latex free (including ferrules)



| Coopers Product Code | TCES Code Number | Coopers Product Name                                     | Technical Specification   | Max User Weight |
|----------------------|------------------|--|---|-----------------|
| 8043C                | -                | Permanent User Crutch - PVC handle, STEPSAFE™ ferrules   | Handle to Floor: (excluding ferrule) 960mm (38"). Top of cuff to handle: 229mm (9"). Cuff diameter: 100mm (4"). Product weight: 800g each. Standard ferrule: Z25. | 190kg (30st)    |
| 8042C                | -                | Permanent User Crutch - COMFY handle, STEPSAFE™ ferrules |   |                 |
| 8047C                | -                | Permanent User Crutch - PVC handle, standard ferrules    |   |                 |
| 8041C                | -                | Permanent User Crutch - COMFY handle, standard ferrules  |   |                 |

## Extra Heavy Duty Folding Walking Frame

The Coopers bariatric folding walker is designed with durability and style to support an independent and productive lifestyle.

- Height adjustable
- Extra wide frame
- Higher weight capacity
- Durable components for increased comfort and stability

| Coopers Product Code | TCES Code Number | Coopers Product Name                              | Technical Specification   | Max User Weight |
|----------------------|------------------|---|---|-----------------|
| 7758C                | -                | Extra Heavy Duty Folding Walking Frame            | Handgrip height: 810mm - 990mm (32" - 39"). Max width: 740mm (29"). Depth open: 600mm (23½"). Depth folded: 100mm (4"). Product weight 8.3kg. Ferrule: D30. | 227kg (35st)    |
| NE-02075             | -                | Wheels For Extra Heavy Duty Folding Walking Frame | -   |                 |



## Extra Heavy Duty Rolling Walker

# COOPERS RECOMMENDS

This rolling walker features an extra-wide design and durable construction for comfort and stability.

- Height adjustable
- Padded seat and backrest provide enhanced support. Supplied with basket
- Comes with 8-inch wheels which are ideal for outdoor use
- Easy to use loop brakes

| Coopers Product Code | TCES Code Number | Coopers Product Name            | Technical Specification  | Max User Weight |
|----------------------|------------------|---------------------------------|--|-----------------|
| 10930C               | -                | Extra Heavy Duty Rolling Walker | Max user weight: 227kg (35st). Handle height: 820mm - 870mm (32¼" - 34¼"). Seat height: 560mm (22"). Maximum width: 670mm (26¼") Width between handles: 590mm (23¼"). Depth (folded, with backrest): 500mm (19¼"). Product weight 10.9kg | 227kg (35st)    |



## Merlin Bathboard



When fitted across the bath, this bathboard provides a seated platform area to assist those who are unable to get in and sit down in the normal way. It can also be used as a seat to allow over bath showering. It enables the user to get into and out of the bath with greater ease and comfort.

- Made of highly durable reinforced PVC
- Compatible with plastic, steel and cast iron baths
- Features tapered slats to encourage rapid drainage
- The self locating fixing system ensures secure positioning
- An optional handle code 10176C is available offering additional user confidence

| Coopers Product Code | TCES Code Number | Coopers Product Name         | Technical Specification                   | Max User Weight |
|----------------------|------------------|------------------------------|---|-----------------|
| 10164C               | BA01             | Merlin Bathboard 660mm (26") | Width: 228mm (9"). Product weight: 2.2kg. | 190kg (30st)    |
| 10165C               | BA02             | Merlin Bathboard 686mm (27") |   |                 |
| 10166C               | BA03             | Merlin Bathboard 711mm (28") |   |                 |
| 10176C               | -                | Optional Handle              | -   | -               |

## Merlin Showerboard

# COOPERS RECOMMENDS

Wider than our standard bathboard, this six slat board provides a comfortable seated platform area to assist those unable to step in and sit down in the usual way. It can also act as a seat to allow over-bath showering.

- Six tapered slats to encourage rapid water drainage
- Constructed of reinforced PVC for maximum durability
- Secured into position with Coopers unique self locating fixing system
- An optional handle code 10176C is available offering additional user confidence



| Coopers Product Code | TCES Code Number | Coopers Product Name           | Technical Specification                     | Max User Weight |
|----------------------|------------------|--------------------------------|---|-----------------|
| 10167C               | BA04             | Merlin Showerboard 660mm (26") | Width: 340mm (13½"). Product weight: 3.2kg. | 190kg (30st)    |
| 10169C               | BA05             | Merlin Showerboard 686mm (27") |   |                 |
| 10168C               | BA06             | Merlin Showerboard 711mm (28") |   |                 |
| 10176C               | -                | Optional Handle                |   |                 |

## Bathboard with Handle



Fitted across the bath to facilitate ease of getting in and out of the bath.

- Moulded plastic bathboard with drainage holes
- Supplied with handle which provides additional support for the user
- Width adjustable brackets are made from non-slip rubber to enable a secure fit

| Coopers Product Code | TCES Code Number | Coopers Product Name  | Technical Specification   | Max User Weight |
|----------------------|------------------|-----------------------|---|-----------------|
| 10160C               | BA19             | Bathboard with Handle | Length: 690mm (27"). Width at narrowest point 260mm (10¼"). Product weight 1.5kg. | 114kg (18st)    |

## Merlin Bathseat

# COOPERS RECOMMENDS

Ideal for users who have difficulty sitting or getting up from the bottom of the bath. By positioning at the non tap end of the bath it provides a comfortable, safe, intermediary seat within the bath for the user to bathe either near or in the water. Can be used with a bath board to enable transfer from standing to sitting and vice versa.

- Made from reinforced PVC
- Provides a comfortable bathing experience for the user
- Tapered slats aid rapid drainage
- Fixes securely with large suction pads which incorporate easy-release tabs
- Finished in brilliant white with soft grey trim



| Coopers Product Code | TCES Code Number | Coopers Product Name        | Technical Specification   | Max User Weight |
|----------------------|------------------|-----------------------------|---|-----------------|
| 10157C               | BA07             | Merlin Bathseat 152mm (6")  | Length: 457mm (18"). Width: 280mm (11")<br>Product weight: 2.5kg. | 160kg (25st)    |
| 10158C               | BA08             | Merlin Bathseat 203mm (8")  |   |                 |
| 10159C               | BA09             | Merlin Bathseat 305mm (12") |   |                 |

## Shower Chair



Lightweight but sturdy shower chair with height adjustability and an extra wide seating surface.

- Height adjustable aluminium frame resists rusting
- Textured, blow-moulded polyethylene seat and backrest with drainage holes to aid drainage
- Built-in handholds provide extra safety
- Rubber feet grip even on wet surfaces

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 10241C               | -                | Shower Chair         | Seat height: 330mm - 508mm (13"-21"). Seat width: 495mm (19½"). Seat depth: 305mm (12"). Product weight: 3.2kg. | 114kg (18st)    |

## Shower Stool



Free standing height adjustable shower stool, ideal for users who cannot stand up long enough, or safely enough, to shower.

- Anodised height adjustable aluminium frame resists rusting
- Textured, blow-moulded polyethylene seat with built-in handholds provide extra safety
- Rubber feet grip even on wet surfaces

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 10239C               | BA10             | Shower Stool         | Seat height: 330mm - 508mm (13"-20"). Seat width: 495mm (19½"). Seat depth: 305mm (12"). Product weight: 2.7kg. | 114kg (18st)    |

## Adjustable Height Round Shower Stool

Ideal for users who find it difficult to stand up in the shower, this stool makes it easier and more comfortable to shower and helps reduce the risk of falling.

- Lightweight, height adjustable round shower stool
- Moulded plastic seat in brilliant white
- Supplied with non-slip rubber feet



| Coopers Product Code | TCES Code Number | Coopers Product Name                 | Technical Specification  | Max User Weight |
|----------------------|------------------|--------------------------------------|--|-----------------|
| 10231C               | BA15             | Adjustable Height Round Shower Stool | Seat height: 400mm - 500mm (15½"-19¾"). Seat diameter: 320mm (12½"). Seat depth: 380mm (15"). Product weight: 1.5kg. | 114kg (18st)    |

## Folding Shower Chair

A folding shower chair with arms and back.

- Height adjustable
- Seat has cut-away for improved personal hygiene and holes to aid drainage
- Folds away when not in use
- Supplied with non-slip rubber feet

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification  | Max User Weight |
|----------------------|------------------|----------------------|--|-----------------|
| 10178C               | -                | Folding Shower Chair | Seat Height 460mm - 540mm (18" - 21¼"). Seat depth: 440mm (17¼"). Seat width: 410mm (16"). Product weight 4.7kg. | 114kg (18st)    |



## Turner Cubicle Seat

A height adjustable fold down, wall mounted shower stool. The seat provides comfort and safety for the user and is ideal for those who cannot stand up long enough to shower.

- Foldaway cubicle seat with legs
- Plastic coated for anti-corrosion protection
- Height adjustable

**NOTE:** Wall mounted shower seats should be fitted by a competent person using screws and rawplugs appropriate for the wall. For this reason we do not include screws or rawplugs with our seats.

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification  | Max User Weight |
|----------------------|------------------|----------------------|--|-----------------|
| 10240                | -                | Turner Cubicle Seat  | Seat height: 457mm - 584mm (18" - 23"). Seat width: 457mm (18"). Seat depth: 330mm (13"). Product weight: 5.5kg. | 190kg (30st)    |



## Wall Mounted Shower Seat

Wall mounted shower seat which offers support for those who need to be seated whilst showering.

- Seat folds away for storage
- Comfortable seat with drainage holes
- Corrosion resistant

**NOTE:** Wall mounted shower seats should be fitted by a competent person using screws and rawplugs appropriate for the wall. For this reason we do not include screws or rawplugs with our seats.

| Coopers Product Code | TCES Code Number | Coopers Product Name     | Technical Specification   | Max User Weight |
|----------------------|------------------|--------------------------|---|-----------------|
| 10242C               | -                | Wall Mounted Shower Seat | Seat width: 495mm (19½"). Seat depth: 305mm (12"). Product weight: 3.5kg. | 100kg (16st)    |



## Wall Mounted Shower Seat with Legs



This wall mounted shower seat with legs offers support for those who need to be seated whilst showering.

- Seat folds away for storage
- Comfortable seat with drainage holes
- Corrosion resistant
- Height adjustable legs with rubber non slip feet

**NOTE:** Wall mounted shower seats should be fitted by a competent person using screws and rawplugs appropriate for the wall. For this reason we do not include screws or rawplugs with our seats.

| Coopers Product Code | TCES Code Number | Coopers Product Name               | Technical Specification   | Max User Weight |
|----------------------|------------------|------------------------------------|---|-----------------|
| 10243C               | -                | Wall Mounted Shower Seat with Legs | Seat width: 495mm (19½"). Seat depth: 305mm (12"). Seat height: 405mm - 560mm (16"-22"). Product weight: 3.5kg. | 100kg (16st)    |

## Shower Mat (Pack of 10)



Slip resistant shower mat.

- Machine washable at low temperature
- Made from natural rubber
- White

| Coopers Product Code | TCES Code Number | Coopers Product Name    | Technical Specification                  | Max User Weight |
|----------------------|------------------|-------------------------|--|-----------------|
| 10187                | -                | Shower Mat (Pack of 10) | Length: 560mm (22"). Width: 560mm (22"). | -               |

## Lotus Bath Lifts Accessories



Transfer Disc



Slide and Swivel

Our range of accessories fit both the Lotus and Lotus Lite bathlift. (See facing page).

We recommend the use of a transfer disk or 'slide and swivel' to make transferring on to and off the Lotus or Lotus Lite bathlift easier.



Height Adaptors

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification | Max User Weight |
|----------------------|------------------|----------------------|-------------------------|-----------------|
| 900600               | -                | Transfer Disc        | -                       | 140kg (22st)    |
| 900601               | -                | Slide and Swivel     | -                       |                 |
| 71000/05/06/07       | -                | Height Adaptors      | -                       |                 |



## Lotus Lite Bathlift



For those who have difficulty getting into and out of the bath, a Lotus Lite bathlift is the perfect solution.

- Breaks down into five lightweight parts that are simple to put together and take apart
- The lightweight, waterproof hand control floats and features a large sucker at the rear so it's never far from reach
- For added comfort and support, the Lotus Lite has a backrest with integral headrest and inclined seat
- For increased comfort, the backrest reclines and can be infinitely adjusted to 40°
- Has easy-clean plastic surfaces and covers that are machine washable up to 60°C

We recommend the use of a transfer disk or 'Slide and Swivel' to make transferring on to and off the Lotus Lite bathlift even easier. (See facing page)

| Coopers Product Code | TCES Code Number | Coopers Product Name          | Technical Specification  | Max User Weight |
|----------------------|------------------|-------------------------------|--|-----------------|
| 900310               | -                | Lotus Lite Reclining Bathlift | Seat width (excluding side flaps): 375mm (15"). Seat width (including side flaps): 715mm (28"). Seat length: 405mm (16"). Min seat height: 72mm (3"), Max seat height: 440mm (17"), Backrest height: 710mm (28"), Backrest width: 340mm (13"), Overall product weight: 12.9kg. | 140kg (22st)    |

## Lotus Bathlift

# COOPERS RECOMMENDS

The Lotus bathlift not only allows for easy, comfortable bathing, but its unique antimicrobial properties mean you have the added reassurance that the Lotus is hygienic and safe.

The Lotus bathlift has all the same functionality of the Lotus Lite bathlift but with two extra key features:

- Antimicrobial properties provide an extra level of protection against bacteria
- Plastic surfaces contain a special additive that repels dirt and water, making it easy to keep clean

We recommend the use of a transfer disk or 'Slide and Swivel' to make transferring on to and off the Lotus bathlift even easier. (See facing page)



| Coopers Product Code | TCES Code Number | Coopers Product Name     | Technical Specification  | Max User Weight |
|----------------------|------------------|--------------------------|--|-----------------|
| 900910               | -                | Lotus Reclining Bathlift | Seat width (excluding side flaps): 375mm (15"). Seat width (including side flaps): 715mm (28"). Seat length: 405mm (16"). Min seat height: 72mm (3"), Max seat height: 440mm (17"), Backrest height: 710mm (28"), Backrest width: 340mm (13"), Overall product weight: 12.9kg. | 140kg (22st)    |

## Prima Bath Step

With a large flat surface area and built in non-slip pads, this bath step is safe and secure in use. It has been designed in modular components, allowing the step height to be altered if necessary.

- The set comprises a 50mm (2") step, plus two 25mm (1") risers, four non-slip feet and a link to allow two steps to be fixed together side by side
- The bath steps modular nature gives heights from 50mm (2") to 100mm (4")
- May be assembled up to 355mm (14") high by purchasing additional 25mm (1") risers

| Coopers Product Code | TCES Code Number | Coopers Product Name      | Technical Specification                   | Max User Weight |
|----------------------|------------------|---------------------------|---|-----------------|
| 62920                | -                | Prima Bath Step           | Surface area: 445mm x 350mm (17½" - 13½") | 240kg (38st)    |
| 61921                | -                | Riser for Prima Bath Step | Height: 25mm (1")                         | -               |



## Bath Step with Handle

This bath step reduces the step in and step out height for the user helping them to enter and exit the bath and assisting bathing safety.

- Large non-slip surface
- Safety handrail for extra support
- Non-slip rubber feet for extra stability

| Coopers Product Code | TCES Code Number | Coopers Product Name  | Technical Specification  | Max User Weight |
|----------------------|------------------|-----------------------|--|-----------------|
| 10329C               | -                | Bath Step with Handle | Length: 275mm (11"). Step height: 220mm (8½"). Handrail height: 930mm (36¾"). Width: 415mm (16½"). | 113kg (18st)    |



## Self Propelled Shower / Commode Chair

This durable three-in-one self propelled chair can be used as a shower chair, a commode chair, or as an overtoilet pedestal. Supplied with a commode pan.

- Height adjustable aluminium frame
- Detachable, height adjustable footrests
- Padded seat for extra comfort with a removable section for easier personal cleaning
- Handles at the rear of the chair make it easy if assistance is required
- Padded armrests flip-up and out of the way
- The two swivelling castors are 125mm (5") in diameter and the quick release rear wheels are 600mm (24") in diameter

| Coopers Product Code | TCES Code Number | Coopers Product Name                  | Technical Specification   | Max User Weight |
|----------------------|------------------|---------------------------------------|---|-----------------|
| 10210C               | -                | Self Propelled Shower / Commode Chair | Seat height: 540mm - 640mm (21¼" - 25"). Overall width: 610mm (24"). Seat dimensions: 430mm x 430mm (17" x 17"). Maximum depth: 1140mm (45"). Product weight: 17.5kg. | 120kg (19st)    |
| 10411C               | -                | Spare Commode Pan with Lid            |   | -               |
| WCAS1487             | -                | 125mm castors sold in pairs           |   | -               |



## Attendant Propelled Shower / Commode Chair



120kg  
(19st)

Similar to the Self Propelled Shower / Commode Chair but supplied with floor swivelling castors.

- Height adjustable aluminium frame
- Detachable, height adjustable footrests
- Padded seat for extra comfort with a removable section for easier personal cleaning
- Padded armrests flip-up and out of the way
- Each castor has an integral brake
- For added convenience the rear wheels are interchangeable between the 125mm and 600mm versions. To convert the attendant propelled to the self propelled version you will need to purchase a conversion kit, consisting of the quick release wheels, axles and hand brakes. To convert the self propelled to the attendant propelled version you will need to purchase a pair of 125mm castors.

| Coopers Product Code | TCES Code Number | Coopers Product Name                      | Technical Specification   | Max User Weight |
|----------------------|------------------|---|---|-----------------|
| 10211C               | -                | Attendant Propelled Shower/ Commode Chair | Seat height: 540mm - 640mm (21¼" - 25"). Overall width: 540mm (21¼"). Seat dimensions: 430mm x 430mm (17" x 17"). Maximum depth: 1060mm (41¼"). Product weight: 14kg. | 120kg (19st)    |
| 10411C               | -                | Spare Commode Pan with Lid                |   |                 |
| WCAS1488             | -                | Conversion Kit                            |   |                 |

## Bariatric Commode and Shower Chair

# COOPERS<sup>®</sup> RECOMMENDS

High specification toileting and showering chair. Designed to maximise user comfort and security.

- Designed to wheel over standard toilet or Clos-O-Mat, or can be used for assisted showering
- Manufactured from high gauge epoxy powder coated steel, this frame is robust and wide enough for bariatric comfort, but is dimensionally sized to fit through a standard door
- Seat and back are polyurethane, so are soft feel for patient comfort and easy to clean
- Back framework is reinforced and designed to fit flush with toilet cistern
- Adjustable 'pram handles' ensure carer best positioning when pushing patient
- Seat is reversible, facilitating personal hygiene with access to front or back
- Seat has PU 'plug' fitting for use as a seat only
- Pan carrier is fitted to the underside of the seat and provides lever 'clip in' holder for the oval potty with handle
- Oval pan with handle can be inserted at front or rear of frame and so allows frame to 'park' against a wall and still be used. Swing-away arms also detach for side transfer
- Footplates clip on and swing away
- Substantial 125mm (5") braked castors all round



250kg  
(40st)

| Coopers Product Code | TCES Code Number | Coopers Product Name               | Technical Specification  | Max User Weight |
|----------------------|------------------|------------------------------------|--|-----------------|
| X399                 | -                | Bariatric Commode and Shower Chair | Seat height: 610mm (24"). Floor to underside: 540mm (21¼"). Width between arms: 640mm (25¼"). Seat width: 635mm (25"). Seat depth: 460mm (18"). Seat to top of back: 310mm (12"). Back width: 540mm (21¼"). Back height: 360mm (14¼"). Handle protrusion: 180mm (7"). Handle height: 820mm - 970mm (32¼" to 38¼"). | 250kg (40st)    |
| 71019F/H             | -                | Spare Commode Pan with Handle      |  |                 |

## Easy Fit Raised Toilet Seat



A moulded plastic, raised toilet seat which increases the overall height of the toilet to make it easier to sit down or stand up.

- Built-in antibacterial properties
- Easy and secure tool-free fitting
- Wide frontal opening for personal cleaning
- Comfortable contoured seat area distributes user weight over a larger area
- Fits all standard size toilets

| Coopers Product Code | TCES Code Number | Coopers Product Name                         | Technical Specification  | Max User Weight |
|----------------------|------------------|--|--|-----------------|
| 63122                | TA01             | Ashby Easy Fit Raised Toilet Seat 51mm (2")  | Depth: 390mm (15½"). Width: 380mm (15"). Product weights: 1kg, 1.3kg, 2.1kg. | 190kg (30st)    |
| 63144                | TA02             | Ashby Easy Fit Raised Toilet Seat 102mm (4") |  |                 |
| 63166                | TA03             | Ashby Easy Fit Raised Toilet Seat 152mm (6") |  |                 |

## Relaxon Toilet Seat



## COOPERS RECOMMENDS

A raised toilet seat available with or without lid.

- Fits all standard size toilets
- Fast and simple 'no-tool' installation
- Secures firmly to the toilet with non-slip adjustable side brackets
- Available with or without lid

| Coopers Product Code | TCES Code Number | Coopers Product Name                           | Technical Specification  | Max User Weight |
|----------------------|------------------|--|--|-----------------|
| 11326                | -                | Relaxon Raised Toilet Seat with Lid 100mm (4") | Height: 100mm (4"). Width: 370mm (14½"). Depth: 400mm (15¾"). Product weights: 1.03kg, 1.45kg. | 200kg (31st)    |
| 11327                | -                | Relaxon Raised Toilet Seat 100mm (4")          |  |                 |

## Merlin Raised Toilet Seat and Frame



A height adjustable toilet seat and free standing frame which can be placed over the existing toilet bowl to provide a higher sitting position.

- Height adjustable frame
- Comfortable contoured plastic seat which can be removed for cleaning
- Cushioned handles provide extra support when transferring
- Fitted with non-marking rubber ferrules to prevent slipping

| Coopers Product Code | TCES Code Number | Coopers Product Name                | Technical Specification   | Max User Weight |
|----------------------|------------------|-------------------------------------|---|-----------------|
| 10380C               | TA04             | Merlin Raised Toilet Seat and Frame | Seat height: 460mm - 610mm (18" - 24"). Width: 555mm (22"). Depth: 495mm (19½"). Product weight: 5.2kg. | 190kg (30st)    |

## Steel Toilet Surround

Free standing support frame. When placed around the front of the bowl it provides support to the user whilst getting on or off the toilet.

- Adjustable height
- Fitted with comfortable wipe clean arm rests
- Supplied with non-marking rubber ferrules to prevent slipping

| Coopers Product Code | TCES Code Number | Coopers Product Name  | Technical Specification  | Max User Weight |
|----------------------|------------------|-----------------------|--|-----------------|
| 10399C               | TA05             | Steel Toilet Surround | Arm height: 650mm - 730mm (25½" - 28¾"). Max width: 580mm (22¾"). Width between arms: 490mm (19¼"). Depth: 445mm (17½"). Product weight: 4kg | 190kg (30st)    |



## Aluminium Toilet Surround

Lightweight toilet surround frame which helps the user to raise and lower safely.

- Adjustable height
- Manufactured from anodised aluminium with non-corrosive fixings
- Cushioned handles for comfort and support
- Fitted with non-marking rubber ferrules to prevent slipping

| Coopers Product Code | TCES Code Number | Coopers Product Name      | Technical Specification   | Max User Weight |
|----------------------|------------------|---------------------------|---|-----------------|
| 10397C               | -                | Aluminium Toilet Surround | Arm height: 620mm - 695mm (24½" - 27"). Width: 540mm (21"). Depth: 420mm (16½"). Product weight: 1.9kg. | 160kg (25st)    |



## Floor Fixing Kit

Toilet frame floor fixing kit which enables the toilet frame to be secured to the floor.

- A set of floor fixing feet suitable for items 10380C, 10397C and 10399C
- Set comprises of two aluminium feet plus four screws
- The feet are screwed to the ground and the frame rear legs are then placed into the feet, so there is no need to remove the legs or ferrules

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification  | Max User Weight |
|----------------------|------------------|----------------------|--|-----------------|
| 10381C               | TA14             | Floor Fixing Kit     | Base depth: 100mm (4"). Foot depth: 50mm (2"). Base width: 54mm (2"). Foot width: 52mm (2"). Total height: 45mm (1¾"). | 190kg (30st)    |



## Female Urinal



A clear plastic bottle anatomically designed specifically for women to allow hygienic use.

- Graduations for easy measuring
- Can be used whilst sitting, standing or in bed
- Biocote protected

| Coopers Product Code | TCES Code Number | Coopers Product Name         | Technical Specification |
|----------------------|------------------|------------------------------|-------------------------|
| 10846                | TA08             | Female Urinal                | Capacity 1 litre        |
| 10846MP              |                  | Female Urinal (carton of 20) |                         |

## Female Slipper Urinal (Petal)



A white plastic urinal with rubber end cap for emptying.

- Suitable for bed or wheelchair use
- Suitable for disinfection in an autoclave to 135°C
- Biocote protected

| Coopers Product Code | TCES Code Number | Coopers Product Name          | Technical Specification |
|----------------------|------------------|-------------------------------|-------------------------|
| 10847                | -                | Slipper Urinal                | Capacity 1 litre        |
| 10847MP              | -                | Slipper Urinal (Carton of 20) |                         |



## Economy Male Urinal

Economy multi-pack of male urinals.

- Graduations for easy measuring
- Snap-on cap

| Coopers Product Code | TCES Code Number | Coopers Product Name               | Technical Specification |
|----------------------|------------------|------------------------------------|-------------------------|
| 10843                | -                | Economy Male Urinal (carton of 25) | Capacity 1 litre        |



## Male Urinal

A clear plastic bottle anatomically designed specifically for men to allow hygienic use.

- Graduations for easy measuring
- Snap-on cap
- Suitable for disinfection in an autoclave to 135°C
- Biocote protected

| Coopers Product Code | TCES Code Number | Coopers Product Name       | Technical Specification |
|----------------------|------------------|----------------------------|-------------------------|
| 10845                | -                | Male Urinal                | Capacity 1 litre        |
| 10845MP              | -                | Male Urinal (carton of 25) |                         |



## URSEC No-Leak Urinal

# COOPERS RECOMMENDS

A patented urinal from which spillage is virtually impossible

- The cap with anti-return device unscrews for emptying

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification |
|----------------------|------------------|----------------------|-------------------------|
| 10844                | -                | URSEC No-Leak Urinal | Capacity 1 litre        |



## Vector Bed Pan



A general purpose bed pan with a horseshoe aperture, designed to support continence whilst laying in bed.

- This bed pan is supplied with a lid for convenience
- Suitable for disinfection in an autoclave to 135°C
- Biocote protected

| Coopers Product Code | TCES Code Number | Coopers Product Name          | Technical Specification   | Max User Weight |
|----------------------|------------------|-------------------------------|---|-----------------|
| 10850                | -                | Vector Bed Pan                | Capacity: 1 litre.<br>Height: 75mm (3").<br>Width: 280mm (11").<br>Length: 360mm (14"). | -               |
| 10850MP              | -                | Vector Bed Pan (Carton of 15) |   |                 |

## Selina Slipper Pan Urinal



A wedge shaped plastic bowl that can be placed under a user with limited mobility. Designed to support continence whilst laying in bed.

- A large slipper pan urinal suitable for hospital use
- Suitable for disinfection in an autoclave to 135°C
- Biocote protected

| Coopers Product Code | TCES Code Number | Coopers Product Name                     | Technical Specification                             | Max User Weight |
|----------------------|------------------|--|---|-----------------|
| 10848                | -                | Selina Slipper Pan Urinal                | Capacity: 1 litre. Size: 330mm x 241mm (13" x 9½"). | -               |
| 10848MP              | -                | Selina Slipper Pan Urinal (carton of 25) |   |                 |

## Fracture Pan Urinal



This large slipper style pan has a smooth surface to allow it to be easily moved under the body's shape

- Suitable for disinfection in an autoclave to 135°C
- Biocote protected

| Coopers Product Code | TCES Code Number | Coopers Product Name               | Technical Specification  | Max User Weight |
|----------------------|------------------|------------------------------------|--|-----------------|
| 10849                | -                | Fracture Pan Urinal                | Capacity: 1 litre. Size: 449mm x 309mm x 99mm (17¾" x 12" x 4"). | -               |
| 10849MP              | -                | Fracture Pan Urinal (carton of 12) |  |                 |

## Stacking Commode

An adjustable height, free standing commode with attached toilet seat and removable commode pan.

- Made from high quality steel with tough powder coating
- Available as either fixed or adjustable height
- Cushioned seat and back covered in flame retardant vinyl
- Commode pan and lid included

| Coopers Product Code | TCES Code Number | Coopers Product Name                 | Technical Specification  | Max User Weight |
|----------------------|------------------|--------------------------------------|--|-----------------|
| 10402C               | TA06             | Stacking Commode - adjustable height | Adjustable seat height: (excluding cushion) 480mm - 580mm (19" - 23"). Fixed seat height (excluding cushion): 490mm (19½"). Width between arms: 480mm (19"). Seat: 410mm x 410mm (16" x 16"). Product weight: 6.5kg. | 190kg (30st)    |
| 10400C               |                  | Stacking Commode - fixed height      |  |                 |
| 10408C               |                  | Spare Commode Pan                    |  |                 |



## Wickerwork Commode

# COOPERS RECOMMENDS

An attractive, traditional wooden frame commode chair with woven fibre upholstery

- The removable upholstered seat conceals a plastic commode pan and lid with carrying handle

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 10410                | -                | Wickerwork Commode   | Seat height: 455mm (18"). Seat width: 405mm (16"). Product weight: 7.2kg. | 127kg (20st)    |
| 10411                | -                | Spare Commode Pan    | -   | -               |



## Commode Wheelchair

A mobile commode with four wheels and detachable foot and arm rests. Ideal for users who find it difficult to access a toilet safely and easily.

- A high quality and versatile steel commode chair
- The comfortable seat is covered with a strong easy to clean plastic
- Moulded drop-down arms to aid side transfer and prevent wear
- High quality castors fitted as standard, each with an integral brake

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 10183C               | TA07             | Commode Wheelchair   | Seat height (excluding cushion): 490mm (19½"). Overall width: 559mm (22"). Overall depth: 572mm (22½"). Product weight: 14kg. | 130kg (20st)    |
| 10412C               |                  | Spare Commode Pan    |   |                 |



## Merlin Grab Rail



A wall mounted rail designed to be used indoors to assist the user to stand up and sit down.

- Extra strong grab rail attractively finished in brilliant white
- The ribbed handle is 38mm (1½”) wide to provide the user with increased comfort and grip

| Coopers Product Code | TCES Code Number | Coopers Product Name         | Technical Specification   | Max User Weight |
|----------------------|------------------|------------------------------|---|-----------------|
| 10274                | GR09             | Merlin Grab Rail 305mm (12”) | Diameter: 38mm (1½”). Depth: 76mm (3”).<br>Product weight: 375g - 535g. | 190kg (30st)    |
| 10276                | GR10             | Merlin Grab Rail 457mm (18”) |   |                 |
| 10278                | GR11             | Merlin Grab Rail 609mm (24”) |   |                 |

## Prima Grab Rail

# COOPERS RECOMMENDS

Prima grab bars feature special soft grip mouldings around the bar to reduce the risk of slipping, even with wet soapy hands.

- One-piece moulded plastic is reinforced by the use of an internal non-rust aluminium tube
- The ergonomic grip is comfortable and never cold to the touch
- The straight grab bars can be fixed vertically, horizontally or at an angle
- The two angled grab bars are ideal for helping users to rise from the toilet
- Available in a choice of mint/white (shown) or all white



| Coopers Product Code | TCES Code Number | Coopers Product Name                          | Technical Specification | Max User Weight |
|----------------------|------------------|---|-------------------------|-----------------|
| 6521                 | -                | Prima Grab Rail 300mm (12”) mint/white        | -                       | 190kg (30st)    |
| 6522                 | -                | Prima Grab Rail 400mm (16”) mint /white       |                         |                 |
| 6523                 | -                | Prima Grab Rail 450mm (18”) mint/white        |                         |                 |
| 6524                 | -                | Prima Grab Rail 600mm (24”) mint/white        |                         |                 |
| 6519                 | -                | Prima Angled Grab Rail 325mm (13”) mint/white |                         |                 |
| 6520                 | -                | Prima Angled Grab Rail 400mm (16”) mint/white |                         |                 |
| 6555                 | -                | Prima Grab Rail 300mm (12”) white             |                         |                 |
| 6556                 | -                | Prima Grab Rail 400mm (16”) white             |                         |                 |
| 6557                 | -                | Prima Grab Rail 450mm (18”) white             |                         |                 |
| 6558                 | -                | Prima Grab Rail 600mm (24”) white             |                         |                 |
| 6553                 | -                | Prima Angled Grab Rail 325mm (13”) white      |                         |                 |
| 6554                 | -                | Prima Angled Grab Rail 400mm (16”) white      |                         |                 |

## Folding Arm

A wall mounted hinged rail designed to aid the user to stand up or sit down when using the toilet.

- Folds up out of the way when not in use
- Locks in position when in use
- Available in two lengths

| Coopers Product Code | TCES Code Number | Coopers Product Name                      | Technical Specification   | Max User Weight |
|----------------------|------------------|---|---|-----------------|
| 10328C               | GR06             | Folding Support Arm Standard: 760mm (30") | Overall height: 305mm (12"). Overall width: 125mm (5"). Rail diameter: 32mm (1¼"). Product weight: 3.4kg/4.1kg. | 127kg (20st)    |
| 10327C               | GR12             | Folding Support Arm Short: 550mm (21½")   |   |                 |



## Drop Down Rail with Leg

Trombone style drop down support rail with height adjustable leg.

- Provides additional user support next to the toilet
- Can be folded up when not in use to save space

| Coopers Product Code | TCES Code Number | Coopers Product Name    | Technical Specification   | Max User Weight |
|----------------------|------------------|-------------------------|---|-----------------|
| G300                 | GR01             | Drop Down Rail with Leg | Leg height: 665mm - 870mm (26" - 34¼"). Wall bracket: 100mm x 230mm (4" x 9"). Overall length: 740mm (29"). Product weight: 3.37kg. | 114kg (18st)    |



## Prima Outdoor Grab Rail

Inconspicuous outdoor grab rail which aids the user when entering and leaving the house.

- Weather resistant reinforced rail which can be fixed vertically, horizontally or at an angle

| Coopers Product Code | TCES Code Number | Coopers Product Name                                | Technical Specification | Max User Weight |
|----------------------|------------------|---|-------------------------|-----------------|
| 6538                 | -                | Prima Outdoor Grab Rail 450mm (18")                 | -                       | 190kg (30st)    |
| 6537                 |                  | Prima Outdoor Grab Rail 450mm (18") - retail packed |                         |                 |



## Perching Stool with Arms



An adjustable height perching stool with a sloping seat for comfort. Designed to allow the user to work whilst perched.

- Height adjustable seat and back support (back support on deluxe version only)
- Comfortable padded seat
- Supplied with non-slip rubber feet
- Available with or without a padded back

| Coopers Product Code | TCES Code Number | Coopers Product Name                     | Technical Specification  | Max User Weight |
|----------------------|------------------|--|--|-----------------|
| 10260C               | -                | Perching Stool with Arms                 | Seat height: 500mm - 650mm (19½" - 25½").<br>Max width between arms: 485mm (19¼"). Seat size: 370mm x 300mm (14½" x 12"). Product weight: 4.8kg/6kg. | 159kg (25st)    |
| 10261C               | -                | Perching Stool with Arms and Padded Back |  |                 |

## Merlin Perching Stool

An adjustable height stool, with a sloping seat that is designed to allow the user to sit at a comfortable height in the kitchen, bathroom and shower, allowing them to rest whilst undertaking household and personal care activities.

- Height adjustable seat and back support (back support on deluxe version only)
- Seat and back made from tear resistant polyurethane
- Cushioned hand grips on deluxe model
- Non marking rubber ferrules to prevent slipping



| Coopers Product Code | TCES Code Number | Coopers Product Name           | Technical Specification  | Max User Weight |
|----------------------|------------------|--------------------------------|--|-----------------|
| 10268C               | -                | Merlin Perching Stool Deluxe   | Seat height: 580mm - 740mm (23" - 29").<br>Width between arms: 430mm (17").<br>Seat: 350mm x 290mm (13¾" x 11½"). Product weight: 4.6/6.8kg. | 159kg (25st)    |
| 10266C               | -                | Merlin Perching Stool Standard |  |                 |



## Double Adjustable Easy Riser

Provides a stable support when raising and getting in and out of bed.

- The support fits below the mattress and provides the user with easy to grab hand rails
- Width is adjustable to fit all bed sizes
- Rail sides can be reversed to fit snugly against the base of the bed, giving companions who do not require support free bed access

| Coopers Product Code | TCES Code Number | Coopers Product Name         | Technical Specification   | Max User Weight |
|----------------------|------------------|------------------------------|---|-----------------|
| B52                  | -                | Double Adjustable Easy Riser | Min length: 991mm (39").<br>Max length: 1600mm (63").<br>Width: 356mm (14"). Handle height: 191mm (7½"). Width of handle loop: 356mm (14").<br>Product weight: 5kg. | 190kg (30st)    |



190kg  
(30st)

## Lift Ease with Straps

Single side bed aid which offers support in raising, lowering and getting in and out of bed.

- Suitable for both slatted and divan beds
- Large frame base offers maximum under mattress stability
- Two piece framework clips together
- Supplied with quick release straps as specified for TCES
- Compact bed rails for easy storage

| Coopers Product Code | TCES Code Number | Coopers Product Name  | Technical Specification  | Max User Weight |
|----------------------|------------------|-----------------------|--|-----------------|
| B550                 | BE01             | Lift Ease with Straps | Minimum length: 625mm (24").<br>Maximum length: 679mm (26"). Width: 480mm (19").<br>Product weight: 4kg. | 190kg (30st)    |



190kg  
(30st)

TCES  
Approved

## Lifting Pole

Free standing two piece lifting pole offering a stable overhead support for those who find it difficult to raise to a sitting position.

- Suitable for divan beds
- Low base frame ensures suitability for a minimum of 25mm (1") bed clearance
- Adjustable strap caters for differing arm reach lengths
- Quick and easy to assemble

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 10760                | -                | Lifting Pole         | Overall height: 1956mm (77"). Overall length: 900mm (35½"). Overall width: 870mm (34¼"). Length of jib: 737mm (29") | 100kg (16st)    |



100kg  
(16st)

## Inflatable Hair Wash Tray



Heavy duty vinyl hair wash tray with two separate inflatable chambers.

- The water drains through a tube with a lockable clamp into a bucket
- Folds away neatly when not in use

| Coopers Product Code | TCES Code Number | Coopers Product Name      | Technical Specification                         | Max User Weight |
|----------------------|------------------|---------------------------|---|-----------------|
| 10740                | -                | Inflatable Hair Wash Tray | Inflated 482mm x 609mm x 178mm (19" x 24" x 7") | -               |

## Adjustable Blanket Cradle



A bed frame designed to hold bed clothes away from the body for ventilation and pressure relief.

- Lightweight adjustable aluminium frame
- Dismantles for easy storage

| Coopers Product Code | TCES Code Number | Coopers Product Name      | Technical Specification   | Max User Weight |
|----------------------|------------------|---------------------------|---|-----------------|
| 8771C                | BE06             | Adjustable Blanket Cradle | Adjustable height: 520mm - 670mm (20½" - 26½"). Width: 482mm (19"). Depth: 500mm (19½") | -               |

## Long Handle Shoe Horn



A long handled shoe horn to aid the user to reach and put on shoes easily.

| Coopers Product Code | TCES Code Number | Coopers Product Name  | Technical Specification | Max User Weight |
|----------------------|------------------|-----------------------|-------------------------|-----------------|
| 10626                | PL04             | Long Handle Shoe Horn | Length: 530mm (21")     | -               |

## Stocking and Sock Aid

Aids the users to put on socks, stockings or tights easily without the need to bend down. Simply roll the sock, stocking or tights onto the aid, slip in your foot, then use the straps to pull the clothing item up the leg.

| Coopers Product Code | TCES Code Number | Coopers Product Name  | Technical Specification | Max User Weight |
|----------------------|------------------|-----------------------|-------------------------|-----------------|
| 10624                | PL05             | Stocking and Sock Aid | -                       | -               |



TCES  
Approved

## Classic Reacher

An easy to use aid which helps the user to pick up items without bending or crouching.

- Lightweight and easy to use with an improved comfort handle
- The Classic Reacher makes an ideal dressing aid
- The Gripcert rubber is kind and gentle to skin
- Comes with a handy stick clip attachment and magnet on the end to help pick up metal items, such as keys etc
- Lifetime warranty

| Coopers Product Code | TCES Code Number | Coopers Product Name        | Technical Specification | Max User Weight |
|----------------------|------------------|-----------------------------|-------------------------|-----------------|
| 10650                | PL01             | Classic Reacher 660mm (26") | -                       | -               |
| 10652                | PL19             | Classic Reacher 813mm (32") | -                       | -               |



TCES  
Approved

## Handi-Grip Reacher

# COOPERS RECOMMENDS

Ideal for users who struggle with bending and reaching. This reacher has been designed with the arthritis sufferer in mind.

- Features a comfortable ergonomically designed handle and trigger
- The head can be rotated through 90° to find the best jaw position
- Lifetime warranty

| Coopers Product Code | TCES Code Number | Coopers Product Name           | Technical Specification | Max User Weight |
|----------------------|------------------|--------------------------------|-------------------------|-----------------|
| HA2756M              | -                | Handi-Grip Reacher 660mm (26") | -                       | -               |
| HA2736M              | -                | Handi-grip reacher 813mm (32") | -                       | -               |



## Merlin Cone Raisers

A set of four moulded cones suitable for raising either a chair or bed. An ideal solution for users who find it hard to sit down due to the height of the furniture.

- A set of four stackable moulded cones to raise a chair or bed to optimum height
- The cones feature a recessed top and anti-slip pads to hold the furniture leg or castor securely in position
- Available in two sizes

| Coopers Product Code | TCES Code Number | Coopers Product Name                        | Technical Specification   | Max User Weight |
|----------------------|------------------|---|---|-----------------|
| 10727                | FU13             | Merlin Cone Raisers 140mm (5½") Set of four | Diameter: 178mm (7"). Recess depth: 26mm (1"). Recess width: 45mm (1¾"). Product weight: 115g/160g. | 190kg (30st)    |
| 10725                |                  | Merlin Cone Raisers 90mm (3½") Set of four  |   |                 |



## Two Tier Trolley

Height adjustable wheeled trolley which can be used for the safe transportation of items around the home.

- An adjustable height trolley with wipe clean trays
- Fitted with 100mm (4") castors

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 10581                | FU03             | Two Tier Trolley     | Handle height: 848mm - 998mm (33" - 39¼"). Width: 460mm (18"). Depth: 560mm (22"). Product weight: 8.9kg. | 127kg (20st)    |



## Overbed Table

A portable tilting table for use whilst in bed or seated in a chair. Provides an ideal base for eating, drinking, activities or hobbies.

- This versatile table can be used with a bed or chair
- The laminated table top is height and angle adjustable, with a small plastic lip to retain items when tilted
- The frame is fitted with four castors to give manoeuvrability
- Clearance of 76mm (3") required between floor and bed

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification  | Max User Weight |
|----------------------|------------------|----------------------|--|-----------------|
| 10752C               | FU10             | Overbed Table        | Table Top: 605mm x 405mm (24" x 16"). Height: 710mm - 1030mm (28" x 40½"). | 190kg (30st)    |



## Medeci Tap Turners

A universal handle designed to be fitted to crystal or cross head taps to enable users with limited or weak grip to operate the tap.

- Easy to fit and adjustable to suit almost any size of crystal or cross head tap
- Lever type handles pivot for ease of use
- Sold in pairs

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification                         | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 10511                | -                | Medeci Tap Turners   | Handle length: 203mm (8"). Product weight: 275g | -               |



## Tap Turner

Suitable for all cross or capstan type taps, these turners aid leverage.

- Easy to fit
- Sold in pairs

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification                        | Max User Weight |
|----------------------|------------------|----------------------|--|-----------------|
| 10510                | -                | Tap Turner           | Handle length: 102mm (4"). Product weight: 55g | -               |



## Comfort Cutlery Handles

A range of comfortable, thoughtfully designed cutlery which benefits users with limited grip or restricted wrist and finger movement.

- Non-slip contoured plastic handles
- Lightweight
- Dishwasher-safe

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification  | Max User Weight |
|----------------------|------------------|----------------------|--|-----------------|
| 12236                | PL14K            | Comfort Knife        | Length: 203mm (8").<br>Handle length: 102mm (4"). Product weight: 70g. | -               |
| 12238                | PL14F            | Comfort Fork         |  |                 |
| 12240                | PL14S            | Comfort Spoon        |  |                 |
| 12244                | -                | Right Hand Fork      |  |                 |
| 12248                | -                | Right Hand Spoon     |  |                 |
| 12242                | -                | Left Hand Fork       |  |                 |
| 12246                | -                | Left Hand Spoon      |  |                 |



## In-Curve Plate Surround

A device which easily snaps onto any circular plate.

- Ideal for people who may need to eat one handed
- Helps reduce the amount of food spillage when eating from a plate
- Food can easily be pushed against the plate surround and onto a fork or spoon

| Coopers Product Code | TCES Code Number | Coopers Product Name    | Technical Specification                | Max User Weight |
|----------------------|------------------|-------------------------|--|-----------------|
| 10456                | PL09             | In-Curve Plate Surround | Diameter: 123mm - 152mm max (5" - 6"). | -               |



## Two Handled Cup

A polycarbonate two handled cup

- Supplied with choice of anti-splash lid or feeding spout

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification | Max User Weight |
|----------------------|------------------|----------------------|-------------------------|-----------------|
| 10462                | -                | Two Handled Cup      | Capacity: 170mL.        | -               |





## Two Handled Mug

A versatile, transparent adult size mug.

- Supplied with a choice of non-spill, standard or spout lid
- Dishwasher and microwave safe

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification | Max User Weight |
|----------------------|------------------|----------------------|-------------------------|-----------------|
| 10488                | PL10             | Two Handled Mug      | Capacity 284ml          | -               |



## One Handled Cup

A clear polycarbonate one handled cup

- Supplied with choice of anti-splash lid or feeding spout
- Available as single unit or box of 20

| Coopers Product Code | TCES Code Number | Coopers Product Name        | Technical Specification | Max User Weight |
|----------------------|------------------|-----------------------------|-------------------------|-----------------|
| 10460                | -                | One Handled Cup             | Capacity: 300ml         | -               |
| 10460MP              | -                | One Handled Cup (box of 20) |                         |                 |




## Dycem Jar Opener

# COOPERS RECOMMENDS

The Dycem Jar Opener is shaped to fit the hand and textured for extra grip

- With the highest coefficient of friction of any non-slip material, this jar opener is highly effective

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification  | Max User Weight |
|----------------------|------------------|----------------------|--------------------------|-----------------|
| 10492                | PL22             | Dycem Jar Opener     | Diameter: 121mm (4 3/4") | -               |




## Medichest

Designed to allow for daily medication to be organised into doses. Ideal for people who need to take a lot of medication or who need help remembering the dosage required.

- A complete week of tablet medication can be stored in the compartments
- Each day has four clearly marked compartments with doses for morning, noon, evening and bed time
- The medi-planner should be loaded at the start of the week and a routine established for its use
- Removable day strips can be popped in a handbag or pocket. Particularly valuable for long term care

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification               | Max User Weight |
|----------------------|------------------|----------------------|---------------------------------------|-----------------|
| 14138                | -                | Medichest            | 190mm x 125mm x 37mm (7½" x 5" x 1½") | -               |



## Medelert

Ideal for those on regular medication who have difficulty remembering when and which tablets to take. Can easily be loaded by the user or carer.

- Simply programmed, will dispense tablets up to four times a day
- At the pre-programmed times, the internal tablet cassette rotates, the alarm signal sounds and the correct dosage comes into view through the opening in the lockable lid
- Choice of three different alarm sounds which continue to ring for up to 30 minutes
- Battery operated (4 x AA batteries supplied)
- Low charge battery warning indicator

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification | Max User Weight |
|----------------------|------------------|----------------------|-------------------------|-----------------|
| MEDELERT             | TE04             | Medelert             | Diameter: 190mm (7½")   | -               |



## Tablet Crusher

A grinding mill for medicines

- Turn the screw top to crush the tablet into powder
- Spare tablets can be stored in a compartment within the lid

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification | Max User Weight |
|----------------------|------------------|----------------------|-------------------------|-----------------|
| 14134                | -                | Tablet Crusher       | 63mm (2½") x 50mm (2")  | -               |



## Three Wheel Walker with Bag

An adjustable height three wheel walker to assist those who require extra support indoors or outdoors.

- Height adjustable lightweight frame
- Easy to operate loop brakes
- Folds away for easy transport and storage
- Includes PVC shopping bag
- Colour - gun metal grey

| Coopers Product Code | TCES Code Number | Coopers Product Name                         | Technical Specification  | Max User Weight |
|----------------------|------------------|--|--|-----------------|
| 10901C               | M006             | Three Wheel Walker with Bag                  | Handle height: 800mm - 927mm (31½" - 36½"). Max width: 670mm (26"). Width when folded: 248mm (9¾"). Product weight: 7kg. | 114kg (18st)    |
| 10901CKA             |                  | Three Wheel Walker with Bag, Basket and Tray |  |                 |



## Basket and Tray for Three Wheel Walker

This versatile basket can be used for shopping or carrying items around the home.

- Comes complete with tray
- Attaches easily to the three wheel walker

| Coopers Product Code | TCES Code Number | Coopers Product Name                   | Technical Specification  | Max User Weight |
|----------------------|------------------|--|--|-----------------|
| 10917C               | -                | Basket and Tray for Three Wheel Walker | 320mm x 210mm x 240mm (12½" x 8¼" x 9½"). Product weight: 1.35kg | -               |



## Rolling Walker

# COOPERS RECOMMENDS

High quality height adjustable four wheel rolling walker.

- Easy to use loop brakes (squeeze to stop, push down to lock)
- Can be used indoors and outdoors
- Supplied with a large shopping basket, sturdy seat and tray
- Colour - gun metal grey

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 10907C               | M007             | Rolling Walker       | Handle height: 780 - 940mm (30½" - 37"). Seat height: 610mm (24"). Width: 580mm (23"). Depth (folded, with backrest): 500mm (20"). Product weight: 11.5kg | 120kg (19st)    |



## Lightweight Rolling Walker

This lightweight aluminium rolling walker has rugged 8" wheels for outdoor use.

- Height adjustable
- Deluxe padded seat and curved backrest for enhanced support
- Features easy to use loop brakes
- Folds for storage
- Comes complete with seat and basket
- Colour - blue

| Coopers Product Code | TCES Code Number | Coopers Product Name       | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------------|---|-----------------|
| 10910C               | -                | Lightweight Rolling Walker | Handle height: 780mm - 915mm (30¼" - 36"). Seat height: 510mm (20"). Maximum width: 620mm (24½"). Seat width: 340mm x 340mm (13½" x 13½"). Depth (folded, with backrest): 470mm (18½"). Product weight: 9.3kg | 125kg (20st)    |



## Heavy Duty Rolling Walker

Wider than our standard rolling walkers, this heavy duty rolling walker offers additional support and comfort for the larger user.

- Height adjustable aluminium frame
- Deluxe padded seat and back rest
- 8" wheels for outdoor use
- Easy to use loop brakes
- Supplied with seat and basket
- Colour - gun metal grey

| Coopers Product Code | TCES Code Number | Coopers Product Name      | Technical Specification   | Max User Weight |
|----------------------|------------------|---------------------------|---|-----------------|
| 10928C               | -                | Heavy Duty Rolling Walker | Handle height: 790mm - 930mm (31" - 36½"). Seat height: 510mm (20"). Maximum width: 720mm (28¼"). Width between handles: 545mm (21½"). Seat width: 340mm x 340mm (13½" x 13½"). Depth: (folded, with backrest) 500mm (19¾"). Product weight: 10.3kg | 170kg (27st)    |



## Extra Heavy Duty Rolling Walker

This rolling walker features an extra-wide design and durable construction for comfort and stability.

- Height adjustable
- A deluxe padded seat and backrest provide enhanced support
- Comes with 8" wheels which are ideal for outdoor use
- Easy to use loop brakes
- Comes complete with seat and basket

| Coopers Product Code | TCES Code Number | Coopers Product Name            | Technical Specification   | Max User Weight |
|----------------------|------------------|---------------------------------|---|-----------------|
| 10930C               | -                | Extra Heavy Duty Rolling Walker | Handle height: 820mm - 870mm (32¼" - 34¼"). Seat height: 560mm (22"). Maximum width: 670mm (26¼"). Width between handles: 590mm (23¼"). Depth (folded, with backrest): 500mm (17¾"). Product weight: 10.9kg | 227kg (35st)    |





## Ultra-Narrow Walking Frame

Designed for users with disabilities or those who have difficulty with walking but are capable of walking by themselves with a little support. A narrow frame style helps manoeuvre in smaller spaces.

- Coopers walking frames are made from high tensile seam welded aluminium making them both lightweight and very strong
- Specially profiled hand grips ensure user safety and comfort
- The ultra-narrow frame is ideal for domestic use or where space is limited
- Height adjustable, available with or without wheels

| Coopers Product Code | TCES Code Number | Coopers Product Name               | Technical Specification   | Max User Weight |
|----------------------|------------------|------------------------------------|---|-----------------|
| 7344C                | M018             | Ultra-narrow Frame - M             | Handgrip height: 755mm - 830mm (30"-33"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.75kg. Ferrule: Z25. | 160kg (25st)    |
| 7345C                | M028             | Ultra-narrow Frame - L             | Handgrip height: 840mm - 915mm (33"-36"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.75kg. Ferrule: Z25. |                 |
| 7346C                | -                | Ultra-narrow Frame - M with wheels | Handgrip height: 775mm - 850mm (31"-34"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.80kg. Ferrule: Z25. |                 |
| 7347C                | -                | Ultra-narrow Frame - L with wheels | Handgrip height: 860mm - 935mm (34"-37"). Max width: 490mm (19½"). Max depth: 450mm (17½"). Product weight: 1.80kg. Ferrule: Z25. |                 |



## Domestic Walking Frame

# COOPERS RECOMMENDS

A strong yet lightweight walking frame that is height adjustable. This walking frame is ideal for those who need support when walking.

- Designed for indoor use
- Made from high tensile seam welded aluminium making them both lightweight and very strong
- Specially profiled hand grips ensure user safety and comfort
- These height adjustable frames are available in three size options
- Available with or without wheels



| Coopers Product Code | TCES Code Number | Coopers Product Name           | Technical Specification   | Max User Weight |
|----------------------|------------------|--------------------------------|---|-----------------|
| 7321C                | M009             | Domestic Frame - S             | Handgrip height: 665mm - 740mm (26" - 29"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25. | 160kg (25st)    |
| 7341C                | M010             | Domestic Frame - M             | Handgrip height: 765mm - 840mm (30" - 33"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25. |                 |
| 7343C                | M011             | Domestic Frame - L             | Handgrip height: 865mm - 940mm (34" - 37"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 1.9kg. Ferrule: Z25. |                 |
| 7331C                | M003             | Domestic Frame - S with wheels | Handgrip height: 695mm - 770mm (27" - 30"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25. |                 |
| 7351C                | M004             | Domestic Frame - M with wheels | Handgrip height: 780mm - 855mm (31" - 34"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25. |                 |
| 7353C                | M005             | Domestic Frame - L with wheels | Handgrip height: 885mm - 960mm (35" - 38"). Max width: 560mm (22"). Max depth: 520mm (20½"). Product weight: 2.0kg. Ferrule: Z25. |                 |

## Hospital Walking Frame

Specifically designed for use in hospitals and nursing homes.

- Lightweight height adjustable aluminium frame
- Features extra-wide base for additional stability
- Available with or without wheels

| Coopers Product Code | TCES Code Number | Coopers Product Name           | Technical Specification  | Max User Weight |
|----------------------|------------------|--------------------------------|--|-----------------|
| 7323C                | -                | Hospital Frame -M              | Handgrip height: 765mm - 840mm (30" - 33"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 1.9kg. Ferrule: Z25. | 160kg (25st)    |
| 7325C                | -                | Hospital Frame - L             | Handgrip height: 865mm - 940mm (34" - 37"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 1.9kg. Ferrule: Z25. |                 |
| 7333C                | -                | Hospital Frame - M with wheels | Handgrip height: 780mm - 855mm (31" - 34"). Max width: 660mm (25"). Max depth: 585mm (23"). Product weight: 2.0kg. Ferrule: Z25. |                 |
| 7335C                | -                | Hospital Frame - L with wheels | Handgrip height: 885mm - 960mm (35" - 38"). Max width 660mm (25"). Max depth: 585mm (23"). Product weight: 2.0kg. Ferrule: Z25.  |                 |



## Forearm Walking Frame with Castors

A lightweight aluminium walking frame designed to give support when walking.

- A walking frame fitted with forearm troughs and 3" swivelling front castors
- Manufactured from aluminium the frame is lightweight but strong and rigid enough to give a complete sense of security

| Coopers Product Code | TCES Code Number | Coopers Product Name       | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------------|---|-----------------|
| 7255C                | M008             | Forearm Frame with Castors | Trough height: 900mm - 1120mm (35½" - 45"). Max width: 670mm (26"). Max depth: 565mm (22"). Product weight: 4.6kg. Ferrule: Z25 | 127kg (20st)    |





## Folding Walking Frame

A simple folding frame which does not use buttons, catches or other tricky mechanisms - to fold simply pull the ball towards you. When folded this frame fits easily into the smallest car or storage space.

- Made from lightweight aluminium
- Height adjustable
- Available with or without wheels

| Coopers Product Code | TCES Code Number | Coopers Product Name              | Technical Specification  | Max User Weight |
|----------------------|------------------|-----------------------------------|--|-----------------|
| 7374C                | -                | Folding Walking Frame             | Handgrip height: 795mm - 863mm (31" - 34"). Max width: 610mm (24"). Max depth: 615mm (24"). Product weight: 2kg. Ferrule: Z25.   | 127kg (20st)    |
| 7381C                | -                | Folding Walking Frame with wheels | Handgrip height: 810mm - 878mm (32" - 35"). Max width: 610mm (24"). Max depth: 615mm (24"). Product weight: 2.1kg. Ferrule: Z25. |                 |
| 7253C                | -                | Wheels (Pair)                     | -  | -               |



## Folding Walker

The Red Dot folding frame features the easy-to-use patented Red Dot folding mechanism, which releases simply by depressing the tab with finger, arm or palm.

- The lightweight polished aluminium frame with chrome plated steel "K" cross brace provides extra rigidity for long life
- Height adjustable

| Coopers Product Code | TCES Code Number | Coopers Product Name       | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------------|---|-----------------|
| 7756C                | -                | Folding Walker Red Dot - M | Handgrip height: 690mm - 870mm (27" - 34"). Max width: 610mm (24"). Max depth: 445mm (17½"). Product weight: 2.95kg. Ferrule: Z30   | 160kg (25st)    |
| 7755C                | -                | Folding Walker Red Dot - L | Handgrip height: 825mm - 1000mm (32½" - 39½"). Max width: 610mm (24"). Max depth: 430mm (17"). Product weight: 2.95kg. Ferrule: Z30 |                 |
| 7252C                | -                | Wheels for Red Dot (Pair)  | -   | -               |



## Extra Heavy Duty Folding Walking Frame

This Coopers folding walker is designed with durability and style to support an independent and productive lifestyle.

- Height adjustable
- Extra wide frame
- A higher weight capacity
- Durable components for increased comfort and stability

| Coopers Product Code | TCES Code Number | Coopers Product Name                              | Technical Specification  | Max User Weight |
|----------------------|------------------|---|--|-----------------|
| 7758C                | -                | Extra Heavy Duty Folding Walking Frame            | Handgrip height: 810mm - 990mm (32" - 39"). Max width: 740mm (29"). Depth open: 600mm (23½") Depth folded: 100mm (4"). Product weight 8.3kg. Ferrule: D30. | 227kg (35st)    |
| NE-02075             | -                | Wheels For Extra Heavy Duty Folding Walking Frame | -  | -               |



## Child's Fixed Walker

This fixed frame walker is designed to withstand the daily use of an active child.

- Lightweight sturdy aluminium frame with proportionally large width-to-length provides wide stance and greater stability
- 3" wheels help deal with normal floor obstacles, cracks, carpet or outside play areas
- Large rear rubber tips provide long braking action
- It's height-adjustable 'grow with you' design accommodates a range of user heights

| Coopers Product Code | TCES Code Number | Coopers Product Name       | Technical Specification  | Max User Weight |
|----------------------|------------------|----------------------------|--|-----------------|
| 9315                 | -                | Child's Walker Tyke        | Handgrip height: 390mm - 520mm (15½" - 20½"). Max width: 430mm (17"). Depth open: 390mm (15½"). Product weight: 2.3kg. | 36kg (5.9st)    |
| 9316                 | -                | Child's Walker Little Tyke | Handgrip height: 320mm - 370mm (12½" - 14½"). Max width: 430mm (17"). Depth open: 360mm (14"). Product weight: 1.8kg.  |                 |
| 7254C                | -                | Wheels (Pair)              | -  | -               |



## Child's Folding Walker

This child's folding walker features a lightweight anodised aluminium A-frame design which provides greater balance.

- Height adjustable 'grow with you' design accommodates a range of user heights
- The comfortable vinyl hand grips are designed for a child's hand, and a foot piece silencer provide noise-free use


| Coopers Product Code | TCES Code Number | Coopers Product Name        | Technical Specification   | Max User Weight |
|----------------------|------------------|-----------------------------|---|-----------------|
| 9313                 | -                | Child's Folding Walker - S  | Handgrip height: 620mm - 720mm (24½" - 28½"). Max width: 560mm (22"). Depth open: 410mm (16¼"). Product weight: 2.3kg.  | 91kg (14st)     |
| 9314                 | -                | Child's Folding Walker - XS | Handgrip height: 520mm - 620mm (20½" - 24½"). Max width: 470mm (18½"). Depth open: 240mm (19½"). Product weight: 2.3kg. | 80kg (12.8st)   |
| 7254C                | -                | Wheels (Pair)               | -   | -               |



## Walking Frame Wheels

Designed to replace the height adjustable foot of a walking frame, converting the frame to a wheeled walker.

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification    | Max User Weight |
|----------------------|------------------|----------------------|----------------------------|-----------------|
| 7253C                | M022             | Walking Frame Wheels | Wheel diameter: 125mm (5") | -               |



## Wheels for Red Dot Walking Frame

A pair of 3" wheels for the folding red dot walking frame.

| Coopers Product Code | TCES Code Number | Coopers Product Name             | Technical Specification                              | Max User Weight |
|----------------------|------------------|----------------------------------|--|-----------------|
| 7252C                | -                | Wheels for Red Dot Walking Frame | Wheel diameter: 76mm (3"). Tube diameter: 25mm (1"). | -               |



## Wheels for Child's Walker

A pair of wheels for the child's folding walker.

| Coopers Product Code | TCES Code Number | Coopers Product Name      | Technical Specification                                  | Max User Weight |
|----------------------|------------------|---------------------------|--|-----------------|
| 7254C                | -                | Wheels for Child's Walker | Wheel diameter: 76mm (3"). Tube diameter: 22mm (0.875"). | -               |



## Walking Frame Caddy

Designed specifically for the Coopers wheeled walking frame, the caddy consists of a tray, pannier and mug holder which allow personal items, meals and hot drinks to be carried easily and with confidence.

Simple to attach, it is light but sturdy, easy to clean and will not upset the balance of the frame.

Maximum loading weight 2.2kg. Must be used only on wheeled walking frames.

| Coopers Product Code | TCES Code Number | Coopers Product Name              | Technical Specification   | Max User Weight |
|----------------------|------------------|-----------------------------------|---|-----------------|
| 7783                 | M026             | Walking Frame Caddy (fixed frame) | Height: 200mm (8"). Width: 434mm (17"). Depth: 310mm (12 1/4"). | -               |



## Child's Elbow Crutch

A cheerful yellow elbow crutch designed for children.

- Made from strong yet lightweight aluminium
- Height adjustable
- Latex free including ferrule

| Coopers Product Code | TCES Code Number | Coopers Product Name            | Technical Specification  | Max User Weight |
|----------------------|------------------|---------------------------------|--|-----------------|
| 9302C                | -                | Child's Elbow Crutch Age 4 - 7  | Handgrip height: 380mm - 530mm (15" - 21"). Cuff diameter: 65mm (2½"). Ferrule: Z18. | 100kg (16st)    |
| 9304C                | -                | Child's Elbow Crutch Age 6 - 10 | Handgrip height: 440mm - 670mm (17" - 26"). Cuff diameter: 65mm (2½"). Ferrule: Z18. |                 |



## Arthritic Elbow Crutch

For arthritics or those with impaired grip.

- Adjustable height
- A padded forearm trough distributes the user's weight over a large support area
- The adjustable telescopic handle rotates through 360° and locks to suit individual forearm length
- Latex free including ferrules

| Coopers Product Code | TCES Code Number | Coopers Product Name   | Technical Specification   | Max User Weight |
|----------------------|------------------|------------------------|---|-----------------|
| 8300C                | -                | Arthritic Elbow Crutch | Trough height: 980mm - 1235mm (38" - 48"). Product weight: 950g each. Ferrule: Z25. | 127kg (20st)    |



## Kowsky Crutches

### Vario Line Soft Grip Coloured Crutches

Introducing a new stylish range of coloured crutches available exclusively from Coopers.

These luxury open or closed cuff elbow crutches offer a choice of two different hand grips and are manufactured in Germany.

Available in a range of seven colours for the tube with high gloss black furnishings.

The anatomic handles are soft to the touch and profiled to accommodate the shape of the hands making them extremely comfortable to use.

The ergonomic handles are non-slip, soft and very comfortable.


#### Standard features include:

- Leg and forearm sections adjust independently for a custom fit (forearm adjustment only available on closed cuff)
- Unique lock nut to prevent “clicking” noise
- Natural rubber non-slip, steel reinforced, shock absorbing tip
- Slimline tubing in quality anodised aluminium
- Ultra-lightweight (approximately 600g per crutch)

| Technical specification  |  |
|--------------------------|--|
| Maximum user weight      | 120kg (19 stone) closed cuff / 140kg (22 stone) open cuff                  |
| Height to top of handle  | adjustable from 795 - 995mm (31¼ - 39")                                    |
| Handle to bottom of cuff | adjustable from 190 - 220mm (7½ - 8.7") closed cuff / 228mm (9") open cuff |

| Product Code | TCES Code Number | Product Description          | Colour           |
|--------------|------------------|------------------------------|------------------|
| VLSGCC01     | -                | Anatomical grip, closed cuff | Aluminium        |
| VLSGCCF1     | -                | Anatomical grip, closed cuff | Brilliant Red    |
| VLSGCCF2     | -                | Anatomical grip, closed cuff | Brilliant Blue   |
| VLSGCCF3     | -                | Anatomical grip, closed cuff | Brilliant Orange |
| VLSGCC04     | -                | Anatomical grip, closed cuff | Purple           |
| VLSGCC05     | -                | Anatomical grip, closed cuff | Black            |
| VLSGCC08     | -                | Anatomical grip, closed cuff | Pink             |
| VLSGOC05     | -                | Anatomical grip, open cuff   | Black            |
| VLSGOCF3     | -                | Anatomical grip, open cuff   | Brilliant Orange |
| VLEGCC01     | -                | Ergonomic grip, closed cuff  | Aluminium        |
| VLEGCCF1     | -                | Ergonomic grip, closed cuff  | Brilliant Red    |
| VLEGCCF2     | -                | Ergonomic grip, closed cuff  | Brilliant Blue   |
| VLEGCCF3     | -                | Ergonomic grip, closed cuff  | Brilliant Orange |
| VLEGCC04     | -                | Ergonomic grip, closed cuff  | Purple           |
| VLEGCC05     | -                | Ergonomic grip, closed cuff  | Black            |
| VLEGCC08     | -                | Ergonomic grip, closed cuff  | Pink             |
| VLEGOC05     | -                | Ergonomic grip, open cuff    | Black            |
| VLEGOCF3     | -                | Ergonomic grip, open cuff    | Brilliant Orange |

#### Tube Colours:



Brilliant Red



Brilliant Blue



Brilliant Orange



Aluminium



Purple



Black



Pink



Anatomical soft grip handle with closed cuff

Ergonomic soft grip handle with closed cuff



Closed cuff design




Open cuff design

## Elbow Crutch - Plastic Handle

Strong lightweight double adjustable metal crutches with a shaped hand grip and arm support.

- Height adjustable aluminium crutches
- The shape of the handle on this elbow crutch has been designed to spread the pressure more evenly over the hand, and the triangular shape and angle of the handle reflect the natural shape of the hand
- Double adjustable crutches are adjustable between cuff and handle and handle and ground
- Latex free (including ferrule)

| Coopers Product Code | TCES Code Number | Coopers Product Name   | Technical Specification   | Max User Weight |
|----------------------|------------------|--|---|-----------------|
| 8298C                | -                | Single adjustable - adult. Handgrip height: 670mm - 925mm (26" - 36"). Cuff to handgrip: 240mm (9").                     | Cuff diameter: 95mm (3.75"). Product weight: 600g each. Ferrule: Z22. | 180kg (28st)    |
| 8263C                | -                | Double adjustable - medium. Handgrip height: 530mm - 785mm (21" - 31"). Cuff to handgrip: 200mm - 275mm (8" - 11").      |   |                 |
| 8265C                | M017             | Double adjustable - adult. Handgrip height: 635mm - 910mm (25" - 36"). Cuff to handgrip: 220mm - 295mm (9" - 12").       |   |                 |
| 8267C                | -                | Double adjustable - extra long. Handgrip height: 820mm - 1075mm (32" - 42"). Cuff to handgrip: 220mm - 295mm (9" - 12"). |   |                 |



## Permanent User Crutch

# COOPERS RECOMMENDS

This extra-strong crutch made from reinforced aluminium is designed for those users with longer term needs.

- The absence of adjustment holes makes the crutch 'silent' in use
- The crutch is supplied in one standard length and may be cut to the required length
- Supplied with a choice of standard or Stepsafe™ ferrules
- Choice of PVC handle or comfy handle
- Latex free (including ferrules)



| Coopers Product Code | TCES Code Number | Coopers Product Name                                     | Technical Specification   | Max User Weight |
|----------------------|------------------|--|---|-----------------|
| 8043C                | -                | Permanent User Crutch - PVC handle, STEPSAFE™ ferrules   | Handle to Floor (excluding ferrule): 960mm (38"). Top of cuff to handle: 229mm (9"). Cuff diameter: 100mm (4"). Product weight: 800g each. Standard ferrule: Z25. | 190kg (30st)    |
| 8042C                | -                | Permanent User Crutch - COMFY handle, STEPSAFE™ ferrules |   |                 |
| 8047C                | -                | Permanent User Crutch - PVC handle, standard ferrules    |   |                 |
| 8041C                | -                | Permanent User Crutch - COMFY handle, standard ferrules  |   |                 |



## Elbow Crutch - PVC Handle

Lightweight, high strength single and double adjustable crutches.

- Height adjustable
- Cuff height adjustment in the double adjustable crutches
- Soft touch comfortable handle
- Latex free (including ferrules)

| Coopers Product Code | TCES Code Number | Coopers Product Name   | Technical Specification  | Max User Weight |
|----------------------|------------------|--|--|-----------------|
| 8303C                | -                | Single adjustable - adult. Handgrip height: 670mm - 925mm (26" - 36"). Cuff to handgrip: 240mm (9").                     | Cuff diameter: 95mm (3 3/4"). Product weight: 600g each. Ferrule: Z22. | 127kg (20st)    |
| 8249C                | -                | Double adjustable - small. Handgrip height: 440mm - 670mm (17" - 26"). Cuff to handgrip: 165mm - 215mm (7" - 9").        |  |                 |
| 8251C                | -                | Double adjustable - medium. Handgrip height: 530mm - 785mm (21" - 31"). Cuff to handgrip: 200mm - 275mm (8" - 11").      |  |                 |
| 8253C                | -                | Double adjustable - adult. Handgrip height: 635mm - 910mm (25" - 36"). Cuff to handgrip: 220mm - 295mm (9" - 12").       |  |                 |
| 9731C                | -                | Double adjustable - extra long. Handgrip height: 820mm - 1075mm (32" - 42"). Cuff to handgrip: 220mm - 295mm (9" - 12"). |  |                 |



## Elbow Crutches - Comfy Handle

# COOPERS RECOMMENDS

Coopers Comfy Crutches are the result of two years of development with the Bath Institute of Mechanical Engineering. The crutch was developed using Computer Aided Design and Thermogram technology to offer a unique patented handle which offers pressure distribution characteristics greatly superior to any traditional crutch.

- Height adjustable
- Cuff height adjustable
- Latex free (including ferrules)

| Coopers Product Code | TCES Code Number | Coopers Product Name  | Technical Specification   | Max User Weight |
|----------------------|------------------|---|---|-----------------|
| 8351C                | -                | Double adjustable elbow crutches - medium. Handgrip height: 580mm - 835mm (23" - 33"). Cuff to handgrip: 200mm - 275mm (8" - 11") | Cuff diameter: 95mm (3 3/4"). Product weight: 715g. Ferrule: Z22. | 127kg (20st)    |
| 8353C                | -                | Double adjustable elbow crutches - adult. Handgrip height: 680mm - 935mm (27" - 37"). Cuff to handgrip: 200mm - 275mm (8" - 11"). |   |                 |



## Red Dot Axilla Crutch

The Red Dot Axilla crutch features a patented clip-lock adjustable handle and push button footpieces for fast, precise measuring and fitting.

- Double adjustable
- Made from lightweight aluminium
- High density rubber cushions offer greater comfort and are hard wearing
- Replacement pads and grips available
- Latex free (including ferrules)

| Coopers Product Code | TCES Code Number | Coopers Product Name  | Technical Specification                    | Max User Weight |
|----------------------|------------------|---|--|-----------------|
| 8072C                | -                | Red Dot Axilla - small. Crutch length: 940mm - 1145mm (37" - 45"). Patient height: 1370mm - 1575mm (4'6" - 5'2").   | Product weight: 1.25kg each. Ferrule: Z22. | 127kg (20st)    |
| 8071C                | -                | Red Dot Axilla - medium. Crutch length: 1120mm - 1320mm (45" - 52"). Patient height: 1550mm - 1755mm (5'1" - 5'9"). |  |                 |
| 8070C                | -                | Red Dot Axilla - large. Crutch length: 1320mm - 1520mm (52" - 60"). Patient height: 1780mm - 1980mm (5'10" - 6'6"). |  |                 |
| 00018                | -                | Replacement Pads for Red Dot Crutches (pair)  |  |                 |
| 00015                | -                | Replacement Hand Grips for Red Dot Crutches (pair)  |  |                 |



## Visco-Elastic Hand Pads

These visco-elastic pads provide pressure relief for crutch users.

- Two-way stretch material and Velcro® fixings allow the pads to be wrapped around crutch handles
- Can also be used with walking sticks
- Sold in pairs

| Coopers Product Code | TCES Code Number | Coopers Product Name    | Technical Specification | Max User Weight |
|----------------------|------------------|-------------------------|-------------------------|-----------------|
| L64359               | -                | Visco Elastic Hand Pads | -                       | -               |



## Countryman Folding Seat

A folding seat made from lightweight, rustproof aluminium. Please note that the seat must be used on a firm, flat surface.

| Coopers Product Code | TCES Code Number | Coopers Product Name    | Technical Specification  | Max User Weight |
|----------------------|------------------|-------------------------|--|-----------------|
| 3209C                | -                | Countryman Folding Seat | Open seat height: 480mm (19"). Seat width: 125mm (5") Product weight: 1.4kg. | 100kg (16st).   |



## Type D Ferrule

Ferrules marked \* are latex free.

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification | Max User Weight |
|----------------------|------------------|----------------------|-------------------------|-----------------|
| 9755                 | -                | Type D Ferrule 18mm  | -                       | -               |
| 9756C*               | M002             | Type D Ferrule 19mm  | -                       | -               |
| 9757                 | -                | Type D Ferrule 22mm  | -                       | -               |
| 9776C*               | -                | Type D Ferrule 30mm  | -                       | -               |



## Type Z Ferrule

Latex free.

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification | Max User Weight |
|----------------------|------------------|----------------------|-------------------------|-----------------|
| 9768C                | -                | Type Z Ferrule 16mm  | -                       | -               |
| 9764C                | -                | Type Z Ferrule 18mm  | -                       | -               |
| 9766C                | -                | Type Z Ferrule 22mm  | -                       | -               |
| 9767C                | -                | Type Z Ferrule 25mm  | -                       | -               |
| 9769C                | -                | Type Z Ferrule 30mm  | -                       | -               |



## STEPSAFE™ Ferrule

The Stepsafe™ ferrule is an easy to fit attachment for walking sticks and crutches.

- Offers superior stability on wet and dry surfaces and when walking on a gradient as the pivoting head ensures that the ferrule always has full contact with the ground
- Also proven to reduce jarring on the wrist, elbow and shoulder joints
- Sold singly

| Coopers Product Code | TCES Code Number | Coopers Product Name                 | Technical Specification | Max User Weight |
|----------------------|------------------|--------------------------------------|-------------------------|-----------------|
| 9770                 | -                | STEPSAFE™ Ferrule 19mm               | -                       | -               |
| 9771                 | -                | STEPSAFE™ Ferrule 22mm               | -                       | -               |
| 9772                 | -                | STEPSAFE™ Ferrule 25mm               | -                       | -               |
| 9773                 | -                | STEPSAFE™ Bag of 10 replacement tips | -                       | -               |



## Slipnott Ferrule

# COOPERS RECOMMENDS

- For increased manoeuvrability, stability and safety on uneven surfaces
- The two piece ferrule features a metal ball and socket joint that allows the ferrule's studded base to be in contact with the ground at all times
- Sold in pairs

| Coopers Product Code | TCES Code Number | Coopers Product Name      | Technical Specification | Max User Weight |
|----------------------|------------------|---------------------------|-------------------------|-----------------|
| 10946                | -                | Slipnott Ferrule 18 -19mm | -                       | -               |
| 10947                | -                | Slipnott Ferrule 22mm     | -                       | -               |



## Hospital Walking Stick

Handmade from the best selected chestnut, sealed and finished in a light brown colour.

- The crook is formed in Coopers unique 'D' shape, which allows the fingers more room, spreading the pressure and giving greater comfort and stability.

| STANDARD WALKING STICKS |                  |  |                         |                 |
|-------------------------|------------------|--|-------------------------|-----------------|
| Coopers Product Code    | TCES Code Number | Coopers Product Name                                 | Technical Specification | Max User Weight |
| 7561                    | -                | Chestnut Walking Stick 915mm (36") without Ferrule   | Product weight 300g     | 127kg (20st)    |
| 7562                    |                  | Chestnut Walking Stick 965mm (38") without Ferrule   |                         |                 |
| 7563                    |                  | Chestnut Walking Stick 1016mm (40") without Ferrule  |                         |                 |
| 7564                    |                  | Chestnut Walking Stick 1067mm (42") without Ferrule  |                         |                 |
| 7530                    |                  | Chestnut Walking Stick 915mm (36") with D19 Ferrule  |                         |                 |
| 7531                    | M027             | Chestnut Walking Stick 965mm (38") with D19 Ferrule  |                         |                 |
| 7532                    | -                | Chestnut Walking Stick 1016mm (40") with D19 Ferrule |                         |                 |
| 7533                    |                  | Chestnut Walking Stick 1067mm (42") with D19 Ferrule |                         |                 |
| 7591                    |                  | Chestnut Walking Stick 915mm (36") with Z18 Ferrule  |                         |                 |
| 7592                    |                  | Chestnut Walking stick 965mm (38") with Z18 Ferrule  |                         |                 |
| 7593                    |                  | Chestnut Walking Stick 1016mm (40") with Z18 Ferrule |                         |                 |
| 7594                    |                  | Chestnut walking stick 1067mm (42") with Z18 Ferrule |                         |                 |

| EXTRA STRONG WALKING STICKS |                  |  |                         |                 |
|-----------------------------|------------------|--|-------------------------|-----------------|
| Coopers Product Code        | TCES Code Number | Coopers Product Name                                 | Technical Specification | Max User Weight |
| 7571                        | -                | Chestnut Walking Stick 915mm (36") without Ferrule   | Product weight 400g     | 127kg (20st)    |
| 7572                        | -                | Chestnut Walking Stick 965mm (38") without Ferrule   |                         |                 |
| 7573                        | -                | Chestnut Walking Stick 1016mm (40") without Ferrule  |                         |                 |
| 7574                        | -                | Chestnut Walking Stick 1067mm (42") without Ferrule  |                         |                 |
| 7540                        | -                | Chestnut Walking Stick 915mm (36") with D22 Ferrule  |                         |                 |
| 7541                        | -                | Chestnut Walking Stick 965mm (38") with D22 Ferrule  |                         |                 |
| 7542                        | -                | Chestnut Walking Stick 1016mm (40") with D22 Ferrule |                         |                 |
| 7543                        | -                | Chestnut Walking Stick 1067mm (42") with D22 Ferrule |                         |                 |



Decorative Walking Sticks

**COOPERS**  
RECOMMENDS

This new range of decorative wooden walking sticks consists of twelve traditional and contemporary styles. The range has a walking stick for everyone from classic everyday sticks for support to more fashionable, elegant sticks which are suitable for any occasion.

- All wood shaft
- Acrylic or nickel coated handles
- Latex free ferrules
- Sticks come in one size and can be cut to length
- Wooden display stand is offered free of charge if all 12 sticks are purchased




| Coopers Product Code | TCES Code Number | Coopers Product Name                               | Technical Specification                    | Max User Weight |
|----------------------|------------------|--|--|-----------------|
| Display 1            | -                | Display Stand and 12 Sticks                        | Length: 930mm (36"). Product weight: 300g. | 127kg (20st)    |
| 205                  | -                | Rosewood Stick - Cream Marbled Handle              |  |                 |
| 171                  | -                | Black Wood Stick - Escort Handle                   |  |                 |
| 173                  | -                | Black Wood Stick - Crutch Handle                   |  |                 |
| 202                  | -                | Black Wooden Walking Stick - Pink/ Black Handle    |  |                 |
| 203                  | -                | Black Wooden Stick - Pink Marbled Handle           |  |                 |
| 211                  | -                | Black Wooden Stick - Purple Marbled Handle         |  |                 |
| 212                  | -                | Black Wooden Stick - Blue Marbled Handle           |  |                 |
| 221                  | -                | Black Wooden Stick - Grey Marbled Handle           |  |                 |
| 224                  | -                | Black Wooden Stick - Black / White handle          |  |                 |
| 229                  | -                | Brown Wooden Walking Stick - Marbled Handle        |  |                 |
| 234                  | -                | Brown Wooden Walking Stick - Toffee Marbled Handle |  |                 |
| 242                  | -                | Brown Wooden Stick - Brown Marbled Handle          |  |                 |

## Ladies Melbourne Handle, Cotswold Tan

Traditional ladies walking stick.

| Coopers Product Code | TCES Code Number | Coopers Product Name                   | Technical Specification | Max User Weight |
|----------------------|------------------|--|-------------------------|-----------------|
| 2305                 | -                | Ladies Melbourne Handle, Cotswold Tan. | Length: 915mm (36").    | 127kg (20st)    |



## Shepherd's Crook, Chestnut

A handmade, traditional walking stick.

| Coopers Product Code | TCES Code Number | Coopers Product Name       | Technical Specification | Max User Weight |
|----------------------|------------------|----------------------------|-------------------------|-----------------|
| 1754                 | -                | Shepherd's Crook, Chestnut | Length: 1372mm (4'6").  | 127kg (20st)    |



## Support Stick with Crutch Handle

An ergonomically shaped crutch handle on a polished rosewood shaft.

| Coopers Product Code | TCES Code Number | Coopers Product Name             | Technical Specification                                       | Max User Weight |
|----------------------|------------------|----------------------------------|---|-----------------|
| 2372                 | -                | Support Stick with Crutch Handle | Length: 915mm (36").<br>Product weight: 300g.<br>Ferrule: D19 | 127kg (20st)    |





## Fixed Height Fischer Sticks

The unique Fischer handle is biometrically shaped to spread pressure evenly across the palm of the hand. Useful for arthritics and others who have difficulty gripping.

- Three style options available:
  - An elegant marble handle on a wooden shaft
  - Amber effect on a wooden shaft
  - A black Fischer stick mounted on a high strength aluminium shaft

| MARBLE FISCHER STICK |                  |                                   |  |                 |
|----------------------|------------------|-----------------------------------|--|-----------------|
| Coopers Product Code | TCES Code Number | Coopers Product Name              | Technical Specification                                  | Max User Weight |
| 1412                 | -                | Marble Fischer Stick (right hand) | Height: 915mm (36"). Product weight: 300g. Ferrule: D19. | 127kg (20st)    |
| 1411                 | -                | Marble Fischer Stick (left hand)  |  |                 |



| AMBER FISCHER STICK  |                  |                                  |  |                 |
|----------------------|------------------|----------------------------------|--|-----------------|
| Coopers Product Code | TCES Code Number | Coopers Product Name             | Technical Specification                                  | Max User Weight |
| 9891                 | -                | Amber Fischer Stick (right hand) | Height: 915mm (36"). Product weight: 300g. Ferrule: D19. | 127kg (20st)    |
| 9892                 | -                | Amber Fischer Stick (left hand)  |  | 127kg (20st)    |



## COOPERS RECOMMENDS

| BLACK FISCHER STICK  |                  |                                  |  |                 |
|----------------------|------------------|----------------------------------|--|-----------------|
| Coopers Product Code | TCES Code Number | Coopers Product Name             | Technical Specification                                  | Max User Weight |
| 7724C                | -                | Black Fischer Stick (right hand) | Height: 915mm (36"). Product weight: 330g. Ferrule: D19. | 127kg (20st)    |
| 7723C                | -                | Black Fischer Stick (left hand)  |  |                 |
| 7721C                | -                | Black Fischer Stick (right hand) | Height: 965mm (38"). Product weight: 330g. Ferrule: D19. |                 |
| 7720C                | -                | Black Fischer Stick (left hand)  | Height: 965mm (38"). Product weight: 330g. Ferrule: D19. |                 |



## Folding Walking Sticks

Quick and simple to use, the stick snaps open in seconds.

- Lightweight yet strong and stable
- These high quality folding walking sticks conveniently fold away into a plastic wallet to slip into a bag, briefcase etc
- Height adjustable

### FISCHER HANDLE

| Coopers Product Code | TCES Code Number | Coopers Product Name      | Technical Specification   | Max User Weight |
|----------------------|------------------|---------------------------|---|-----------------|
| 9888RC               | -                | Fischer Handle Right Hand | Height: 787mm - 900mm (31" - 35"). Product weight: 400g. Ferrule: D18 | 100kg (16st)    |
| 9888LC               | -                | Fischer Handle Left Hand  |   |                 |



### CROOK HANDLE

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 9890C                | -                | Crook Handle         | Height: 787mm - 900mm (31" - 35"). Product weight: 400g. Ferrule: D18 | 100kg (16st)    |



### CONTOUR HANDLE

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 9889C                | -                | Contour Handle       | Height: 787mm - 900mm (31" - 35"). Product weight: 400g. Ferrule: D18 | 100kg (16st)    |



## Escort Handle Cane

- Height adjustable aluminium support stick with escort handle
- Supplied with horseshoe clips for quick and easy height adjustment

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 7653C                | -                | Escort Handle Cane   | Length: 700mm - 950mm (27½" - 37½").<br>Product weight: 365g. Ferrule: D18. | 100kg (16st)    |



## Wood Handle Cane

- Height adjustable aluminium support stick with with wooden handle
- Supplied with horseshoe clips for quick and easy height adjustment

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification   | Max User Weight |
|----------------------|------------------|----------------------|---|-----------------|
| 7665C                | -                | Wood Handle Cane     | Length: 715mm - 970mm (28" - 38").<br>Product weight: 365g. Ferrule: D18. | 100kg (16st)    |



## Foam Swan Handle Cane and Strap Handle

- Height adjustable aluminium support stick with padded swan handle
- Supplied with horseshoe clips for quick and easy height adjustment
- Complete with wrist strap

| Coopers Product Code | TCES Code Number | Coopers Product Name                   | Technical Specification   | Max User Weight |
|----------------------|------------------|--|---|-----------------|
| 7674C                | -                | Foam Swan Handle Cane and Strap Handle | Length: 730mm - 985mm (29" - 39").<br>Product weight: 365g. Ferrule: D18. | 100kg (16st)    |



## Straight Neck Aluminium Support Stick

Helps increase stability and balance while walking and standing.

- A strong, lightweight support stick which is height adjustable
- Manufactured from aluminium
- Plastic handle

| Coopers Product Code | TCES Code Number | Coopers Product Name                         | Technical Specification  | Max User Weight |
|----------------------|------------------|--|--|-----------------|
| 7704C                | -                | Straight Neck Support Stick - Plastic Handle | Adjustable length: 700mm - 960mm (27½" - 38"). Product weight: 450g. Ferrule: Z22. | 127kg (20st)    |
| 7706C                | M013             | Straight Neck Support Stick - Plastic Handle | Adjustable length: 845mm - 1100mm (33" - 43"). Product weight: 450g. Ferrule: Z22. |                 |



## Swan Neck Aluminium Support Stick

- A strong, lightweight support stick which is height adjustable
- The swan neck helps to transmit the weight of the user vertically through the body of the stick
- Manufactured from aluminium
- PVC handle

| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification  | Max User Weight |
|----------------------|------------------|----------------------|--|-----------------|
| 7711C                | -                | Swan Neck PVC Handle | Adjustable length: 710mm - 965mm (28" - 38"). Product weight: 550g. Ferrule: Z22.  | 127kg (20st)    |
| 7713C                | -                | Swan Neck PVC Handle | Adjustable length: 840mm - 1095mm (33" - 43"). Product weight: 550g. Ferrule: Z22. |                 |



## Straight Neck Aluminium Support Stick

Lightweight, high strength support stick.

- A strong, lightweight support stick which is height adjustable
- Also available with a white shaft for the visually impaired
- Manufactured from aluminium
- PVC handle

| Coopers Product Code | TCES Code Number | Coopers Product Name                      | Technical Specification  | Max User Weight |
|----------------------|------------------|---|--|-----------------|
| 7701C                | -                | Straight Neck PVC Handle                  | Adjustable length: 710mm - 965mm (28" - 38"). Product weight: 550g. Ferrule: Z22.  | 127kg (20st)    |
| 7703C                | -                | Straight Neck PVC Handle                  | Adjustable length: 840mm - 1095mm (33" - 43"). Product weight: 550g. Ferrule: Z22. |                 |
| 5652C                | SAV08            | Straight Neck PVC Handle with white shaft | Adjustable length: 840mm - 1095mm (33" - 43"). Product weight: 550g. Ferrule: Z22. |                 |



## Adjustable Fischer Stick

The unique Fischer handle is biometrically shaped to spread pressure evenly across the palm of the hand. Useful for arthritics and others who have difficulty gripping.

- Fischer handle mounted on a high strength aluminium shaft
- Height adjustable

| ANODISED ALUMINIUM STICK |                  |                                    |  |                 |
|--------------------------|------------------|------------------------------------|--|-----------------|
| Coopers Product Code     | TCES Code Number | Coopers Product Name               | Technical Specification  | Max User Weight |
| 7728C                    | -                | Fischer Stick - Adult (right hand) | Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18. | 127kg (20st)    |
| 7727C                    | -                | Fischer Stick - Adult (left hand)  | Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18. |                 |
| 7726C                    | M014R            | Fischer Stick - Adult (right hand) | Height adjustment: 815mm - 1070mm (32" - 42"). Product weight: 400g. Ferrule: D18. |                 |
| 7725C                    | M014L            | Fischer Stick - Adult (left hand)  | Height adjustment: 815mm - 1070mm (32" - 42"). Product weight: 400g. Ferrule: D18. |                 |

| BLACK STICK          |                  |                                    |  |                 |
|----------------------|------------------|------------------------------------|--|-----------------|
| Coopers Product Code | TCES Code Number | Coopers Product Name               | Technical Specification  | Max User Weight |
| 7657C                | -                | Fischer Stick - Adult (right hand) | Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18. | 127kg (20st)    |
| 7655C                | -                | Fischer Stick - Adult (left hand)  | Height adjustment: 670mm - 925mm (27" - 36½"). Product weight: 400g. Ferrule: D18. |                 |



Aluminium Support Sticks – Fischer Stick



Black Support Sticks – Fischer Stick

## Fixed Height Aluminium Walking Stick

An aluminium version of the traditional chestnut walking stick. Comes in one length so can be cut to size.

| Coopers Product Code | TCES Code Number | Coopers Product Name                 | Technical Specification                     | Max User Weight |
|----------------------|------------------|--------------------------------------|---|-----------------|
| 7544C                | -                | Fixed Height Aluminium Walking Stick | Length: 1000mm (39½"). Product weight: 400g | 127kg (20st)    |



## Tetrapods and Tripods

Helping to increase stability and balance whilst walking and standing, this walking stick provides additional stability compared to a normal walking stick.

- The centre of the handle is barrel shaped to fit the palm
- The front of the handle tapers to accommodate the fingers and encourage the user to point the index finger along the stem, and then flares at the end to prevent slipping
- Height adjustable

| TETRAPOD (SMALL BASE) |                  |                       |   |                 |
|-----------------------|------------------|-----------------------|---|-----------------|
| Coopers Product Code  | TCES Code Number | Coopers Product Name  | Technical Specification   | Max User Weight |
| 7808C                 | M016             | Tetrapod (small base) | Height adjustment: 720mm - 975mm (28" - 38"). Product weight: 1kg. Ferrule: Z16 | 127kg (20st)    |



| TETRAPOD (LARGE BASE) |                  |                       |  |                 |
|-----------------------|------------------|-----------------------|--|-----------------|
| Coopers Product Code  | TCES Code Number | Coopers Product Name  | Technical Specification  | Max User Weight |
| 7810C                 | -                | Tetrapod (large base) | Height adjustment: 765mm - 1020mm (30" - 40"). Product weight: 1kg. Ferrule: Z16 | 127kg (20st)    |



| TETRAPOD (CENTRED LEGS) |                  |                         |   |                 |
|-------------------------|------------------|-------------------------|---|-----------------|
| Coopers Product Code    | TCES Code Number | Coopers Product Name    | Technical Specification   | Max User Weight |
| 7812C                   | -                | Tetrapod (centred legs) | Height adjustment: 720mm - 975mm (28" - 38"). Product weight: 1kg. Ferrule: Z16 | 127kg (20st)    |



| TRIPOD               |                  |                      |  |                 |
|----------------------|------------------|----------------------|--|-----------------|
| Coopers Product Code | TCES Code Number | Coopers Product Name | Technical Specification  | Max User Weight |
| 7782C                | M015             | Tripod               | Height adjustment: 765mm - 1020mm (30" - 40"). Product weight: 1kg. Ferrule: Z16 | 127kg (20st)    |





If you are an equipment provider or retailer under the TCES programme, we offer most of the Simple Aids for Daily Living which are listed in the National Catalogue.

To help you identify products that meet the appropriate specifications or are a close technical equivalent we have introduced the TCES icon shown. The icon is shown by the relevant product.



| TCES Code Number | Coopers Product Code | Page Number | TCES Code Number | Coopers Product Code | Page Number |
|------------------|----------------------|-------------|------------------|----------------------|-------------|
| BA01             | 10164C               | 10          | M015             | 7782C                | 56          |
| BA02             | 10165C               | 10          | M016             | 7808C                | 56          |
| BA03             | 10166C               | 10          | M017             | 8265C                | 44          |
| BA04             | 10167C               | 10          | M018             | 7344C                | 37          |
| BA05             | 10169C               | 10          | M022             | 7253C                | 41          |
| BA06             | 10168C               | 10          | M026             | 7783                 | 41          |
| BA07             | 10157C               | 11          | M027             | 7531                 | 48          |
| BA08             | 10158C               | 11          | M028             | 7345C                | 37          |
| BA09             | 10159C               | 11          | PL01             | 10650                | 29          |
| BA10             | 10239C               | 12          | PL04             | 10626                | 28          |
| BA15             | 10231C               | 12          | PL05             | 10624                | 29          |
| BA19             | 10160C               | 11          | PL09             | 10456                | 32          |
| BBA01            | X156                 | 7           | PL10             | 10488                | 33          |
| BE01             | B550                 | 27          | PL14F            | 12238                | 32          |
| BE06             | 8771C                | 28          | PL14K            | 12236                | 32          |
| BFU02            | X161                 | 6           | PL14S            | 12240                | 32          |
| BTA03            | X152                 | 4           | PL19             | 10652                | 29          |
| FU03             | 10581                | 30          | PL22             | 10492                | 33          |
| FU10             | 10752C               | 30          | SAV08            | 5652C                | 54          |
| FU13             | 10727                | 30          | TA01             | 63122                | 18          |
| GR01             | G300                 | 25          | TA02             | 63144                | 18          |
| GR06             | 10328C               | 25          | TA03             | 63166                | 18          |
| GR09             | 10274                | 24          | TA04             | 10380C               | 18          |
| GR10             | 10276                | 24          | TA05             | 10399C               | 19          |
| GR11             | 10278                | 24          | TA06             | 10402C               | 23          |
| GR12             | 10327C               | 25          | TA07             | 10183C               | 23          |
| M002             | 9756C                | 47          | TA08             | 10846                | 20          |
| M003             | 7331C                | 37          | TA13             | 10412C               | 23          |
| M004             | 7351C                | 37          | TA14             | 10381C               | 19          |
| M005             | 7353C                | 37          | TE04             | MEDALERT             | 34          |
| M006             | 10901C               | 35          |                  |                      |             |
| M007             | 10907C               | 35          |                  |                      |             |
| M008             | 7255C                | 38          |                  |                      |             |
| M009             | 7321C                | 37          |                  |                      |             |
| M010             | 7341C                | 37          |                  |                      |             |
| M011             | 7343C                | 37          |                  |                      |             |
| M013             | 7706C                | 54          |                  |                      |             |
| M014L            | 7725C                | 55          |                  |                      |             |
| M014R            | 7726C                | 55          |                  |                      |             |

## ALPHABETICAL

|   |            |                                     |    |
|---|------------|-------------------------------------|----|
| Aluminium walking sticks                    | 51         | Gutter frame                        | 38 |
| Arthritic crutches                          | 42         | Inflatable hair wash tray           | 28 |
| Attendant propelled shower/commode chair    | 17         | Lifting pole                        | 27 |
| Axilla crutches                             | 46         | Male urinals                        | 21 |
| Bariatric adjustable toilet surround        | 4          | Medicine storage                    | 34 |
| Bariatric commode                           | 5          | Outdoor grab rails                  | 25 |
| Bariatric commode and shower chair          | 8          | Overbed tables                      | 30 |
| Bariatric raised toilet seat and frame      | 4          | Perching stools                     | 26 |
| Bariatric shower stool                      | 7          | Pill crusher                        | 34 |
| Bariatric perching stool with arms and back | 6          | Pill dispensers                     | 34 |
| Basket & tray for three wheel walker        | 35         | Plate surround                      | 32 |
| Basketweave commode                         | 23         | Prima bath step                     | 6  |
| Bath steps                                  | 16         | Raised toilet seat frame            | 18 |
| Bathboards                                  | 10         | Raised toilet seats                 | 18 |
| Bathlift                                    | 15         | Raisers                             | 30 |
| Bathlift accessories                        | 14         | Reachers                            | 29 |
| Bathseats                                   | 11         | Rolling walkers                     | 35 |
| Bed aids                                    | 27         | Self propelled shower/commode chair | 16 |
| Bed pans                                    | 22         | Shoe horn, long handle              | 28 |
| Bed raisers                                 | 30         | Shower chairs & seats               | 12 |
| Blanket cradle                              | 28         | Shower mat                          | 14 |
| Chair raisers                               | 30         | Shower stools                       | 12 |
| Children's crutches                         | 42         | Showerboards                        | 10 |
| Children's walkers                          | 40         | Slipnott ferrule                    | 47 |
| Commode wheelchair                          | 23         | Sock & stocking aid                 | 29 |
| Coloured crutches                           | 43         | Stacking commode                    | 23 |
| Crutch accessories                          | 46         | Stepsafe ferrules                   | 47 |
| Crutches                                    | 42         | Tablet crusher                      | 34 |
| Cups  | 33         | Tap turners                         | 31 |
| Cutlery                                     | 32         | Tetrapods                           | 56 |
| Dycem non-slip material                     | 33         | Three wheel walker                  | 35 |
| Extra heavy duty commode                    | 5          | Toilet surrounds                    | 19 |
| Extra heavy duty shower chair               | 7          | Tripods                             | 56 |
| Female urinals                              | 20         | Tri-walker                          | 35 |
| Ferrules                                    | 47         | Trolley, two tier                   | 30 |
| Fischer handle walking sticks               | 51, 52, 55 | Urinals                             | 20 |
| Floor fixing kit                            | 19         | Walking frame accessories           | 41 |
| Folding seat                                | 46         | Walking frame caddy                 | 41 |
| Folding shower chair                        | 13         | Walking frames                      | 37 |
| Folding support arm                         | 25         | Walking sticks                      | 48 |
| Folding walking frames                      | 39         | Wall mounted shower seats           | 13 |
| Folding walking sticks                      | 50         | Wheels, walking frame               | 41 |
| Forearm crutches                            | 42         | Wooden walking sticks               | 48 |
| Forearm frame                               | 38         |                                     |    |
| Grab rails                                  | 24         |                                     |    |
| Gutter crutches                             | 42         |                                     |    |

## NUMERICAL

|        |    |          |    |         |    |       |    |        |    |          |    |
|--------|----|----------|----|---------|----|-------|----|--------|----|----------|----|
| 00015  | 46 | 10462    | 32 | 205     | 49 | 7347C | 37 | 7808C  | 56 | 9890C    | 52 |
| 00018  | 46 | 10488    | 33 | 211     | 49 | 7351C | 37 | 7810C  | 56 | 9891     | 51 |
| 10157C | 11 | 10492    | 33 | 212     | 49 | 7353C | 37 | 7812C  | 56 | 9892     | 51 |
| 10158C | 11 | 10510    | 31 | 221     | 49 | 7374C | 39 | 8041C  | 9  | B52      | 27 |
| 10159C | 11 | 10511    | 31 | 224     | 49 | 7381C | 39 | 8042C  | 9  | B550     | 27 |
| 10160C | 11 | 10581    | 30 | 229     | 49 | 7530  | 48 | 8043C  | 9  | Display1 | 49 |
| 10164C | 10 | 10624    | 29 | 234     | 49 | 7531  | 48 | 8047C  | 9  | G300     | 25 |
| 10165C | 10 | 10626    | 28 | 242     | 49 | 7532  | 48 | 8070C  | 46 | HA2736M  | 29 |
| 10166C | 10 | 10650    | 29 | 2305    | 50 | 7533  | 48 | 8071C  | 46 | HA2756M  | 29 |
| 10167C | 10 | 10652    | 29 | 2372    | 50 | 7540  | 48 | 8072C  | 46 | L64359   | 46 |
| 10168C | 10 | 10725    | 30 | 3209C   | 46 | 7541  | 48 | 8249C  | 45 | MEDELERT | 34 |
| 10169C | 10 | 10727    | 30 | 5652C   | 54 | 7542  | 48 | 8251C  | 45 | NE-02075 | 9  |
| 10176C | 10 | 10740    | 28 | 61921   | 6  | 7543  | 48 | 8253C  | 45 | VLEGCC01 | 43 |
| 10178C | 13 | 10752C   | 30 | 62920   | 6  | 7544C | 55 | 8263C  | 44 | VLEGCC04 | 43 |
| 10183C | 23 | 10760    | 27 | 63122   | 18 | 7561  | 48 | 8265C  | 44 | VLEGCC05 | 43 |
| 10187  | 14 | 10843    | 21 | 63144   | 18 | 7562  | 48 | 8267C  | 44 | VLEGCC08 | 43 |
| 10210C | 16 | 10844    | 21 | 63166   | 18 | 7563  | 48 | 8298C  | 44 | VLEGCCF1 | 43 |
| 10211C | 17 | 10845    | 21 | 6519    | 24 | 7564  | 48 | 8300C  | 42 | VLEGCCF2 | 43 |
| 10220C | 7  | 10846    | 20 | 6520    | 24 | 7571  | 48 | 8303C  | 45 | VLEGCCF3 | 43 |
| 10231C | 12 | 10847    | 20 | 6521    | 24 | 7572  | 48 | 8351C  | 45 | VLEGOC05 | 43 |
| 10239C | 12 | 10848    | 22 | 6522    | 24 | 7573  | 48 | 8353C  | 45 | VLEGOCF3 | 43 |
| 10240  | 13 | 10849    | 22 | 6523    | 24 | 7574  | 48 | 8771C  | 28 | VLSGCC01 | 43 |
| 10241C | 12 | 10850    | 22 | 6524    | 24 | 7591  | 48 | 900310 | 15 | VLSGCC04 | 43 |
| 10242C | 13 | 10901C   | 35 | 6537    | 25 | 7592  | 48 | 900600 | 14 | VLSGCC05 | 43 |
| 10243C | 14 | 10901CKA | 35 | 6538    | 25 | 7593  | 48 | 900601 | 14 | VLSGCC08 | 43 |
| 10260C | 26 | 10907C   | 35 | 6553    | 24 | 7594  | 48 | 900910 | 15 | VLSGCCF1 | 43 |
| 10261C | 26 | 10910C   | 36 | 6554    | 24 | 7653C | 53 | 9302C  | 42 | VLSGCCF2 | 43 |
| 10266C | 26 | 10917C   | 35 | 6555    | 24 | 7655C | 55 | 9304C  | 42 | VLSGCCF3 | 43 |
| 10268C | 26 | 10928C   | 36 | 6556    | 24 | 7657C | 55 | 9313   | 40 | VLSGOC05 | 43 |
| 10274  | 24 | 10930C   | 9  | 6557    | 24 | 7665C | 53 | 9314   | 40 | VLSGOCF3 | 43 |
| 10276  | 24 | 10946    | 47 | 6558    | 24 | 7674C | 53 | 9315   | 40 | WCAS1487 | 17 |
| 10278  | 24 | 10947    | 47 | 7100005 | 14 | 7701C | 54 | 9316   | 40 | WCAS1488 | 17 |
| 10327C | 25 | 11326    | 18 | 7100006 | 14 | 7703C | 54 | 9731C  | 45 | X152     | 4  |
| 10328C | 25 | 11327    | 18 | 7100007 | 14 | 7704C | 54 | 9755   | 47 | X154     | 4  |
| 10329C | 16 | 12236    | 32 | 7109F/H | 17 | 7706C | 54 | 9755C  | 47 | X156     | 7  |
| 10380C | 18 | 12238    | 32 | 7252C   | 41 | 7711C | 54 | 9756C  | 47 | X161     | 6  |
| 10381C | 19 | 12240    | 32 | 7253C   | 41 | 7713C | 54 | 9757   | 47 | X222     | 5  |
| 10397C | 19 | 12242    | 32 | 7254C   | 41 | 7720C | 51 | 9764C  | 47 | X399     | 8  |
| 10399C | 19 | 12244    | 32 | 7255C   | 38 | 7721C | 51 | 9766C  | 47 |          |    |
| 10400C | 23 | 12246    | 32 | 7321C   | 37 | 7723C | 51 | 9767C  | 47 |          |    |
| 10402C | 23 | 12248    | 32 | 7323C   | 38 | 7724C | 51 | 9768C  | 47 |          |    |
| 10405C | 5  | 1411     | 51 | 7325C   | 38 | 7725C | 55 | 9769C  | 47 |          |    |
| 10408C | 23 | 1412     | 51 | 7331C   | 37 | 7726C | 55 | 9770   | 47 |          |    |
| 10410  | 23 | 14134    | 34 | 7333C   | 38 | 7727C | 55 | 9771   | 47 |          |    |
| 10411  | 23 | 14138    | 34 | 7335C   | 38 | 7728C | 55 | 9772   | 47 |          |    |
| 10411C | 17 | 171      | 49 | 7341C   | 37 | 7755C | 39 | 9773   | 47 |          |    |
| 10412C | 23 | 173      | 49 | 7343C   | 37 | 7756C | 39 | 9776C  | 47 |          |    |
| 10413C | 5  | 1754     | 50 | 7344C   | 37 | 7758C | 9  | 9888LC | 52 |          |    |
| 10456  | 32 | 202      | 49 | 7345C   | 37 | 7782C | 56 | 9888RC | 52 |          |    |
| 10460  | 33 | 203      | 49 | 7346C   | 37 | 7783  | 41 | 9889C  | 52 |          |    |

## Discontinued Products

### NUMERICAL

|           |   |         |  |
|-----------|---|---------|--|
| 10191     | Long Handle Sponge  | 6548    | Prima Angled Grab Rail 400mm (16")<br>Retail Packed, White |
| 10331C    | Bath Step   | 6549    | Prima Grab Rail 300mm (12")<br>Retail Packed, White        |
| 10452     | Large Mannoy Plate  | 6550    | Prima Grab Rail 400mm (16")<br>Retail Packed, White        |
| 10534     | Dycem Small Mat Blue  | 6551    | Prima Grab Rail 450mm (18")<br>Retail Packed, White        |
| 10537     | Dycem Netting   | 6552    | Prima Grab Rail 600mm (24")<br>Retail Packed, White        |
| 10538     | Dycem Large Mat Blue  | L27479  | Magiplug® Bath Plug  |
| 10542     | Dycem Short Reel Blue   | L33194  | Two Handled Leg Lifter                                     |
| 10622     | Tights Aid  | L33972  | Magiplug® Sink Plug  |
| 10792     | Multi Purpose Raiser Main Section (1 Per Box)                   | MPR2    | Multi Purpose Raiser - Retail Set                          |
| 10793     | Spreader Link Bar (6 Per Box)                                   | RAMP210 | Plain Ramp 1m  |
| 10794     | Clip-On Height Section (12 Per Box)                             | RAMP215 | Plain Ramp 1.5m  |
| 10901BL   | Three Wheel Walker With Bag, Blue                               | RAMP220 | Plain Ramp 2m  |
| 10901BLKA | Three Wheel Walker With Bag, Basket & Tray, Blue                | RAMP310 | Telescopic Ramp 1m   |
| 11325     | Relaxon Adjustable Height Raised Toilet Seat with Arms          | RAMP315 | Telescopic Ramp 1.5m                                       |
| 14136     | Medi-Planner  | RAMP320 | Telescopic Ramp 2m   |
| 14140     | Day Planner   | RAMP325 | Telescopic Ramp 2.5m                                       |
| 14142     | Tabtime Flip-Top  | RAMP330 | Telescopic Ramp 3m   |
| 6017      | Slip Not  | RAMP709 | Suitcase Ramp 0.9m   |
| 6029      | Food Preparation Board  | RAMP712 | Suitcase Ramp 1.2m   |
| 6031      | Derby Kettle Tipper   | RAMP715 | Suitcase Ramp 1.5m   |
| 60800     | Derby Tap Turners   | RAMP718 | Suitcase Ramp 1.8m   |
| 61031     | Stabilising Base for Kettle Tipper                              | RAMP510 | Wide Ramp 1m   |
| 6507      | Prima Angled Grab Rail 325mm (13")<br>Retail Packed, Mint/White | RAMP515 | Wide Ramp 1.5m   |
| 6508      | Prima Angled Grab Rail 400mm (16")<br>Retail Packed, Mint/White | RAMP520 | Wide Ramp 2m   |
| 6509      | Prima Grab Rail 300mm (12")<br>Retail Packed, Mint/White        | RAMP818 | Telescopic Suitcase Ramp 1.8m                              |
| 6510      | Prima Grab Rail 400mm (16")<br>Retail Packed, Mint/White        | RAMP821 | Telescopic Suitcase Ramp 2.1m                              |
| 6511      | Prima Grab Rail 450mm (18")<br>Retail Packed, Mint/White        | RAMP824 | Telescopic Suitcase Ramp 2.4m                              |
| 6512      | Prima Grab Rail 600mm (24")<br>Retail Packed, Mint/White        | RAMP830 | Telescopic Suitcase Ramp 3m                                |
| 6547      | Prima Angled Grab Rail 325mm (13")<br>Retail Packed, White      | RAMP967 | Threshold Ramp 670mm (26.5") Wide                          |
|           |   | RAMP977 | Threshold Ramp 770mm (30.25") Wide                         |

## Customer care

### How to open an account

To open an account with Sunrise Medical, please contact our Customer Service Team on +44 (0)1384 44 66 66.

### Prices

All prices are net. VAT will be added to orders at the current rate unless the product is VAT zero-rated and an approved VAT zero-rating form is attached. Although we will endeavour to give advance notice of price changes, we reserve the right to change prices and invoice goods at the price ruling on the date of despatch.

### Carriage/packaging/surcharges

All orders under £100 will be subject to a minimum order value charge of £8 per order. Orders under £25 will incur a minimum order value charge of £10 per order. All orders over £100 delivered to mainland UK will incur no additional charges. Shipments to non-mainland UK locations may be subject to further freight charges, please enquire with our Customer Service Team for details.

### Specification

Due to our policy of continuous product enhancement, we reserve the right to improve, modify or withdraw products where necessary, without advance notice.

Specification is correct at time of print.

### Customer charter

We want you to receive the most efficient and effective service we can offer.

To underline our commitment to you we have devised a Customer Charter which outlines our promise and which is backed by a complete range of customer services.

#### We pledge to:

- Respond to customer requests in a professional and courteous manner
- Acknowledge and resolve all customer queries promptly and efficiently
- Supply quality products which meet customers' demands
- Notify customers of new products and services as they become available
- Carry out business activities in accordance with the requirements of BS EN ISO 9001:2008

For a full list of Terms and Conditions please contact our Customer Services Team on +44 (0)1384 44 66 66.

### Guarantee

All products sold by Sunrise Medical are guaranteed against faulty workmanship or materials for 12 months from the date of purchase.

### No quibble returns policy

In the unlikely event that you are not entirely happy with the goods you have purchased, you may return them to us by contacting our Customer Service Team on +44 (0)1384 44 66 66.

- Goods must be returned within four weeks of delivery
- Please quote the invoice number
- We reserve the right to make a 20% restocking charge to meet inspection and repacking costs



Notes:

A series of horizontal dotted lines for writing notes.





**Sunrise Medical Ltd.**  
High Street, Wollaston  
Stourbridge, West Midlands  
DY8 4PS  
United Kingdom

Tel: +44 (0) 845 605 66 88  
Fax: +44 (0) 845 605 66 89

[www.SunriseMedical.com](http://www.SunriseMedical.com)