



SANGO Slimline with SEGO junior

Version: 2

Valid from: 01/01/2024

Valid until: new version or latest 31/12/2024

Type: Order Quote

Date:

Dealer Name:

Client Reference:

Purchase Order:

Email:

Delivery Address:

Standard configuration includes the following options:

- Front, rear or mid wheel drive chassis choice
- 6 km/h high torque 4 pole motors
- 60Ah batteries
- 8A charger
- 14" drive wheels and 8" castors, air
- Manual, tool adjustable backrest recline
- Manual, tool adjustable seat tilt
- VR2 drive only joystick, fixed joystick bracket
- 90A power module
- 41cm seat to floor height, tool adjustable
- No seat cushion
- No backrest cushion
- Swingaway legrests with calfstrap
- Angle adjustable footplates
- Detachable armrests with PU armpads
- Lapbelt

Estimated total chair cost based on the below selections:

*Options with POA require a formal quote before ordering

£ 0.00

Save Form

Email Form

Reset Form

DRIVE BASE

£

1000103 SANGO slimline 6,495





Drive Type

- 6000001 Front Wheel Drive (FWD) 0
- 6000002 Rear Wheel Drive (RWD) 0
- 6000003 Mid Wheel Drive (MWD) 6 Wheel 0
- 6000327 Mid Wheel Drive (MWD) 5 Wheel 0

Maximum Speed

- 6000005 6 km/h HT motor STD
- 6000007 10 km/h HT motor (FWD: R-net Gyro module mandatory) 435

Frame Colour

- 6000010 Red metallic, glossy  0
- 6000011 Blue, matte  0
- 6000012 Gold, matte  0
- 6000383 Black, glossy  0
- 6000440 White, glossy  0
- 6000013 Different frame colour  (Specify RAL colour code required) 495
- Different shroud colour  (Specify RAL colour code required) POA
- Hydro-dipped shroud pattern  (Detail Hydro-dipped pattern required in notes section) POA

[Click to see gallery](#)

Batteries & Charger			
6000364	<input type="checkbox"/>	Batteries 60Ah	STD
6000017	<input type="checkbox"/>	Charger 24V - 8A	STD
6000018	<input type="checkbox"/>	Charger 24V - 12A	245
WHEELS			£
Wheel Size			
6000019	<input type="checkbox"/>	12" drive wheels with 8" castors	FWD/RWD 0
6000020	<input type="checkbox"/>	14" drive wheels with 9" castors	FWD/RWD 0
6000022	<input type="checkbox"/>	12" drive wheels with 7" castors	MWD 0
6000023	<input type="checkbox"/>	14" drive wheels with 8" castors	MWD 0
Wheel / Tyre type			
6000024	<input type="checkbox"/>	Castor wheels, air	FWD/RWD STD
6000025	<input type="checkbox"/>	Castor and support wheels, air	MWD (7" always solid) 0
6000026	<input type="checkbox"/>	Castor wheels, solid	FWD/RWD 0
6000027	<input type="checkbox"/>	Castor and support wheels, solid	MWD 0
6000028	<input type="checkbox"/>	Drive wheels, air	STD 0
6000029	<input type="checkbox"/>	Drive wheels, solid	(MWD only) 435
6000450	<input type="checkbox"/>	8" suspended castor forks	(Not for rear castors on MWD) 635
6000479	<input type="checkbox"/>	Powered castor lock	
6000480	<input type="checkbox"/>	Sprung loaded anti tip wheels	(Not for MWD) 285
6000539	<input type="checkbox"/>	Protector wheels, pair 125mm	185
Tyres			
6000030	<input type="checkbox"/>	Black	STD
6000031	<input type="checkbox"/>	Grey	0
Mudguards			
6000032	<input type="checkbox"/>	Mudguards for 9" castor wheels	(Not with suspended castor forks) 95
6000033	<input type="checkbox"/>	Mudguards for drive wheels wheels	115
LIGHTING & POWERED OPTIONS			£
Lighting		Lights must be selected if 10 km/h motors are chosen	
6000040	<input type="checkbox"/>	LED lights and indicators	395
Seat adjustments			
6000034	<input type="checkbox"/>	Powered backrest recline 30° (120°)	(1 actuator) 475
6000257	<input type="checkbox"/>	Powered backrest recline 45° (135°)	(1 actuator) 655
6000035	<input type="checkbox"/>	Powered seat tilt 45°	(No increase in seat to floor height)(1 actuator) 1,325
6000242	<input type="checkbox"/>	Powered seat tilt 52°	(No increase in seat to floor height)(1 actuator) 1,885
6000036	<input type="checkbox"/>	Powered seat lift 30cm and seat tilt 45°	(1cm increase in seat to floor height)(2 actuators) 2,095
6000243	<input type="checkbox"/>	Powered seat lift 30cm and seat tilt 52°	(1cm increase in seat to floor height)(2 actuators) 2,655
Centre mount legrest (including calf supports)			
6000038	<input type="checkbox"/>	Powered centre mount legrest, built in length compensation	1,425
6000460	<input type="checkbox"/>	Width adjustable footplate, small (19-26cm)	(Restrictions for RWD)(Angle adjustable footplate)(1 actuator) (Replaces standard centre mount footplate) 345
6000462	<input type="checkbox"/>	Foot fixation belts	(only for width adjustable footplate) 75
6000415	<input type="checkbox"/>	Footplate foam layer	(5mm high density foam / cellular rubber)(Standard centre mount footplate only) 55
	<input type="checkbox"/>	Powered flip up footplate for centre mount legrest	POA
Swingaway legrests (including calf supports)			
6000037	<input type="checkbox"/>	Powered articulating legrests	(6°-70°, angle adjustable footplates and PU calf plates)(2 actuators) 1,025
6000136	<input type="checkbox"/>	Kneepad, right	65
6000137	<input type="checkbox"/>	Kneepad, left	65
	<input type="checkbox"/>	Single footplate for individual legrests	POA

CONTROLS		£
VR2 System		Maximum 2 actuators
Joystick modules		
6000045	<input type="checkbox"/> VR2 Drive only	STD
6000046	<input type="checkbox"/> VR2 Lights	95
6000047	<input type="checkbox"/> VR2 Seats & lights	165
Mounting of the joystick module		
6000041	<input type="checkbox"/> Fixed bracket, right	STD
6000042	<input type="checkbox"/> Fixed bracket, left	0
6000043	<input type="checkbox"/> Swingaway bracket, right	85
6000044	<input type="checkbox"/> Swingaway bracket, left	85
6000625	<input type="checkbox"/> Mounting of the joystick module, swing-away bracket, right	185
6000626	<input type="checkbox"/> Mounting of the joystick module, swing-away bracket, left	185
6000549	<input type="checkbox"/> Mounting of the joystick module, drop-down bracket, right	375
6000550	<input type="checkbox"/> Mounting of the joystick module, drop-down bracket, left	375
Power Module		
6000049	<input type="checkbox"/> 90A Power module	STD
Attendant control		
6000050	<input type="checkbox"/> VR2 + attendant control, right	(Also choose required joystick module above) 435
6000051	<input type="checkbox"/> VR2 + attendant control, left	(Also choose required joystick module above) 435
R-net System		An R-net joystick must be chosen if not selecting VR2
Joystick modules		(All LED and LCD joystick modules below can operate 6 actuators and lights)
6000052	<input type="checkbox"/> R-net LED	(If no power module is selected, 90A will be chosen) 525
6000053	<input type="checkbox"/> R-net LCD-1	(CJSM1)(2 jack sockets) 665
6000055	<input type="checkbox"/> R-net LCD-2, infra-red	(CJSM2)(2 jack sockets) 825
6000057	<input type="checkbox"/> R-net LCD-2, infra-red and bluetooth	(CJSM2)(2 jack sockets) 1,025
6000434	<input type="checkbox"/> R-net LCD-1, tray control	(CJSM1) 1,985
6000056	<input type="checkbox"/> HD kit for R-net LCD-2	1,045
Mounting of the joystick module		
6000041	<input type="checkbox"/> Fixed bracket, right	0
6000042	<input type="checkbox"/> Fixed bracket, left	0
6000043	<input type="checkbox"/> Swingaway bracket, right	85
6000044	<input type="checkbox"/> Swingaway bracket, left	85
6000163	<input type="checkbox"/> Tray control bracket mounting, right	0
6000164	<input type="checkbox"/> Tray control bracket mounting, left	0
6000625	<input type="checkbox"/> Mounting of the joystick module, swing-away bracket, right	185
6000626	<input type="checkbox"/> Mounting of the joystick module, swing-away bracket, left	185
6000549	<input type="checkbox"/> Mounting of the joystick module, drop-down bracket, right	375
6000550	<input type="checkbox"/> Mounting of the joystick module, drop-down bracket, left	375
	<input type="checkbox"/> Powered swingaway joystick mount	POA
Power Modules		
6000060	<input type="checkbox"/> 90A Power module	0
6000061	<input type="checkbox"/> 120A Power module	245
6000062	<input type="checkbox"/> DAC box, direct actuator control, button, jack plug	(Only with R-net LCD joystick modules) 455
6000362	<input type="checkbox"/> DAC box, direct actuator control, toggle, jack plug	(Only with R-net LCD joystick modules) 455
6000629	<input type="checkbox"/> Mounting of the DAC box, with the joystick module	0
6000630	<input type="checkbox"/> Mounting of the DAC box, with Scootcontrol	0
6000063	<input type="checkbox"/> Gyro module	395
Attendant control		
6000067	<input type="checkbox"/> R-net + attendant control, right	(Also choose required joystick module above) 435
6000068	<input type="checkbox"/> R-net + attendant control, left	(Also choose required joystick module above) 435
6000384	<input type="checkbox"/> R-net Scootcontrol attendant steer (as part of dual control system)	2,995
6000384	<input type="checkbox"/> R-net Scootcontrol attendant steer (as attendant only system)	2,995
	(Also choose 600062 or 6000362 DAC box)(Also choose 600392 external charge socket)	2,995
	<input type="radio"/> R-net Scootcontrol attendant steer mounted on backrest frame	(Height and angle adjustable)
6000230	<input type="checkbox"/> R-net joystick module mounted as attendant control, right	(Mounted on backrest frame) 85
6000231	<input type="checkbox"/> R-net joystick module mounted as attendant control, left	(Mounted on backrest frame) 85

Other R-net options			
Joystick knobs			
6000074	<input type="checkbox"/>	Mushroom knob	75
6000075	<input type="checkbox"/>	Ball mini, \varnothing 32mm	75
6000416	<input type="checkbox"/>	Golf ball, \varnothing 43mm	75
6000387	<input type="checkbox"/>	Foam ball, \varnothing 45mm	75
6000076	<input type="checkbox"/>	Soft foam ball, \varnothing 70mm	75
6000077	<input type="checkbox"/>	Stick joystick	75
6000078	<input type="checkbox"/>	T-grip	75
6000443	<input type="checkbox"/>	U-grip, vertical, small	(6cm wide) 95
6000079	<input type="checkbox"/>	U-grip, vertical, large	(10.5cm wide) 95
6000444	<input type="checkbox"/>	U-grip, horizontal, small	(8cm wide) 95
6000080	<input type="checkbox"/>	U-grip, horizontal, large	(10cm wide) 95
6000478	<input type="checkbox"/>	Dual USB charger, 2 x 2.5A	295
6000392	<input type="checkbox"/>	External charging socket	(Included when selecting tray control) 215
6000393	<input type="checkbox"/>	System locking plug	(Anti-theft) 65
SEATS			£
Seat height		(Top of seat frame to floor in cm with 14" drive wheels and 0° tilt) (1.25cm reduction with 12" drive wheels)(1cm increase with lift/tilt)	
6000086	<input type="checkbox"/>	41cm	STD
6000324	<input type="checkbox"/>	43cm	0
6000088	<input type="checkbox"/>	44cm	0
6000325	<input type="checkbox"/>	45cm	0
6000089	<input type="checkbox"/>	46cm	0
6000326	<input type="checkbox"/>	47cm	0
6000090	<input type="checkbox"/>	48cm	0
6000274	<input type="checkbox"/>	50cm	0
Seat cushion size			
6000286	<input type="checkbox"/>	Width 32cm	STD
6000287	<input type="checkbox"/>	Width 37cm	0
6000340	<input type="checkbox"/>	Depth 30cm	0
6000341	<input type="checkbox"/>	Depth 35cm	STD
6000342	<input type="checkbox"/>	Depth 40cm	0
6000467	<input type="checkbox"/>	9cm extra seat depth adjustment	(Also select option 6000091) 115
6000091	<input type="checkbox"/>	Different seat cushion size	(3cm increase in seat height in combination with tilt or lift/tilt) (Specify required sizes) 275
Seat cushion, integrated wooden base		Upholstery	
6000256	<input type="checkbox"/>	No seat cushion	(Seat frame only) STD
6000092	<input type="checkbox"/>	Contour	Vinyl 95
6000096	<input type="checkbox"/>	Anatomic formed	Air mesh (partially strapped) 305
6000098	<input type="checkbox"/>	Anatomic formed visco	Air mesh (partially memory foam & webbed) 355
Seat plate and boards		Upholstery	
6000101	<input type="checkbox"/>	Seat board	Vinyl 25
6000104	<input type="checkbox"/>	Threshold, front	Vinyl (Upholstered, 5cm height) 50
6000105	<input type="checkbox"/>	Threshold, rear	Vinyl (Upholstered, 5cm height) 50
6000106	<input type="checkbox"/>	Acrylic threshold, rear	Acrylic (depth adjustable, 5cm height) 50
Alternative upholstery			
6000107	<input type="checkbox"/>	Air mesh instead of vinyl	95
6000108	<input type="checkbox"/>	Stretch rubber instead of air mesh	50
Alternative Seating			
	<input type="checkbox"/>	Recaro seating (specify Recaro seating type)	POA
Seat accessories			
6000110	<input type="checkbox"/>	Thigh support upholstered small, set	(not with catapult seat)(22 x 11cm LxH) 445

BACKRESTS			£
Backrest cushion size			
6000343	<input type="checkbox"/>	Width 32cm	STD
6000344	<input type="checkbox"/>	Width 37cm	0
6000345	<input type="checkbox"/>	Height 30cm	0
6000346	<input type="checkbox"/>	Height 35cm	STD
6000347	<input type="checkbox"/>	Height 40cm	0
6000115	<input type="checkbox"/>	Different backrest cushion size <input type="text"/>	(Specify required sizes) 275
Backrest cushion type		Upholstery	
6000212	<input type="checkbox"/>	No backrest cushion	(Backrest frame only) STD
6000116	<input type="checkbox"/>	Contour	Vinyl 105
6000117	<input type="checkbox"/>	Deep contour	Air mesh (Width adj built in laterals) 145
6000118	<input type="checkbox"/>	Deep contour, vertical	Air mesh (Vertical elastic straps & width adj built in laterals) 235
6000119	<input type="checkbox"/>	Deep contour, horizontal	Air mesh (Horizontal tension adj straps & width adj built in laterals) 275
6000120	<input type="checkbox"/>	Deep contour, Flex	Air mesh (Horizontal tension adj straps & width adj built in laterals) 365
Alternative upholstery			
6000123	<input type="checkbox"/>	Air mesh instead of vinyl	105
6000124	<input type="checkbox"/>	Stretch rubber instead of air mesh	65
Backrest accessories		Upholstery	
6000126	<input type="checkbox"/>	Thoracic support, adjustable, right	(Stealth 18 x 13 DxH)(Request extra link if with deep contour backrest) 375
6000127	<input type="checkbox"/>	Thoracic support, adjustable, left	(Stealth 18 x 13 DxH)(Request extra link if with deep contour backrest) 375
6000129	<input type="checkbox"/>	Folding backrest	185
MANUAL LEGRESTS			£
For powered legrests see Powered options and lighting section			
6000361	<input type="checkbox"/>	No legrests	0
Centre mount legrest			
6000130	<input type="checkbox"/>	Centre mount legrest, angle and height adjustable	(Angle adjustment restricted for RWD) 105
Centre mount legrest accessories			
6000460	<input type="checkbox"/>	Width adjustable footplate, small (19-26cm)	(Replaces standard centre mount footplate) 345
6000462	<input type="checkbox"/>	Foot fixation belts	(only for width adjustable footplate) 75
6000415	<input type="checkbox"/>	Footplate foam layer	(5mm high density foam / cellular rubber)(Standard centre mount footplate only) 55
Swing away legrests			
6000289	<input type="checkbox"/>	Standard footrests, calf strap	(Angle adjustable footplates) STD
	<input type="checkbox"/>	Single footplate for individual legrests	POA
Swing away legrests accessories			
6000136	<input type="checkbox"/>	Kneepad, right	65
6000137	<input type="checkbox"/>	Kneepad, left	65
ARMRESTS			£
Armrests			
6000376	<input type="checkbox"/>	Detachable	(Includes side shields)(Angle & height adjustable) STD
Armpads		Upholstery	
6000146	<input type="checkbox"/>	PU 34cm, right	PU STD
6000147	<input type="checkbox"/>	PU 34cm, left	PU STD
6000148	<input type="checkbox"/>	Upholstered, 30cm, right	Vinyl 75
6000149	<input type="checkbox"/>	Upholstered, 30cm, left	Vinyl 75
Alternative upholstery			
6000353	<input type="checkbox"/>	Air mesh instead of vinyl	75

HEADRESTS			£
Headrest metal bracket			
6000154	<input type="checkbox"/>	Height and depth adjustable	135
6000155	<input type="checkbox"/>	Height, depth and width adjustable	155
Headrest cushion		Upholstery	
6000157	<input type="checkbox"/>	PU small	115
6000360	<input type="checkbox"/>	Padded butterfly shape, small	125
6000159	<input type="checkbox"/>	Padded flexible, small	155
Alternative upholstery			
6000354	<input type="checkbox"/>	Air mesh instead of vinyl	75
TRAYS			£
Acrylic tray			
6000161	<input type="checkbox"/>	Recess on joystick side	(Mounted on opposite side to the joystick module) 335
	<input type="checkbox"/>	Full tray, no recess	POA
Tray accessories			
6000166	<input type="checkbox"/>	Raised edge, acrylic, front	65
6000167	<input type="checkbox"/>	Raised edge, acrylic, right	65
6000168	<input type="checkbox"/>	Raised edge, acrylic, left	65
ACCESSORIES			£
6000339	<input type="checkbox"/>	Lapbelt, standard, 1.0m	STD
6000385	<input type="checkbox"/>	Backwards extended & higher bracket for lapbelt standard	55
6000386	<input type="checkbox"/>	Lapbelt, automatic roll-up, 1.35m, right	(Roll-up side) 195
6000394	<input type="checkbox"/>	Lapbelt, automatic roll-up, 1.35m, left	(Roll-up side) 195
For more positioning options see DIETZ Mobility UK - Bodypoint order form			
Mirror on right hand side must be selected if 10 km/h motors are chosen			
6000298	<input type="checkbox"/>	Mirror on right hand side	65
6000172	<input type="checkbox"/>	Mirror on left hand side	65
6000176	<input type="checkbox"/>	Bag / backpack hooks	(Mounted on headrest bracket) 125
6000410	<input type="checkbox"/>	Bag/backpack bracket (2 hooks), on backrest tube	125
RD1.11	<input type="checkbox"/>	Phone holder, multi adjustable, armrest mounted	POA
RD2.11	<input type="checkbox"/>	Phone holder, multi adjustable, side rail mounted	POA
RD3.11	<input type="checkbox"/>	Phone holder, multi adjustable, tray mounted	POA
	<input type="checkbox"/>	Tablet mount, multi adjustable, side rail mounted (specify tablet type)	POA
6000489	<input type="checkbox"/>	Wheelchair cover	245
8000046	<input type="checkbox"/>	Hand warmer	(R-Net required) 1,215
8000047	<input type="checkbox"/>	Hand warmer dome, 2-hands hood	(R-Net required) 535
	<input type="checkbox"/>	Wireless stop	POA
	<input type="checkbox"/>	Red button stop, mounted on backrest frame	POA

BESPOKE OPTIONS / SPECIALS

Please add clear and detailed information for the bespoke option(s) required, referencing any additional pictures, drawings etc. that will be supplied with the order form

Click to insert pictures:



SPECIAL CONTROLS (R-net only)		£
Omni Module		
6000070	<input type="checkbox"/> Mounted on fixed bracket, right	1,125
6000071	<input type="checkbox"/> Mounted on fixed bracket, left	1,125
6000072	<input type="checkbox"/> Mounted on swing-away bracket, right	1,205
6000073	<input type="checkbox"/> Mounted on swing-away bracket, left	1,205
6000627	<input type="checkbox"/> Mounting of the OMNI module display, swing-away bracket, long pin, right	185
6000628	<input type="checkbox"/> Mounting of the OMNI module display, swing-away bracket, long pin, left	185
RD1.12	<input type="checkbox"/> Fixed stem Omni mount, multi adjustable, armrest mounted	POA
RD2.12	<input type="checkbox"/> Fixed stem Omni mount, multi adjustable, side rail mounted	POA
RD1.13	<input type="checkbox"/> Flexi stem Omni mount, multi adjustable, armrest mounted	POA
RD2.13	<input type="checkbox"/> Flexi stem Omni mount, multi adjustable, side rail mounted	POA
Special input devices		
		Operating Force
8000003	<input type="checkbox"/> Micro joystick	(8.5 gram) 3,045
8000004	<input type="checkbox"/> Multi joystick	(50 gram) 2,755
8000005	<input type="checkbox"/> All-round Light joystick	(120 gram) 2,195
8000006	<input type="checkbox"/> All-round Light joystick, chin	(includes 2 satellite switches and foam ball)(120 gram) 2,675
8000007	<input type="checkbox"/> All-round joystick	(250 gram) 1,385
8000008	<input type="checkbox"/> All-round joystick, chin	(includes 2 satellite switches and foam ball)(250 gram) 1,845
8000031	<input type="checkbox"/> All-round heavy duty joystick	(650 gram) 2,975
	<input type="checkbox"/> CoMoveIT, head and foot control	POA
Mounting of special input device		
8000009	<input type="checkbox"/> On armrest, right	125
8000010	<input type="checkbox"/> On armrest, left	125
8000011	<input type="checkbox"/> In / on tray	(please specify dimensions and required mounting position in a detailed drawing) 955
Swing arms for chin control		
8000012	<input type="checkbox"/> Manual horizontal, right	1,745
8000030	<input type="checkbox"/> Manual horizontal, left	1,745
8000013	<input type="checkbox"/> Powered horizontal, right	3,215
8000014	<input type="checkbox"/> Powered horizontal, left	3,215
8000015	<input type="checkbox"/> Powered vertical, right	3,215
8000016	<input type="checkbox"/> Powered vertical, left	3,215
Switches		
6000081	<input type="checkbox"/> ∅17mm, red	185
6000082	<input type="checkbox"/> ∅17mm, green	185
6000490	<input type="checkbox"/> ∅17mm, yellow	185
6000491	<input type="checkbox"/> ∅17mm, blue	185
8000049	<input type="checkbox"/> ∅17mm, red, on GooseNeck	325
8000050	<input type="checkbox"/> ∅17mm, green, on GooseNeck	325
8000051	<input type="checkbox"/> ∅17mm, yellow, on GooseNeck	325
8000052	<input type="checkbox"/> ∅17mm, blue, on GooseNeck	325
6000083	<input type="checkbox"/> ∅30mm, red	215
6000084	<input type="checkbox"/> ∅30mm, green	215
6000492	<input type="checkbox"/> ∅30mm, yellow	215
6000493	<input type="checkbox"/> ∅30mm, blue	215
6000388	<input type="checkbox"/> ∅50mm, red	215
6000389	<input type="checkbox"/> ∅50mm, green	215
6000494	<input type="checkbox"/> ∅50mm, yellow	215
6000495	<input type="checkbox"/> ∅50mm, blue	215
6000496	<input type="checkbox"/> ∅63mm, red	215
6000497	<input type="checkbox"/> ∅63mm, green	215
6000498	<input type="checkbox"/> ∅63mm, yellow	215
6000499	<input type="checkbox"/> ∅63mm, blue	215
8000044	<input type="checkbox"/> Micro light button	(10 gram) 325