

SANGO slimline with SEGO junior

Version: 1

Valid from: 01/01/2023

Valid until: new version or latest 31/12/2023

SANGO slimline with SEGO junior: From £6295.00**Standard configuration includes the following options:**

- Front, rear or mid wheel drive chassis choice
- 6 km/h high torque 4 pole motors
- 60Ah batteries
- 8A charger
- 14" drive wheels and 8" castors, air
- Manual, tool adjustable backrest recline
- Manual, tool adjustable seat tilt
- VR2 drive only joystick, fixed joystick bracket
- 90A power module
- 41cm seat to floor height, tool adjustable
- No seat cushion
- No backrest cushion
- Swingaway legrests with calfstrap
- Angle adjustable footplates
- Detachable armrests with PU armpads
- Lapbelt

Type: ☐ Order ☐ Quotation

Dealer Name: _____

Purchase Order: _____

Delivery Address: _____

DRIVE BASE		£
1000103 ☐	SANGO slimline	6,295
Drive Type		
6000001 ☐	Front Wheel Drive (FWD)	0
6000002 ☐	Rear Wheel Drive (RWD)	0
6000003 ☐	Mid Wheel Drive (MWD) 6 Wheel	0
6000327 ☐	Mid Wheel Drive (MWD) 5 Wheel	0
Maximum Speed		
6000005 ☐	6 km/h HT motor	STD
6000007 ☐	10 km/h HT motor	(FWD: R-net Gyro module mandatory) 395
Frame Colour		
6000010 ☐	Red metallic, glossy	0
6000011 ☐	Blue, matt	0
6000012 ☐	Gold, matt	0
6000383 ☐	Black, glossy	0
6000440 ☐	White, glossy	0
6000013 ☐	Different frame colour	(Specify RAL colour code required) 425
☐	Different shroud colour	(Specify RAL colour code required) POA
☐	Hydro-dipped shroud pattern	(Specify Hydro-dipped pattern required) POA
Batteries & Charger		
6000364 ☐	Batteries 60Ah	STD
6000017 ☐	Charger 24V - 8A	STD
6000018 ☐	Charger 24V - 12A	215

WHEELS				£
Wheel Size				
6000019	☐	12" drive wheels with 8" castors	FWD/RWD	0
6000020	☐	14" drive wheels with 9" castors	FWD/RWD	0
6000022	☐	12" drive wheels with 7" castors	MWD	0
6000023	☐	14" drive wheels with 8" castors	MWD	0
Wheel / Tyre type				
6000024	☐	Castor wheels, air	FWD/RWD	STD
6000025	☐	Castor and support wheels, air	MWD	(7" always solid) 0
6000026	☐	Castor wheels, solid	FWD/RWD	0
6000027	☐	Castor and support wheels, solid	MWD	0
6000028	☐	Drive wheels, air		STD
6000029	☐	Drive wheels, solid		0
6000450	☐	8" suspended castor forks		(MWD only) 395
6000479	☐	Powered castor lock		(Not for rear castors on MWD) 575
6000480	☐	Sprung loaded anti tip wheels		(Not for MWD) 255
Tyres				
6000030	☐	Black		STD
6000031	☐	Grey		0
Mudguards				
6000032	☐	Mudguards for 9" castor wheels		(Not with suspended castor forks) 85
6000031	☐	Mudguards for drive wheels wheels		105
LIGHTING & POWERED OPTIONS				£
Lighting		Lights must be selected if 10 km/h motors are chosen		
6000040	☐	LED lights and indicators		355
Seat adjustments				
6000034	☐	Powered backrest recline 30° (120°)	(1 actuator)	475
6000257	☐	Powered backrest recline 45° (135°)	(1 actuator)	595
6000035	☐	Powered seat tilt 45°	(No increase in seat to floor height)(1 actuator)	1,195
6000242	☐	Powered seat tilt 52°	(No increase in seat to floor height)(1 actuator)	1,715
6000540	☐	Powered seat lift 30cm	(1cm increase in seat to floor height)(1 actuators)	1,195
6000036	☐	Powered seat lift 30cm and seat tilt 45°	(1cm increase in seat to floor height)(2 actuators)	1,895
6000243	☐	Powered seat lift 30cm and seat tilt 52°	(1cm increase in seat to floor height)(2 actuators)	2,415
Centre mount legrest (including calf supports)				
6000038	☐	Powered centre mount legrest, built in length compensation		1,245
6000460	☐	Width adjustable footplate, small (19-26cm)	(Restrictions for RWD)(Angle adjustable footplate)(1 actuator)	295
6000462	☐	Foot fixation belts	(Replaces standrad centre mount footplate)	65
6000415	☐	Footplate foam layer	(5mm high density foam / cellular rubber)(Standard centre mount footplate only)	45
Swingaway legrests (including calf supports)				
6000037	☐	Powered articulating legrests	(6°-70°, angle adjustable footplates and PU calf plates)(2 actuators)	925
6000136	☐	Kneepad, right		55
6000137	☐	Kneepad, left		55

CONTROLS			£
VR2 System		Maximum 2 actuators	
Joystick modules			
6000045	☐	VR2 Drive only	STD
6000046	☐	VR2 Lights	85
6000047	☐	VR2 Seats & lights	145
Mounting of the joystick module			
6000041	☐	Fixed bracket, right	STD
6000042	☐	Fixed bracket, left	0
6000043	☐	Swingaway bracket, right	75
6000044	☐	Swingaway bracket, left	75
Power Module			
6000049	☐	90A Power module	STD
Attendant control			
6000050	☐	VR2 + attendant control, right	(Also choose required joystick module above) 395
6000051	☐	VR2 + attendant control, left	(Also choose required joystick module above) 395
R-net System		An R-net joystick must be chosen if not selecting VR2	
Joystick modules		(All LED and LCD joystick modules below can operate 6 actuators and lights)	
6000052	☐	R-net LED	(If no power module is selected, 90A will be chosen) 475
6000053	☐	R-net LCD-1	(CJSM1)(2 jack sockets) 605
6000055	☐	R-net LCD-2, infra-red	(CJSM2)(2 jack sockets) 745
6000057	☐	R-net LCD-2, infra-red and bluetooth	(CJSM2)(2 jack sockets) 935
6000434	☐	R-net LCD-1, tray control	(CJSM1) 1,985
6000056	☐	HD kit for R-net LCD-2	945
Mounting of the joystick module			
6000041	☐	Fixed bracket, right	0
6000042	☐	Fixed bracket, left	0
6000043	☐	Swingaway bracket, right	75
6000044	☐	Swingaway bracket, left	75
6000163	☐	Tray control bracket mounting, right	0
6000164	☐	Tray control bracket mounting, left	0
Power Modules			
6000060	☐	90A Power module	0
6000061	☐	120A Power module	215
6000062	☐	DAC box, direct actuator control, button, jack plug	(Only with R-net LCD joystick modules) 415
6000362	☐	DAC box, direct actuator control, toggle, jack plug	(Only with R-net LCD joystick modules) 415
	☐	DAC box mounted with joystick	
	☐	DAC box mounted on Scootcontrol	
6000063	☐	Gyro module	355
Attendant control			
6000067	☐	R-net + attendant control, right	(Also choose required joystick module above) 395
6000068	☐	R-net + attendant control, left	(Also choose required joystick module above) 395
6000384	☐	R-net Scootcontrol attendant steer (as part of dual control system)	2,725
	☐	R-net Scootcontrol attendant steer (as attendant only system)	2,725
(Also choose 6000052 R-net LED for R-net prep. No joystick supplied)(Also choose 6000062 or 6000362 DAC box)(Also choose 6000392 external charging socket)			
6000230	☐	R-net joystick module mounted as attendant control, right	(Mounted on backrest frame) 75
6000231	☐	R-net joystick module mounted as attendant control, left	(Mounted on backrest frame) 75

Other R-net options			
Joystick knobs			
6000074	☐	Mushroom knob	65
6000075	☐	Ball mini, 32mm	65
6000416	☐	Golf ball, 43mm	65
6000387	☐	Foam ball, 45mm	65
6000076	☐	Soft foam ball, 70mm	65
6000077	☐	Stick joystick	65
6000078	☐	T-grip	65
6000443	☐	U-grip, vertical, small	(6cm wide) 85
6000079	☐	U-grip, vertical, large	(10.5cm wide) 85
6000444	☐	U-grip, horizontal, small	(8cm wide) 85
6000080	☐	U-grip, horizontal, large	(10cm wide) 85
6000478	☐	Dual USB charger, 2 x 2.5A	265
6000392	☐	External charging socket	(Included when selecting tray control) 185
6000393	☐	System locking plug	(Anti-theft) 55

SEATS		£
Seat height		(Top of seat frame to floor in cm with 14" drive wheels and 0° tilt) (1.25cm reduction with 12" drive wheels)(1cm increase with lift/tilt)
6000086	☐ 41cm	STD
6000324	☐ 43cm	0
6000088	☐ 44cm	0
6000325	☐ 45cm	0
6000089	☐ 46cm	0
6000326	☐ 47cm	0
6000090	☐ 48cm	0
6000274	☐ 50cm	0
Seat cushion size		
6000286	☐ Width 32cm	STD
6000287	☐ Width 37cm	0
6000340	☐ Depth 30cm	0
6000341	☐ Depth 35cm	STD
6000342	☐ Depth 40cm	0
6000467	☐ 9cm extra seat depth adjustment	(Also select option 6000091) 95
		(3cm increase in seat height in combination with tilt or lift/tilt)
6000091	☐ Different seat cushion size	(Specify required sizes) 245
Seat cushion, integrated wooden base		Upholstery
6000256	☐ No seat cushion	(Seat frame only) STD
6000092	☐ Contour	Vinyl 85
6000096	☐ Anatomic formed	Air mesh (partially strapped) 275
6000098	☐ Anatomic formed visco	Air mesh (partially memory foam & webbed) 315
Seat plate and boards		Upholstery
6000101	☐ Seat board	Vinyl 0
6000104	☐ Threshold, front	Vinyl (Upholstered, 5cm height) 45
6000105	☐ Threshold, rear	Vinyl (Upholstered, 5cm height) 45
6000106	☐ Acrylic threshold, rear	Acrylic (depth adjustable, 5cm height) 45
Alternative upholstery		
6000107	☐ Air mesh instead of vinyl	85
6000108	☐ Stretch rubber instead of air mesh	45
Seat accessories		
6000110	☐ Thigh support upholstered small, set	(not with catapult seat)(22 x 11cm LxH) 405

BACKRESTS				£
Backrest cushion size				
6000343	☐	Width 32cm		STD
6000344	☐	Width 37cm		0
6000345	☐	Height 30cm		0
6000346	☐	Height 35cm		STD
6000347	☐	Height 40cm		0
6000115	☐	Different backrest cushion size	(Specify required sizes)	245
Backrest cushion type		Upholstery		
6000212	☐	No backrest cushion	(Backrest frame only)	STD
6000116	☐	Contour	Vinyl	95
6000117	☐	Deep contour	Air mesh	(Width adj built in laterals) 125
6000118	☐	Deep contour, vertical	Air mesh	(Vertical elastic straps & width adj built in laterals) 215
6000119	☐	Deep contour, horizontal	Air mesh	(Horizontal tension adj straps & width adj built in laterals) 245
6000120	☐	Deep contour, Flex	Air mesh	(Horizontal tension adj straps & width adj built in laterals) 325
Alternative upholstery				
6000123	☐	Air mesh instead of vinyl		95
6000124	☐	Stretch rubber instead of air mesh		55
Backrest accessories		Upholstery		
6000126	☐	Thoracic support, adjustable, right	(Stealth 18 x 13 DxH)(Request extra link if with deep contour backrest)	335
6000127	☐	Thoracic support, adjustable, left	(Stealth 18 x 13 DxH)(Request extra link if with deep contour backrest)	335
6000129	☐	Folding backrest		165
MANUAL LEGRESTS				£
For powered legrests see Powered options and lighting section				
6000361	☐	No legrests		0
Centre mount legrest				
6000130	☐	Centre mount legrest, angle and height adjustable	(Angle adjustment restricted for RWD)	95
Centre mount legrest accessories				
6000460	☐	Width adjustable footplate, small (19-26cm)	(Replaces standard centre mount footplate)	295
6000462	☐	Foot fixation belts	(only for width adjustable footplate)	65
6000415	☐	Footplate foam layer	(5mm high density foam / cellular rubber)(Standard centre mount footplate only)	45
Swing away legrests				
6000289	☐	Standard footrests, calf strap	(Angle adjustable footplates)	STD
Swing away legrests accessories				
6000136	☐	Kneepad, right		55
6000137	☐	Kneepad, left		55
ARMRESTS				£
Armrests				
6000376	☐	Detachable	(Includes side shields)(Angle & height adjustable)	STD
Armpads		Upholstery		
6000146	☐	PU 34cm, right	PU	STD
6000147	☐	PU 34cm, left	PU	STD
6000148	☐	Upholstered, 30cm, right	Vinyl	65
6000149	☐	Upholstered, 30cm, left	Vinyl	65
Alternative upholstery				
6000353	☐	Air mesh instead of vinyl		65

HEADRESTS				£
Headrest metal bracket				
6000154	☐	Height and depth adjustable		115
6000155	☐	Height, depth and width adjustable		135
Headrest cushion		Upholstery		
6000157	☐	PU small	PU	105
6000360	☐	Padded butterfly shape, small	Vinyl	115
6000159	☐	Padded flexible, small	Vinyl	135
Alternative upholstery				
6000354	☐	Air mesh instead of vinyl		65
TRAYS				£
Acrylic tray				
6000161	☐	Recess on joystick side	(Mounted on opposite side to the joystick module)	305
	☐	Full tray, no recess		POA
Tray accessories				
6000166	☐	Raised edge, acrylic, front		55
6000167	☐	Raised edge, acrylic, right		55
6000168	☐	Raised edge, acrylic, left		55
ACCESSORIES				£
6000339	☐	Lapbelt, standard, 1.0m		STD
6000385	☐	Backwards extended & higher bracket for lapbelt standard		45
6000386	☐	Lapbelt, automatic roll-up, 1.35m, right	(Roll-up side)	175
6000394	☐	Lapbelt, automatic roll-up, 1.35m, left	(Roll-up side)	175
For more positioning options see DIETZ Mobility UK - Bodypoint order form				
Mirror on right hand side must be selected if 10 km/h motors are chosen				
6000298	☐	Mirror on right hand side		55
6000172	☐	Mirror on left hand side		55
6000176	☐	Bag / backpack hooks	(Mounted on headrest bracket)	115
6000489	☐	Wheelchair cover		195

BESPOKE OPTIONS / SPECIALS

Please add clear and detailed information for the bespoke option(s) required, referencing any additional pictures, drawings etc. that will be supplied with the order form

SPECIAL CONTROLS (R-net only)			£
Omni Module			
6000070	☐	Mounted on fixed bracket, right	1,015
6000071	☐	Mounted on fixed bracket, left	1,015
6000072	☐	Mounted on swing-away bracket, right	1,095
6000073	☐	Mounted on swing-away bracket, left	1,095
Special input devices			Operating Force
8000003	☐	Micro joystick	(8.5 gram) 2,765
8000004	☐	Multi joystick	(50 gram) 2,495
8000005	☐	All-round Light joystick	(120 gram) 1,985
8000006	☐	All-round Light joystick, chin	(includes 2 satellite switches and foam ball)(120 gram) 2,415
8000007	☐	All-round joystick	(250 gram) 1,255
8000008	☐	All-round joystick, chin	(includes 2 satellite switches and foam ball)(250 gram) 1,675
8000031	☐	All-round heavy duty joystick	(650 gram) 2,705
8000042	☐	Gyroset™ Vigo, wireless head control	4,905
	☐	CoMoveIT, head and foot control	POA
Mounting of special input device			
8000009	☐	On armrest, right	105
8000010	☐	On armrest, left	105
8000011	☐	In / on tray	(please specify dimensions and required mounting position in a detailed drawing) 865
Swing arms for chin control			
8000012	☐	Manual horizontal, right	1,575
8000030	☐	Manual horizontal, left	1,575
8000013	☐	Powered horizontal, right	2,915
8000014	☐	Powered horizontal, left	2,915
8000015	☐	Powered vertical, right	2,915
8000016	☐	Powered vertical, left	2,915
Switches			
6000081	☐	∅17mm, red	165
6000082	☐	∅17mm, green	165
6000490	☐	∅17mm, yellow	165
6000491	☐	∅17mm, blue	165
8000049	☐	∅17mm, red, on GooseNeck	295
8000050	☐	∅17mm, green, on GooseNeck	295
8000051	☐	∅17mm, yellow, on GooseNeck	295
8000052	☐	∅17mm, blue, on GooseNeck	295
6000083	☐	∅30mm, red	195
6000084	☐	∅30mm, green	195
6000492	☐	∅30mm, yellow	195
6000493	☐	∅30mm, blue	195
6000388	☐	∅50mm, red	195
6000389	☐	∅50mm, green	195
6000494	☐	∅50mm, yellow	195
6000495	☐	∅50mm, blue	195
6000496	☐	∅63mm, red	195
6000497	☐	∅63mm, green	195
6000498	☐	∅63mm, yellow	195
6000499	☐	∅63mm, blue	195
8000044	☐	Micro light button	(10 gram) 285
Accessories			
8000046	☐	Hand warmer	1,105
8000047	☐	Hand warmer dome, 2-hands hood	485