



**Yes, you can:**

Tel: 01656 776222  
Email: ordersuk@invacare.com  
Online Spares available at: www.invacare.co.uk

July 2026  
Customer Ref:

<b>Customer Ref*</b>	<b>Account No*</b>
<b>Contact No*</b>	<b>Order No*</b>
<b>Delivery Address*</b>	<b>Order Qty*</b>
	<b>Order date*</b>

**Storm 4 X-Plore**

**Standard Features**

- Max User Weight 150kg (23.5 stone)
- Crash tested ISO7176 - 19
- Highly adjustable Modulite Seating System
- Telescopic adjustable seat widths from 330mm - 530mm (13" - 21") with an additional 50mm, (2") by arms
- Seat depths from 410mm - 510mm (16" - 20"), stepless adjustment
- Tension adjustable backrest
- Standard T-Armrests, height and depth adjustable, detachable, with short arm pads
- Manual settable Seat Tilt
- Manual settable Backrest Recline (0° - 30° in 3.75° steps)
- VARI F leg rests with fixed footplates
- LiNX DLX-REM110 with standard bracket
- Choice of 3 colours
- Puncture Proof Castors
- Puncture Proof Drive Wheels
- 73.5 Ah Batteries
- 6 km/h (4mph) Motors
- 8A (200 - 250V) Charger
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)
- Anti-Tippers
- All round X-Plore Suspension (50mm)

**Standard Base price: £7,750**



Please make your selection with a cross in the box    ○ Free of charge    ◆ standard feature    POA special request

Customer weight =                      KG

Code	Description	
<b>BASE MODEL*</b>		
ATE0017	Storm 4 X-Plore	£7,750
ATZ1300	Special Storm 4 X-Plore (Extended Lead Time). Please provide details in comments section.	POA
<b>SEATING TYPE*</b>		
ATE2100	Modulite Seat Unit	◆

<b>SEAT FRAME*</b>			
ATE2111		Telescopic Seat Frame + Plate with Side Rails. Width 380 mm to 550 mm. Additional 50 mm width by arm rest adjustment.	◆
<b>SEAT WIDTH*</b>			
ATZ1001		Seat width 330mm (13") seat width achieved on a 380mm seat frame (2121) with inrigged armrests (2183)	○
ATE2121		380 mm Seat Plate. Can be reduced to 330 mm in combination with inrigged armrests.	○
ATE2122		430 mm Seat Plate. Can be reduced to 380 mm in combination with inrigged armrests.	○
ATE2123		480 mm Seat Plate	○
ATE2124		530 mm Seat Plate (NC 2174, 2175, 2176, 2177, 2178, 2702, 2704, 2706)	○
ATE2125		550 mm Seat Plate (NC 2134, 2142, 2143, 2147, 2144, 1980, 1981, 1982, 1983, 1980, 1981, 1982, 1983, 1985, 2179, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2168, 2169, 2380, 2381, 2382, 2383, 2385, 2386, 2387, 2389, 2390, 2391, 2393, 2394, 2395, 2151, 2152, 2183, 2197, 2184, 2186, 2188, 2185, 2187, 2189, 1496, 2701, 2702, 2703, 2704, 2705, 1404, 1405)	○
<b>SEAT DEPTH*</b>			
ATE2132		410 mm (NC 2196, 2197)	○
ATE2134		460 mm	○
ATE2136		510 mm (NC 2144)	○
<b>SEAT OPTION</b>			
ATESWO		"H" Frame Interface Kit	£495
<b>SEAT CUSHION*</b>			
ATE2142		Matrx Flo-tech Lite Cushion	£120
ATE2143		Matrx Flo-tech Contour Visco; (2-way stretch material) (NC 1981, 1982, 1983, 1980, 1981, 1982, 1983, 1985)	£169
ATE2147		Matrx Libra Cushion, 90 mm thick (Extended lead time)	£410
ATB2144		Matrx Vi Cushion (Mesh fabric) (NC 1981, 1982, 1983, 1980, 1981, 1982, 1983)	£400
ATB2148		Standard Cushion (90mm high) - For 550mm Seat Plate Only (NC 1981, 1982, 1983, 1980, 1981, 1982, 1983, 1985)	○
ATE2140		Without seat cushion (NC 1981, 1982, 1983, 1980, 1981, 1982, 1983, 1985)	◆
<b>POSITIONING ACCESORIES FOR MATRX LIBRA</b>			
ATE1980		Tapered Wedges (Pair)	£30
ATE1981		Abductor	£23
ATE1982		Lateral Wedge	£20
ATE1983		Anterior Seat Wedges	£27
<b>POSITIONING ACCESSORIES FOR MATRX Vi</b>			
ATE1985		Pelvic Obliquity Kit (Contains 2x positioning accessories)	£54
<b>BACKREST SUPPORT*</b>			
ATE2162		Backposts tall (540 mm) For Flex3 backrests/Tension Adjustable Upholstery/Matrx Backs, measured from seat plate to top of upholstery. Width adjustable cast bracket. Push Handles included.	○
ATE2163		Backposts short (480 mm). For Tension Adjustable Upholstery/Matrx Backs, measured from seat plate to top of upholstery. Width adjustable cast bracket. Push Handles included. (NC 2173)	○
<b>PUSH HANDLES FOR BACKPOSTS*</b>			
ATE2107		Backposts WITH push handles	◆
ATE2108		Backposts WITHOUT push handles, Push handles will be cut down on the vertical section. (NC 1332, 2227, 2228, 2220, 2219, 2245)	£40

<b>BACKREST UPHOLSTERY / CUSHION*</b>			
ATE2171		Tension Adjustable Upholstery with Nylon overlay. Short = 480 mm / 7 straps. Long = 540 mm / 8 straps. Measured from seat plate to top of upholstery.	(NC 1445, 1496, 2155, 2230, 2247) ◆
ATE2179		Flex3 Tension Adjustable (540 mm or 480 mm)	(NC 2151, 2192, 2193, 2194, 2199, 2155, 2230, 2247, 2128) £155
ATE2172		Flex3 adjustable Backrest Plates (without Backrest Cushion)	(NC 2163, 2128) £250
ATE2173		Flex3 adjustable Backrest Plates with Laguna Backrest cushion	(NC 2163, 2128) £400
ATE2174		Matrx Posture Back, height 400 mm (Mesh fabric) Corresponds to SW setting chosen	(NC 1496, 2124) £353
ATE2175		Matrx Posture Back, height 500 mm (Mesh fabric) Corresponds to SW setting chosen	(NC 1496, 2125) £353
ATE2176		Matrx Elite E2 Back , height 500 mm (Mesh fabric) Corresponds to SW setting chosen	(NC 1496) £494
ATE2177		Matrx Elite TR Back, height 500 mm (Mesh fabric) Corresponds to SW setting chosen	(NC 1496) £558
ATE2178		Matrx Elite E2 Deep Back, height 500 mm (Mesh fabric) Corresponds to SW setting chosen	(NC 1496, 2128) £546
ATE2168		Matrx MAC Back - Foam Cushion [Mesh fabric]	(NC 1445) £475
ATE2169		Matrx MAC Back - Hug Stamina Fibre Cushion [Mesh fabric]	(NC 1445) £575
ATE2170		Without Backrest Upholstery (Back Posts/Back Frame only)	(NC 1496, 2230, 2247, 2151, 2152, 2155) ○
<b>MAC BACK BACKREST HEIGHT (Only applicable for MAC Back options)</b>			
ATE2380		405 mm (16 inch) MAC BH	(NC 1445) ○
ATE2381		455 mm (18 inch) MAC BH	(NC 1445) ○
ATE2382		505 mm (20 inch) MAC BH	(NC 1445) ○
ATE2383		560 mm (22 inch) MAC BH	(NC 1445) ○
<b>MAC BACK LATERAL CONTOUR DEPTH LH (Only applicable for MAC Back options)</b>			
ATE2385		90 mm (3.5 inch) MAC Contour Depth LH	(NC 1445) £100
ATE2386		150 mm (6 inch) MAC Contour Depth LH	(NC 1445) £100
ATE2387		230 mm (9 inch) MAC Contour Depth LH	(NC 1445) £100
<b>MAC BACK LATERAL CONTOUR DEPTH RH (Only applicable for MAC Back options)</b>			
ATE2389		90 mm (3.5 inch) MAC Contour Depth RH	(NC 1445) £100
ATE2390		150 mm (6 inch) MAC Contour Depth RH	(NC 1445) £100
ATE2391		230 mm (9 inch) MAC Contour Depth RH	(NC 1445) £100
<b>MAC BACK BACKREST WIDTH (Only applicable for MAC Back options)</b>			
ATE2393		Backrest -25 mm (-1 inch) to seat width	(NC 1445) ○
ATE2394		Backrest matches seat width	(NC 1445) ○
ATE2395		Backrest +25 mm (+1 inch) to seat width	(NC 1445) ○
<b>UPHOLSTERY COLOUR*</b>			
ATE2151		Black Nylon Fabric TR18	(NC 2170) ○
ATE2152		Black Multi Stretch PU Coated Wipe Down Fabric TR26	(NC 2170) ○
ATE2155		Black Spacer Fabric TR36	(NC 2171, 2179, 2143, 2147) ○
ATX3002		No Upholstery Colour required - No backrest upholstery required	(NC 2179, 2172, 2173, 2174, 2175, 2176, 2177, 2178) ○

<b>ARMRESTS*</b>			
ATE2191		T-Arm detachable, Standard. Adjustment range from seat plate: 245 - 315 mm	◆
AFT2181		T-Arm detachable, Extended height. Adjustment range from seat plate: 295 - 365 mm	£40
ATE2183		Inrigged Armrests. Reduces SW by 25 mm each side	○
ATE2193		Flip-up Armrest. Height and depth adjustable (height adjustable from 230mm - 360mm).	£65
ATE2192		Following Armrest (height adjustable from 230mm - 300mm).	£185
ATE2194		Following Armrest (height adjustable from 300mm - 360mm).	£185
<b>ARMPADS*</b>			
ATE2195		Short Armpad (325mm)	◆
ATE2196		Long Armpad (375mm)	○
ATE2197		Long Ergonomic Armpad (397mm) (NC 2193)	○
ATE2199		Soft Armpad (REA Azalea Wide Pad)	£95
<b>HIP SUPPORTS LH</b>			
ATE2184		Hip Support LH, pad size 140 x 100 mm	£250
ATE2186		Hip Support LH, pad size 230 x 100 mm	£250
ATE2188		Hip Support LH, pad size 330 x 100 mm	£250
<b>HIP SUPPORTS RH</b>			
ATE2185		Hip Support RH, pad size 140 x 100 mm	£250
ATE2187		Hip Support RH, pad size 230 x 100 mm	£250
ATE2189		Hip Support RH, pad size 330 x 100 mm	£250
<b>MOUNTING HARDWARE FOR HIP SUPPORTS</b>			
ATE2164		Mounting hardware for hip supports (6.1" / 155 mm high)	○
ATE2165		Mounting hardware for hip supports (8.1" / 206mm high)	○
<b>HEADREST / NECKREST (Adequate headrest option must be selected)*</b>			
ATE1350		Neckrest depth adjustable (NC 2247)	£80
ATE1432		Headrest sideways adjustable (NC 2247)	£225
ATE1427		Headrest with cheek support (NC 2247)	£225
ATE2324		Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26). Complete with Elan Headrest Hardware (NC 2247)	£325
ATE2325		Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23). Complete with Elan Headrest Hardware (NC 2247)	£325
ATE1496		Non Invacare Headrest but profile mount fitting Flex3 hard back (NC 2171, 2174, 2175, 2176, 2177, 2178)	○
ATE1495		Non Invacare Headrest - no mounting hardware. With Backbrace/Pushbar dia. 22mm in conjunction with telescopic seat frame/backposts	○
<b>LATERALS</b>			
ATE1445		Lateral Support with extended arm, multi-adjustable pad (NC 2171, 2174, 2175, 2176, 2177, 2178, 2192, 2193, 2194)	£165
<b>SEAT HEIGHT SETTING &amp; SEAT RISER*</b>			
ATE1023		Fixed Seat Height 450mm	◆
ATE1025		Fixed Seat Height 480mm	○
ATE1040		Electrical Seat Riser (440mm - 690mm) including adapter (mandatory for X-plore) (NC 2201)	£1,275

<b>SEAT TILT*</b>			
ATE1002		Manual Seat Tilt by spindle	○
ATE1014		Electrical Tilt 0° - 25°	£530
<b>BACKREST RECLINER*</b>			
ATE0975		Manual Settable Recliner (0° - 30°, in 3.75° steps)	◆
ATE0977		Powered Recliner (0° - 30°) (NC 2201)	£500
<b>PREPARED FOR ELECTRIC ADJUSTMENT</b>			
ATE1436		Prepared for all electrical adjustments (NC 0531, 2201)	○
<b>LEG REST TYPE*</b>			
ATE0503		Side Mounted: Vari F pair. Lower leg length: 290 - 460 mm. Angle adjustment: 70 - 0° with tools	◆
ATE0533		Side Mounted: Vari A pair. Lower leg length: 290 - 460 mm. Angle adjustment: 70 - 0° with handwheel and calf pad (NC 0501)	£235
ATE0531		Side Mounted: ADE pair. Lower leg length: 290 - 460 mm. Powered angle adjustment: 80 - 0° with calf pad (NC 1436, 2201, 0501)	£660
ATE0501		Without Leg Rests	○
<b>FOOTPLATE TYPE*</b>			
ATE0512		Fixed Footplate	◆
ATE0504		Angle Adjustable Footplate	£75
ATE0513		Angle and depth adjustable Footplate (Adapt)	£120
ATE0501		Without footplates for option 0501 without Leg Rests (NC 0503, 0533, 0531)	○
<b>LINX CONTROLS*</b>			
ATE2201		DLX-REM110 (Drive Only) (NC 1437, 1436, 1040, 1014, 0977, 0531, 2231, 2232, 2230, 2247, 2233, 2270, 2219, 2245, 1908, 1909)	◆
ATE2203		DLX-REM211 (Drive & Actuators) (NC 1437, 2231, 2232, 2230, 2247, 2233, 2270, 1908, 1909)	○
ATE2204		DLX-REM216 (Drive, Actuators & Lights) (NC 2232, 2230, 2247, 2233, 2270)	£200
ATE2205		DLX-REM400 (Touch Screen Interface. Drive, Act. & Lights. Configurable jack sockets)	£425
ATE2206		DLX-REM500 (Touch Screen Interface Display Unit - requires a user input/alternative joystick). (NC 2270, 1709, 1710)	£765
<b>REM400 TOGGLE OPTION</b>			
ATE2270		Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) (NC 2203, 2204)	£315
<b>CONTROL BRACKETRY*</b>			
ATE1207		Standard Bracket RH (NC 2206)	○
ATE1208		Standard Bracket LH (NC 2206)	○
ATE1707		Swing Away RH Bracket (NC 2206)	£135
ATE1708		Swing Away LH Bracket (NC 2206)	£135
ATE1709		Matrx Resolve Swing in/out Bracket RH (NC 2213, 2235, 1404)	£245
ATE1710		Matrx Resolve Swing in/out Bracket LH (NC 2214, 2236, 1405)	£245
ATE2213		Centre Mount Swing Away to RH Nucleus Bracket (NC 1405)	£495
ATE2214		Centre Mount Swing Away to LH Nucleus Bracket (NC 1405)	£495
ATE2227		Attendant Mounted RH (NC 1404, 1405, 2128)	£65
ATE2228		Attendant Mounted LH (NC 1404, 1405, 2128)	£65
ATE2209		REM500 Swing Away RH Multi-Adjustable Bracket (NC 2203, 2204, 2205, 1404)	○
ATE2210		REM500 Swing Away LH Multi-Adjustable Bracket (NC 2203, 2204, 2205)	○
ATZ2239		Individual mounting option per request (Special). Requires additional information/specification.	POA

<b>DUAL CONTROLS</b>				
ATE2220		LiNX DLX-REM050 (Dual Control used as secondary remote)	(NC 1222, 2227, 2228, 2245, 2128, 2230, 2247, 2257, 2233, 2240)	£395
ATE2219		LiNX DLX-ACU200 (Compact Dual Control)	(NC 1222, 2227, 2228, 2245, 2128, 2201)	£395
ATE1207		LiNX DLX-IDC (Intuitive Dual Control)	(NC 2219, 2227, 2228, 2201)	£745
UNZ9259		mo-vis Scoot Control (Only available via Special)	(NC 2108, 0017, 1221, 1222)	£2,315
<b>DUAL CONTROL BRACKETRY (Only applicable if Dual Control is selected)</b>				
ATE1208		Dual Control Standard Bracket RH	(NC 1222, 2227, 2228, 2245)	○
ATE2245		Dual Control Standard Bracket LH	(NC 1222, 2227, 2228, 2245)	○
ATE1221		IDC Dual Control Detachable Bracket RH	(NC 2219, 2227, 2228)	○
ATE1222		IDC Dual Control Detachable Bracket LH	(NC 2219, 2227, 2228)	○
UNZ9260		Individual mounting option per request (Special). Requires additional information/specification.		POA
<b>COMPACT REMOTES</b>				
ATE2231		LiNX DLX-CR400 (Compact Remote)	(NC 2203, 2204, 2235, 2236, 2241, 2242, 2220)	£825
ATE2232		LiNX DLX-CR400LF (Compact Remote Low Force)	(NC 2203, 2204, 2235, 2236, 2241, 2242, 2220)	£1,075
UNZ9250		mo-vis Micro LiNX (Only available via Special)	(NC 2203, 2204, 0017, 2207, 2208, 2213, 2214, 2235, 2236, 2241, 2242, 2220)	£2,600
UNZ9251		mo-vis Micro Omni (Only available via Special. DLX-IN500 module needed)	(NC 2203, 2204, 0017, 2207, 2208, 2213, 2214, 2235, 2236, 2241, 2242, 2220)	£2,730
UNZ9252		mo-vis Multi LiNX (Only available via Special)	(NC 2203, 2204, 0017, 2207, 2208, 2213, 2214, 2235, 2236, 2241, 2242, 2220)	£2,320
UNZ9253		mo-vis Multi Omni (Only available via Special. DLX-IN500 module needed)	(NC 2203, 2204, 0017, 2207, 2208, 2213, 2214, 2235, 2236, 2241, 2242, 2220)	£2,520
UNZ9254		mo-vis All Round Omni (Only available via Special. DLX-IN500 module needed)	(NC 2203, 2204, 0017, 2207, 2208, 2213, 2214, 2235, 2236, 2241, 2242, 2220)	£1,395
UNZ9255		mo-vis All Round Low Force Omni (Only available via Special. DLX-IN500 module needed)	(NC 2203, 2204, 0017, 2207, 2208, 2213, 2214, 2235, 2236, 2241, 2242, 2220)	£2,015
UNZ9256		mo-vis Heavy Duty Omni (Only available via Special. DLX-IN500 module needed)	(NC 2203, 2204, 0017, 2207, 2208, 2213, 2214, 2235, 2236, 2241, 2242, 2220)	£3,190
ATE2233		ASL MEC (Proportional MEC Joystick ASL130)	(NC 2203, 2204, 2220, 2230, 2247, 2257, 2240, 2128, 2207, 2208)	£4,100
ATZ2240		ASL Heavy Duty (Proportional Joystick w mode switch ASL133)	(NC 2203, 2204, 2220, 2230, 2247, 2257, 2233, 2128, 2207, 2208)	£2,285
<b>COMPACT REMOTE BRACKETRY (Only applicable if Compact Remote is selected)</b>				
ATE2207		RH Mount	(NC 2203, 2204, 2217, 1404)	○
ATE2208		LH Mount	(NC 2203, 2204, 2218, 1405)	○
ATE2213		Centre Mount Swing Away to RH (Nucleus)	(NC 2203, 2204)	£495
ATE2214		Centre Mount Swing Away to LH (Nucleus)	(NC 2203, 2204, 1404, 1405)	£495
ATE2235		Tray Mount RH (ASL603, 100mm x 150mm)	(NC 1415)	○
ATE2236		Tray Mount LH (ASL603, 100mm x 150mm)	(NC 1339)	○
ATE2241		Centre Mount, Swing Away to RH, Nucleus (Inc Tray ASL603, 100mm x 150mm)	(NC 1405, 1415)	£495
ATE2242		Centre Mount, Swing Away to LH, Nucleus (Inc Tray ASL603, 100mm x 150mm)	(NC 1405, 1339)	£495
ATZ2215		Individual mounting option per request (Special). Requires additional information/specification.	(NC 2203, 2204)	POA
<b>CHIN CONTROLS</b>				
UNZ9250		mo-vis Micro LiNX (Only available via Special)	(NC 2201, 2203, 2204, 2220)	£2,600
UNZ9251		mo-vis Micro Omni (Only available via Special. DLX-IN500 module needed)	(NC 2201, 2203, 2204, 2220)	£2,730
UNZ9252		mo-vis Multi LiNX (Only available via Special)	(NC 2201, 2203, 2204, 2220)	£2,320
UNZ9253		mo-vis Multi Omni (Only available via Special. DLX-IN500 module needed)	(NC 2201, 2203, 2204, 2220)	£2,520
UNZ9254		mo-vis All Round Omni (Only available via Special. DLX-IN500 module needed)	(NC 2201, 2203, 2204, 2220)	£1,395
UNZ9255		mo-vis All Round Low Force Omni (Only available via Special. DLX-IN500 module needed)	(NC 2201, 2203, 2204, 2220)	£2,015

<b>CHIN CONTROL BRACKETRY (Only applicable if Chin Control is selected)</b>			
UNZ9261		mo-vis Chin Control Harness (One Size. Special Request Only)	£960
UNZ9262		mo-vis Manual Swing Away (Special Mounting Only. Please specify what side mounting required)	£1,380
UNZ9263		mo-vis Powered Swing Away (Special Mounting Only. Please specify what side mounting required)	£2,280
<b>HEAD CONTROLS</b>			
ATE2230		ASL104 ATOM Head Control with ultrasonic proximity sensors with standard wings	(NC 2179, 2197, 2201, 2203, 2204, 2220, 2233, 2324, 2325, 1350, 1432, 1427, 2257, 2240) £4,220
ATE2247		ASL104P PROTON Head Control with ultrasonic proximity sensors with PROTON wings	(NC 2179, 2197, 2201, 2203, 2204, 2220, 2233, 2324, 2325, 1350, 1432, 1427, 2257, 2240) £4,945
UNZ9257		mo-vis Proportional Head Control Omni (Only available via Special. DLX-IN500 module needed)	(NC 2203, 2204, 2233, 2324, 2325, 2257, 2240, 2175, 2171, 2170, 2197, 1350, 1432, 1427, 0017, 2220) £4,775
UNZ9258		mo-vis Switched Head Control Omni (Only available via Special. DLX-IN500 module needed)	(NC 2203, 2204, 2233, 2324, 2325, 2257, 2240, 2175, 2171, 2170, 2197, 1350, 1432, 1427, 0017, 2220) £3,315
<b>FOOT CONTROL</b>			
UNZ9264		mo-vis Foot Control LiNX (Only available via Special)	(NC 2201, 2203, 2204, 2220) £2,880
UNZ9265		mo-vis Foot Control Omni (Only available via Special. DLX-IN500 module needed)	(NC 2201, 2203, 2204, 2220) £2,740
<b>FOOT CONTROL BRACKETRY (Only applicable if Foot Control is selected)</b>			
UNZ9266		Individual mounting option per request (Special). Requires additional information/specification.	POA
<b>TRAY CONTROL</b>			
ATZ2257		Four-Switch Proximity Array (ASL106)	(NC 2203, 2204, 2220, 2230, 2247, 2233, 2240, 2128) £6,535
<b>TRAY CONTROL BRACKETRY (Only applicable if Tray Control is selected)</b>			
ATZ2275		Centre Mount, swing-away to RH, Nucleus (includes Eclipse Tray ASL619, 360mm x 180mm)	(NC 1405, 1415) £495
ATZ2276		Centre Mount, swing-away to LH, Nucleus (includes Eclipse Tray ASL619, 360mm x 180mm)	(NC 1405, 1339) £495
ATZ2215		Individual mounting option per request (Special). Requires additional information / specification	POA
<b>WIRELESS ACCESSORIES FOR ASL CONTROLS</b>			
ATE2249		Wireless Triple Switch Receiver (ASL557-3) (Sub D plug)	£340
ATE2250		Wireless Mouse Emulator (ASL558)	£810
<b>LiNX 10-WAY SWITCH</b>			
ATE2251		10-Way Switch DLX-SW10-A for direct Powered Seating Access	£500
<b>LiNX 10-WAY SWITCH BRACKETRY (Only applicable if 10-Way Switch is selected)</b>			
ATE2217		Bracket RH, mounted for user	(NC 2213, 2275, 2235, 2241) ○
ATE2218		Bracket LH, mounted for user	(NC 2214, 2276, 2236, 2242) ○
ATE2227		Bracket RH, mounted for attendant	£65
ATE2228		Bracket LH, mounted for attendant	£65
<b>LiNX ACCESSORY CABLE</b>			
ATE2252		Loom providing jack sockets for Drive and Mode (includes connection for 10-way switch)	£100
<b>LiNX USB CHARGER PORT</b>			
ATE2253		USB Charger Port DLX-USB02-A	(NC 2702, 2703, 2704, 2705, 2706) £160
<b>LiNX USB CHARGER PORT BRACKETRY (Only applicable if USB Charger is selected)</b>			
ATE2207		RH Mount	○
ATE2208		LH Mount	○
<b>FURTHER LiNX COMPONENTS / ACCESSORIES</b>			
ATE2302		Not Necessary	(NC 1686, 1687, 1690, 2254, 1711, 1712, 1713, 1714, 1715, 1716) ◆
ATE2300		To be enclosed only	○
ATZ2301		To be connected and programmed (Special)	POA

<b>BUDDY BUTTONS</b>			
ATE1685		Red Buddy Button	£90
ATE1686		Yellow Buddy Button	£90
ATE1687		Green Buddy Button	£90
ATE1690		Blue Buddy Button	£90
<b>EGG SWITCH</b>			
ATE2254		Egg Switch, black	£90
<b>PIKO BUTTONS</b>			
ATE1711		Red Piko Button	£160
ATE1712		Yellow Piko Button	£160
ATE1713		Green Piko Button	£160
ATE1714		Orange Piko Button	£160
ATE1715		Blue Piko Button	£160
ATE1716		Black Piko Button	£160
<b>TOGGLES / BUTTONS</b>			
ATZ2261		Stereo Toggle - direct control for Tilt only	£270
ATZ2262		Stereo Button - direct control for Tilt only	£255
ATZ2263		Four-Way Toggle - direct control for Tilt & Recline	£330
ATZ2264		Four-Way Button - direct control for Tilt & Recline	£355
ATZ2207		Toggle / Button RH Mount	○
ATZ2208		Toggle / Button LH Mount	○
ATZ2225		Without Mounting	○
<b>BODYPOINT JOYSTICK KNOBS</b>			
ATE2721		3" U-Shaped, Joystick Handle, Bodypoint PC101A	£75
ATE2722		4" U-Shaped, Joystick Handle, Bodypoint PC102A	£75
ATE2723		Domed Rubber, Joystick Handle, Bodypoint PC107A	£75
ATE2724		Mushroom Grooved, Joystick Handle, Bodypoint PC110A	£75
<b>SHROUD COLOUR*</b>			
ATE0202		Blue	○
ATE0228		Black	○
ATE0204		Transparent Cherry Red	○
ATZ0299		Special Shroud Colour (RAL code required)	POA
<b>CASTORS*</b>			
ATE0851		3.00 - 6 Grey Pneumatic	○
ATE0853		3.00 - 6 Grey Puncture Proof (sealed)	○
ATE0855		3.00 - 6 Grey Puncture Proof (solid inlay)	£105
<b>DRIVE WHEELS*</b>			
ATE0771		3.00 - 8 Grey Pneumatic	○
ATE0773		3.00 - 8 Grey Puncture Proof (sealed)	○
ATE0750		3.00 - 8 Grey Puncture Proof (solid inlay)	£105
<b>MOTOR TYPE*</b>			
ATE1277		6 km/h (4mph)	○
ATE1908		10 km/h (6mph) includes LED light system with indicators	£515
ATE1909		12 km/h (8mph) includes LED light system with indicators	£600

<b>BATTERY*</b>			
ATE1364	<input type="checkbox"/>	73.5 Ah GEL	◆
<b>REAR SUSPENSION*</b>			
ATE1233	<input type="checkbox"/>	Hitec spring X-Plore	◆
<b>FRONT SUSPENSION*</b>			
ATE1238	<input type="checkbox"/>	Front suspension (suggested for up to 100kg)	○
ATE1239	<input type="checkbox"/>	Front suspension (suggested for above 100kg)	○
<b>G TRAC</b>			
ATE1215	<input type="checkbox"/>	G-Trac Module	£400
<b>CHARGER*</b>			
ATE1343	<input type="checkbox"/>	OptiCharge Charger 8A (200 - 250V)	◆
ATE1313	<input type="checkbox"/>	OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster	£155
<b>LIGHTS*</b>			
ATE1437	<input type="checkbox"/>	LED Light system with indicators (30 LUX)	£450
ATX1006	<input type="checkbox"/>	Lights Included with Motor Package 10 & 12kmh	○
ATE1254	<input type="checkbox"/>	Without Light system (NC 1909)	○
<b>ANTI-TIPPERS*</b>			
ATE1205	<input type="checkbox"/>	Anti-tipper (standard version)	◆
<b>KERB CLIMBER</b>			
ATE1244	<input type="checkbox"/>	Kerb rider	£215
<b>TRANSPORTATION*</b>			
ATE1450	<input type="checkbox"/>	Preparation for DAHL-Docking station (Adequate headrest is compulsory). Docking Station for car implementation has to be ordered separately with DAHL Engineering.	£580
ATE1494	<input type="checkbox"/>	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19). Adequate headrest is compulsory.	◆
<b>FIXATION BELT*</b>			
ATE1329	<input type="checkbox"/>	Lapbelt (adjustable both sides) fitted to base of backrest	○
ATE2113	<input type="checkbox"/>	Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion	◆
ATE1332	<input type="checkbox"/>	H-Belt	£75
ATE2701	<input type="checkbox"/>	Bodypoint Evoflex Pelvic, Stabilizer, Rehab Latch size L (padded length 620mm)	(NC 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113) £95
ATE2702	<input type="checkbox"/>	Bodypoint Evoflex Pelvic, Stabilizer, Rehab Latch size M (padded length 460mm)	(NC 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113) £95
ATE2703	<input type="checkbox"/>	Bodypoint 2-Point Hip Belt, Centre pull - push button, Cinch mount size L (padded length 620mm)	(NC 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113) £90
ATE2704	<input type="checkbox"/>	Bodypoint 2-Point Hip Belt, Centre pull - push button, Cinch mount size M (padded length 460mm)	(NC 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113) £90
ATE2705	<input type="checkbox"/>	Bodypoint 2-Point Hip Belt, Dual pull Side release button, Cinch mount size L (padded length 620mm)	(NC 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113) £90
ATE2706	<input type="checkbox"/>	Bodypoint 2-Point Hip Belt, Dual pull Side release button, Cinch mount size M (padded length 460mm)	(NC 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113) £90
<b>REAR VIEW MIRROR</b>			
ATE1415	<input type="checkbox"/>	Rear view Mirror RH - Must be selected with 10 km/h Motor	£45
ATE1339	<input type="checkbox"/>	Rear view Mirror LH - Must be selected with 10 km/h Motor	£45
<b>BAG HOOKS</b>			
ATE2128	<input type="checkbox"/>	Bag Hooks on Modulite Seat Max load up to 6 kg = impact on max user weight	(NC 2172, 2173, 2227, 2228, 2220, 2219, 2245, 2257, 2233, 2240) £80

<b>CANE HOLDER</b>			
ATE1312		Cane holder RH	£45
ATE1363		Cane holder LH	£45
<b>TRAY</b>			
ATE1404		Tray Swing Away RH	£200
ATE1405		Tray Swing Away LH	£200
<b>WHEEL FENDERS</b>			
ATE1416		Fender for Castor Wheels	£110
ATE1417		Fender for Drive Wheels	£110

			<b>TOTAL PRICE</b>	
--	--	--	--------------------	--

**Non Conforming Options:**

ATE0017	Storm 4 X-Plore
ATE2121	380 mm Seat Plate. Can be reduced to 330 mm in combination with inrigged armrests.
ATE2122	430 mm Seat Plate. Can be reduced to 380 mm in combination with inrigged armrests.
ATE2124	530 mm Seat Plate
ATE2125	550 mm Seat Plate
ATE2132	410 mm
ATE2134	460 mm
ATE2142	Matrx Flo-tech Lite Cushion
ATE2143	Matrx Flo-tech Contour Visco; (2-way stretch material)
ATE2147	Matrx Libra Cushion, 90 mm thick (Extended lead time)
ATB2144	Matrx Vi Cushion (Mesh fabric)
ATE1980	Tapered Wedges (Pair)
ATE1981	Abductor
ATE1982	Lateral Wedge
ATE1983	Anterior Seat Wedges
ATE1985	Pelvic Obliquity Kit (Contains 2x positioning accessories)
ATE2163	Backposts short (480 mm). For Tension Adjustable Upholstery/Matrx Backs, measured from seat plate to top of upholstery. Width adjustable cast bracket. Push Handles included.
ATE2108	Backposts WITHOUT push handles, Push handles will be cut down on the vertical section.
ATE2171	Tension Adjustable Upholstery with Nylon overlay. Short = 480 mm / 7 straps. Long = 540 mm / 8 straps. Measured from seat plate to top of upholstery.
ATE2179	Flex3 Tension Adjustable (540 mm or 480 mm)
ATE2172	Flex3 adjustable Backrest Plates (without Backrest Cushion)
ATE2173	Flex3 adjustable Backrest Plates with Laguna Backrest cushion
ATE2174	Matrx Posture Back, height 400 mm (Mesh fabric) Corresponds to SW setting chosen
ATE2175	Matrx Posture Back, height 500 mm (Mesh fabric) Corresponds to SW setting chosen
ATE2176	Matrx Elite E2 Back , height 500 mm (Mesh fabric) Corresponds to SW setting chosen
ATE2177	Matrx Elite TR Back, height 500 mm (Mesh fabric) Corresponds to SW setting chosen
ATE2178	Matrx Elite E2 Deep Back, height 500 mm (Mesh fabric) Corresponds to SW setting chosen
ATE2168	Matrx MAC Back - Foam Cushion [Mesh fabric]
ATE2169	Matrx MAC Back - Hug Stamina Fibre Cushion [Mesh fabric]
ATE2170	Without Backrest Upholstery (Back Posts/Back Frame only)
ATE2380	405 mm (16 inch) MAC BH
ATE2381	455 mm (18 inch) MAC BH
ATE2382	505 mm (20 inch) MAC BH
ATE2383	560 mm (22 inch) MAC BH
ATE2385	90 mm (3.5 inch) MAC Contour Depth LH
ATE2386	150 mm (6 inch) MAC Contour Depth LH
ATE2387	230 mm (9 inch) MAC Contour Depth LH
ATE2389	90 mm (3.5 inch) MAC Contour Depth RH
ATE2390	150 mm (6 inch) MAC Contour Depth RH

ATE2391	230 mm (9 inch) MAC Contour Depth RH
ATE2393	Backrest -25 mm (-1 inch) to seat width
ATE2394	Backrest matches seat width
ATE2395	Backrest +25 mm (+1 inch) to seat width
ATE2151	Black Nylon Fabric TR18
ATE2152	Black Multi Stretch PU Coated Wipe Down Fabric TR26
ATE2155	Black Spacer Fabric TR36
ATE2183	Inrigged Armrests. Reduces SW by 25 mm each side
ATE2193	Flip-up Armrest. Height and depth adjustable (height adjustable from 230mm - 360mm).
ATE2192	Following Armrest (height adjustable from 230mm - 300mm).
ATE2194	Following Armrest (height adjustable from 300mm - 360mm).
ATE2196	Long Armpad (375mm)
ATE2197	Long Ergonomic Armpad (397mm)
ATE2199	Soft Armpad (REA Azalea Wide Pad)
ATE2184	Hip Support LH, pad size 140 x 100 mm
ATE2186	Hip Support LH, pad size 230 x 100 mm
ATE2188	Hip Support LH, pad size 330 x 100 mm
ATE2185	Hip Support RH, pad size 140 x 100 mm
ATE2187	Hip Support RH, pad size 230 x 100 mm
ATE2189	Hip Support RH, pad size 330 x 100 mm
ATE1350	Neckrest depth adjustable
ATE1432	Headrest sideways adjustable
ATE1427	Headrest with cheek support
ATE2324	Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26). Complete with Elan Headrest Hardware
ATE2325	Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23). Complete with Elan Headrest Hardware
ATE1496	Non Invacare Headrest but profile mount fitting Flex3 hard back
ATE1445	Lateral Support with extended arm, multi-adjustable pad
ATE1040	Electrical Seat Riser (440mm - 690mm) including adapter (mandatory for X-plore)
ATE1014	Electrical Tilt 0° - 25°
ATE0977	Powered Recliner (0° - 30°)
ATE1436	Prepared for all electrical adjustments
ATE0503	Side Mounted: Vari F pair. Lower leg length: 290 - 460 mm. Angle adjustment: 70 - 0° with tools
ATE0533	Side Mounted: Vari A pair. Lower leg length: 290 - 460 mm. Angle adjustment: 70 - 0° with handwheel and calf pad
ATE0531	Side Mounted: ADE pair. Lower leg length: 290 - 460 mm. Powered angle adjustment: 80 - 0° with calf pad
ATE0501	Without Leg Rests
ATE0501	Without footplates for option 0501 without Leg Rests
ATE2201	DLX-REM110 (Drive Only)
ATE2203	DLX-REM211 (Drive & Actuators)
ATE2204	DLX-REM216 (Drive, Actuators & Lights)
ATE2205	DLX-REM400 (Touch Screen Interface. Drive, Act. & Lights. Configurable jack sockets)
ATE2206	DLX-REM500 (Touch Screen Interface Display Unit - requires a user input/alternative joystick).
ATE2270	Assignable Toggle Switch Module for REM400 (DLX-SW400TGL)
ATE1709	Matrx Resolve Swing in/out Bracket RH

ATE1710	Matrix Resolve Swing in/out Bracket LH
ATE2213	Centre Mount Swing Away to RH Nucleus Bracket
ATE2214	Centre Mount Swing Away to LH Nucleus Bracket
ATE2227	Attendant Mounted RH
ATE2228	Attendant Mounted LH
ATE2220	LiNX DLX-REM050 (Dual Control used as secondary remote)
ATE2219	LiNX DLX-ACU200 (Compact Dual Control)
ATE2245	Dual Control Standard Bracket LH
ATE1221	IDC Dual Control Detachable Bracket RH
ATE1222	IDC Dual Control Detachable Bracket LH
ATE2231	LiNX DLX-CR400 (Compact Remote)
ATE2232	LiNX DLX-CR400LF (Compact Remote Low Force)
ATE2233	ASL MEC (Proportional MEC Joystick ASL130)
ATZ2240	ASL Heavy Duty (Proportional Joystick w mode switch ASL133)
ATE2207	RH Mount
ATE2208	LH Mount
ATE2213	Centre Mount Swing Away to RH (Nucleus)
ATE2214	Centre Mount Swing Away to LH (Nucleus)
ATE2235	Tray Mount RH (ASL603, 100mm x 150mm)
ATE2236	Tray Mount LH (ASL603, 100mm x 150mm)
ATE2241	Centre Mount, Swing Away to RH, Nucleus (Inc Tray ASL603, 100mm x 150mm)
ATE2242	Centre Mount, Swing Away to LH, Nucleus (Inc Tray ASL603, 100mm x 150mm)
ATE2230	ASL104 ATOM Head Control with ultrasonic proximity sensors with standard wings
ATE2247	ASL104P PROTON Head Control with ultrasonic proximity sensors with PROTON wings
ATZ2257	Four-Switch Proximity Array (ASL106)
ATZ2275	Centre Mount, swing-away to RH, Nucleus (includes Eclipse Tray ASL619, 360mm x 180mm)
ATZ2276	Centre Mount, swing-away to LH, Nucleus (includes Eclipse Tray ASL619, 360mm x 180mm)
ATE2217	Bracket RH, mounted for user
ATE2218	Bracket LH, mounted for user
ATE2227	Bracket RH, mounted for attendant
ATE2228	Bracket LH, mounted for attendant
ATE2253	USB Charger Port DLX-USB02-A
ATE2207	RH Mount
ATE2208	LH Mount
ATE1686	Yellow Buddy Button
ATE1687	Green Buddy Button
ATE1690	Blue Buddy Button
ATE2254	Egg Switch, black
ATE1711	Red Piko Button
ATE1712	Yellow Piko Button
ATE1713	Green Piko Button
ATE1714	Orange Piko Button
ATE1715	Blue Piko Button
ATE1716	Black Piko Button

ATZ2207	Toggle / Button RH Mount
ATZ2208	Toggle / Button LH Mount
ATE1908	10 km/h (6mph) includes LED light system with indicators
ATE1909	12 km/h (8mph) includes LED light system with indicators
ATE1437	LED Light system with indicators (30 LUX)
ATE1329	Lapbelt (adjustable both sides) fitted to base of backrest
ATE2113	Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion
ATE1332	H-Belt
ATE2701	Bodypoint Evoflex Pelvic, Stabilizer, Rehab Latch size L (padded length 620mm)
ATE2702	Bodypoint Evoflex Pelvic, Stabilizer, Rehab Latch size M (padded length 460mm)
ATE2703	Bodypoint 2-Point Hip Belt, Centre pull - push button, Cinch mount size L (padded length 620mm)
ATE2704	Bodypoint 2-Point Hip Belt, Centre pull - push button, Cinch mount size M (padded length 460mm)
ATE2705	Bodypoint 2-Point Hip Belt, Dual pull Side release button, Cinch mount size L (padded length 620mm)
ATE2706	Bodypoint 2-Point Hip Belt, Dual pull Side release button, Cinch mount size M (padded length 460mm)
ATE1415	Rear view Mirror RH - Must be selected with 10 km/h Motor
ATE1339	Rear view Mirror LH - Must be selected with 10 km/h Motor
ATE2128	Bag Hooks on Modulite Seat Max load up to 6 kg = impact on max user weight
ATE1404	Tray Swing Away RH
ATE1405	Tray Swing Away LH



For a more complex customer requirement,  
please email: [orders@invacare.com.au](mailto:orders@invacare.com.au)

Special Instructions

Please supply the following information:

Name:

Email:

Phone:

Description of special request (please include relevant option code or part number):