



Yes, you can:

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

Powerchairs Retail Prescription Form

JUNE 2023
Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

AVIVA RX20 STANDARD SEAT

Standard Features

- Max user weight 136kg
- Crash tested ISO 7176 -Part 19
- One piece seat plate width 380mm (15") or 430mm (17") with standard foam cushion (50mm, 2")
- seat depths 410mm - 510mm (16" - 20")
- Tension adjustable backrest
- Standard T-Armrests, detachable with short armpad
- Manually settable Seat Tilt 0 - 15°
- Manual settable backrest Recline (0° - 30°, in 3.75° steps)
- 80° hangers with fixed footplate
- LiNX Control REM211 with standard Bracket
- Choices of 5 shroud Colours and 5 Rim colours
- 8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre
- 14" (355 mm) x 3" (75 mm), Solid inlay black drive wheels
- CTC Suspension Control - Traction - Comfort
- 6 km/h (4mph) 4 pole Durawatt motors and 52Ah batteries
- 8A (200 - 250V) charger
- Anti tippers
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £3,949



Please make your selection with a cross in the box ☐ Free of charge ☒ standard feature POA special request

Customer weight = KG

Code	Description	
BASE MODEL*		
JBB0000	AVIVA RX 20 Base Model Max user weight up to 136 kg includes 75A Power Module + minimum 52Ah Batteries	£3,949
JBX1300	Special Extended lead time: + 10 days	POA
CHASSIS WIDTH*		
JBL2810	Chassis Narrow (560 mm/22")	◆
SEATING TYPE*		
JBB2105	Modulite Standard Seat Standard Seat Plate and Backrest Frame in fixed Width	◆

SEAT FRAME*			
JBB2110	<input type="checkbox"/>	One Piece Seat Plate	◆
SEAT WIDTH*			
JBB2121	<input type="checkbox"/>	380 mm Seat Plate Can be reduced to 330 mm in combination with inrigged armrests	○
JBB2122	<input type="checkbox"/>	430 mm Seat Plate Can be reduced to 380 mm in combination with inrigged armrests	◆
SEAT DEPTH*			
JBB2132	<input type="checkbox"/>	Seat Depth 410 mm (NC 2197)	○
JBB2134	<input type="checkbox"/>	Seat Depth 460 mm	○
JBB2136	<input type="checkbox"/>	Seat Depth 510 mm	○
SEAT CUSHION*			
JBB2141	<input type="checkbox"/>	Standard Foam Cushion 50 mm height	◆
JBB2142	<input type="checkbox"/>	Matrx Flo-tech Cushion Flo-tech Lite	£117
JBB2143	<input type="checkbox"/>	Matrx Flo-tech Contour Visco; (2-way stretch material)	£165
JBB2140	<input type="checkbox"/>	Without seat cushion	○
BACKREST SUPPORT*			
JBB2161	<input type="checkbox"/>	Backrest frame, detachable, height 480 mm For Tension Adjustable Upholstery/Matrx Backs	◆
BACKREST UPHOLSTERY / CUSHION*			
JBB2171	<input type="checkbox"/>	Tension Adjustable Upholstery nylon overlay short = 480 mm / 7 straps measured from seat plate to top of upholstery 480 mm	◆
JBB2170	<input type="checkbox"/>	Without Backrest Upholstery (Back Posts/Back Frame only)	○
UPHOLSTERY TYPE*			
JBB2151	<input type="checkbox"/>	Black Fabric Upholstery (Nylon w 2141; 2-way-stretch material w 2142, 2143)	◆
ARMREST (Pair)*			
JBB2191	<input type="checkbox"/>	T-Arm detachable, Standard Adjustment range from seat plate: 245 - 315 mm	◆
JBB2181	<input type="checkbox"/>	T-Arm detachable, Extended height Adjustment range from seat plate: 295 - 365 mm	£44
JBB2183	<input type="checkbox"/>	Inrigged Armrests Reduces SW by 25 mm each side	○
ARMPAD (Pair)*			
JBB2195	<input type="checkbox"/>	Short Armpad (325 mm)	◆
JBB2196	<input type="checkbox"/>	Long Armpad (375 mm)	○
JBB2197	<input type="checkbox"/>	Long Ergonomic Armpad (397 mm)	○
JBB2199	<input type="checkbox"/>	Soft Armpad In combination with 10-way switch, the switch 2251 has to be mounted on the opposite side of the remote	○
HEADREST / NECKREST - Adequate headrest option must be selected*			
JBB1350	<input type="checkbox"/>	Neckrest depth adjustable	£81
JBB1495	<input type="checkbox"/>	Non Invacare Headrest - no mounting hardware With Backbrace/Pushbar dia. 22mm in conjunction with telescopic seat frame/backposts	○
SEAT LIFTER / SEAT TILT*			
JBB1092	<input type="checkbox"/>	Powered "fixed pivot" Tilt 20°	◆
SEAT T GROUND HEIGHT*			
JBB2857	<input type="checkbox"/>	Seat-to-Floor Height 435 mm	○
JBB2858	<input type="checkbox"/>	Seat-to-Floor Height 460 mm	○
JBB2859	<input type="checkbox"/>	Seat-to-Floor Height 485 mm	○

BACKREST RECLINER*			
JBB0975		Manual Settable Recliner (in 3.75° steps) 90° - 120°	◆
FOOTREST HANGER TYPE*			
JBB0526		Standard hanger 80° pair Lower leg length: 350 - 450 mm	◆
FOOTPLATE TYPE*			
JBB0512		Fixed Footplate pair	◆
JBB0513		Angle and depth adjustable Footplate pair	£119
CONTROLS*			
JBB2203		Remote LiNX DLX-REM211 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators (NC 1437, 1908)	◆
JBB2204		Remote LiNX DLX-REM216 = Drive, Actuators & Lights 3 Drive functions and power module incl. 2 Actuators & Lights	£151
CONTROL BRACKETRY*			
JBB1207		Standard Bracket RH (NC 1404)	○
JBB1208		Standard Bracket LH (NC 1405)	○
JBB1707		Swing Away Bracket RH (NC 1404)	£132
JBB1708		Swing Away Bracket LH (NC 1405)	£132
JBB2227		Bracket RH, mounted for Attendant (NC 2220, 2219, 1312)	£63
JBB2228		Bracket LH, mounted for Attendant (NC 2220, 2219, 1363)	£63
JBX2239		Individual mounting option per request (Special) Requires additional information/specification	POA
DUAL CONTROL			
JBB2220		Dual Control LiNX (DLX-REM050 as secondary remote) (NC 2273, 2227, 2228)	£395
JBB2219		Compact Dual Control LiNX (DLX-ACU200) (NC 2227, 2228)	£395
DUAL CONTROL BRACKETRY			
JBB2259		Bracket RH, Attendant (NC 2291, 1312)	○
JBB2260		Bracket LH, Attendant (NC 2292, 1363)	○
LINX 10-WAY SWITCH			
JBB2251		10-Way Switch DLX-SW10-A for direct Powered Seating Access	£505
LINX 10-WAY SWITCH BRACKET			
JBB2217		Bracket RH, mounted for user (NC 1404)	○
JBB2218		Bracket LH, mounted for user (NC 1405)	○
JBB2291		Bracket RH, mounted for attendant (NC 2259)	£63
JBB2292		Bracket LH, mounted for attendant (NC 2260)	£63
LINX IN200 MODULE			
JBB2273		IN200 Module (Jack port for external power button + control inputs via DB9)	£242
FURTHER LiNX COMPONENTS / ACCESSORIES			
JBB2300		To be enclosed only	○
JBX2301		To be connected and programmed (Special)	POA
BUDDY BUTTONS			
JBB1685		Red Buddy Button	£88
JBB1686		Yellow Buddy Button	£88
JBB1687		Green Buddy Button	£88
JBB1690		Blue Buddy Button	£88
EGG SWITCH			
JBB2254		Egg Switch, black	£88

PIKO BUTTONS			
JBB1711		Red Piko Button	£158
JBB1712		Yellow Piko Button	£158
JBB1713		Green Piko Button	£158
JBB1714		Orange Piko Button	£158
JBB1715		Blue Piko Button	£158
JBB1716		Black Piko Button	£158
BODYPOINT JOYSTICK KNOBS			
JBB2721		3 inch U-Shaped, Joystick Handle, Bodypoint PC101A	£63
JBB2722		4 inch U-Shaped, Joystick Handle, Bodypoint PC102A	£63
JBB2723		Domed Rubber, Joystick Handle, Bodypoint PC107A	£63
JBB2724		Mushroom Grooved, Joystick Handle, Bodypoint PC110A	£63
SHROUD COLOUR*			
JBB2871		Mid range - Black/Anthracite Shroud	○
JBB2872		Mid range - Silver Shroud	○
JBB2873		Mid range - Bengal Red Shroud	○
JBB2874		Mid range - Mercury Blue Shroud	○
JBB2875		Mid range - Midnight Purple Shroud	○
JBX0299		Premium - Individual Shroud Colour (includes coloured spreader bars on Modulite back) RAL number required Extended lead lime: + 15 days	£214
RIM COLOUR*			
JBB2882		Mid range - Black Rim Inserts	○
JBB2883		Mid range - Silver Rim Inserts	○
JBB2884		Mid range - Bengal Red Rim Inserts	○
JBB2885		Mid range - Mercury Blue Rim Inserts	○
JBB2886		Mid range - Midnight Purple Rim Inserts	○
FORKS*			
JBB2632		Double sided fork Without castor rim insert	○
FRONT WHEEL*			
JBB0828		8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre	◆
CASTOR LOCKS			
JBB1490		Castor Lock	£197
DRIVE WHEEL*			
JBB0704		DW 14" (355 mm) x 3" (75 mm), Pneumatic	◆
JBB0705		DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert	£1
C.T.C SUSPENSION*			
JBB2870		CTC Suspension Control - Traction - Comfort	◆
SUSPENSION SETTING*			
JBB1910		Soft	◆
JBB1912		Medium	○
JBB1911		Firm	○
JBB1915		Very firm	○

MOTOR TYPE*			
JBB1294		Indoor setting, reduced speed approx. 3 km/h	○
JBB1282		6 km/h	◆
JBB1908		10 km/h Package Always combined with LED Light system with Indicators, 30 Lux headlights	(NC 2203, 1437, 1254) £543
BATTERY TYPE*			
JBB2860		52 Ah AGM (Top-Gel)	◆
CHARGER*			
JBB1343		Opti Charge Charger 8A (IP44)	◆
JBB1313		Opti Charge Charger 10A (IP44)	£151
ANTI-TIPPERS*			
JBB1205		Anti-tipper	◆
LIGHTS			
JBB1437		LED Light system with Indicators 30 Lux headlights	(NC 2203, 1908) £480
JBB1254		Without Light system	○
KERB RIDER			
JBB1244		Kerb Rider With park position feature	(NC 1294) £212
TRANSPORTATION KIT*			
JBB1450		Preparation for DAHL-Docking station (Adequate headrest is compulsory) Includes a mounting bracket in the battery box Docking Station for car implementation has to be ordered separately with DAHL Engineering	£586
JBB1494		4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) Adequate headrest is compulsory	◆
EASY ACCESS FRONT TIE DOWNS			
JBB2894		Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down For transport worthy versions (1494/1401) only	£49
LAP BELT*			
JBB1329		Lap belt with Auto Lock Standard mount on backrest	◆
REAR VIEW MIRROR			
JBB1415		Rear view mirror RH	(NC 2217) £44
JBB1339		Rear view mirror LH	(NC 2218) £44
OTHER OPTIONS			
JBB1312		Cane holder RH	(NC 2227, 2259) £42
JBB1363		Cane holder LH	(NC 2228, 2260) £42
JBB1416		Fender for Castors	£88
JBB1417		Fender for Drive wheels	£169
JBB1404		Tray, Swing Away RH	(NC 1707, 2217) £167
JBB1405		Tray, Swing Away LH	(NC 1708, 2218) £167

TOTAL PRICE			
-------------	--	--	--

Non Conforming Options:

JBB2197	Long Ergonomic Armpad (397 mm)
JBB2203	Remote LiNX DLX-REM211 = Drive & Actuators 3 Drive functions and power module incl. 2 Actuators
JBB1707	Swing Away Bracket RH
JBB1708	Swing Away Bracket LH
JBB2227	Bracket RH, mounted for Attendant
JBB2228	Bracket LH, mounted for Attendant
JBB2220	Dual Control LiNX (DLX-REM050 as secondary remote)
JBB2219	Compact Dual Control LiNX (DLX-ACU200)
JBB2259	Bracket RH, Attendant
JBB2260	Bracket LH, Attendant
JBB2217	Bracket RH, mounted for user
JBB2218	Bracket LH, mounted for user
JBB2291	Bracket RH, mounted for attendant
JBB2292	Bracket LH, mounted for attendant
JBB2273	IN200 Module (Jack port for external power button + control inputs via DB9)
JBB1294	Indoor setting, reduced speed approx. 3 km/h
JBB1908	10 km/h Package Always combined with LED Light system with Indicators, 30 Lux headlights
JBB1437	LED Light system with Indicators 30 Lux headlights
JBB1254	Without Light system
JBB1312	Cane holder RH
JBB1363	Cane holder LH
JBB1404	Tray, Swing Away RH
JBB1405	Tray, Swing Away LH



For a more complex customer requirement
please refer to our Invacare Unique special order form.
email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name:

Email:

Phone:

Fax:

Description of special request (please include relevant option code or part number):