



Yes, you can:

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

SEPTEMBER 2023
Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

TDX SP2 MAX

Standard Features

- Max user weight 180kg (28 stone)
- Crash tested ISO 7176 -Part 19
- Compact, manoeuvrable, CWD TDX SP2
- Seat Widths from 490mm - 610mm
- Seat Depths 560mm - 630mm
- Tension Adjustable backrest
- Armrest with reinforced depth adjustable bracket with Short armpad
- Manual settable seat Tilt
- Manual settable backrest Recline
- VARI F hangers with fixed footplate
- LINX Control REM110 with standard bracket
- Selection of 10 Stunning Shroud and Rim colours
- Centre (Driving Wheels) 355mm x 76mm (14" x 3") Black Tyres
- Suspension and Sure Step Technology
- 6 km/h (4mph) 4 Pole Motors
- 8A (200 - 250V) Charger
- 73.5 Ah Batteries
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)

Standard Base price: £5,382

Q'STRAIT
QLK-150
Compatible



Please make your selection with a cross in the box ☐ Free of charge ☒ standard feature POA special request

Customer weight = KG

Code **Description**

CHAIR TYPE*

ARH0000	<input type="checkbox"/>	TDX SP2 Max	£5,382
ARZ0000	<input type="checkbox"/>	Special TDX SP2 Max (Please provide details in special section)	POA

SEATING TYPE*

ARH1145	<input type="checkbox"/>	MAX Seating system	<input checked="" type="checkbox"/>
---------	--------------------------	--------------------	-------------------------------------

SEAT WIDTH SETTING*

ARH0378	<input type="checkbox"/>	Seat Width of Seat Frame 550mm (+100mm adjustment in arms)	<input type="radio"/>
ARH0380	<input type="checkbox"/>	Seat Width of Seat Frame 610mm (+100mm adjustment in arms) (NC 0533)	<input type="radio"/>

Customer Ref:

Order Number:

TDX SP2 MAX
Page 1 of 8

Subject to Invacares standard terms and conditions.
Invacare reserve the right to alter product specification without prior notice

SEAT DEPTH SETTING SETTABLE IN 3 STEPS*			
ARH0396	<input type="checkbox"/>	Seat Depth 560mm	<input type="radio"/>
ARH0397	<input type="checkbox"/>	Seat Depth 595mm	<input type="radio"/>
ARH0398	<input type="checkbox"/>	Seat Depth 630mm	<input type="radio"/>
SEAT CUSHION*			
ARH1484	<input type="checkbox"/>	MAX Seat Cushion	<input type="radio"/>
ARH1114	<input type="checkbox"/>	Without Seat Cushion (10mm seat board only)	<input type="radio"/>
ADAPTOR TO REDUCE THE SEAT DEPTH BY 130MM			
ARH0399	<input type="checkbox"/>	Adaptor to shorten the seat depth by 130mm (Required if seat width 490mm is selected in combination with seat depth 595mm or 630mm)	<input type="radio"/>
BACKREST UPHOLSTERY*			
ARH1106	<input type="checkbox"/>	Tension Adjustable	<input checked="" type="radio"/>
UPHOLSTERY COLOUR*			
ARH0278	<input type="checkbox"/>	Black multi stretch PU coated fabric	<input checked="" type="radio"/>
ARMREST INCLUDING REINFORCED DEPTH ADJUSTABLE BRACKET*			
ARH0635	<input type="checkbox"/>	Fixed Armrest, 250mm - 340mm tool adjustable in height, detachable	<input checked="" type="radio"/>
ARMPADS*			
ARH0647	<input type="checkbox"/>	Short armpad (325mm)	<input checked="" type="radio"/>
ARH0649	<input type="checkbox"/>	Long armpad (375mm)	<input type="radio"/>
PUSH BAR*			
ARH1307	<input type="checkbox"/>	Push bar	<input checked="" type="radio"/>
HEADREST - Adequate headrest option must be selected*			
ARH1432	<input type="checkbox"/>	Headrest: height, depth and sideways adjustable (Azalea type)	<input checked="" type="radio"/>
ARH1427	<input type="checkbox"/>	Headrest with cheek support: height and depth adjustable (Azalea type)	£199
ARH1495	<input type="checkbox"/>	Push bar dia. 22mm in conjunction with telescopic seat frame / backposts, No Headrest - no mounting hardware.	<input type="radio"/>
SEAT TILT*			
ARH1091	<input type="checkbox"/>	Manually settable Seat Tilt (Max user weight 180kg)	<input checked="" type="radio"/>
ARH1095	<input type="checkbox"/>	Electric heavy duty basic Tilt (0° - 20°) select either 470mm or 495mm seat to ground height. (Max user weight 180kg)	£384
SEAT HEIGHT SETTING*			
ARH1024	<input type="checkbox"/>	Fixed seat height 470mm (18.5")	<input type="radio"/>
ARH1046	<input type="checkbox"/>	Fixed seat height 495mm (19.5")	<input type="radio"/>
BACKREST RECLINER*			
ARH0958	<input type="checkbox"/>	Manually settable recliner by spindle (0° - 25°)	<input checked="" type="radio"/>
ARH0947	<input type="checkbox"/>	Electrical recliner (0° - 25°)	£444

FOOTREST HANGER TYPE*				
ARH0556		Centre Mounted: Manual : Hanger, centre mounted, angle settable (0° - 90°) : knee to heel length 390 - 510mm, (including calf pad and angle adjustable footplate)	(NC 0504, 0513, 0599)	£328
ARH0589		Centre Mounted : LNX Powered: Centre mounted legrest, length compensating (including calf pad and angle adjustable footplate)	(NC 0504, 0513, 0599)	£1,442
ARH0564		Reinforced hangers, fixed angle (not detachable without tools) incl Calf pads		○
ARH0503		Side Mounted : Vari F : Angle adjustable with tools 0° - 70°, length 290mm - 460mm		◆
ARH0533		Side Mounted : Vari A : Angle adjustable with hand wheel 0° - 70°, length 290mm - 460mm	(NC 0559)	£206
ARH0531		Side Mounted : ADE Powered : Angle adjustable powered by joystick, 0° - 80° length 290mm - 460mm	(NC 0513, 0599, 0559)	£588
FOOTPLATE TYPE*				
ARH0512		Fixed Footplate	(NC 0533, 0556, 0589)	○
ARH0504		Angle Adjustable Footplate	(NC 0589)	£65
ARH0513		Angle and depth adjustable Footplate (Adapt)	(NC 0589)	£104
ARH0599		Angle adjustable flip-back, heavy-duty footboard (Recommended for SW 550mm)	(NC 0503, 0531, 0533, 0556, 0589)	£294
ARH0559		Angle Adjustable Footplate for Centre mounted legrest	(NC 0503, 0533, 0531)	○
CONTROLS*				
ARH2201		REM110 Drive only	(NC 1437, 1095, 0947, 0589, 0531, 2219, 2245)	◆
ARH2203		REM211 Drive & Actuators	(NC 1437)	○
ARH2204		REM216 Drive, Actuators & Lights		£134
CONTROL BRACKETRY*				
ARH1207		Standard Bracket RH		○
ARH1208		Standard Bracket LH		○
ARH1707		Swing Away RH Bracket		£116
ARH1708		Swing Away LH Bracket		£116
ARH2227		Bracket RH mounted for Attendant		£56
ARH2228		Bracket LH mounted for Attendant		£56
ARH1289		Tray / Centre control Swing Away Bracket RH	(NC 2203, 2204)	○
ARH1288		Tray / Centre control Swing Away Bracket LH	(NC 2203, 2204)	○
DUAL CONTROL				
ARH2220		REM050 Dual Control (Please select user control and bracket) (Please select dual control bracket below)	(NC 1221, 1222)	£348
ARH2219		Compact Dual Control (DLX-ACU200) (Please select user control and bracket) (Please select dual control bracket below)	(NC 1222, 2201)	£348
DUAL CONTROL BRACKETRY				
ARH1207		Dual Control Standard Bracket RH		○
ARH1208		Dual Control Standard Bracket LH		○
INVACARE LINX IDC DUAL CONTROL				
ARH2245		Invacare IDC Dual control (Please select IDC Dual control bracket below)	(NC 2219, 2227, 2228)	£660
INVACARE LINX IDC DUAL CONTROL BRACKETRY				
ARH1221		IDC Dual control Detachable Bracket RH	(NC 2219, 2227, 2228)	○
ARH1222		IDC Dual control Detachable Bracket LH	(NC 2219, 2227, 2228)	○
LINX 10-WAY SWITCH				
ARH2251		10-Way Switch DLX-SW10-A for direct Powered Seating Access (included loom to connect + additional jack for mode switch) (Please select 10 way switch bracket below)		£444

LINX 10-WAY SWITCH BRACKET			
ARH2217	<input type="checkbox"/>	10-Way Switch Bracket RH, Mounted for User	○
ARH2218	<input type="checkbox"/>	10-Way Switch Bracket LH, Mounted for User	○
ARH2227	<input type="checkbox"/>	10-Way Switch Bracket RH, Mounted for Attendant	£56
ARH2228	<input type="checkbox"/>	10-Way Switch Bracket LH, Mounted for Attendant	£56
LINX ACCESSORY			
ARH2252	<input type="checkbox"/>	Loom providing jack sockets for Drive and Mode (includes connection for 10-way switch)	£89
FURTHER LINX COMPONENTS / ACCESSORIES			
ARH2300	<input type="checkbox"/>	To be enclosed only (Accessory loom 2252 required if no REM400 or REM500 is selected)	○
ARZ2301	<input type="checkbox"/>	To be connected and programmed (special)	POA
BUDDY BUTTONS			
ARH1685	<input type="checkbox"/>	Red Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£77
ARH1686	<input type="checkbox"/>	Yellow Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£77
ARH1687	<input type="checkbox"/>	Green Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£77
ARH1690	<input type="checkbox"/>	Blue Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£77
EGG SWITCH			
ARH2254	<input type="checkbox"/>	Egg Switch, black (to be enclosed only (Accessory loom 2252 required if no REM400 or REM500 is selected)	£77
PIKO BUTTONS			
ARH1711	<input type="checkbox"/>	Red Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£139
ARH1712	<input type="checkbox"/>	Yellow Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£139
ARH1713	<input type="checkbox"/>	Green Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£139
ARH1714	<input type="checkbox"/>	Orange Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£139
ARH1715	<input type="checkbox"/>	Blue Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£139
ARH1716	<input type="checkbox"/>	Black Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected)	£139
TOGGLES / BUTTONS			
ARZ2261	<input type="checkbox"/>	Stereo Toggle - direct control for Tilt only	£237
ARZ2262	<input type="checkbox"/>	Stereo Button - direct control for Tilt only	£226
ARZ2263	<input type="checkbox"/>	Four-Way Toggle - direct control for Tilt & Recline	£295
ARZ2264	<input type="checkbox"/>	Four-Way Button - direct control for Tilt & Recline	£315
ARZ2207	<input type="checkbox"/>	Toggle / Button RH Mount	○
ARZ2208	<input type="checkbox"/>	Toggle / Button LH Mount	○
ARZ2225	<input type="checkbox"/>	Without Mounting	○
BODYPOINT JOYSTICK KNOBS			
ARH2721	<input type="checkbox"/>	3" U-Shaped, Joystick Handle, Bodypoint PC101A	£64
ARH2722	<input type="checkbox"/>	4" U-Shaped, Joystick Handle, Bodypoint PC102A	£64
ARH2723	<input type="checkbox"/>	Domed Rubber, Joystick Handle, Bodypoint PC107A	£64
ARH2724	<input type="checkbox"/>	Mushroom Grooved, Joystick Handle, Bodypoint PC110A	£64
REMOTE STOP SWITCH			
ARZ2258	<input type="checkbox"/>	Remote Stop Switch (ASL504)	£924

SHROUD COLOUR*			
ARH0228		Wet Black	○
ARH2601		SpaceStation Silver	○
ARH2602		Island Blue	○
ARH2603		Grape JellyBean (Purple)	○
ARH2607		Rockstar Red	○
ARH2608		Lights Out Black - Matt	○
ARH2609		Invacare Blue	○
RIM COLOUR*			
ARH2611		SpaceStation Silver	○
ARH2612		Island Blue	○
ARH2613		Grape JellyBean (Purple)	○
ARH2617		Rockstar Red	○
ARH2618		Lights Out Black - Matt	○
ARH2619		Invacare Blue	○
ARH2620		Wet Black	○
ARH2621		Without Rim insert	○
FORKS*			
ARH2631		Single sided fork (New) includes Black castor	£310
ARH2632		Double sided fork	○
CENTRE WHEELS (DRIVING WHEELS)*			
ARH0704		355mm x 76mm (14" x 3") Black Tyres, Pneumatic	○
ARH0733		355mm x 76mm (14" x 3") Black Tyres with Gel Foam Inserts	○
MOTOR TYPE*			
ARH1294		3 km/h (2mph)	○
ARH1282		6 km/h (4mph) (4 pole)	◆
BATTERY*			
ARH1260		73.5 Ah	◆
G TRAC			
ARH1215		G-Trac (ensures the powerchair takes the intended direction as indicated by the user control, without the need for continual correction by the client on uneven or sloping terrain)	£724
CHARGER*			
ARH1343		OptiCharge Charger 8A (200 - 250V)	◆
ARH1313		OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster	£134
LIGHTS*			
ARH1437		Light system with Indicators & LED Headlights	£422
ARH1254		Without light system	◆
TRANSPORTATION KIT			
ARH1450		Preparation for DAHL Docking station: Docking station for car implementation, please order docking station separately (Adequate headrest is compulsory, see options below)	£514
ARH1494		4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory, see options below)	◆
FIXATION BELT*			
ARH1329		MAX Lapbelt (adjustable both sides) fitted to base of backrest	◆

REAR VIEW MIRROR			
ARH1415		Rear-view Mirror RH	£37
ARH1339		Rear-view Mirror LH	£37
CANE HOLDER			
ARH1312		Cane holder RH (In combination with Attendant bracket or Dual control the cane holder has to be mounted on the opposite side of the remote)	£37
ARH1363		Cane holder LH (In combination with Attendant bracket or Dual control the cane holder has to be mounted on the opposite side of the remote)	£37

TOTAL PRICE			
-------------	--	--	--

Non Conforming Options:

ARH1095	Electric heavy duty basic Tilt (0° - 20°) select either 470mm or 495mm seat to ground height. (Max user weight 180kg)
ARH0947	Electrical recliner (0° - 25°)
ARH0556	Centre Mounted: Manual : Hanger, centre mounted, angle settable (0° - 90°) : knee to heel length 390 - 510mm, (including calf pad and angle adjustable footplate)
ARH0589	Centre Mounted : LNX Powered: Centre mounted legrest, length compensating (including calf pad and angle adjustable footplate)
ARH0503	Side Mounted : Vari F : Angle adjustable with tools 0° - 70°, length 290mm - 460mm
ARH0533	Side Mounted : Vari A : Angle adjustable with hand wheel 0° - 70°, length 290mm - 460mm
ARH0531	Side Mounted : ADE Powered : Angle adjustable powered by joystick, 0° - 80° length 290mm - 460mm
ARH0504	Angle Adjustable Footplate
ARH0513	Angle and depth adjustable Footplate (Adapt)
ARH0599	Angle adjustable flip-back, heavy-duty footboard (Recommended for SW 550mm)
ARH0559	Angle Adjustable Footplate for Centre mounted legrest
ARH2201	REM110 Drive only
ARH2203	REM211 Drive & Actuators
ARH2204	REM216 Drive, Actuators & Lights
ARH2227	Bracket RH mounted for Attendant
ARH2228	Bracket LH mounted for Attendant
ARH2219	Compact Dual Control (DLX-ACU200) (Please select user control and bracket) (Please select dual control bracket below)
ARH2245	Invacare IDC Dual control (Please select IDC Dual control bracket below)
ARH1221	IDC Dual control Detachable Bracket RH
ARH1222	IDC Dual control Detachable Bracket LH
ARH2227	10-Way Switch Bracket RH, Mounted for Attendant
ARH2228	10-Way Switch Bracket LH, Mounted for Attendant
ARH1437	Light system with Indicators & LED Headlights



For a more complex customer requirement
please refer to our Invacare Unique special order form.
email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name:

Email:

Phone:

Fax:

Description of special request (please include relevant option code or part number):