



Yes, you can:

Tel: 01656 776222 Fax: 01656 776220
 Email: ordersuk@invacare.com
 Online Spares available at: www.invacare.co.uk

Manual Retail Prescription Form

JUNE 2023
 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

XLT Fixed

Standard Features

- MAX USER WEIGHT 135KG/21 STONE
- CRASH TESTED ISO 7176 PART 19
- LIGHTWEIGHT TITANIUM FIXED 75° FRAME WITH RIGID HEIGHT ADJUSTABLE FOOTREST
- ADJUSTABLE BACKREST HEIGHTS FROM 350MM TO 450MM
- BACKREST ANGLE ADJUSTMENT - 10 TO +10°
- ADJUSTABLE FRONT AND REAR SEAT TO FLOOR HEIGHTS
- BACKREST FULL FOLDING, TENSION ADJUSTABLE UPHOLSTERY NYLON, WIPEABLE
- CLOTHESGUARDS REMOVABLE
- ADJUSTABLE FOOTPLATE HEIGHTS FROM 360MM TO 480MM
- CHOICE OF 6 SEAT WIDTHS 355MM - 480MM (14" - 19")
- CHOICE OF 3 ADJUSTABLE SEAT DEPTHS (14" - 20")
- CHOICE OF 2 FRAME COLOURS
- 22" AND 24" SELF PROPEL Q/R REAR WHEELS WITH SOLID OR P/P TYRE, 0° CAMBER
- STANDARD BRAKE, CONFIGURABLE REAR WHEEL POSITION
- WITHOUT PUSH HANDLES
- SOLID CASTORS



Standard Base price: £1,659

Please make your selection with a cross in the box Free of charge standard feature POA special request

Customer weight = KG

Code	Description	
BASE PRODUCT*		
BPA0010	INVACARE XLT	£1,659
BPA8000	SPECIAL REQUEST - PLEASE INCLUDE QUOTATION REFERENCE IN SPECIAL DESCRIPTION AT THE END OF THE FORM WHERE APPLICABLE	POA
PROPULSION TYPE*		
BPA0020	STANDARD WHEEL HUB	<input checked="" type="checkbox"/>
BPA0030	ASSISTANT MANOEUVRED DRUMBRAKES (NC 0400, 0830, 0840, 0850, 0900, 1430, 1490, 1570, 1590, 1820)	£268

FRAME*			
BPA0060		ACTIVE FRAME, KNEE ANGLE 75°	◆
BPA0070		DYNAMIC FRAME, KNEE ANGLE 90°	(NC 0280, 0290, 0620, 0630, 0640, 1300, 1315, 1320, 1340) £100
SEAT WIDTH*			
BPA0080		355 MM	(NC 1820) ○
BPA0090		380 MM	○
BPA0100		405 MM	○
BPA0110		430 MM	○
BPA0120		455 MM	○
BPA0130		480 MM	○
SEAT DEPTH*			
BPA0140		400 MM ADJUSTABLE FROM SEAT DEPTH 360 TO 400 MM	◆
BPA0150		450 MM ADJUSTABLE FROM SEAT DEPTH 410 TO 450 MM	○
BPA0160		500 MM ADJUSTABLE FROM SEAT DEPTH 460 TO 500 MM	○
FRONT SEAT HEIGHT*			
BPA0170		400 MM	(NC 0330, 0340, 0350, 0360, 0370, 0380, 0390, 0400, 0530, 0540, 0550, 0560, 0570, 0580, 0590, 0600, 0610, 0620, 0630, 0640) ○
BPA0180		410 MM	(NC 0340, 0350, 0360, 0370, 0380, 0390, 0400, 0540, 0550, 0560, 0570, 0580, 0590, 0600, 0610, 0620, 0630, 0640) ○
BPA0190		420 MM	(NC 0350, 0360, 0370, 0380, 0390, 0400, 0550, 0560, 0570, 0580, 0590, 0600, 0610, 0620, 0630, 0640) ○
BPA0200		430 MM	(NC 0360, 0370, 0380, 0390, 0400, 0560, 0570, 0580, 0590, 0600, 0610, 0620, 0630, 0640) ○
BPA0210		440 MM	(NC 0370, 0380, 0390, 0400, 0570, 0580, 0590, 0600, 0610, 0620, 0630, 0640) ○
BPA0220		450 MM	(NC 0380, 0390, 0400, 0580, 0590, 0600, 0610, 0620, 0630, 0640) ○
BPA0230		460 MM	(NC 0390, 0400, 0590, 0600, 0610, 0620, 0630, 0640) ○
BPA0240		470 MM	(NC 0300, 0400, 0600, 0610, 0620, 0630, 0640) ○
BPA0250		480 MM	(NC 0300, 0310, 0610, 0620, 0630, 0640) ◆
BPA0260		490 MM	(NC 0300, 0310, 0320, 0620, 0630, 0640) ○
BPA0270		500 MM	(NC 0300, 0310, 0320, 0330, 0340, 0630, 0640) ○
BPA0280		510 MM	(NC 0300, 0310, 0320, 0330, 0340, 0640) ○
BPA0290		520 MM	(NC 0300, 0310, 0320, 0330, 0340, 0350) ○
REAR SEAT HEIGHT*			
BPA0300		380 MM	(NC 1380, 1430, 1700, 1710) ○
BPA0310		390 MM	(NC 1380, 1430, 1700, 1710) ○
BPA0320		400 MM	(NC 1430) ○
BPA0330		410 MM	○
BPA0340		420 MM	○
BPA0350		430 MM	○
BPA0360		440 MM	◆
BPA0370		450 MM	(NC 1370) ○
BPA0380		460 MM	(NC 1370) ○
BPA0390		470 MM	(NC 1370) ○
BPA0400		480 MM	(NC 1370, 1380) ○

LOWER LEG LENGTH*				
BPA0430		270 MM ONLY WITH FOOTREST HIGH MOUNTED	(NC 0970, 0980)	£87
BPA0440		280 MM ONLY WITH FOOTREST HIGH MOUNTED	(NC 0970, 0980)	£87
BPA0450		290 MM ONLY WITH FOOTREST HIGH MOUNTED	(NC 0970, 0980)	£87
BPA0460		300 MM ONLY WITH FOOTREST HIGH MOUNTED	(NC 0970, 0980)	£87
BPA0470		310 MM ONLY WITH FOOTREST HIGH MOUNTED	(NC 0970, 0980)	£87
BPA0480		320 MM ONLY WITH FOOTREST HIGH MOUNTED	(NC 0970, 0980)	£87
BPA0490		330 MM ONLY WITH FOOTREST HIGH MOUNTED	(NC 0970, 0980)	£87
BPA0500		340 MM ONLY WITH FOOTREST HIGH MOUNTED	(NC 0970, 0980)	£87
BPA0510		350 MM ONLY WITH FOOTREST HIGH MOUNTED	(NC 0970, 0980)	£87
BPA0520		360 MM ACTIVE FRAME ONLY WITH FOOTREST HIGH MOUNTED		○
BPA0530		370 MM ACTIVE FRAME ONLY WITH FOOTREST HIGH MOUNTED		○
BPA0540		380 MM	(NC 1000)	○
BPA0550		390 MM	(NC 1000)	○
BPA0560		400 MM	(NC 1000)	○
BPA0570		410 MM	(NC 1000)	○
BPA0580		420 MM	(NC 1000)	○
BPA0590		430 MM	(NC 1000)	◆
BPA0600		440 MM	(NC 1000)	○
BPA0610		450 MM	(NC 1000)	○
BPA0620		460 MM ONLY FOR ACTIVE FRAME	(NC 1000)	○
BPA0630		470 MM ONLY FOR ACTIVE FRAME	(NC 1000)	○
BPA0640		480 MM ONLY FOR ACTIVE FRAME	(NC 1000)	○
BACKREST TYPE*				
BPA0650		VELCRO TENSION ADJUSTABLE, FIXED HEIGHT, VARIABLE ANGLE ADJUSTABLE, FOLDABLE AND CLICK IN BACKREST BENT BACKREST TUBES	(NC 0740, 0750, 0760, 0770, 0780, 0790, 0800)	◆
BPA0660		VELCRO TENSION ADJUSTABLE, HEIGHT ADJUSTABLE, VARIABLE ANGLE ADJUSTABLE, FOLDABLE AND CLICK IN BACKREST BENT BACKREST TUBES	(NC 0700, 0710)	○
BPA0663		VELCRO TENSION ADJUSTABLE, HEIGHT ADJUSTABLE, VARIABLE ANGLE ADJUSTABLE, FOLDABLE AND CLICK IN BACKREST STRAIGHT BACKREST TUBES	(NC 0700, 0710)	○
FIXED BACKREST*				
BPA0700		300 MM		◆
BPA0710		350 MM		○
BPA1111		NO FIXED BACKREST, SELECT IF HEIGHT ADJUSTABLE BACKREST IS REQUIRED	(NC 2222)	○

HEIGHT ADJUSTABLE BACKREST*			
BPA0740		350 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS	○
BPA0750		370 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS	○
BPA0760		390 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS	○
BPA0770		400 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS	○
BPA0780		420 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS	○
BPA0790		440 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS	○
BPA0800		450 MM HEIGHT ADJUSTABLE FROM 450 TO 490 MM BY 20 MM STEPS	○
BPA2222		NO HEIGHT ADJUSTABLE BACKREST, SELECT IF FIXED BACKREST IS REQUIRED	○
PUSH HANDLES*			
BPA0830		FIXED PUSH HANDLES	◆
BPA0840		FOLDABLE PUSH HANDLES	£148
BPA0850		HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, SHORT GRIP	£53
BPA0870		HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, INCLUDING NECKREST, LONG GRIP FOR DRUM BRAKES	£88
BPA0900		WITHOUT PUSH HANDLES	○
SEAT UPHOLSTERY*			
BPA0910		VELCRO TENSION- AND DEPTH ADJUSTABLE, INFINITELY VARIABLE ON 40 MM.	◆
SEAT CUSHION*			
BPA0930		STANDARD SEAT CUSHION	◆
BPA0960		WITHOUT SEAT CUSHION	○
FOOTREST*			
BPA0970		FOOT BOW RIGID	◆
BPA0980		FOOT BOW RIGID WITH COVER	£13
BPA1000		FOOTREST, HIGH MOUNTED, FOR KNEE TO HEEL LENGTH 270 TO 370 MM	£26
CLOTHESGUARDS/ARMRESTS LH*			
BPA1010		CLOTHESGUARD, REMOVABLE, LH	◆
BPA1020		MUDGUARD, REMOVABLE, LH (NC 1570)	£45
BPA1030		ARMREST HEIGHT ADJUSTABLE, SHORT PAD (280 MM), LH	£38
BPA1040		ARMREST HEIGHT ADJUSTABLE, LONG PAD (380 MM), LH	£38
CLOTHESGUARDS/ARMRESTS RH*			
BPA1090		CLOTHESGUARD, REMOVABLE, RH	◆
BPA1100		MUDGUARD, REMOVABLE, RH (NC 1570)	£45
BPA1110		ARMREST HEIGHT ADJUSTABLE, SHORT PAD (280 MM), RH	£38
BPA1120		ARMREST HEIGHT ADJUSTABLE, LONG PAD (380 MM), RH	£38
FRAME COLOUR*			
BPA1200		ANTHRACITE BLACK	○
BPA1250		BLASTED TITANIUM	○
CASTOR ATTACHMENT*			
BPA1260		HOUSING WITH ANGLE ADJUSTMENT	◆

FRONT CASTORS*			
BPA1270		75X24 HARD (3")	○
BPA1280		100X27 MEDIUM HARD (4")	◆
BPA1290		125X27 MEDIUM HARD (5")	○
BPA1300		140X40 SOFT (5,5")	○
BPA1315		150X30 MEDIUM HARD (6")	○
BPA1320		150X30 SOFT (6")	○
BPA1340		180X40 SOFT (7")	○
CASTOR FORK*			
BPA1360		FIXED STEPS	◆
REAR WHEEL TYPE*			
BPA1370		22" STANDARD (NC 1490, 1510, 1540, 1820)	○
BPA1380		24" STANDARD	◆
BPA1430		26" LOW PROFILE (26X1") GREY PNEUMATIC TYRE, ALUMINIUM HANDRIMS (NC 1460, 1470, 1490, 1510, 1540, 1600, 1820)	£69
TYRE TYPE*			
BPA1440		PNEUMATIC NON MARKING	○
BPA1460		SOLID	◆
BPA1470		PUNCTUREPROOF	○
BPA1490		BLACK MARATHON EVOLUTION ONLY FOR 24" STANDARD REAR WHEEL AND 24" SPORTY	£75
HANDRIM TYPE*			
BPA1500		ALUMINIUM	◆
BPA1510		STAINLESS	○
BPA1540		BLACK GRIP	£26
REAR WHEEL FIXATION*			
BPA1560		STANDARD REAR WHEEL FIXATION	◆
BPA1570		REAR WHEEL EXTENSION BEHIND BACKREST FRAME (NC 1590, 1620, 1630, 1700, 1710, 1820)	○
CAMBER ANGLE*			
BPA1580		0° CAMBER	◆
BPA1590		3° CAMBER (NC 1820)	○
SPOKEGUARD			
BPA1600		SPOKEGUARD FROST	£45
BRAKE*			
BPA1610		STANDARD BRAKE	◆
BPA1620		KÜSCHALL PERFORMANCE BRAKE (NC 1670, 1680, 1820)	£55
BPA1630		KÜSCHALL ACTIVE BRAKE (NC 1670, 1680, 1820)	£55
SAFETY OPTIONS			
BPA1660		PELVIC BELT	○
BPA1670		BRAKE LEVER EXTENSION, FOLD AWAY, LH	£13
BPA1680		BRAKE LEVER EXTENSION, FOLD AWAY, RH	£13
BPA1700		ANTI-TIP DEVICES, SWING AWAY, LH FOR SAFETY (NC 1770) 2 ANTI-TIPS ARE RECOMMENDED	£34
BPA1710		ANTI-TIP DEVICES, SWING AWAY, RH FOR SAFETY (NC 1780) 2 ANTI-TIPS ARE RECOMMENDED	£34

OTHER OPTIONS

BPA1770		CANE HOLDER, LH	£18
BPA1780		CANE HOLDER, RH	£18
BPA1790		STEP TUBE / TIPPER AID, LH	£18
BPA1800		STEP TUBE / TIPPER AID, RH	£18
BPA1810		TOOL KIT	◆
BPA1815		FRAME PROTECTOR	£26
BPA1820		MOUNTING BRACKET E-MOTION	£190

TOTAL PRICE

Non Conforming Options:

BPA0280	510 MM
BPA0290	520 MM
BPA0300	380 MM
BPA0310	390 MM
BPA0320	400 MM
BPA0330	410 MM
BPA0340	420 MM
BPA0350	430 MM
BPA0360	440 MM
BPA0370	450 MM
BPA0380	460 MM
BPA0390	470 MM
BPA0400	480 MM
BPA0530	370 MM ACTIVE FRAME ONLY WITH FOOTREST HIGH MOUNTED
BPA0540	380 MM
BPA0550	390 MM
BPA0560	400 MM
BPA0570	410 MM
BPA0580	420 MM
BPA0590	430 MM
BPA0600	440 MM
BPA0610	450 MM
BPA0620	460 MM ONLY FOR ACTIVE FRAME
BPA0630	470 MM ONLY FOR ACTIVE FRAME
BPA0640	480 MM ONLY FOR ACTIVE FRAME
BPA0700	300 MM
BPA0710	350 MM
BPA0740	350 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS
BPA0750	370 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS
BPA0760	390 MM HEIGHT ADJUSTABLE FROM 350 TO 390 MM BY 20 MM STEPS
BPA0770	400 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS
BPA0780	420 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS
BPA0790	440 MM HEIGHT ADJUSTABLE FROM 400 TO 440 MM BY 20 MM STEPS
BPA0800	450 MM HEIGHT ADJUSTABLE FROM 450 TO 490 MM BY 20 MM STEPS
BPA2222	NO HEIGHT ADJUSTABLE BACKREST, SELECT IF FIXED BACKREST IS REQUIRED
BPA0830	FIXED PUSH HANDLES
BPA0840	FOLDABLE PUSH HANDLES
BPA0850	HEIGHT ADJUSTABLE PUSH HANDLES, EXTERNAL, SHORT GRIP
BPA0900	WITHOUT PUSH HANDLES
BPA0970	FOOT BOW RIGID
BPA0980	FOOT BOW RIGID WITH COVER
BPA1000	FOOTREST, HIGH MOUNTED, FOR KNEE TO HEEL LENGTH 270 TO 370 MM
BPA1300	140X40 SOFT (5,5")

BPA1315	150X30 MEDIUM HARD (6")
BPA1320	150X30 SOFT (6")
BPA1340	180X40 SOFT (7")
BPA1370	22" STANDARD
BPA1380	24" STANDARD
BPA1430	26" LOW PROFILE (26X1") GREY PNEUMATIC TYRE, ALUMINIUM HANDRIMS
BPA1460	SOLID
BPA1470	PUNCTUREPROOF
BPA1490	BLACK MARATHON EVOLUTION ONLY FOR 24" STANDARD REAR WHEEL AND 24" SPORTY
BPA1510	STAINLESS
BPA1540	BLACK GRIP
BPA1570	REAR WHEEL EXTENSION BEHIND BACKREST FRAME
BPA1590	3° CAMBER
BPA1600	SPOKEGUARD FROST
BPA1620	KÜSCHALL PERFORMANCE BRAKE
BPA1630	KÜSCHALL ACTIVE BRAKE
BPA1670	BRAKE LEVER EXTENSION, FOLD AWAY, LH
BPA1680	BRAKE LEVER EXTENSION, FOLD AWAY, RH
BPA1700	ANTI-TIP DEVICES, SWING AWAY, LH FOR SAFETY 2 ANTI-TIPS ARE RECOMMENDED
BPA1710	ANTI-TIP DEVICES, SWING AWAY, RH FOR SAFETY 2 ANTI-TIPS ARE RECOMMENDED
BPA1770	CANE HOLDER, LH
BPA1780	CANE HOLDER, RH
BPA1820	MOUNTING BRACKET E-MOTION



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: _____ Email: _____

Phone: _____ Fax: _____

Description of special request (please include relevant option code or part number):