

UK (English)
 Date
 User
 End user weight (kg)
 Language user manual
 Company stamp
 Responsible

Rigid frame wheelchair
CRASH TEST APPROVED

£ 2719,00
Retail price - VAT not included

Wheelchair measures - The tolerance on all the dimensions indicated and/or required is ± 10 mm

Seat width (LS) 24 27 30 33 36
 The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1 cm wider.

Seat depth (PS) 27,5 30 32,5 35 37,5 40
 Seat depth can be increased by 2,5 or 5 cm.

Footplate distance (DP) min 8 - max 39,5 (cm) ±0.5cm - adjustment steps 1.5cm
 (Real distance between seat and footplate) - **IMPORTANT NOTICE!** From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)

Setting Standard Prudential Active

Backrest Height (TS) Std.Value 33,5(min 30,5 - max 51) adjustment steps 1.5cm

camber 0° 2° 4°

Front height (STD 45)	Rear height (STD 41)
Casters 3" (min 35 - max 51)	Rear wheels 22" (min 35 - max 45)
Casters 4" (min 35 - max 52)	Rear wheels 24" (min 37 - max 47)
Casters 5" (min 35 - max 53)	

The difference between Front Height and Footplate distance must be greater than 10cm

Front frame
 Aluminium frame - Angle 95°

Frame with abduction
 Straight frame

13330

Frame colour

Frame colour (without extra charge)

Opaque black
 Tekno anthracite
 POLAR white
 Matt Midnight blue
 Matt orange
 Matt grey
 Matt red

Frame colour on request

Bright silver
 Bright blue
 Bright fuchsia
 Bright lime
 Bright red

12579 **109,00**

Footplate

One piece aluminium footplate - Flip-up! FLIP-UP! - rake and depth adjustable

Footplate distance (min 8 - max 39,5)

11524

Backrest with double locking (upright and folded) (with rake adjustable from -4° to +16°)

Aluminium backrest
 Adjustable velcro straps and padded transpiring upholstery

Handle tube

Tubes with standard handle

Folding handles Minimum backrest height 30,5cm

Not available with: Push handles for companion

02958 **270,00**

Date	Order	User	Address
------------	-------------	------------	---------------

Fork colour ☆ Opaque black ○ Bright silver ○ POLAR white ○ Bright red ○ Tekno anthracite ○ Matt grey ○ Bright blue ○ Bright fuchsia ○ Bright lime ○ Matt Midnight blue ○ Matt red <div style="text-align: right;">08342 68,00</div>	Colour rear wheels To be matched only with:Rear wheels Ultra-light Progeo - Standard! (22 - 24) ☆ Black ○ Bright silver ○ POLAR white ○ Bright red ○ Tekno anthracite ○ Matt grey ○ Bright blue ○ Bright fuchsia ○ Bright lime ○ Matt Midnight blue ○ Matt red <div style="text-align: right;">04692 68,00</div>
--	--

Casters			
☆ 4" Soft			
<input type="checkbox"/> 3" Sport	<i>Lightest configuration</i>		
<input type="checkbox"/> 5" Soft			
<input type="checkbox"/> 3" Active Soft (wide)	(Aluminium alloy rim)	06824	95,00
<input type="checkbox"/> 4" Active Sport (narrow)	(Aluminium alloy rim)	01398	95,00
<input type="checkbox"/> 4" Active Soft (wide)	(Aluminium alloy rim)	03943	95,00
<input type="checkbox"/> 5" Active Soft (wide)	(Aluminium alloy rim)	07518	95,00
<input type="checkbox"/> 5" Pneumatic		10844	68,00

Rear wheels			
☆ 24" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 22" Ultra-light Progeo - Standard!			
<input type="checkbox"/> 24" ULTRA-LIGHT PROGEO KEY SPORT	<i>Lightest configuration</i>	04383	695,00
<input type="checkbox"/> 24" Ultra-light "Spinergy LX"		01685	695,00
<input type="checkbox"/> 24" Ultra-light "Spinergy LXL"	<input type="checkbox"/> Black hub and white spokes <input type="checkbox"/> Hub and spokes black	07846	695,00
<input type="checkbox"/> 24" Ultra-light "Spinergy Flex rim"	Integrated aluminium/rubber handrim	02270	1.150,00
<input type="checkbox"/> 24" Off-road (aluminium handrim black - Wheel distance 4cm)		01392	270,00

Rear wheel tyre			
☆ High pressure tyre	(22"-24")	<i>Lightest configuration</i>	
<input type="checkbox"/> High pressure profile tyre	(24")		
<input type="checkbox"/> Marathon Plus	(24")	with anti-puncture protection	01669 95,00
<input type="checkbox"/> Anti-puncture - Colour Grey	(22")		04181 105,00
<input type="checkbox"/> Anti-puncture - Colour Black	(24")		11083 95,00
Not available with Rear wheels : 24" ULTRA-LIGHT PROGEO KEY SPORT, 24" Ultra-light "Spinergy LXL"			

Handrim			
	Wheel distance	☆ 3 cm <input type="checkbox"/> 4 cm	
☆ Aluminium	(22"-24")	<i>Lightest configuration</i>	
<input type="checkbox"/> Aluminium black SOFT-TOUCH	(24")		09170 160,00
<input type="checkbox"/> Chromed Steel	(24")		01684 160,00
<input type="checkbox"/> Titanium	(24")		00016 290,00
<input type="checkbox"/> Ultra Grepp	(24")		00017 290,00
<input type="checkbox"/> TOP FRICTION	(24")		11023 290,00
<i>Oval countour with a rubber insert</i>			
<input type="checkbox"/> NOVA H	(24")		11025 290,00
<i>Ergonomic black profile</i>			
<input type="checkbox"/> NOVA D	(24")		11026 290,00
<i>Ergonomic profile with rubber coating (ideal for quadriplegics)</i>			
<input type="checkbox"/> Silicon cover for standard aluminium handrim		Available for measures (22"-24")	04050 172,00


Wheel locks			
☆ Bent lever push to lock			
<input type="checkbox"/> Straight lever push to lock			
<input type="checkbox"/> Straight lever pull to lock			
<input type="checkbox"/> Brake with extension lever push to lock		01949	68,00
<input type="checkbox"/> Brake with extension lever pull to lock		03372	68,00

Date	Order	User	Address
------------	-------------	------------	---------------

Mudguard

- ☆ Removable ABS mudguard
- Removable ABS fibre straight sideguard  03946 **337,00**
- Removable carbon fibre mudguard 03946 **337,00**
- Removable Carbon fibre straight sideguard

Armrests


- Tubular armrests (Swing away, removable and height adjustable armrest)  **04828 189,00**

Height assembly (to the seat): 27 28,5 30 31,5 33 34,5 36

Removable armrest with integrated mudguard

- Removable armrest with ABS straight sideguard  **08881 240,00**
- Removable armrest with carbon-fiber straight sideguard **08882 486,00**

SAFETY

- 4 points tie-down system rings  **08654 203,00**
(installation must be carried out by the manufacturer)
A head restraint suitable for transportation must be available and fitted accordingly during transportation.

Accessories




- Pad for front frame protectors **07058 56,00**
- Backrest-seat connection cloth **10241 25,00**
- Removable storage bag (with quick coupling) **09811 135,00**

Optional 1

- Anti-tipper with rapid hookup 
(inside rotation to reduce the encumbrance)
The first is provided free of charge Right Left

The second has extra charge Right Left
06821 145,00
06822 145,00

Optional 2

- One piece Push handle for companion  **08930 189,00**
(Removable and height adjustable)
- Push handles for companion  **03645 189,00**
(Removable and height adjustable)
- Tetraclip **03947 189,00**
(Quick release axle for quadriplegic)
- Safety pelvic belt **03972 68,00**
- Harness **04103 145,00**
- Lumbar support **00013 43,00**
(to insert in the backrest upholstery)
- Swing away lateral support 
Prevents backrest folding
Not available with Posture backrest PHYSIO - Posture backrest A I R
 Right **02097 270,00**
 Left **02098 270,00**
- Spoke guards Black **01043 158,00**
(22"-24")
- Spoke guards Transparent **00835 158,00**
(22"-24")
- Spoke guards Progeo design **00019 189,00**
(22"-24")

Additional Kit

- 24" Off-road rear wheels **03378 534,00**
Off-Road tyre - aluminium handrim (black colour)
- 24" FAT rear wheels **09357 895,00**
FAT tyre 3" - aluminium handrim (black colour)

Date Order User Address

PHYSIO - Std. Backrest upholstery not provided


Removable with quick release
 Suitable for tubes with diameter 18+26mm
 Depth adjustment (4cm)
 Angle adjustment ($\pm 18^\circ$)

Posture backrest KID JUNIOR VERSION

- KID** Aluminum shell

WARNING: with this backrest the seat depth is reduced by 5 cm approx.


not available for seat width 24

BACKREST HEIGHT	29	34	40	1.085,00
Shell's shape	Lateral retaining wing R=regular			
	R	R	R	
 3,5 cm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Posture backrest ADULT VERSION


- AIR** Carbon shell

not available for seat width 27 - 30

BACKREST HEIGHT	28	34	40	1.121,00
Shell's shape	Lateral retaining wing A=high - R=regular			
	A	R	A	R
 7,5 cm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

- POSTURE** Aluminum shell

not available for seat width 27 - 30

BACKREST HEIGHT	34	40	52	1.085,00
Shell's shape	Lateral retaining wing R=regular			
	R	R	R	
 7,5 cm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Configuration DEEP with side support PAD (height adjustable)

Alluminum lateral with padded, breathable upholstery.



Small (h 13cm)



Right 10272 49,00

Left 10272 49,00

Large (h 20cm)



Right 10273 49,00


Left 10273 49,00

Date Order User Address

Accessories

KID AIR POSTURE

SWING AWAY - Lateral support
 Not available for backrest Physio AIR carbon shell
 Fixing and adjustment hardware complete with protection sleeve
 Alluminum lateral with padded, breathable upholstery.



Large (18x12)

05647 196,00

Small (14x9)

05643 196,00

Lateral support extension

Quantity (number pcs).....
 10271 74,00

Lateral support extension

Quantity (number pcs).....

Small (14x9)

05642 196,00

Large (18x12)

05646 196,00

Headrest adjustable - Double ball mounting system
 Available only with backrest Physio Posture and Kid

Large (35x12,5)
 Small (25x12,5)



05648 385,00

Send this page only if any optional have been chosen

- standard (supplied if no requests are indicated)
- on request (without extra charge)
- optional (cost to be added at the basic price)