

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com Online spares available at: www.invacare.co.uk

Manual Wheelchair **Retail Prescription Form** KSeriesCarbon19112019

January 2020

Unline spares available at: www.invacare.co.uk	
Customer Ref:	Account No :
Contact No:	Order No :
Delivery address :	Order Qty :
	Order Date :
k-serie Carbo	Son The Prestige Collection Contemporary designs and precision in Titanium & Carbon
Standard Features	CE The second se
Maximum user weight 120kg (19 stone)	
Active Rigid Wheelchair with Height Adjustable Aluminium Rigid Footrest	
Multiple adjustments, Front & Rear Seat Heights and Centre of Gravity	
Carbon Fibre Front Frame 75° Front Angle	
 Standard Seat Upholstery 24" Solf Brond O /B Wheels with Grow Aluminium Handring & Schwalba Place 	4 & Grow Decumpatic Tyrac
 24" Self Propel Q/R Wheels with Grey Aluminium Handrims & Schwalbe Black Choice of 10 Seat Widths 320mm to 500mm 	
 Choice of 5 Seat Waths 320mm to 300mm Choice of 5 Seat Depths 350mm to 450mm 	
 Range of Front Seat Heights from 490mm to 520mm 	
 Range of Rear Seat Heights from 380mm to 490mm 	
 Aluminium Lockdown Folding, Angle & Height Adjustable Backrest 	
Black Nylon with Reflective Trim, Tension Adjustable Upholstery	
Without Push Handles, Carbon Clothesguards	
Aluminium Axle Tube with 3° Camber	and the second s
Black Comfort Front Castor	
Standard Brake Lever Bent	

- Aluminium Axle Tube with 3° Camber
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

Standard Base Price £2,351

		X Pleas	e make you	r selection	with a cro	ss in the bo	ox 🔶 St	andard fea	iture (C) Free of C	harge			
		Custo	omer weight	= K	g									
	Code	Descrip	tion										Retail	
DDZ	20000	Küscha	II® K-series	Carbon Sp	ecial Basic	Model - PLE	EASE COMP	PLETE DET	AILS AT TH	e end of 1	HE FORM		P.O.A	
SEA	TING CHO	ICE												
CAF	RBON FRAM	ME												
DDA	A0288	K Series	s Carbon 75°	Front Frame	e								•	
SEA	T WIDTH (S	SW) & SEA	T DEPTH (S	D)										
						Seat Wid	th in mm					Matrx backrests and seat cushions	are not	
		320mm DDA0122	340mm DDA0124	360mm DDA0126	380mm DDA0128	400mm DDA0130	420mm DDA0132	440mm DDA0134	460mm DDA0136	480mm DDA0138	500mm DDA0140	available with 320mm & 340mm seat options DDA0122 & DDA0124	,	
	350mm DDA0411	0	0	о	о	о	о	о	ο	ο	ο	Matrx MX2 backrest is not available v 480mm & 500mm seat widths, option		
u mm	375mm DDA0414	о	0	о	о	о	о	о	ο	о	ο	DDA0138 & DDA0140 Matrx Libra is compatible with s	eat	
Depth in mm	400mm DDA0417	о	0	о	ο	ο	0	о	ο	o	0	sizes 360-500mm wide and 400 450mm deep)-	
Seat D	425mm DDA0420	о	0	о	о	о	0	о	ο	0	0	Matrx Vi is compatible with sea sizes 360-500mm wide and		
	450mm DDA0423	0mm 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		400-450mm deep										
Wi	dth betwee Seat W	n clothesgu idth + 15mr		eat widths pth 450mm seat upho	are not ava		light			option DDA at width 320		Seat width 360mm on Matrx Libra cushions is only available with 400 420mm seat depths Matrx Elite standard backrest height	mm &	

Footplate width = Seat width less 120mm Titanium backrest, option DDA0731 is not possible with seat width 320mm

option DDP0760 is not available with seat widths 480mm & 500mm

SEAT POSITION (S	SP) Note: P	osition 1 is the mo	ost active p	osition and 5 is th	ne most st	able				
DDA0461	Position 1 =	140mm	Position	s 1 & 2 are not con	natible	0				d forward and backward along the frame to e rear wheel position.
	Position 2 =			eat depth 350mm, o DDA0411		0	achieve	a more act		
	Position 3 =					•	-	_	11	
						•	-			1º pro
DDA0464	Position 4 =	95mm				0				(6)))
DDA0465	Position 5 =	80mm				0			-	
BACK HEIGHT (BH	1)									
		Ba	ack Heig	ght in mm					Matr	x backrests are available to order with the
270mm		285mm		300mm	<u> </u>	315	mm			-Series. Specific backposts supplied in ninium, no back height selection required.
DDA0548	0	DDA0580	0	DDA0550	0	DDA	0503	0	The chai	r can be supplied with Matrx fitted or supplied pholstery for retro fitting a backrest. If either is
330mm		345mm		360mm	~	375	mm			required, select option 0585.
DDA0506	0	DDA0509	0	DDA0512	0	DDA	0514	0	Refer to	the Matrx section for backrest option details.
390mm		405mm		420mm	~	435	mm			Back height 270mm is not available with Height adj rear set push handles,
DDA0516	0	DDA0518	0	DDA0520	0	DDA	0522	0		option DDA0703
450mm	<u> </u>	465mm	6	480mm	-				ln c	ombination with tubular armrests, back height
DDA0524	0	DDA0526	0	DDA0528	0				of t	between 270mm and 330mm are only possible h fixed push handles long or short, or without push handles
DDA0585	Backnosts tr	suit Matry or fiver	l backrests	Supplied without i	unholsterv	and backn	ioste are 2	85mm high	Only availat	ole with backrests 0772 & 0773 O
FRONT SEAT-TO-F			- JUCKICSIS.		aprioistery					
·			_						-	
400			nt Seat I	Height in m	m		0		-	
490mm	0	500mm	0	510mm	0		0mm	0		
DDA0851	-	DDA0852	-	DDA0853	-	םם ן	A0854			
REAR SEAT-TO-FL										
REAR SEAT-TO-FL	<u>-00k (ksii</u>	F)								
REAR SEAT-TO-FL		F)	D							
				eat Height in						Armrests DDA1416 & DDA1421 are not available with rear seat heights
390mm	0	400mm		eat Height in 410m DDA0	nm	0		0mm 40947	0	
		400mm	5	410m	nm 946	0	DDA		0	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not
390mm DDA0944		400mm DDA094	5	0 410m DDA0	nm 946 nm	0	DD/ 460	A0947	0	available with rear seat heights 380mm - 410mm
390mm DDA0944 430mm	0	400mm DDA094 440mm	9	2 410n DDA0 450n DDA0 DDA0 490n	nm 946 nm 950	0	DD/ 460	A0947 Omm		available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on
390mm DDA0944 430mm DDA0948	0	400mm DDA094 440mm DDA094	5 0 9 0	2 410m DDA0 450m DDA0	nm 946 nm 950 nm		DD/ 460	A0947 Omm		available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm
390mm DDA0944 430mm DDA0948 470mm DDA0952	0 0 0	400mm DDA094 440mm DDA094 480mm	5 0 9 0	2 410m DDA0 450m DDA0 DDA0 490m	nm 946 nm 950 nm	0	DD/ 460	A0947 Omm		available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on
390mm DDA0944 430mm DDA0948 470mm	0 0 0	400mm DDA094 440mm DDA094 480mm	5 0 9 0	2 410m DDA0 450m DDA0 DDA0 490m	nm 946 nm 950 nm	0	DD/ 460	A0947 Omm		available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on
390mm DDA0944 430mm DDA0948 470mm DDA0952	O O O STH (LLL)	400mm DDA094 440mm DDA094 480mm	5 0 9 0 3 0	2 410m DDA0 450m DDA0 DDA0 490m	nm 946 nm 950 nm 954	0	DD/ 460	A0947 Omm A0951		available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG	0 0 0	400mm DDA094 440mm DDA094 480mm DDA095	5 0 9 0	410n DDA0 450n DDA0 490n DDA0	nm 946 nm 950 nm 954	0 0 32	DD/ 460 DD/	A0947 Omm A0951		available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm	O O O STH (LLL)	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1671	5 0 9 0 3 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672	nm 946 nm 950 nm 954	0 0 32 DD	0mm 460 0DD4	A0947 Omm A0951		available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm DDA1670 330mm	O O O STH (LLL)	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1671 340mm	5 0 9 0 3 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672 350mm	nm 946 nm 950 nm 954 0	0 0 32 DD 36	0mm 0mm 0mm	A0947 Omm A0951	0	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm DDA1670 330mm DDA1674	O O O STH (LLL)	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1671 340mm DDA1675	5 0 9 0 3 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672 350mm DDA1676	nm 946 nm 950 nm 954 0	0 0 32 DD 36 DD	0mm A1673 0mm A1677	A0947 Omm A0951	0	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm DDA1670 330mm DDA1674 370mm	O O O STH (LLL)	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1671 340mm DDA1675 380mm	5 0 9 0 3 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672 350mm DDA1676 390mm	1 m 946 1 m 950 1 m 954 0 0	0 0 32 DD 36 DD 40	0mm A1673 0mm A1677 0mm	A0947 Dmm A0951	0	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm Lower leg length must be measured taking
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm DDA1670 330mm DDA1674 370mm DDA1678	0 0 0 0 3TH (LLL) 0 0	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1671 340mm DDA1675 380mm DDA1679	5 0 9 0 3 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672 350mm DDA1676 390mm DDA1680	1 m 946 1 m 950 1 m 954 0 0	0 32 DD/ 36 DD/ 40 DD/	0mm A1673 0mm A1677 0mm A1681	A0947 Dmm A0951		available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm Lower leg length must be measured taking away the cushion thickness
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm DDA1670 330mm DDA1674 370mm DDA1678 410mm	0 0 0 0 3TH (LLL) 0 0	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1671 340mm DDA1675 380mm DDA1679 420mm	5 0 9 0 3 0	410m DDA0 450m DDA0 490m DDA0 310mm DDA1672 350mm DDA1676 390mm DDA1680 430mm	nm 946 nm 950 nm 954 0 0	0 0 32 DD 36 DD 40 DD 40 DD	0mm 460 DD4 00mm A1673 0mm A1677 0mm A1681 0mm	A0947 Dmm A0951		available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm Lower leg length must be measured taking away the cushion thickness
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm DDA1670 330mm DDA1674 370mm DDA1678 410mm DDA1682	0 0 0 0 0 0 0 0 0	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1671 340mm DDA1675 380mm DDA1679 420mm DDA1683	5 0 9 0 3 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672 350mm DDA1676 390mm DDA1680 430mm DDA1684	nm 946 nm 950 nm 954 0 0	0 32 DD 36 DD 40 DD 40 DD	0mm A1673 0mm A1677 0mm A1681 0mm A1685	A0947 Dmm A0951	O Lov config	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm Lower leg length must be measured taking away the cushion thickness wer leg lengths of less than 390mm in certain jurations could be delivered with an upmounted footplate.
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm DDA1670 330mm DDA1674 370mm DDA1678 410mm	0 0 0 0 0 0 0 0 0	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1671 340mm DDA1675 380mm DDA1679 420mm	5 0 9 0 3 0	410m DDA0 450m DDA0 490m DDA0 310mm DDA1672 350mm DDA1676 390mm DDA1680 430mm	nm 946 nm 950 nm 954 0 0 0	0 32 DD, 36 DD, 40 DD, 40 DD, 44 44 DD, 48	0mm A1673 0mm A1677 0mm A1681 0mm A1685 0mm	A0947 Dmm A0951	O Lov config	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm Lower leg length must be measured taking away the cushion thickness wer leg lengths of less than 390mm in certain jurations could be delivered with an upmounted footplate.
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENC 290mm DDA1670 330mm DDA1674 370mm DDA1678 410mm DDA1682 450mm	0 0 0 0 0 0 0 0 0 0	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1675 380mm DDA1675 380mm DDA1679 420mm DDA1683 460mm	5 0 9 0 3 0 0 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672 350mm DDA1676 390mm DDA1680 430mm DDA1684 470mm	nm 946 nm 950 nm 954 0 0 0	0 32 DD, 36 DD, 40 DD, 40 DD, 44 44 DD, 48	0mm A1673 0mm A1677 0mm A1681 0mm A1685	A0947 Dmm A0951	O Lov config	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm Lower leg length must be measured taking away the cushion thickness wer leg lengths of less than 390mm in certain jurations could be delivered with an upmounted footplate.
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm DDA1670 330mm DDA1674 370mm DDA1678 410mm DDA1682 450mm DDA1686	0 0 0 0 0 0 0 0 0 0	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1675 380mm DDA1675 380mm DDA1679 420mm DDA1683 460mm	5 0 9 0 3 0 0 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672 350mm DDA1676 390mm DDA1680 430mm DDA1684 470mm	nm 946 nm 950 nm 954 0 0 0	0 32 DD, 36 DD, 40 DD, 40 DD, 44 44 DD, 48	0mm A1673 0mm A1677 0mm A1681 0mm A1685 0mm	A0947 Dmm A0951	O Lov config	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm Lower leg length must be measured taking away the cushion thickness wer leg lengths of less than 390mm in certain jurations could be delivered with an upmounted footplate.
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENC 290mm DDA1670 330mm DDA1674 370mm DDA1678 410mm DDA1682 450mm	0 0 0 0 0 0 0 0 0 0	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1675 380mm DDA1675 380mm DDA1679 420mm DDA1683 460mm	5 0 9 0 3 0 0 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672 350mm DDA1676 390mm DDA1680 430mm DDA1684 470mm	nm 946 nm 950 nm 954 0 0 0	0 32 DD, 36 DD, 40 DD, 40 DD, 44 44 DD, 48	0mm A1673 0mm A1677 0mm A1681 0mm A1685 0mm	A0947 Dmm A0951	O Lov config	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm Lower leg length must be measured taking away the cushion thickness wer leg lengths of less than 390mm in certain jurations could be delivered with an upmounted footplate.
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm DDA1670 330mm DDA1670 330mm DDA1674 370mm DDA1678 410mm DDA1682 450mm DDA1686 BACKREST BACKREST MATE	0 0 0 0 0 0 0 0 0 0	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1675 380mm DDA1675 380mm DDA1679 420mm DDA1683 460mm	5 0 9 0 3 0 0 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672 350mm DDA1676 390mm DDA1680 430mm DDA1684 470mm	nm 946 nm 950 nm 954 0 0 0	0 32 DD, 36 DD, 40 DD, 40 DD, 44 44 DD, 48	0mm A1673 0mm A1677 0mm A1681 0mm A1685 0mm	A0947 Dmm A0951	O Lov config	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm Lower leg length must be measured taking away the cushion thickness wer leg lengths of less than 390mm in certain jurations could be delivered with an upmounted footplate.
390mm DDA0944 430mm DDA0948 470mm DDA0952 LOWER LEG LENG 290mm DDA1670 330mm DDA1670 330mm DDA1674 370mm DDA1678 410mm DDA1682 450mm DDA1686 BACKREST MATE DDA0730	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	400mm DDA094 440mm DDA094 480mm DDA095 300mm DDA1675 380mm DDA1675 380mm DDA1679 420mm DDA1683 460mm	5 0 9 0 3 0 0 0 0 0	410n DDA0 450n DDA0 490n DDA0 310mm DDA1672 350mm DDA1676 390mm DDA1680 430mm DDA1684 470mm	nm 946 nm 950 nm 954 0 0 0	0 32 DD, 36 DD, 40 DD, 40 DD, 44 44 DD, 48	0mm A1673 0mm A1677 0mm A1681 0mm A1685 0mm A1689 0mm	A0947 Dmm A0951	O Lov config Pleas order	available with rear seat heights 380mm - 410mm 25" & 26" rear wheels are not available on rear seat height 390mm 26" rear wheels are not available on rear seat heights 400mm On 75° Carbon frame: Maximum lower leg length (LLL) must be front seat height minus 30mm Lower leg length must be measured taking away the cushion thickness wer leg lengths of less than 390mm in certain jurations could be delivered with an upmounted footplate. se refer to compatibility table at the end of this form for configurations where the footplate will be standard mounted.

	TYPE			
STANDARD	BAC	REST FOR KUSCHALL UPHOLSTERY OPTIONS	· · · · · · · · · · · · · · · · · · ·	
DDA0770		Standard backrest with rounded back bar, supplied with upholstery of choice. Not compatible with Matrx backrests (NC: 0733,0769)		•
BACKREST	FOR	IATRX OR FIXED BACKRESTS. Select if ordering with Matrx or if retro fitting	a backrest.	
		Backrest to suit all Matrx backrests.		
DDA0772		Backpost height 285mm		0
DDA0773		Backrest to suit MX2 Matrx backrests. Backpost height 285mm	Not compatible with Matrx Elite Deep & Elite Standard backrests	0
DDA0772	2 Bac	crest for Matrx MX2, Elite Deep & Elite Standard	DDA0773 Backrest for Matrx MX2 only	
Push handl		ordered with MX2 or without Matrx backrest, push handles can be selected.	Push handles: If ordered without Matrx backrest, all push handles can be selected.	
		ordered in combination with Matrx Elite Deep or 60 or 0733 are possible.	Push handles: If ordered with MX2, only 0750 or 0733 are possible.	
BACK UPHO	LSTE			
DDA0726		Premium black nylon with reflective trim upholstery cover, tension adjustable back		•
DDA0735		Aero, breathable spacer upholstery with tension adjustable back		£185
DDA0769	KDE4	Without backrest upholstery, only select with options 0772 & 0773 Backrest to fit Ma T (Hardware is supplied mounted to the backposts with the backrest supplied		0
		top of the Matrx backrest is not positioned higher than 480mm, which is the high		
DDA0764		Matrx MX2 with Mini-set hardware Height of backrest 150mm		£623
DDA0765		Matrx MX2 with Mini-set hardware Height of backrest 230mm	Compatible with cost widths 200mm 400mm	£623
DDA0766		Matrx MX2 with Mini-set hardware Height of backrest 305mm	Compatible with seat widths 360mm - 460mm	£623
DDA0767		Matrx MX2 with Mini-set hardware Height of backrest 405mm		£623
		hardware, spacer fabric cover with leatherette side panels. Maximum user weight 113kg/17.8 Stone	Shown mounted to backposts	
DDA0756		Matrx Elite Deep with Easy-set mounting hardware Height of backrest 310mm		£495
DDA0757		Matrx Elite Deep with Easy-set mounting hardware Height of backrest 410mm	Compatible with seat widths 360mm - 500mm	£495
DDA0758		Matrx Elite Standard with Easy-set mounting Height of backrest 260mm		£447
DDA0759		Matrx Elite Standard with Easy-set mounting Height of backrest 310mm		£447
DDA0760 DDA0761		Matrx Elite Standard with Easy-set mounting Height of backrest 360mm Matrx Elite Standard with Easy-set mounting Height of backrest 410mm	Compatible with seat widths 360mm - 460mm Compatible with seat widths 360mm - 500mm	£447 £447
		Matrx Elite Deep Matrx Elite Standard	Matrx Elite Deep and Matrx Elite backrests are supplied with Easy-set hardware and spacer	
Å	ý		fabric cover Maximum user weight 120kg/19 Stone	
DDA1111		Without Matrx backrest, select only if retro-fitting a fixed backrest		0
PUSH HAND	LES			
PUSH HAND DDA0750		Without push handles		•
PUSH HAND DDA0750 DDA0751		Without push handles Fixed push handles short		♦ £110
PUSH HAND DDA0750 DDA0751 DDA0702		Without push handles Fixed push handles short Fixed push handles long	Maximum user weight 120kg/19 Stone	€110 £110
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703		Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60	Maximum user weight 120kg/19 Stone	♦ £110
PUSH HAND DDA0750 DDA0751 DDA0702		Without push handles Fixed push handles short Fixed push handles long	Maximum user weight 120kg/19 Stone	€110 £110 £110 £210
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703 DDA0704		Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery	Maximum user weight 120kg/19 Stone	€110 £110 £210 £164
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703 DDA0704 DDA0733		Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery	Maximum user weight 120kg/19 Stone	€110 £110 £210 £164
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703 DDA0704 DDA0733 BACKREST		Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery E	Maximum user weight 120kg/19 Stone	€110 £110 £210 £164 £181
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703 DDA0704 DDA0733 BACKREST DDA0707		Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery E 74° Angle from the seat	Maximum user weight 120kg/19 Stone	€110 £110 £210 £164 £181
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703 DDA0704 DDA0703 BACKREST / DDA0707 DDA0707		Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery E 74° Angle from the seat 78° Angle from the seat	Maximum user weight 120kg/19 Stone	 €110 £110 £210 £164 £181 O O
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703 DDA0704 DDA0733 BACKREST / DDA0707 DDA0707 DDA0707 DDA0707		Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery E 74° Angle from the seat 78° Angle from the seat 82° Angle from the seat	Maximum user weight 120kg/19 Stone	
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703 DDA0704 DDA0733 BACKREST / DDA0707 DDA0707 DDA0707 DDA0707 DDA0707 DDA0707 DDA0718 DDA0719	ANGL	Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery E 74° Angle from the seat 78° Angle from the seat 88° Angle from the seat 90° Angle from the seat	Maximum user weight 120kg/19 Stone	 ♦ £110 £110 £210 £164 £181 ○ ○
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703 DDA0703 DDA0704 DDA0703 BACKREST / DDA0707 DDA0707 DDA0707 DDA0707 DDA0707 DDA0718 DDA0719 DDA0711	ANGL	Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery E 74° Angle from the seat 78° Angle from the seat 88° Angle from the seat 90° Angle from the seat	Maximum user weight 120kg/19 Stone	 ♦ £110 £110 £210 £164 £181 ○ ○
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703 DDA0704 DDA0703 BACKREST / DDA0707 DDA0707 DDA0707 DDA0707 DDA0707 DDA0708 DDA0709 DDA0719 DDA0711 SEAT UPHOI	ANGL	Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery E 74° Angle from the seat 78° Angle from the seat 86° Angle from the seat 90° Angle from the seat 8Y	00mm. Not compatible with Matrx backrests	 ♦ £110 £110 £210 £164 £181 ○ ○
PUSH HAND DDA0750 DDA0751 DDA0702 DDA0703 DDA0704 DDA0703 BACKREST / DDA0707 DDA0707 DDA0707 DDA0707 DDA0707 DDA0711 SEAT UPHOI DDA0610	ANGL	Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery E 74° Angle from the seat 78° Angle from the seat 86° Angle from the seat 90° Angle from the seat 8¥ Standard black nylon with one 5cm wide central band (loop)	00mm. Not compatible with Matrx backrests	
PUSH HAND DDA0750 DDA0751 DDA0751 DDA0702 DDA0703 DDA0704 DDA0703 BACKREST / DDA0707 DDA0707 DDA0707 DDA0707 DDA0718 DDA0719 DDA0711 SEAT UPHOI DDA0610		Without push handles Fixed push handles short Fixed push handles long Height adjustable, rear set, maximum height of push handles is rear seat height + 60 Foldable push handles Height adjustable integrated push handles, for without upholstery E 74° Angle from the seat 82° Angle from the seat 86° Angle from the seat 90° Angle from the seat EY Standard black nylon with one 5cm wide central band (loop) Light mesh seat upholstery with one central band (loop) Without publication adjustable seat with one central band (loop)	00mm. Not compatible with Matrx backrests	 ♦ £110 £110 £210 £164 £181 ○ ○

SEAT CUSH				
DDA0600		Seat cushion 6cm foam with visco layer		£55
		Matrx Libra with Black Smooth cover Very High risk	Matrx Libra is compatible with seat sizes 360-500mm wide	
DDA0662		pressure & positioning cushion	& 400-450mm deep Matrx Vi is compatible with seat sizes 360-500mm wide	£323
DDA0663		Matrx Vi with Black Meshtex cover High risk pressure & positioning cushion	& 400-450mm deep	£299
FOOTREST				
FOOTREST	TYPE			
DDA1508		Foot tube rigid - Aluminium	(NC: 1570)	•
DDA1509		Foot tube rigid - Titanium (Not possible with upmounted footrest) Weight saving approx. 150g	(NC: 1570)	£153
DDA1570		Carbon footplate, angle adjustable	(NC: 1513)	£187
FOOT TUBE	cov	ER		
DDA1513		Foot tube cover		£31
CLOTHESGU	JARD	DS/MUDGUARDS		
With suspens	sion,	distance between tyre and mudguard is 40mm		
DDA1401		Carbon clothes guards	(NC: 1408)	•
DDA1408		Carbon mud guards	(NC: 1416,1421)	£255
ARMRESTS				
DDA1416		Armrest, height adjustable, short pad, non locking, without clothesguards		£136
DDA1421		Armrest, height adjustable, long pad, non locking, without clothesguards		£136
TUBULAR A	RMR	EST: If tubular arms are required, in combination with back heights of 270-3	330mm only fixed or without push handles are available	
DDA1411		Tubular armrest. Height adjustable, removable, non-locking, swing-away & con	nfort padded	£199
		DDA1416 DDA1421 Height adjustable	DDA1411 Tubular armrest	
COLOUR-PO				
	ses of	f rear wheel rims, wheel hub and Q/R push buttons, castor forks, castor hou	using caps, seat module caps and backrest plate	
DDA0330		Colour-Power-Set techno-anthracite		£185
DDA0334		Colour-Power-Set b-blue		£185
DDA0329		Colour-Power-Set comet red		£185
DDA0336		Colour-Power-Set arctic blue		£185
DDA0337		Colour-Power-copper glaze		£185
DDA0338		Colour-Power-chrome	Starec wheel rim supplied in black when Chrome CPS is selected	£185
DDA0339		Colour-Power-champagne		£185
DDA0340		Colour-Power-olive		£185
FRONT WHE	IEL.			
DDA0800		75mm x 25mm (3" x 1") Supersport		0
DDA0801		100mm x 30mm (4" x 1.2") Everyday wheel with black tyre		0
DDA0803		100mm x 25mm (4" x 1") Starec techno-anthracite hub, black tyre		£69
DDA0807		100mm x 25mm (4" x 1") Starec b-blue hub, black tyre		£69
DDA0808	-	100mm x 25mm (4" x 1") Starec comet red hub, black tyre		£69
DDA0830 DDA0831	-	100mm x 25mm (4" x 1") Starec copper glaze hub, black tyre 100mm x 25mm (4" x 1") Starec arctic blue hub, black tyre		£69 £69
DDA0831 DDA0809	-	100mm x 25mm (4" x 1") Starec arctic blue hub, black tyre 100mm x 25mm (4" x 1") Starec black hub, black tyre		£69 £69
DDA0809 DDA0861		100mm x 25mm (4" x 1") Starec chrome hub, black tyre		£69 £69
DDA0801	-	100mm x 25mm (4 x 1") Starec champagne hub, black tyre		£69
DDA0825	-	100mm x 25mm (4" x 1") Starec olive hub, black tyre		£69
DDA0820	1	100mm x 30mm (4" x 1.2") Comfort wheel with black tyre		0
DDA0796	-	100mm x 36mm (4" x 1.4") Softroll aluminium, black hub, black tyre		£77
DDA0797	-	100mm x 36mm (4" x 1.4") Softroll aluminium, silver hub, black tyre		£77
DDA0810	1	125mm x 30mm (5" x 1.2") Everyday wheel with black tyre		0
DDA0863	1	125mm x 30mm (5" x 1.2") Confort wheel with black tyre		•
DDA0813	1	125mm x 25mm (5" x 1") Starec techno-anthracite hub, black tyre		£69
DDA0817	1	125mm x 25mm (5" x 1") Starec b-blue hub, black tyre		£69
DDA0818	1	125mm x 25mm (5" x 1") Starec comet red hub, black tyre		£69
DDA0833	1	125mm x 25mm (5" x 1") Starec copper glaze hub, black tyre		£69
DDA0832	1	125mm x 25mm (5" x 1") Starec arctic blue hub, black tyre		£69
DDA0819	1	125mm x 25mm (5" x 1") Starec black hub, black tyre		£69
DDA0862	1	125mm x 25mm (5" x 1") Starec chrome hub, black tyre		£69
DDA0827	1	125mm x 25mm (5" x 1") Starec champagne hub, black tyre		£69
DDA0828	1	125mm x 25mm (5" x 1") Starec olive hub, black tyre		£69
DDA0798	1	125mm x 36mm (5" x 1.4") Softroll aluminium, black hub, black tyre		£77
DDA0799	1	125mm x 36mm (5" x 1.4") Softroll aluminium, silver hub, black tyre		£77

ONE ARM DI	RIVE	SYSTEM $$ (Complete wheel system supplied with pneumatic tyres and grey a	aluminium handrim and set at 0 degree camber)	
DDA1118		One-arm-drive right side	(NC: 0276,0278,1200,1202,0909,0271,0272)	£452
DDA1119		One-arm-drive left side	(NC: 0276,0278,1200,1202,0909,0271,0272)	£452
REAR WHEE	EL FIX	ATION		
DDA0250	x	Standard rear wheel position		•
AXLE TUBE	ТҮРЕ			
10° Camber	on Va	rio-Ax only locks with an Active Brake		
DDA0276		Vario-Ax, adjustable Camber 1/3/7/10°	(NC: 0927,1302)	£237
DDA0277		Standard axle		•
DDA0278		Carbon axle (reduces weight by 100g)		£175
CAMBER AN	IGLE	•		
DDA0270		0° camber		0
DDA0271		3° camber		•
DDA0272		6° camber		0
QUAD RELE	ASE	AXLE		•
DDA0909		Quad quick release axle	(NC: 0906,0912,0927)	£71
REAR WHEE	EL SIZ	2E		
DDA0902		24" wheel	(NC: 0918,0912)	•
DDA0925		25" wheel	(NC: 0906,0908,0913,0915,0927)	0
DDA0903	1	26" wheel	(NC: 0906,0908,0912,0918,0913,0927,1303)	0
REAR WHEE	LTY	PE		
DDA0915		24", 26" Küschall Starec with cross spokes (hub colourless and rim black or in 0	CPS if selected) (NC: 1399)	•
DDA0908		24" High performance wheel (Starec hub, spokes & rim black, hub only in CPS if selected)	(NC: 1004,1006,1007,1399)	£210
DDA0918		25" High Performance wheel (Starec hub, spokes & rim black, hub only in CPS if selected)	(NC: 1014,1002,1004,1006,1007,1102,1104,1106,1200,1202, 1208,1399)	£302
DDA0913		24" Mountain Bike, fitted with specific 24" x 1.75" tyre Select either Aluminium or Supergripp handrims only CPS not available	(NC: 1014,1002,1004,1006,1011,1010,1007,1104,1106,1120, 1202,1208,1399)	£205
DDA0906		24" Spinergy LXK wheel (Black lightweight hub, 18 spokes black, No CPS) Coloured spokes are available via MyKuschall, please indicate requirements in the space provided at the end of the form.	(NC: 1004,1006,1007,1200,1202,1208,1399)	£505
DDA0912		25" Spinergy LXK wheel (hub, rim & spokes black) CPS not offered Coloured spokes are available via MyKuschall, please indicate requirements in the space provided at the end of the form.	(NC: 1002,1004,1007,1200,1202,1208,1399)	£505
SWO0907		24" or 25" Spinergy SPOX wheel (18 spokes in black, no CPS) Coloured spokes are available via MyKuschall, please indicate requirements in the space provided at the end of the form.	(NC: 1004,1006,1007,1200,1202,1208,1399)	£402
SWO0909		24" or 25" Spinergy LX wheel (12 spokes in black no CPS) Coloured spokes are available via MyKuschall, please indicate requirements in the space provided at the end of the form.	(NC: 1004,1006,1007,1200,1202,1208,1399)	£608
DDA0927		24" Wheel with integrated hub brakes (Silver spokes with black hub and rim) CPS not available	(NC: 1004,1006,1007)	£567
REAR WHEE	EL TY	RE		
DDA1014		24", 25", 26" Schwalbe rightrun black & grey pneumatic tyre		•
DDA1002		24" Profile 7 bar grey pneumatic tyre		0
DDA1004		24" Solid tyre, profil, grey		£55
DDA1006		24" Solid tyre black (KIK)		£72
DDA1011		24", 25" Schwalbe One V Guard, puncture resistant black pneumatic tyre		£80
DDA1010		24", 25", 26" Marathon Plus black pneumatic tyre with Smartguard 5mm layer of	protective rubber infill (NC: 1020)	£82
DDA1007		24" Solid tyre light grey		£55
ANTI-FLAT P	ROT	ECTION		
DDA1020 HANDRIM		Anti-flat tyre tube protection		£18
DDA1102	1	24", 26" Supergripp, long tab, 2 hole set at 3 cm distance		£185
DDA1102	+	24", 26" Steel polished, short tab, 1 hole set at 3 cm distance		£52
DDA1104	+	24" Titanium, short tab, 1 hole set at 3 cm distance		£159
DDA1100 DDA1121	+	24" Carbolife Gekko black coated (fully integrated rubber strip for extra grip) mou	inted at 3cm distance. 25" Gekko handrims are available via Myküschall	£159 £345
DDA1121 DDA1122	+	24" Carboline Genero black coaled (unity integrated tubber ship for extra grip) mod 24" Carbolife Curve L black coated (unique shaped profile for low-effort grip) mod	•	£345 £308
	+		ance a com distance 20. Ourve L handlins are avaliable vid iviyrus(11811	£308
DDA1113	-	24", 25", 26" Light Alu grey, short tab, 1 hole set at 3 cm distance		
DDA1114	-	24", 25", 26" Light Alu grey, long tab, 2 hole set at 4 cm distance		0
DDA1117	PD9	24", 25", 26" Light Alu black, short tab, 1 hole set at 3 cm distance		£34
SPOKE GUA	RDS			
DDA1200	-	24", 26" Transparent		£104
DDA1202		24" Küschall Black with white logo		£104
DDA1208	<u> </u>	24" Transparent and white with Küschall logo in black		£104

SAFETY					
BRAKES					
DA1300	Standard brake lever bent	•			
DDA1302	Performance brake (NC: 1310)	£64			
DDA1303	Active/Scissor brake (NC: 1310)				
DDA1399	Without brake Can only be selected with DDA0927,	wheel with hub brakes O			
	DDA1300 DDA1302 Push to lock brake, lever bent Performance brake	DDA1303 Scissor/active brake			
	PTIONS ITENSION LEVER				
DA1310	Extension lever for standard brake	£41			
DDA1730	Seat belt	£61			
NTI TIPPER					
DA1702	Anti-tipper tube right	£101			
DA1703	Anti-tipper tube left	£101			
DA1704	Anti-tipper tube both sides	£202			
CCESSORIE	RIES				
DDA1715	Air Pump	£11			
DA1712	Küschall watch, right side, mounted in castor housing (NC: 1713)	£88			
DDA1713	Küschall watch, left side, mounted in castor housing	£88			
DDA1717	Tool Kit	•			
DDA1734	Mountain bike wheels with bag are supplied with aluminium handrims only, includes quick release axles	£265			
PRICE					

	Non Conforming Items Guide
DDA0702	Push handles fixed long
DDA0703	Height adjustable rear set push handles
	Foldable push handles
DDA0733	Height adjustable integrated push handles
DDA0751	Push handles fixed short
DDA0772	Without backrest upholstery
	24" Spinergy LX wheels
	24" High Performance wheel
DDA0912	25" Spinergy LXK wheels
DDA0913	24" Mountain Bike wheel
DDA0915	24", 26" küschall Starec
DDA0918	25" High Performance wheel
DDA0927	24" Integrated brakes in hub wheel
	Profile tyre 7 bar
DDA1004	Solid tyre, profil, grey
DDA1006	Solid tyre (KIK) black
DDA1007	Solid tyre Light, grey
DDA1010	Marathon Plus tyre
	Schwalbe One tyre
DDA1014	Schwalbe rightrun black & grey tyre
	Anti-flat tyre tube protection
	Supergripp handrim,24",26" dist. 3 cm
-	Steel polished handrim, 24",26" dist. 3 cm
DDA1106	Titanium handrim, 24 "dist. 3 cm
	Surge LT Handrim
	Transparant Spokeguards
	Küschall Spokeguards
DDA1208	24" Transparent and white with Küschall logo in black
	Performance brake
	Active brake
	Extension lever for standard brake
	Without brakes
	Carbon mud guards
	Tubular armrest, height adjustable, removable, swing-away, comfort padded
	Siderest, height adjustable, short
	Siderest height adjustable, long
	Carbon footplate angle adjustable
DDA1713	Kuschall watch left

	CARBON K Series Frame Compatibility Table									
	The dimensions within this table give instances where the footplate will be standard mounted.									
	Any measurements outside of this table may result in the chair being delivered with an upmounted footplate.									e.
		24''	' Rear Wheels 25'' Rear Whee			els	26''	Rear Whe	els	
	Frame Type	Front seat Knee to		neel (mm)	Front seat	Knee to	heel (mm)	Front seat	Knee to heel (mm)	
	Traine Type	to floor	Std	Flip-Up	to floor	Std	Flip-Up	to floor	Std	Flip-Up
		(mm)	footplate	footplate	(mm)	footplate	footplate	(mm)	footplate	footplate
E		490	380-460	340-460	500	380-470	340-470	510	380-480	340-480
Carbon	Carbon	500	390-470	350-470	510	390-480	350-480	520	390-490	350-490
ů				,		1		· · · · · · · · · · · · · · · · · · ·		

My Küschall special build instructions

Please fill out the required measurements in the table if applicable and give full details of the special request in the space provided below.



ΜΥ	
(ÜSCHALL	
NUSCHALL	
-	
-	
-	
-	
-	
-	
-	
-	
-	
-	

Customised Measurements						
Seat width (SW)						
Seat depth (SD)						
Back Height (BH)						
Front Seat To Floor (FSTF)						
Rear Seat To Floor (RSTF)						
Lower Leg Length (LLL)						
Backrest Angle (BA)						
Total Length/Total Width (TL/TW)						
Camber						
Client Weight						
Client Height						

