



**Yes, you can:**

Tel: 01656 776222 Fax: 01656 776220  
 Email: ordersuk@invacare.com  
 Online Spares available at: www.invacare.co.uk

# Manual Retail Prescription Form

JUNE 2023  
 Customer Ref:

|                          |                    |
|--------------------------|--------------------|
| <b>Customer Ref*</b>     | <b>Account No*</b> |
| <b>Contact No*</b>       | <b>Order No*</b>   |
| <b>Delivery Address*</b> | <b>Order Qty*</b>  |
|                          | <b>Order date*</b> |

## Kuschall K-Series 2.0

### Standard Features

- Max User Weight 130kg (20.5 stone)
- Crash Tested ISO 7176-Part 19
- Active Rigid Wheelchair with Height Adjustable Rigid Footrest
- Multiple adjustments, Front and Rear Seat Heights and Centre of Gravity
- Full Hydroformed Aluminium Front Frame 75° Front Angle
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims and Pneumatic Tyres
- Choice of 10 Seat Widths 320mm to 500mm
- Choice of 8 Seat Depths 350mm to 525mm
- Range of Front Seat Heights from 450mm to 520mm
- Range of Rear Seat Heights from 390mm to 490mm
- Lockdown Folding, Angle and Height Adjustable Backrest
- Black Nylon with Reflective Trim, Tension Adjustable Upholstery
- Without Push Handles, Carbon Clothesguards
- Black Aluminium Axle Tube with 3° Camber
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

**Standard Base price: £2,540**



Please make your selection with a cross in the box     Free of charge     standard feature     POA     special request

Customer weight =                      KG

| Code                 | Description  |        |
|----------------------|--|--------|
| <b>BASE PRODUCT*</b> |  |        |
| DKA0067              | KÜSCHALL K-SERIES  | £2,540 |
| DKA0000              | MYKÜSCHALL Special Request - Please include quotation reference in special description at the end of the form where applicable | POA    |

| FRAME*   |  |   |   |      |
|--|--|---|---|------|
| DKA1040  |  | V Style Standard Frame Angle 75° Aluminium  | (NC 1475, 1490, 1495)   | ◆    |
| DKA1050  |  | Tapered Style Standard Frame Angle 75° Aluminium  | (NC 1475, 1490, 1495, 1740, 1745, 1750, 3230)   | ○    |
| DKA1060  |  | V Style +5cm Frame Angle 75° Aluminium. Frame to accommodate a longer seat depth and seat height for taller clients                             | (NC 1410, 1420, 1435, 1740, 1745, 1750, 1755, 1760)                                     | ○    |
| DKA1070  |  | V Style Standard Frame Angle 90° Aluminium  | (NC 1475, 1490, 1495)   | ○    |
| DKA1080  |  | Tapered Style Standard Frame Angle 90° Aluminium. Taper before the frame bend creating a parallel style front frame with a wider footrest space | (NC 1475, 1490, 1495, 1740, 1745, 1750, 3230, 5300, 5350, 5400, 5450, 5500)             | ○    |
| DKA1090  |  | V Style +5cm Frame Angle 90° Aluminium. Frame to accommodate a longer seat depth and seat height for taller clients                             | (NC 1410, 1420, 1435, 1740, 1745, 1750, 1755, 1760)                                     | ○    |
| SUSPENSION   |  |   |   |      |
| DKA1200  |  | Seat Suspension, Weight Range 40-65 KG  | (NC 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430) | £434 |
| DKA1210  |  | Seat Suspension, Weight Range 65-85 KG  | (NC 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430) | £434 |
| DKA1220  |  | Seat Suspension, Weight Range 85-100 KG   | (NC 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430) | £434 |
| SEAT WIDTH*  |  |   |   |      |
| DKA1310  |  | 320 mm  | (NC 2050, 2610, 2630, 2710, 2720, 2748, 2750, 3405, 3420)                               | ○    |
| DKA1315  |  | 340 mm  | (NC 2710, 2720, 2748, 3405, 3420)   | ○    |
| DKA1320  |  | 360 mm  | (NC 2710, 2748)   | ○    |
| DKA1325  |  | 380 mm  |   | ○    |
| DKA1330  |  | 400 mm  |   | ◆    |
| DKA1335  |  | 420 mm  |   | ○    |
| DKA1340  |  | 440 mm  | (NC 2630)   | ○    |
| DKA1345  |  | 460 mm  | (NC 2630)   | ○    |
| DKA1350  |  | 480 mm  | (NC 2630, 3230)   | ○    |
| DKA1355  |  | 500 mm  | (NC 2630, 3210, 3230)   | ○    |
| SEAT DEPTH*  |  |   |   |      |
| DKA1410  |  | 350 mm  | (NC 1500, 1510, 2630, 2710, 2720, 2748, 2860, 7810, 7820, 7830)                         | ○    |
| DKA1420  |  | 375 mm  | (NC 2710, 2720, 2748, 7810, 7820, 7830)   | ○    |
| DKA1435  |  | 400 mm  |   | ◆    |
| DKA1450  |  | 425 mm  |   | ○    |
| DKA1465  |  | 450 mm  | (NC 2630)   | ○    |
| DKA1475  |  | 475 mm  | (NC 2630, 2748)   | ○    |
| DKA1490  |  | 500 mm  | (NC 2630, 2710, 2748)   | ○    |
| DKA1495  |  | 525 mm  | (NC 2630, 2610, 2710, 2748)   | ○    |
| SEAT POSITION. Seat module can be moved forward and backward along the frame to achieve a more active or stable rear wheel position* |  |   |   |      |
| DKA1500  |  | Position 1 = 140 mm MOST ACTIVE POSITION  |   | ○    |
| DKA1510  |  | Position 2 = 125 mm   |   | ○    |
| DKA1520  |  | Position 3 = 110 mm   |   | ◆    |
| DKA1530  |  | Position 4 = 95 mm  |   | ○    |
| DKA1540  |  | Position 5 = 80 mm LEAST ACTIVE POSITION  |   | ○    |

| <b>BACK HEIGHT. Transportation kit is only possible with backrest heights of 405mm and above*</b>                                   |  |   |   |
|---|--|---|---|
| DKA1600   |  | Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if Matrx/Fixed backrest is required. | (NC 2100, 2220, 2230) <input type="radio"/>             |
| DKA1605   |  | 270 mm  | (NC 2150, 2240, 2430, 7600) <input type="radio"/>       |
| DKA1610   |  | 285 mm  | (NC 2150, 2240, 7600) <input type="radio"/>             |
| DKA1615   |  | 300 mm  | (NC 2150, 2240, 7600) <input type="radio"/>             |
| DKA1620   |  | 315 mm  | (NC 2150, 2240, 7600) <input type="radio"/>             |
| DKA1625   |  | 330 mm  | (NC 2150, 2240, 7600) <input type="radio"/>             |
| DKA1630   |  | 345 mm  | (NC 2150, 2240, 7600) <input type="radio"/>             |
| DKA1635   |  | 360 mm  | (NC 2150, 2240, 7600) <input type="radio"/>             |
| DKA1640   |  | 375 mm  | (NC 2150, 2240, 7600) <input type="radio"/>             |
| DKA1645   |  | 390 mm  | (NC 2150, 2240, 7600) <input type="radio"/>             |
| DKA1650   |  | 405 mm  | (NC 2150, 2240) <input type="radio"/>                   |
| DKA1655   |  | 420 mm  | (NC 2150, 2240) <input type="radio"/>                   |
| DKA1660   |  | 435 mm  | (NC 2150, 2240) <input type="radio"/>                   |
| DKA1665   |  | 450 mm  | (NC 2150, 2240) <input type="radio"/>                   |
| DKA1670   |  | 465 mm  | (NC 2150, 2240) <input type="radio"/>                   |
| DKA1675   |  | 480 mm  | (NC 2150, 2240) <input type="radio"/>                   |
| <b>FRONT SEAT HEIGHT. For 75° frames, the maximum lower leg must be front seat height minus 30mm and minus 40mm for 90° frames*</b> |  |   |   |
| DKA1740   |  | 450 mm  | (NC 5300, 5350, 5400, 5450, 5500) <input type="radio"/> |
| DKA1745   |  | 460 mm  | (NC 5300, 5350, 5400, 5450, 5500) <input type="radio"/> |
| DKA1750   |  | 470 mm  | <input type="radio"/>                                   |
| DKA1755   |  | 480 mm  | <input type="radio"/>                                   |
| DKA1760   |  | 490 mm  | <input type="radio"/>                                   |
| DKA1765   |  | 500 mm  | <input checked="" type="radio"/>                        |
| DKA1770   |  | 510 mm  | <input type="radio"/>                                   |
| DKA1775   |  | 520 mm  | <input type="radio"/>                                   |
| <b>REAR SEAT HEIGHT*</b>  |  |   |   |
| DKA1815   |  | 390 mm  | (NC 3490, 3495, 6030, 6040, 6430) <input type="radio"/> |
| DKA1820   |  | 400 mm  | (NC 3490, 3495, 6030, 6040, 6430) <input type="radio"/> |
| DKA1825   |  | 410 mm  | (NC 3490, 3495) <input type="radio"/>                   |
| DKA1830   |  | 420 mm  | <input type="radio"/>                                   |
| DKA1835   |  | 430 mm  | <input type="radio"/>                                   |
| DKA1840   |  | 440 mm  | <input checked="" type="radio"/>                        |
| DKA1845   |  | 450 mm  | <input type="radio"/>                                   |
| DKA1850   |  | 460 mm  | <input type="radio"/>                                   |
| DKA1855   |  | 470 mm  | <input type="radio"/>                                   |
| DKA1860   |  | 480 mm  | <input type="radio"/>                                   |
| DKA1865   |  | 490 mm  | (NC 6410) <input type="radio"/>                         |

| <b>LOWER LEG LENGTH. Cushion height must be deducted*</b> |  |  |                            |
|---|--|--|----------------------------|
| DKA1918   |  | 290 mm   | ○                          |
| DKA1920   |  | 300 mm   | ○                          |
| DKA1922   |  | 310 mm   | ○                          |
| DKA1924   |  | 320 mm   | ○                          |
| DKA1926   |  | 330 mm   | ○                          |
| DKA1928   |  | 340 mm   | ○                          |
| DKA1930   |  | 350 mm   | ○                          |
| DKA1932   |  | 360 mm   | ○                          |
| DKA1934   |  | 370 mm   | ○                          |
| DKA1936   |  | 380 mm   | ○                          |
| DKA1938   |  | 390 mm   | ○                          |
| DKA1940   |  | 400 mm   | ○                          |
| DKA1942   |  | 410 mm   | ○                          |
| DKA1944   |  | 420 mm   | ○                          |
| DKA1946   |  | 430 mm   | ◆                          |
| DKA1948   |  | 440 mm   | ○                          |
| DKA1950   |  | 450 mm   | ○                          |
| DKA1952   |  | 460 mm   | ○                          |
| DKA1954   |  | 470 mm   | ○                          |
| DKA1956   |  | 480 mm   | ○                          |
| <b>BACKREST MATERIAL*</b>                                 |  |  |                            |
| DKA2000   |  | Aluminium  | ◆                          |
| DKA2050   |  | Titanium   | (NC 2150, 2430, 7600) £206 |
| <b>BACKREST TYPE*</b>                                     |  |  |                            |
| DKA2100   |  | Standard Backrest with Backbrace, lockdown folding for easy transportation   | (NC 2240, 2440) ◆          |
| DKA2150   |  | Backrest with Lower Backbrace for use with Matrix fixed back. Backrest Tube Height is 285 mm, lockdown folding for easy transportation | (NC 2220, 2230, 2430) ○    |
| <b>BACKREST UPHOLSTERY*</b>                               |  |  |                            |
| DKA2220   |  | Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener         | (NC 2440) ◆                |
| DKA2230   |  | Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener                   | (NC 2440) £223             |
| DKA2240   |  | Without Backrest Upholstery Select if fitting a Matrix/Fixed backrest, no upholstery required  | ○                          |
| <b>PUSH HANDLES*</b>                                      |  |  |                            |
| DKA2400   |  | Without Push Handles   | ◆                          |
| DKA2410   |  | Push Handles Fixed Short/Mini Hand Grip  | £133                       |
| DKA2420   |  | Push Handles Fixed Long Hand Grip  | £133                       |
| DKA2430   |  | Push Handles Height Adjustable, Rear Set. Maximum height of push handles is rear seat height + 600mm                                   | (NC 3480) £254             |
| DKA2440   |  | Push Handles Height Adjustable, Integrated in backrest   | £219                       |
| DKA2450   |  | Push Handles Foldable  | £198                       |

| <b>BACKREST ANGLE*</b>   |  |  |      |
|--|--|--|------|
| DKA2520  |  | 78° angle from the seat  | ○    |
| DKA2540  |  | 82° angle from the seat  | ○    |
| DKA2560  |  | 86° angle from the seat  | ○    |
| DKA2580  |  | 90° angle from the seat  | ◆    |
| DKA2590  |  | 94° angle from the seat  | ○    |
| <b>SEAT UPHOLSTERY*</b>  |  |  |      |
| DKA2600  |  | Standard Nylon Seat Upholstery with one 5cm central band (Loop)  | ◆    |
| DKA2610  |  | Tension Adjustable Seat Upholstery with one 5cm central band (Loop)  | £45  |
| DKA2630  |  | Light Seat Upholstery, mesh material to reduce weight  | £69  |
| <b>SEAT CUSHION</b>  |  |  |      |
| DKA2700  |  | Standard Seat Cushion, 60mm high Double Foam with Visco Top Layer - Comfort/Low Risk (NC 2810, 2820, 2830, 2840, 2850)         | £66  |
| DKA2710  |  | Flo-Tech Lite Cushion 78mm high - Comfort/Low Risk (NC 2810, 2820, 2830, 2840, 2850)   | £121 |
| DKA2720  |  | Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk   | £410 |
| DKA2748  |  | Contour Visco NG Cushion 100mm High - High Risk (NC 2810, 2820, 2830, 2840, 2850)  | £169 |
| DKA2750  |  | Vicair Active O2 lightweight cushion 60mm High - High risk (NC 2810, 2820, 2830, 2840, 2850, 2860)                             | £521 |
| <b>SEAT BAG</b>  |  |  |      |
| DKA2800  |  | Seat Bag, Click in and removable   | £74  |
| <b>MATRX LIBRA CUSHION ACCESSORIES</b>   |  |  |      |
| DKA2810  |  | Fluid supplement sac (Pair)  | £44  |
| DKA2820  |  | Tapered Wedge Pair   | £30  |
| DKA2830  |  | Abductor   | £23  |
| DKA2840  |  | Lateral Side Wedge   | £20  |
| DKA2850  |  | Anterior Front Wedge   | £27  |
| <b>SEAT RIGIDISER</b>  |  |  |      |
| DKA2860  |  | Seat Rigidiser   | £39  |
| <b>FOOTREST*</b>   |  |  |      |
| DKA3200  |  | Footrest Tube, Rigid - Aluminium Hydroformed Profile   | ◆    |
| DKA3210  |  | Footrest Tube, Rigid - Titanium (Rounded tube)   | £185 |
| DKA3220  |  | Carbon Footplate, Angle Adjustable (NC 3290)   | £225 |
| DKA3230  |  | Footplate Flip-to Side, Angle Adjustable (NC 3290)   | £143 |
| <b>FOOTREST COVER</b>  |  |  |      |
| DKA3290  |  | Footrest Cover   | £37  |
| <b>CALF STRAP*</b>   |  |  |      |
| DKA3300  |  | Calf strap mounted on the frame with hook and loop   | ◆    |
| DKA3305  |  | Calf strap mounted with bracket support  | ○    |
| <b>CLOTHESGUARDS/MUDGUARDS We are currently experiencing an extended leadtime of 12 weeks on carbon clothes/mudguards*</b> |  |  |      |
| DKA3405  |  | Composite Clothesguards, Flip up, Fold in  | ○    |
| DKA3420  |  | Carbon clothes guards, Flip up, Fold in. (Currently we have an extended leadtime of 12 weeks on carbon clotheguards)           | ◆    |
| DKA3440  |  | Carbon Mudguards, Removable (Currently we have an extended leadtime of 12 weeks on carbon removable mudguards) (NC 3490, 3495) | £307 |
| DKA3450  |  | Composite mudguards, removable (NC 3490, 3495)   | £65  |

| ARMREST            |  |   |      |
|--------------------|--|---|------|
| DKA3480            |  | Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included | £241 |
| DKA3490            |  | Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included                             | £164 |
| DKA3495            |  | Armrest, Height Adjustable, Long Armpad (T-Arm), Non-locking, no Clothesguard included                              | £164 |
| FRAME COLOUR*      |  |   |      |
| DKA4000            |  | Space Black (RAL 9005)  | ○    |
| DKA4010            |  | Anthracite Grey (RAL 7016)  | ○    |
| DKA4020            |  | Pure White (RAL 9016) (NC 4220)   | ○    |
| DKA4030            |  | Carmine Red (RAL 3002)  | ○    |
| DKA4040            |  | Azure Blue (RAL 5017)   | ○    |
| DKA4060            |  | Flashy Yellow (RAL 1016) (Additional 10 day lead time)  | £31  |
| DKA4070            |  | Atomic Violet (Additional 10 day lead time)   | £31  |
| DKA4100            |  | Black Glossy (RAL 9005) (Additional 10 day lead time)   | £31  |
| DKA4130            |  | Silver Grey (RAL 9006) (Additional 10 day lead time)  | £31  |
| DKA4140            |  | Royal Blue (Additional 10 day lead time)  | £31  |
| DKA4150            |  | Ruby Red (RAL 3003) (Additional 10 day lead time)   | £31  |
| DKA4170            |  | Dynamite Orange (Additional 10 day lead time)   | £31  |
| DKA4180            |  | Forest Green (RAL 6029) (Additional 10 day lead time)   | £31  |
| DKA4050            |  | Personal frame colour. Provide standard RAL colour code of your choice  | £311 |
| FRAME DECAL TYPE*  |  |   |      |
| DKA4190            |  | Bold Decal (Full coloured transfer on frame) (NC 4300, 4310, 1111)  | £31  |
| DKA4195            |  | Tag (Small Kuschall brand transfer on front of frame) (NC 4200, 4210, 4220, 4230, 4240, 4250, 2222)                 | ◆    |
| DKA4197            |  | Without Tag (Kuschall branding only) (NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310)                            | ○    |
| BOLD DECAL COLOUR* |  |   |      |
| DKA4200            |  | Black   | ○    |
| DKA4210            |  | Dark Grey   | ○    |
| DKA4220            |  | Light Grey  | ○    |
| DKA4230            |  | Red   | ○    |
| DKA4240            |  | Blue  | ○    |
| DKA4250            |  | Gold  | ○    |
| DKA1111            |  | No bold colour, select only with Option DKA4195 Tag or DKA4197 Without Tag (NC 4190)                                | ○    |
| TAG COLOUR*        |  |   |      |
| DKA4300            |  | Black   | ○    |
| DKA4310            |  | Red   | ○    |
| DKA2222            |  | No tag colour, select only with Option DKA4190 Bold Decal or DKA4197 Without Tag (NC 4195)                          | ○    |

| FRONT CASTORS*  |  |   |      |
|---|--|---|------|
| DKA5000   |  | 75mm x 25mm (3" x 1") Supersport  | ○    |
| DKA5050   |  | 100mm x 30mm (4" x 1.2") Everyday Black hub and tyre  | ○    |
| DKA5100   |  | 100mm x 30mm (4" x 1.2") Comfort Black hub and tyre   | ○    |
| DKA5150   |  | 100mm x 25mm (4" x 1") Starec Black hub and tyre  | £83  |
| DKA5200   |  | 100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)  | £93  |
| DKA5250   |  | 100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)  | £93  |
| DKA5300   |  | 125mm x 30mm (5" x 1.2") Everyday Black hub and tyre  | ○    |
| DKA5350   |  | 125mm x 30mm (5" x 1.2") Comfort Black hub and tyre   | ○    |
| DKA5400   |  | 125mm x 25mm (5" x 1") Starec Black hub and tyre  | £83  |
| DKA5450   |  | 125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)  | £93  |
| DKA5500   |  | 125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)  | £93  |
| REAR WHEEL POSITION*  |  |   |      |
| DKA6020   |  | Standard, Fixed Rear Wheel Position (NC 6100, 6110, 6120, 6130, 6140, 6230, 6240)   | ◆    |
| DKA6030   |  | Light Rear Wheel Extension (3 Positions) (NC 6070, 6130, 6140, 6230, 6240)  | £113 |
| DKA6040   |  | Rear Wheel Extension (5 Positions) (NC 6070)  | £131 |
| CAMBER AXLE TYPE*   |  |   |      |
| DKA6050   |  | Vario-Ax, Adjustable Camber can achieve 1°, 3°, 7° and 10°. Only active/scissor brake will lock 10° camber position (NC 6200, 6210, 6220, 6270, 7230) | £287 |
| DKA6060   |  | Standard Aluminium Axle (NC 4444)   | ◆    |
| DKA6070   |  | Carbon Axle (NC 4444)   | £212 |
| POSITION OF AXLE  |  |   |      |
| DKA6100   |  | 1st Position from the front. If 2nd axle is selected, 1st axle must be placed in 1st position and 2nd in the 5th position                             | ○    |
| DKA6110   |  | 2nd Position from the front (NC 6230, 6240)   | ○    |
| DKA6120   |  | 3rd Position from the front (NC 6230, 6240)   | ○    |
| DKA6130   |  | 4th Position from the front (NC 6230, 6240)   | ○    |
| DKA6140   |  | 5th Position from the front (NC 6230, 6240)   | ○    |
| CAMBER ANGLE*   |  |   |      |
| DKA6200   |  | 0° Camber (NC 6270)   | ○    |
| DKA6210   |  | 3° Camber   | ◆    |
| DKA6220   |  | 6° Camber (NC 6240, 6250)   | ○    |
| DKA4444   |  | Without camber angle, select only with DKA6050 Vario-Axle   | ○    |
| 2ND CAMBER AXLE TYPE. If a 2nd axle is selected, 1st axle must be placed in 1st position and the 2nd axle in the 5th position                             |  |   |      |
| DKA6230   |  | Standard Aluminium Axle   | £232 |
| DKA6240   |  | Vario-Ax, Adjustable Camber can achieve 1°, 3°, 7° and 10° (NC 6250, 6260, 6270, 7230)  | £287 |
| CAMBER ANGLE 2ND AXLE. Max of 3° difference in camber from 1st axle. If only 1 of the axles is a Vario-Axle, 2nd axle is only possible in 0° or 3° camber |  |   |      |
| DKA6250   |  | 0° Camber   | ○    |
| DKA6260   |  | 3° Camber   | ○    |
| DKA6270   |  | 6° Camber   | ○    |
| DKA5555   |  | Without camber angle, select only with DKA6240 Vario-Axle   | ○    |
| QUAD QUICK RELEASE AXLE   |  |   |      |
| DKA6300   |  | Quad Quick Release/Tetra Clip (NC 6550)   | £85  |

| REAR WHEEL SIZE* |  |   |   |
|------------------|--|---|---|
| DKA6410          |  | 24"   | ◆   |
| DKA6420          |  | 25"   | (NC 6510, 6600, 6630, 6660, 6700, 6710, 6720, 6760, 6770, 6900, 6910) ○ |
| DKA6430          |  | 26"   | (NC 6520, 6550, 6600, 6630, 6660, 6720, 6740, 6750, 6760, 6770, 7240) ○ |
| REAR WHEEL TYPE* |  |   |   |
| DKA6510          |  | 24", 26" Kuschall Starec Wheel, 24" Black Cross Spokes, Rim & Hub. 26" Silver Cross-Spokes, Colourless hub and Black rim  | ◆   |
| DKA6520          |  | 24", 25" High Performance Wheel Black hub and rim   | (NC 6660) £182  |
| DKA6550          |  | 24", 25" Spinerger LXX, Black hub, rim and 18 spokes in Black   | (NC 6660, 6910) £611  |
| SWO0907          |  | 24", 25" Spinerger SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKuschall  | £486  |
| SWO0909          |  | 24", 25" Spinerger LX, Chrome hub and 12 spokes in Black. Coloured spokes are available via MyKuschall  | £735  |
| REAR WHEEL TYRE* |  |   |   |
| DKA6600          |  | 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection  | ◆   |
| DKA6625          |  | 24", 25", 26" x 1" Maxxis Alpha Protect. Lightweight, Pneumatic and highly puncture resistant.  | £100  |
| DKA6630          |  | 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)   | £97   |
| DKA6660          |  | 24" x 1 3/8" Solid Profile Black Tyre   | (NC 7230) £66   |
| HANDRIM*         |  |   |   |
| DKA6700          |  | 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance  | £223  |
| DKA6710          |  | 24", 26" Steel, short tab with 1 hole, mounted at 3cm distance  | £62   |
| DKA6720          |  | 24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance   | £192  |
| DKA6740          |  | 24" , 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip                                    | £320  |
| DKA6750          |  | 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands | £320  |
| DKA6760          |  | 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion  | £284  |
| DKA6770          |  | 24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim  | £356  |
| DKA6780          |  | 24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3 cm or 4cm mountings, mounted at 3cm distance  | ◆   |
| DKA6790          |  | 24", 25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting   | £42   |
| SPOKEGUARD       |  |   |   |
| DKA6900          |  | 24", 26" Transparent Spokeguard   | £126  |
| DKA6910          |  | 24", 26" Black Spokeguard   | £126  |
| BRAKES*          |  |   |   |
| DKA7210          |  | Standard Push to Lock Brakes, Lever Bent  | ◆   |
| DKA7230          |  | Performance Brakes, Push to Lock. Brake barrel flips away from tyre   | (NC 7300) £78   |
| DKA7240          |  | Active/Scissor Brakes   | (NC 7300) £78   |
| DKA7250          |  | Light/Compact Active, Aluminium Brakes  | (NC 7300) £136  |



| <b>BRAKE LEVER EXTENSION</b> |  |  |      |
|------------------------------|--|--|------|
| DKA7300                      |  | Brake Lever Extension  | £49  |
| <b>SAFETY OPTIONS</b>        |  |  |      |
| DKA7500                      |  | Anti-Tipper Right (NC 7520)  | £122 |
| DKA7510                      |  | Anti-Tipper Left (NC 7520)   | £122 |
| DKA7520                      |  | Anti-Tipper Both sides   | £244 |
| DKA7600                      |  | Transportation Kit Includes Standard Pelvic Belt and Tiedown Labels (NC 7800)  | £74  |
| DKA7800                      |  | Standard Pelvic belt   | £74  |
| <b>BODYPOINT BELTS</b>       |  |  |      |
| DKA7810                      |  | Bodypoint Posture Belt Evoflex Small   | £81  |
| DKA7820                      |  | Bodypoint Posture Belt Evoflex Medium  | £81  |
| DKA7830                      |  | Bodypoint Posture Belt Evoflex Large   | £81  |
| <b>OTHER OPTIONS</b>         |  |  |      |
| DKA8010                      |  | Front Frame Protectors; 2 Piece. Removable with hook and loop  | £37  |
| DKA8200                      |  | Cane Holder, Mounted Right Side  | £75  |
| DKA8210                      |  | Cane Holder, Mounted Left Side   | £75  |
| DKA8500                      |  | Air Pump   | £13  |
| DKA8550                      |  | Tool Kit   | ◆    |
| DKA8680                      |  | 24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included | £320 |
| <b>BODYPOINT ACCESSORIES</b> |  |  |      |
| DKA8800                      |  | Bodypoint Calf Strap   | £57  |
| DKA8850                      |  | Bodypoint Mobility Bag   | £55  |

|                    |  |
|--------------------|--|
| <b>TOTAL PRICE</b> |  |
|--------------------|--|

**Non Conforming Options:**

|         |  |
|---------|--|
| DKA1310 | 320 mm   |
| DKA1350 | 480 mm   |
| DKA1355 | 500 mm   |
| DKA1410 | 350 mm   |
| DKA1420 | 375 mm   |
| DKA1435 | 400 mm   |
| DKA1475 | 475 mm   |
| DKA1490 | 500 mm   |
| DKA1495 | 525 mm   |
| DKA1500 | Position 1 = 140 mm MOST ACTIVE POSITION   |
| DKA1510 | Position 2 = 125 mm  |
| DKA1520 | Position 3 = 110 mm  |
| DKA1740 | 450 mm   |
| DKA1745 | 460 mm   |
| DKA1750 | 470 mm   |
| DKA1755 | 480 mm   |
| DKA1760 | 490 mm   |
| DKA1815 | 390 mm   |
| DKA1820 | 400 mm   |
| DKA1825 | 410 mm   |
| DKA1830 | 420 mm   |
| DKA1835 | 430 mm   |
| DKA2050 | Titanium   |
| DKA2100 | Standard Backrest with Backbrace, lockdown folding for easy transportation   |
| DKA2150 | Backrest with Lower Backbrace for use with Matrix fixed back. Backrest Tube Height is 285 mm, lockdown folding for easy transportation |
| DKA2220 | Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener         |
| DKA2230 | Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener                   |
| DKA2240 | Without Backrest Upholstery Select if fitting a Matrix/Fixed backrest, no upholstery required  |
| DKA2430 | Push Handles Height Adjustable, Rear Set. Maximum height of push handles is rear seat height + 600mm                                   |
| DKA2440 | Push Handles Height Adjustable, Integrated in backrest   |
| DKA2610 | Tension Adjustable Seat Upholstery with one 5cm central band (Loop)  |
| DKA2630 | Light Seat Upholstery, mesh material to reduce weight  |
| DKA2710 | Flo-Tech Lite Cushion 78mm high - Comfort/Low Risk   |
| DKA2720 | Matrix Libra Cushion, Black Smooth Cover 70mm High - Very High Risk  |
| DKA2748 | Contour Visco NG Cushion 100mm High - High Risk  |
| DKA2750 | Vicair Active O2 lightweight cushion 60mm High - High risk   |
| DKA2810 | Fluid supplement sac (Pair)  |
| DKA2820 | Tapered Wedge Pair   |
| DKA2830 | Abductor   |
| DKA2840 | Lateral Side Wedge   |
| DKA2850 | Anterior Front Wedge   |
| DKA2860 | Seat Rigidiser   |

|         |   |
|---------|---|
| DKA3210 | Footrest Tube, Rigid - Titanium (Rounded tube)  |
| DKA3230 | Footplate Flip-to Side, Angle Adjustable  |
| DKA3290 | Footrest Cover  |
| DKA3405 | Composite Clothesguards, Flip up, Fold in   |
| DKA3420 | Carbon clothes guards, Flip up, Fold in. (Currently we have an extended leadtime of 12 weeks on carbon clotheguards)      |
| DKA3480 | Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included       |
| DKA3490 | Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included                                   |
| DKA3495 | Armrest, Height Adjustable, Long Armpad (T-Arm), Non-locking, no Clothesguard included                                    |
| DKA4190 | Bold Decal (Full coloured transfer on frame)  |
| DKA4195 | Tag (Small KÜschall brand transfer on front of frame)   |
| DKA4200 | Black   |
| DKA4210 | Dark Grey   |
| DKA4220 | Light Grey  |
| DKA4230 | Red   |
| DKA4240 | Blue  |
| DKA4250 | Gold  |
| DKA1111 | No bold colour, select only with Option DKA4195 Tag or DKA4197 Without Tag  |
| DKA4300 | Black   |
| DKA4310 | Red   |
| DKA2222 | No tag colour, select only with Option DKA4190 Bold Decal or DKA4197 Without Tag  |
| DKA5300 | 125mm x 30mm (5" x 1.2") Everyday Black hub and tyre  |
| DKA5350 | 125mm x 30mm (5" x 1.2") Comfort Black hub and tyre   |
| DKA5400 | 125mm x 25mm (5" x 1") Starec Black hub and tyre  |
| DKA5450 | 125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)  |
| DKA5500 | 125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)  |
| DKA6030 | Light Rear Wheel Extension (3 Positions)  |
| DKA6040 | Rear Wheel Extension (5 Positions)  |
| DKA6070 | Carbon Axle   |
| DKA6100 | 1st Position from the front. If 2nd axle is selected, 1st axle must be placed in 1st position and 2nd in the 5th position |
| DKA6110 | 2nd Position from the front   |
| DKA6120 | 3rd Position from the front   |
| DKA6130 | 4th Position from the front   |
| DKA6140 | 5th Position from the front   |
| DKA6200 | 0° Camber   |
| DKA6210 | 3° Camber   |
| DKA6220 | 6° Camber   |
| DKA4444 | Without camber angle, select only with DKA6050 Vario-Axle   |
| DKA6230 | Standard Aluminium Axle   |
| DKA6240 | Vario-Ax, Adjustable Camber can achieve 1°, 3°, 7° and 10°  |
| DKA6250 | 0° Camber   |
| DKA6260 | 3° Camber   |
| DKA6270 | 6° Camber   |
| DKA6410 | 24"   |
| DKA6420 | 25"   |

|         |   |
|---------|---|
| DKA6430 | 26"   |
| DKA6510 | 24", 26" Kuschall Starec Wheel, 24" Black Cross Spokes, Rim & Hub. 26" Silver Cross-Spokes, Colourless hub and Black rim  |
| DKA6520 | 24", 25" High Performance Wheel Black hub and rim   |
| DKA6550 | 24", 25" Spinerigy L XK, Black hub, rim and 18 spokes in Black  |
| DKA6600 | 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection  |
| DKA6630 | 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance)   |
| DKA6660 | 24" x 1 3/8" Solid Profile Black Tyre   |
| DKA6700 | 24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance  |
| DKA6710 | 24", 26" Steel, short tab with 1 hole, mounted at 3cm distance  |
| DKA6720 | 24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance   |
| DKA6740 | 24" , 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip                                    |
| DKA6750 | 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands |
| DKA6760 | 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion  |
| DKA6770 | 24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim  |
| DKA6900 | 24", 26" Transparent Spokeguard   |
| DKA6910 | 24", 26" Black Spokeguard   |
| DKA7230 | Performance Brakes, Push to Lock. Brake barrel flips away from tyre   |
| DKA7240 | Active/Scissor Brakes   |
| DKA7300 | Brake Lever Extension   |
| DKA7520 | Anti-Tipper Both sides  |
| DKA7600 | Transportation Kit Includes Standard Pelvic Belt and Tiedown Labels   |
| DKA7800 | Standard Pelvic belt  |
| DKA7810 | Bodypoint Posture Belt Evoflex Small  |
| DKA7820 | Bodypoint Posture Belt Evoflex Medium   |
| DKA7830 | Bodypoint Posture Belt Evoflex Large  |



For a more complex customer requirement please refer to our Invacare Unique special order form. email [specialsuk@invacare.com](mailto:specialsuk@invacare.com) or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: \_\_\_\_\_ Email: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Description of special request (please include relevant option code or part number):