

Manual Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com Online Spares available at: www.invacare.co.uk JUNE 2023 Customer Ref:

| Customer Ref* | Account No* |
|-------------------|-------------|
| Contact No* | Order No* |
| Delivery Address* | Order Qty* |
| | Order date* |

Kuschall The KSL 2.0

Standard Features

- Max User Weight 100kg (16 stone)
- Active, Fully Welded, Lightweight, Rigid Wheelchair with Height Adjustable Rigid Footrest
- Fully Hydroformed Aluminium Front Frame 75° or 90° Front Angle
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims & Pneumatic Tyres
- Choice of 6 Seat Widths 340mm to 440mm (13" 17")
- Choice of 5 Seat Depths 385mm to 485mm (15" 19")
- Range of Front Seat Heights from 450mm to 530mm (17" - 21")
- Range of Rear Seat Heights from 400mm to 480mm (15" - 19")
- Lockdown Folding, Angle & Height Adjustable
 Backrest
- Black Nylon Upholstery
- Without Push Handles, Carbon Clothesguards
- Carbon Fibre Axle Tube with 3° Camber
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit

Standard Base price: £3,005



| Please make your selection with a cross in the box | O Free of charge ◆ standard feature POA special request | |
|--|---|--|
|--|---|--|

Customer weight = KG

| Code | Description | |
|-------------|--|--------|
| BASE PRODUC | CT* | |
| DSA0085 | KÜSCHALL THE KSL 2.0 | £3,005 |
| DSA0000 | MYKÜSCHALL Special Request - Please include quotation reference in special description at the end of the form where applicable | POA |

| FRAME* | | | |
|--------------|---|---|----------|
| DSA1000 | Aluminium Hydroformed V Style Frame Angle 75° to the ground | | • |
| DSA1010 | Aluminium Hydroformed Tapered Frame Angle 75° to the ground | | O |
| DSA1020 | Aluminium Hydroformed V Style Frame Angle 90° to the ground | | 0 |
| DSA1030 | Aluminium Hydroformed Tapered Frame Angle 90° to the ground | (NC 5300, 5350, 5400, 5450, 5500) | 0 |
| WELDED SEAT | BAR PLEASE NOTE: Price quoted is a net price* | | |
| SWO3333 | Under seat rigidiser bar (Welded) Price shown is a Net price | | £375 |
| SEAT WIDTH* | | | |
| DSA1315 | 340 mm | (NC 1600, 2710, 2720, 2750, 2748) | O |
| DSA1320 | 360 mm | (NC 2748) | O |
| DSA1325 | 380 mm | | O |
| DSA1330 | 400 mm | | ♦ |
| DSA1335 | 420 mm | | 0 |
| DSA1340 | 440 mm | | 0 |
| SEAT DEPTH* | | | |
| DSA1430 | 385 mm | (NC 2720, 7810, 7820, 7830) | O |
| DSA1440 | 410 mm | | ♦ |
| DSA1455 | 435 mm | | 0 |
| DSA1470 | 460 mm | | 0 |
| DSA1485 | 485 mm | (NC 2710, 2748) | O |
| BACK HEIGHT* | | | |
| DSA1600 | Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if Matrx/Fixed backrest is required. | (NC 2200, 2220, 2230) | C |
| DSA1605 | 270 mm | (NC 2240) | • |
| DSA1610 | 285 mm | (NC 2240) | 0 |
| DSA1615 | 300 mm | (NC 2240) | O |
| DSA1620 | 315 mm | (NC 2240) | O |
| DSA1625 | 330 mm | (NC 2240) | 0 |
| DSA1630 | 345 mm | (NC 2240) | 0 |
| DSA1635 | 360 mm | (NC 2240) | 0 |
| DSA1640 | 375 mm | (NC 2240) | O |
| DSA1645 | 390 mm | (NC 2240) | O |
| DSA1650 | 405 mm | (NC 2240) | O |
| DSA1655 | 420 mm | (NC 2240) | 0 |
| FRONT SEAT H | EIGHT. Lower leg must be front height -100mm To -30mn | n on 75° frames and -80mm To -40mm on 90° frames* | |
| DSA1740 | 450 mm | (NC 1840, 1845, 1850, 1855, 1860, 6420) | O |
| DSA1745 | 460 mm | (NC 1845, 1850, 1855, 1860) | O |
| DSA1750 | 470 mm | (NC 1850, 1855, 1860) | 0 |
| DSA1755 | 480 mm | (NC 1855, 1860) | 0 |
| DSA1760 | 490 mm | (NC 1860) | 0 |
| DSA1765 | 500 mm | | ♦ |
| DSA1770 | 510 mm | (NC 1820) | 0 |
| DSA1775 | 520 mm | (NC 1820, 1825) | 0 |
| DSA1780 | 530 mm | (NC 1820, 1825, 1830, 6410) | 0 |

| REAR SEAT HI | EIGHT. Rear height = "Front height -100 MM" TO "Front height -20 MM"* | |
|--------------|--|----------|
| DSA1820 | 400 mm (NC 6420) | 0 |
| DSA1825 | 410 mm | 0 |
| DSA1830 | 420 mm | O |
| DSA1835 | 430 mm | ♦ |
| DSA1840 | 440 mm | 0 |
| DSA1845 | 450 mm | O |
| DSA1850 | 460 mm | O |
| DSA1855 | 470 mm | O |
| DSA1860 | 480 mm | O |
| LOWER LEG L | ENGTH. Cushion height must be deducted* | |
| DSA1930 | 350 mm | 0 |
| DSA1932 | 360 mm | 0 |
| DSA1934 | 370 mm | 0 |
| DSA1936 | 380 mm | O |
| DSA1938 | 390 mm | O |
| DSA1940 | 400 mm | O |
| DSA1942 | 410 mm | 0 |
| DSA1944 | 420 mm | 0 |
| DSA1946 | 430 mm | ♦ |
| DSA1948 | 440 mm | 0 |
| DSA1950 | 450 mm | O |
| DSA1952 | 460 mm | 0 |
| DSA1954 | 470 mm | O |
| DSA1956 | 480 mm | O |
| DSA1958 | 490 mm | 0 |
| DSA1960 | 500 mm | O |
| BACKREST TY | /PE* | |
| DSA2110 | Fixed Aluminium Hydroformed backrest in frame colour | • |
| DSA2140 | Folding Aluminium angle adjustable backrest in frame colour | 0 |
| BACKREST UP | PHOLSTERY* | |
| DSA2200 | Standard Light Black Nylon upholstery (No tension adjustment) | • |
| DSA2220 | Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener | £137 |
| DSA2230 | Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener | £223 |
| DSA2240 | Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required | 0 |
| PUSH HANDLE | S* | |
| DSA2400 | Without Push Handles | |
| DSA2410 | Push Handles Fixed Short/Mini Hand Grip | £133 |
| DSA2420 | Push Handles Fixed Long Hand Grip | £133 |
| DSA2440 | Push Handles Height Adjustable, Integrated in backrest | £219 |
| DSA2450 | Push Handles Foldable | £198 |
| | | |

| BACKREST AN | GLE* | | |
|---------------|--|---|----------|
| DSA2500 | 74° angle from the seat | | 0 |
| DSA2520 | 78° angle from the seat | | O |
| DSA2540 | 82° angle from the seat | | * |
| DSA2560 | 86° angle from the seat | | O |
| DSA2580 | 90° angle from the seat | | O |
| SEAT UPHOLS | TERY* | | |
| DSA2600 | Standard Nylon Seat Upholstery with one 5cm central band (Loop) | | • |
| DSA2630 | Light Seat Upholstery, mesh material to reduce weight | | £69 |
| SEAT CUSHIO | · · | | |
| DSA2700 | Standard Seat Cushion, 60mm high Double Foam with Visco Top Layer - Comfort/Low Risk | (NC 2810, 2820, 2830, 2840, 2850) | £66 |
| DSA2710 | Flo-Tech Lite Cushion 78mm high - Comfort/Low Risk | (NC 2810, 2820, 2830, 2840, 2850) | £121 |
| DSA2720 | Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk | | £410 |
| DSA2748 | Contour Visco NG Cushion 100mm High - High Risk | (NC 2810, 2820, 2830, 2840, 2850) | £169 |
| DSA2750 | Vicair Active O2 lightweight cushion 60mm High - High risk | (NC 2810, 2820, 2830, 2840, 2850, 2860) | £521 |
| MATRX LIBRA | CUSHION ACCESSORIES | | |
| DSA2810 | Fluid supplement sac (Pair) | | £44 |
| DSA2820 | Tapered Wedge Pair | | £30 |
| DSA2830 | Abductor | | £23 |
| DSA2840 | Lateral Side Wedge | | £20 |
| DSA2850 | Anterior Front Wedge | | £27 |
| SEAT RIGIDISE | iR | | |
| DSA2860 | Seat Rigidiser | | £39 |
| FOOTREST* | | | |
| DSA3200 | Footrest Tube, Rigid - Aluminium Hydroformed Profile | | • |
| DSA3210 | Footrest Tube, Rigid - Titanium (Rounded tube) | | £185 |
| DSA3220 | Carbon Footplate, Angle Adjustable | (NC 3290) | £225 |
| FOOTREST CO | VER | | |
| DSA3290 | Footrest Cover | | £37 |
| CALF STRAP* | | | |
| DSA3300 | Calf strap Mounted on the frame with hook and loop | | * |
| DSA3305 | Calf strap Mounted on the supporter with bracket | | O |
| CLOTHESGUA | RDS/MUDGUARDS* | | |
| DSA3410 | Carbon Clothesguards, fixed between the back rest and seat rails | | * |
| DSA3430 | Carbon Mudguards, fixed between the backrest and seat rails | (NC 7230) | £255 |
| | | | |

| FRAME COLOU | JR* | | |
|-------------|--|---|----------|
| DSA4000 | Space Black | | O |
| DSA4010 | Anthracite Grey | | O |
| DSA4020 | Pure White | (NC 4220) | O |
| DSA4030 | Carmine Red | | O |
| DSA4040 | Azure Blue | | O |
| DSA4060 | Flashy Yellow (Additional 10 day lead time) | | £31 |
| DSA4070 | Atomic Violet (Additional 10 day lead time) | | £31 |
| DSA4100 | Black Glossy (Additional 10 day lead time) | | £31 |
| DSA4130 | Silver Grey (Additional 10 day lead time) | | £31 |
| DSA4140 | Royal Blue (Additional 10 day lead time) | | £31 |
| DSA4150 | Ruby Red (Additional 10 day lead time) | | £31 |
| DSA4170 | Dynamite Orange (Additional 10 day lead time) | | £31 |
| DSA4180 | Forest Green (Additional 10 day lead time) | | £31 |
| DSA4050 | Personal frame colour. Provide standard RAL colour code of your choice | | £311 |
| FRAME DECAL | . TYPE* | | |
| DSA4190 | Bold Decal (Full coloured transfer on frame) | (NC 4300, 4310, 1111) | £31 |
| DSA4195 | Tag (Small Küschall brand transfer on front of frame) | (NC 4200, 4210, 4220, 4230, 4240, 4250, 2222) | * |
| DKA4197 | Without Tag (Kuschall branding only) | (NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310) | 0 |
| BOLD DECAL | COLOUR* | | |
| DSA4200 | Black | | O |
| DSA4210 | Dark Grey | | O |
| DSA4220 | Light Grey | | O |
| DSA4230 | Red | | O |
| DSA4240 | Blue | | O |
| DSA4250 | Gold | | O |
| DSA1111 | No bold colour, select only with Option DSA4195 Tag or DSA4197 Without Tag | (NC 4190) | O |
| TAG COLOUR* | | | |
| DSA4300 | Black | | O |
| DSA4310 | Red | | O |
| DSA2222 | No tag colour, select only with Option DSA4190 Bold Decal or DSA4197 Without Tag | (NC 4195) | O |

| FRONT CASTO | RS*_ | |
|---------------|---|----------|
| DSA5000 | 75mm x 25mm (3" x 1") Supersport | • |
| DSA5050 | 100mm x 30mm (4" x 1.2") Everyday Black hub and tyre | O |
| DSA5100 | 100mm x 30mm (4" x 1.2") Comfort Black hub and tyre | O |
| DSA5150 | 100mm x 25mm (4" x 1") Starec Black hub and tyre | £83 |
| DSA5200 | 100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) | £93 |
| DSA5250 | 100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs) | £93 |
| DSA5300 | 125mm x 30mm (5" x 1.2") Everyday Black hub and tyre | O |
| DSA5350 | 125mm x 30mm (5" x 1.2") Comfort Black hub and tyre | O |
| DSA5400 | 125mm x 25mm (5" x 1") Starec Black hub and tyre | £83 |
| DSA5450 | 125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) | £93 |
| DSA5500 | 125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs) | £93 |
| SEAT POSITION | WELDED (Measured from centre of backpost to centre of axle)* | |
| DSA6100 | Position 1 = 140 mm MOST ACTIVE POSITION | O |
| DSA6110 | Position 2 = 125 mm | O |
| DSA6120 | Position 3 = 110 mm | O |
| DSA6130 | Position 4 = 95 mm | ♦ |
| DSA6140 | Position 5 = 80 mm LEAST ACTIVE POSITION | O |
| CAMBER OF CA | ARBON AXLE* | |
| DSA6200 | 0° Camber | O |
| DSA6210 | 3° Camber | ♦ |
| DSA6220 | 6° Camber | O |
| QUAD QUICK R | ELEASE AXLE | |
| DSA6300 | Quad Quick Release/Tetra Clip | £86 |
| REAR WHEEL S | SIZE* | |
| DSA6410 | 24" | • |
| DSA6420 | 25" (NC 6510, 6600, 6630, 6700, 6710, 6720, 6760, 6770, 6900, 6910) | O |
| REAR WHEEL 1 | YPE* | |
| DSA6510 | 24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub. | * |
| DSA6520 | 24", 25" High Performance Wheel Black hub and rim | £182 |
| DSA6550 | 24", 25" Spinergy LXK, Black hub, rim and 18 spokes in (NC 6910) Black | £611 |
| SWO0907 | 24", 25" Spinergy SPOX, Chrome hub and 18 spokes in (NC 6910) Black. Coloured spokes are available via Unique | £486 |
| SWO0909 | 24", 25" Spinergy LX, Chrome hub and 12 spokes in (NC 6910) Black. Coloured spokes are available via Unique | £735 |
| REAR WHEEL 1 | YRE* | |
| DSA6600 | 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection | * |
| DSA6625 | 24", 25" x 1" Maxxis Alpha Protect. Pneumatic and puncture resistant. | £100 |
| DSA6630 | 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) | £97 |
| | | |

| HANDRIM* | | |
|--------------|--|----------|
| DSA6700 | 24" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance | £223 |
| DSA6710 | 24" Steel, mounted at 3 cm distance | £62 |
| DSA6720 | 24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance | £192 |
| DSA6740 | 24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip | £320 |
| DSA6750 | 24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands | £320 |
| DSA6760 | 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion | £284 |
| DSA6770 | 24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim | £356 |
| DSA6780 | 24", 25" Light Aluminium Grey, long tab with 2 holes for 3 cm or 4cm mountings, mounted at 3cm distance | * |
| DSA6790 | 25", 26" Light Aluminium Black, short tab with 1 hole for 3cm mounting | £42 |
| SPOKEGUARD | | |
| DSA6900 | 24" Transparent Spokeguard | £126 |
| DSA6910 | 24" Black Spokeguard | £126 |
| BRAKES* | | |
| DSA7210 | Standard Push to Lock Brakes, Lever Bent | • |
| DSA7230 | Performance Brakes, Push to Lock. Brake barrel flips away from tyre | £78 |
| DSA7240 | Active/Scissor Brakes | £78 |
| DSA7250 | Light/Compact Active, Aluminium Brakes | £136 |
| SAFETY OPTIO | DNS CONTRACTOR OF THE PROPERTY | |
| DSA7500 | Anti-Tipper Right | £122 |
| DSA7510 | Anti-Tipper Left | £122 |
| DSA7520 | Anti-Tipper Both sides | £244 |
| DSA7810 | Bodypoint Posture Belt Evoflex 2 points, Small, Flat- Mount with Push Button. User Weight: 25-50KG | £81 |
| DSA7820 | Bodypoint Posture Belt Evoflex 2 points, Medium, Flat- Mount with Rehab Latch. User Weight: 50-75KG | £81 |
| DSA7830 | Bodypoint Posture Belt Evoflex, 2 points, Large, Flat- Mount with Rehab Latch. User Weight: 75-100KG | £81 |
| OTHER OPTION | NS | |
| DSA8010 | Front Frame Protectors; 2 Piece. Removable with hook and loop | £37 |
| DSA8500 | Air Pump | £13 |
| DSA8550 | Tool Kit | ♦ |
| DSA8680 | 24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included | £320 |
| BODYPOINT A | CCESSORIES | |
| DSA8800 | Bodypoint Calf Strap | £57 |
| DSA8850 | Bodypoint Mobility Bag | £55 |

TOTAL PRICE

| Non Conformir | ng Options: |
|---------------|---|
| DSA1600 | Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if Matrx/Fixed backrest is required. |
| DSA1820 | 400 mm |
| DSA1825 | 410 mm |
| DSA1830 | 420 mm |
| DSA1840 | 440 mm |
| DSA1845 | 450 mm |
| DSA1850 | 460 mm |
| DSA1855 | 470 mm |
| DSA1860 | 480 mm |
| DSA2200 | Standard Light Black Nylon upholstery (No tension adjustment) |
| DSA2220 | Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener |
| DSA2230 | Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener |
| DSA2240 | Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required |
| DSA2710 | Flo-Tech Lite Cushion 78mm high - Comfort/Low Risk |
| DSA2720 | Matrx Libra Cushion, Black Smooth Cover 70mm High - Very High Risk |
| DSA2748 | Contour Visco NG Cushion 100mm High - High Risk |
| DSA2750 | Vicair Active O2 lightweight cushion 60mm High - High risk |
| DSA2810 | Fluid supplement sac (Pair) |
| DSA2820 | Tapered Wedge Pair |
| DSA2830 | Abductor |
| DSA2840 | Lateral Side Wedge |
| DSA2850 | Anterior Front Wedge |
| DSA2860 | Seat Rigidiser |
| DSA3290 | Footrest Cover |
| DSA4190 | Bold Decal (Full coloured transfer on frame) |
| DSA4195 | Tag (Small Küschall brand transfer on front of frame) |
| DSA4200 | Black |
| DSA4210 | Dark Grey |
| DSA4220 | Light Grey |
| DSA4230 | Red |
| DSA4240 | Blue |
| DSA4250 | Gold |
| DSA1111 | No bold colour, select only with Option DSA4195 Tag or DSA4197 Without Tag |
| DSA4300 | Black |
| DSA4310 | Red |
| DSA2222 | No tag colour, select only with Option DSA4190 Bold Decal or DSA4197 Without Tag |
| DSA5300 | 125mm x 30mm (5" x 1.2") Everyday Black hub and tyre |
| DSA5350 | 125mm x 30mm (5" x 1.2") Comfort Black hub and tyre |
| DSA5400 | 125mm x 25mm (5" x 1") Starec Black hub and tyre |
| DSA5450 | 125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs) |
| DSA5500 | 125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs) |
| DSA6410 | 24" |
| | |

| DSA6420 | 25" |
|---------|--|
| DSA6510 | 24" Küschall Starec Wheel, Black Cross Spokes, Rim & Hub. |
| DSA6600 | 24" x 1" Maxxis Lite guard Pneumatic tyre. Herringbone tread, Silvershield puncture protection |
| DSA6630 | 24" x 1" MBL Speedlite Super Lightweight (Dual layer very high puncture resistance) |
| DSA6700 | 24" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance |
| DSA6710 | 24" Steel, mounted at 3 cm distance |
| DSA6720 | 24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance |
| DSA6760 | 24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion |
| DSA6770 | 24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim |
| DSA6900 | 24" Transparent Spokeguard |
| DSA6910 | 24" Black Spokeguard |
| DSA7230 | Performance Brakes, Push to Lock. Brake barrel flips away from tyre |
| DSA7810 | Bodypoint Posture Belt Evoflex 2 points, Small, Flat-Mount with Push Button. User Weight: 25-50KG |
| DSA7820 | Bodypoint Posture Belt Evoflex 2 points, Medium, Flat-Mount with Rehab Latch. User Weight: 50-75KG |
| DSA7830 | Bodypoint Posture Belt Evoflex, 2 points, Large, Flat-Mount with Rehab Latch. User Weight: 75-100KG |
| | |

Kuschall The KSL 2.0 Page 9 of 10



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

| Special Instructions Please supply the following information: | |
|---|----------|
| Name: | Email: |
| Phone: | Fax: |
| Description of special request (please include relavent option code or part r | number): |