

LECKEY



Mygo Seat

The ideal support and comfort
kids need to maximise function

Supporting Children

The optimum in posture, comfort and function

Mygo Seat provides unrivalled postural support and comfort, helping more children with moderate to complex needs optimise their independence and opportunities for skill development.

UNRIVALLED PELVIC POSITIONING FOR OPTIMUM SUPPORT, COMFORT AND FUNCTION

- The highly adjustable sacral support enables fixed pelvic rotations and obliquities, as well as both anterior and posterior tilts, to be accommodated. In combination with a ramped seat base and 4-point pelvic harness accessory, **Mygo Seat** is able to mimic the support a therapist's hands would offer
- The pelvic cradle uniquely supports the pelvis by wrapping around the buttocks and posterior pelvis to encourage and maintain an upright, comfortable functional position



DESIGNED TO IMPROVE FUNCTION, INCREASING ACTIVITY AND INDEPENDENCE

- **Mygo Seat's** innovatively designed split seat base enables the legs to move independently beyond the midline to accommodate windsweeping postures. A range of up to 13° abduction and 10° adduction may be achieved, whilst offsetting the hip guides can aid in accommodating more extreme windsweeping. This ensures a more comfortable, stable and functional position for the child
- A choice of laterals, the shoulder section accessory and a variety of harnesses gives **Mygo Seat** its exceptional ability to support the upper body and head which is vital for promoting upper limb function
- Functional activities such as eating, playing and interacting with others are easier in **Mygo Seat**, whether this is at home, in the classroom or even out and about

Wide contoured headrest providing greater lateral support

Contoured shoulder section/backrest extension for additional support for taller children

Height adjustable backrest

Removable height and angle adjustable armrests

Ramped one piece seat cushion with 50mm depth for improved comfort and pressure relief

Individually adjustable footplates which flip away for easy transfers



MAKES THE WORLD MORE ACCESSIBLE WITH A WIDE RANGE OF BASES

- Mygo Seat quickly and easily interfaces with a range of indoor and outdoor hi-low bases, as well as a variety of powered and non-powered mobility bases

Technical Information

	Size 1	Size 2	Size 3
Age (Approx.)	3- 10	8- 14	10-16
User Weight	Min 18kg / 39.6lbs Max 50kg / 110lbs	Min 18kg / 39.6lbs Max 60kg / 132lbs	Min 18kg / 39.6lbs Max 70kg / 154lbs
User Height	Min 105cm / 41.3" Max 150cm / 59"	Min 127cm / 50" Max 168cm / 66"	Min 150cm / 59" Max 175cm / 68.8"
Seat Width	Min 200mm / 8" Max 325mm / 12.8"	Min 220mm / 8.7" Max 345mm / 13.6"	Min 250mm / 9.8" Max 400mm / 15.7"
Seat Depth	Min 270mm / 10.6" Max 420mm / 16.5"	Min 350mm / 13.8" Max 470mm / 18.5"	Min 350mm / 13.8" Max 470mm / 18.5"
Knee Width	Min 90mm / 3.5" Max 110mm / 4.3"	Min 120mm / 4.7" Max 140mm / 5.5"	Min 120mm / 4.7" Max 140mm / 5.5"
Footplate Angle			
Abduction	8°	8°	8°
Adduction	12°	20°	20°
Plantarflexion/Dorsiflexion	10°/10°	10°/10°	10°/10°
Chest Width [Distance between laterals]	Min 170mm / 6.7" Max 270mm / 10.6"	Min 170mm / 6.7" Max 270mm / 10.6"	Min 200mm / 7.8" Max 300mm / 11.8"
Backrest Height	Min 360mm / 14.2" Max 470mm / 18.5"	Min 460mm / 18.1" Max 570mm / 22.4"	Min 460mm / 18.1" Max 570mm / 22.4"
Backrest Angle			
Prone	10°	10°	10°
Recline	25°	25°	25°
Seat to Sandal	Min 215mm / 8.5" Max 350mm / 13.8"	Min 315mm / 12.4" Max 470mm / 18.5"	Min 315mm / 12.4" Max 470mm / 18.5"

To arrange a product demonstration/assessment or for more information, please contact us:

Leckey
19c Ballinderry Road
Lisburn BT28 2SA
Northern Ireland

(+44) 28 9260 0750
hello@leckey.com

leckey.com



LECKEY

James Leckey Design Limited has made every effort to ensure that the information contained in this document is accurate and up to date. At the time of going to print, the information presented is accurate to the best of the company's knowledge. James Leckey Design Limited however, cannot accept responsibility for changes to product information after going to print.