


FOOTPLATES					
26	FP12	Tubular open loop ¹		STD	☐
27	FP13	Tubular with ABS cover		NC	☐
28	FP31	Adjustable angle - Aluminum (<i>one piece</i>)		£86	☐
29	FP32	Newton adjustable angle - Carbon fiber (<i>one piece with rubber inserts</i>)		£158	☐
30	FP14	Flip back, adjustable angle aluminum		£175	☐
31	FP15	Flip back, adjustable angle carbon fiber		£245	☐
32	FR25	High mount with adjustable angle footplate (<i>Aluminum - one piece</i>)		£150	☐
33	FR26	High mount with adjustable angle footplate (<i>Carbon fiber with rubber inserts - one piece</i>)		£215	☐
FOOTPLATES ACCESSORIES					
34	FP16	5,08cm (2") riser (<i>only available with aluminum angle adjustable footplate</i>) ²		£68	☐
35	FP09	Calf strap		£30	☐
36	FP30	Bodypoint Aeromesh Padded calf strap		£98	☐

1 - Available on: all straight frames; 2,5cm (1") taper with seat width of 14" and greater; 5cm (2") taper with seat width of 16" and greater

2- Not available with high mount


Backrest										
FOLD DOWN BACKREST										
37	BC20	Locking backrest				STD	☐			
38	BC21	Ultralight non locking backrest (not locking in upright and down position)				£90	☐			
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST (NO PUSH HANDLE)										
39	BC	Fixed height without push handle		(30) 22,8cm/9" ☐	(31) 24,1cm/9,5" ☐	(32) 25,4cm/10" ☐	(33) 26,7cm/10,5" ☐	(34) 27,9 cm/11" ☐	NC	☐
		(35) 29,2cm/11,5" ☐	(36) 30,5cm/12" ☐	(37) 31,7cm/12,5" ☐	(38) 33cm/13" ☐	(39) 34,3cm/13.5" ☐	(40) 35,5cm/14" ☐	(41) 35,8cm/14.5" ☐		
		(42) 38,1cm/15" ☐	(43) 39,4cm/15,5" ☐	(44) 40,6cm/16" ☐	(45) 41,9cm/16,5" ☐	(46) 43,2cm/17" ☐	(47) 44,5cm/17,5" ☐	(48) 45,7cm/18" ☐		
		(49) 47cm/18,5" ☐	(50) 48.3/19" ☐	(51) 49,5cm/19,5" ☐	(52) 50,8cm/20" ☐	(53) 52,7cm/20,5" ☐	(41) 53,3cm/21" ☐			
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS										
40	BC	Straight back canes					NC	☐		
		(22) 22,8 - 30,5cm ☐	(23) 30,5 - 38,1cm ☐	(24) 38,1 - 45,7cm ☐	(25) 45,7 - 53,3cm ☐					
Set height to: *			(in increments of 1/2", measured from seat sling to top of back upholstery) * If not indicated, default height setting is at the lowest position							
41		Select back cane angle: ¹ 101° ☐ 99° ☐ 96° ☐ 93° ☐ 90° ☐ 87° ☐ 83° ☐ 80° ☐						STD	☐	

1- If not indicated default angle setting is at 93°

PUSH HANDLE OPTIONS					
42	PH01	Push handles		STD	☐
43	PH05	Fold down push handles ¹		£125	☐
44	PH06	Clamp on height adjustable push handle ^{1, 2}	22,9 - 50,8 cm(9-20") STD ☐ 22,9 - 58,4 cm (9-23") ☐	£270	☐
45	PH02	Omit push handles		NC	☐

1- 265 pounds weight limit

2 - Not compatible with swing away armrests; Only available with 4" rigidizer bar

BACKRESTS OPTIONS					
46	BC56	Depth adjustable back (<i>provides 7,6cm (3") of depth adjustment</i>) ^{2, 3}		£163	☐
47	BC57	Standard 7,6 cm (3") deep rigidizer bar		STD	☐
48	BC55	10,2 cm (4") deep Aluminum rigidizer bar ¹		NC	☐
49	BC88	Custom height rigidizer bar set at _____ (cm) <i>Measured from the top of the seat sling to the center of the rigidizer - standard height is 14,6 cm (5,7") Lowest position is 10.7 cm (4,25")</i>		£130	☐

1- Only available with seat depths of 14" and more

2- Not available with seat depths of 18" and more

3- Not available with WC-19

BACK UPHOLSTERY					
50	BH03	Slip-on Syntech-Suede back upholstery		STD	☐
51	BH04	Adjustable tension Syntech-Suede back upholstery		£150	☐
52	BH99	Omit Back upholstery		NC	☐

SEAT CUSHION						
53	SC01	5,08cm (2") Cushion			£150	□
54	SC02	7,6cm (3") Cushion			£168	□
55	SC99	Omit seat cushion			STD	□

Rear wheels												
REAR WHEELS												
56	RW01	Mag ¹	20" □	22" □	24" □					£45		□
57	RW02	Newton One - spoke wheel ²	20" □	22" □	24" □					STD		□
58	RW03	Newton Gravity - ultralight wheel	20" □	22" □	24" □	25" □	26" □			£285		□
59	RW04	Spinergy Spox		22" □	24" □	25" □	26" □			£620		□
60		Spinergy Spox spokes colors ³	Blk STD □	Wht □	Blue □	Red □	Yel □			NC		□
61	RW05	Spinergy LX		22" □	24" □	25" □	26" □			£825		□
62		Spinergy LX spokes colors ³	Blk STD □	Pur □	Wht □	Blue □	Red □	Yel □	Pink □	Grn □	Org □	□
63	RW07	Spinergy CLX Carbon Blade			24" □	25" □				£1,235		□
64		Spinergy CLX spokes colors ³	Blk STD □	Pur □	Wht □	Blue □	Red □	Yel □	Pink □	Grn □	Org □	□
TIRES										Available		
65	TI01	Soft Urethane 3,17cm (1 1/4 ")			20", 22" 24"					NC		□
66	TI02	Soft Urethane knobby 3,49cm (1 3/8")			22", 24", 25", 26"					£88		□
67	TI04	Soft Urethane - <i>Shox</i> 2,54cm (1")			22", 24", 25", 26"					£103		□
68	TI05	Pneumatic 3,49cm (1 3/8")			20", 22", 24", 25", 26"					STD		□
69	TI08	Pneumatic with Airless insert 3,49cm (1 3/8") ⁴			22", 24", 26"					£73		□
70	TI06	Pneumatic HP - 2,54cm (1")			20", 22", 24", 25", 26"					£88		□
71	TI07	Pneumatic HP - <i>Schwalbe Marathon Plus</i> 2,54cm (1")			24", 25", 26"					£98		□

1 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position

2 - Not compatible with Shox tires

3 - Colour spokes require an additionnal 10 days lead-time

4- Only available with Newton One and Newton Gravity rear wheels

Handrims												
HANDRIMS												
72	HR01	Aluminum anodized								STD		□
73	HR61	Black aluminum hard anodized ^{1,3}								New	£57	□
74	HR02	Plastic coated ²								£88		□
75	HR03	Q-Grip High friction Neoprene coated ^{2,3,4}								£305		□
76	HR07	Newton Air Grip ³	<i>Black</i> □							£88		□
77	HR	Newton Air Grip ³	(08) <i>Sunkissed Orange</i> □	(09) <i>Burgundy</i> □	(10) <i>Sapphire Blue</i> □	(11) <i>Monster Green</i> □	(12) <i>Charcoal</i> □	(13) <i>Fuchsia</i> □	(14) <i>Steel Blue</i> □	£180		□
			(15) <i>Ferrari Red</i> □	(16) <i>Acid Green</i> □	(17) <i>White</i> □	(18) <i>Sky Blue</i> □						
79	HR05	Surge LT ^{2,3,4}	(1-1/8" Oval handrim w/ Gripton high friction strip)							£365		□
80	HR04	Natural Fit ^{2,3,4}								£280		□
81	HR99	Omit handrim								NC		□

1 - Not available in 26"

2- Only standard handrim position available

3- Not available with Mag wheels

4- Not available in 20"

Handrims option						
Assembly position for aluminum and Newton AirGrip handrims						
82	HR29	Standard Handrim position	Full tab		STD	□
83	HR30	Narrow Handrim position	Short tab 2 positions		£20	□
84	HR31	Super Narrow Handrim	Short tab 2 positions STD □ Short tab 1 position □		£20	□
Thumb piece ⁴ selection for Natural Fit handrims						
85	HR23	Standard grip			£78	□
86	HR27	Super grip			£125	□
87	HR099	Omit thumb piece			NC	□

4- Compatible with Surge, Surge LT handrims

AXLES												
88	AX01	Quick release axle								STD		□
89	AX03	Quad release axle								£110		□

REAR WHEEL CAMBER					
90	CM00	0° camber		STD	☐
91	CM02	2° camber		NC	☐
92	CM04	4° camber		NC	☐
93	CM06	6° camber		NC	☐
94	CM08	8° camber		NC	☐

CENTER OF GRAVITY

Specify the position of rear wheel axle plate:


Measure distance from front of back post to center of axle receiver.

0 - 15 cm range (0-6")

Set At: _____ (cm)

If not indicated, default setting is at 6,3cm (2.5")

If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.



WHEEL LOCK					
95	WL08	Newton wheel lock - push to lock		STD	☐
96	WL04	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)		£140	☐
97	WL13 WL14	15,2cm (6") removable extension handle		£70	☐
98	WL05	Scissor lock		£125	☐
99	WL99	Omit wheel locks		NC	☐

Armrests

"T" ARMREST ¹		Height Adjustment			
100	AR03	25,4cm (10") Desk Length	20,3 - 30,5cm (8 - 12") STD ☐	25,4 - 35,5cm (10 - 14") ☐	£295 ☐
101	AR04	35,5cm (14") Full Length	20,3 - 30,5cm (8 - 12") STD ☐	25,4 - 35,5cm (10 - 14") ☐	£295 ☐
SWING AWAY ARMREST ²		Height Adjustment			
102	AR05	Tubular arm pad	20,3 - 27,9cm (8-11")		£200 ☐
103	AR06	25,4cm (10") Desk length arm pad	20,3 - 27,9cm (8-11")		£200 ☐
104	AR99	Omit Armrest			NC ☐

1 - May have a 1/2 " adjustment restriction on both limits of the range

2 - not available with the Ultralight non-locking backrest

SIDE GUARDS (not available with "T" Armrest)					
105	SG01	Plastic side guards (removable)		£175	☐
106	SG03	Carbon fiber side guards (removable)		£265	☐
107	SG06	Plastic fender side guards (removable) ¹		£240	☐
108	SG04	Carbon fiber fender side guards (removable)		£445	☐
109	SG99	Omit side guards		NC	☐
SIDE GUARDS OPTION					
110	SG07	Side guard clip (pair)		NC	☐

1 - Not compatible with 20" and 22" rear wheels

POSITIONING BELT					
111	SB01	Velcro adjustable	Standard 88,9 cm (35") ☐	Long 152,40 cm (60") ☐	£42 ☐
112	SB02	Auto buckle	Standard 88,9 cm (35") ☐	Long 152,40 cm (60") ☐	£78 ☐
113	SB07	Hardware attachment for 2 point seatbelt (pair)		NC	☐
114	SB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (pair)		£16	☐
115	SB04	BodyPoint Hip Belt - 2 point non padded	M (142,24 cm/56") ☐	L (154,94 cm/61") ☐	£72 ☐
116	SB05	BodyPoint Hip Belt - 2 point padded	S (129,54 cm/51") ☐	M (142,24 cm/56") ☐	£155 ☐
117	SB06	BodyPoint Hip Belt - 4 point padded	S (129,54 cm/51") ☐	M (142,24 cm/56") ☐	£170 ☐
118	SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	M (46 cm/18") ☐	L (62 cm/24") ☐	£258 ☐
119	SB99	Omit positioning belt		STD	☐

ACCESSORIES												
120	AC03	Anti-tippers									£125	☐
121	AC05	WC-19 Transit Tie Down w/Q'straint belt ¹ Short belt 50-104 cm (20-41") ☐ Long belt 50-116 cm (20-46") ☐									£290	☐
122	AC08	Spoke guards ² Available: 20", 22", 24", 26"									£105	☐
123	AC10	Seat pouch									£68	☐
124	AC26	BodyPoint Mobility Bag									£112	☐
125	AC23	Newton Backpack									£105	☐
126	AC13	Tool kit									£40	☐
127	AC16	Motion Composites Polo Shirt W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐ M/XXXXL ☐									£30	☐

1 -May interfere with the swing away armrest and the clamp on height adjustable push handle
2 - Not available with Mag wheels and Spinergy

COLOR									
128	FC	Highlight color:	(10) Ferrari Red ☐	(11) White ☐	(12) Black ☐	(13) Sunkissed Orange ☐		NC	☐
							Total		

Notes :