

Adjusted by:

Tel:

Save the form to the desktop and
open it with Adobe Reader.

E-mail:

Date:

The price changes depending on
the choices made in the form

£:

Standard configuration includes; chassis, seat, backrest lock, colour , backrest, carbon rear axle, castor and fork, foot rest, push to lock Bambino 3 brake, Panthera crosslaced steel spoke rear wheel, titanium pushrims and Schwalbe right Run tires, anti-tip device

Choice required:

☐ Optional ☒ Upcharge /Add-price ☒ Marked yellow

Max. user weight : Seat width **27-33 cm 60 kg**, Click on "**blue underlined text**" for more info or image

Original design

Alternative options

Other options

1) Chassis



- ☐ Bambino 3 Seat width 24-33cm, Seat depth 25-30 cm
- ☐ Bambino 3 Short Seat width 24-27cm, Seat depth 18-25 cm

☐ Clear

2) Chassis colour



- ☐ **Blue**- Racing Blue ☐ **Optional colour** - A delivery time of 20 days
for optional colour. Fill in art.no. in the square

☒ Clear

3) Seat width



- ☐ 24 cm ☐ 27 cm ☐ 30 cm ☐ 33 cm

☒ Clear

4) Backrest adjustable height



- ☐ **20-28 cm blue** 523BB17 ☐ 27-35 cm blue 523BB18
- ☐ **20-28 cm black** 523BB17BL ☐ 27-35 cm black 523BB18BL

☒ Clear

5) Rear axle



- ☐ **Carbon 6dgr** 33030BB ☐ **Carbon 6dgr +10 mm** 33031BB ☐ **Other** rear axle or seat height

[Increase the seat height](#) +0 mm

☒ Clear

With 20" rearwheels +120 mm castors

6) Castor and fork



- ☐ **120 mm** ☐ **90 mm** ☐ **Other castor fork**

Standard with 20" rearwheels

[Excel guide](#) art.no:

☒ Clear

7) Footrest



- ☐ **Footrest B3** 42341BB

☒ Clear

8) Brake

- ☐ **Brake B3** 4630200
- ☒ Clear

☐ **Brake blade B3 PU tyre SET** 4630234

☐ **Assistant brake**

art.no.



9) Rear wheel - without pushrim

All prices for rearwheels are for pair

[Rear wheel sizes](#)

☐ 22" standard

☒ Clear

☐ 20" standard

☐ 24" standard

☐ 24" Spinergy X, black spokes

☐ 24" Spinergy X, white spokes

£695

☐ One arm drive

£377

Art.nr.



10) Tyre - choose tyre

All prices for tyres are for pair

☐ Schwalbe Right Run 20", 22", 24"

☒ Clear

☐ Rugged 24"

£95

☐ Schwalbe Marathon Plus, 22", 24"

£95

☐ Schwalbe One 24"

£95

☐ PU 20", 22", 24" (massive)

£95

reTyre does not fit PU tyres

☐ reTyre skins 24"

£195



11) Pushrim

All prices for pushrims are for pair

☐ Aluminum

1902430 (x2 / wheelchair)

☒ Clear

DD = Wheel diameter

☐ Paragrip

19051DDBT x 2

£150

☐ Tetragrip

19052DDBT x 2

£150

☐ Maxgrip 20", 22", 24"

£330

1903070 x 2 (70=20", 80=22", 60=24"

(contains latex)

☐ Titanium

190DD11 (x2 / wheelchair)

☐

Accessories

Side guard

☐ Side guard B3
4235000

☒ Clear

£249



Arm support

☐ Arm support B3 with side guard

Adjustable in 3 heights

£590



Seat width adaptor

☐ Seat width adaptor - pair

☐ Seat width adaptor - left

☐ Seat width adaptor - right

Limits the back rest angle forward to 16 mm.
Narrows the seat width 7,5mm on each side

☒ Clear

Lateral support

Lateral support B3 adjustable
4236000 / pcs

☐ Left

☐ Right

☒ Std

☒ Std

☐ Narrow-9mm

☐ Narrow-9mm

£294



Push bar

☐ Push bar B3
4233000

Height, angle adjustable
with Quick release

£471



Head support

☐ Head support B3 Blue
4710100

☐ Head support B3 Black

4710100BL

☐ Clear

☒ Low position.

☐ High position

£561

Cushion

☐ 2,5 cm

572BB34

☐ 5 cm

575BB34

☐ Clear

£113



Wedge cushion

☐ Wedge cushion

57710BB

Not for width 24 cm



£53

Attachment pelvic belt

☐ Attachment plate pelvic belt cpl

£47

9900247 backrest 2 point attachment

☐ Attachment clamp pelvic belt pair

£95

9900248 2 point attachment

☐ Attachment pelvic belt 4-p plate + clamp

£169

9900250 4 point attachment

☐ Attachment pelvic belt 4-p with clamps

£190

9900248 x 2 4 point attachment



Spoke protectors

£150

☐ 20"

☐ 22"

☐ 24"

LOGO

4500021

4500100

4500000

☐ 22"

☐ 24"

NO LOGO

4500011

4500111

☒ Clear

Other

☐ Tube protection, front *

£32

9900251 (2 pcs)

☐ Tube protection, rear

£16

9900251 (1 pcs)

☐ Tray-table

£238

6810000

☐ Magnetic holder

£53

6810010

☐ Backrest wedge

£91

4710012

☐ Torso strap

£92

4380238

☐ Freewheel *

Height 6-14cm, art: 2600102

£875

☐ Freewheel-KIT assembly parts

42342BB

* Tube protection front;
Can be too long if footrest is in its
high position. Fits when rear axle is
at std balance and footrest at low
pos. 16 cm or lower, high pos. 28 cm
or lower, from floor to top of
footplate.

Spoke protectors with theme

£198

☐ 20"

☐ 22"

☐ 24"

Splash

4500320

4500322

4500324

☐ 20"

☐ 22"

☐ 24"

Car rim

4500120

4500122

4500124

☐ 20"

☐ 22"

☐ 24"

Wild animals

4500420

4500422

4500424

☐ 20"

☐ 22"

☐ 24"

Smiley

4500220

4500222

4500224

☒ Clear



SPLASH


CAR RIM

WILD ANIMALS

SMILEY

* Choose art.no. for Freewheel according to the footrest
height of the wheelchair Read more about Freewheel on
the [homepage](#)

Set-up adjustments



Back rest angle

Note measure (A) for desired back rest angle.
14-28 mm. Standard = 18 mm

A= mm



Rear axle adjustment

Note measure (A) for desired balance
Standard = 77 mm.

A= mm



Footrest position

Note the height measure from the floor, (A) or (B)
for the footrest.

[Bambino footplate with Freewheel - info](#)

A= mm B= mm

At 22" rear wheels

Measure high pos. 210-310 mm

Measure low pos. 150-220 mm

- | | |
|--|---|
| Note depth position | Note height position |
| ☒ Std position | ☐ High position |
| ☐ Moved forward 30 mm position | ☒ Low position |

Extra