

Adjusted by:

Tel:

Save the form to the desktop and
open it with Adobe Reader.

E-mail:

Date:

The price changes depending on
the choices made in the form £:

Standard configuration includes; chassis, seat, calf strap, backrest lock, standard colour option, backrest, carbon rear axle, castor and fork, titanium foot rest or foldable footplates, push to lock S3 brake, Panthera crosslaced steel spoke rear wheel, titanium pushrims and Schwalbe right Run tires.

Choice required:Max. user weights : Seat width **27-42 cm 100 kg**, Seat width **45-50 cm 150 kg**, (S3 Large) Seat width **39-50 cm 150 kg****Optional****Upcharge /Add-price****Marked yellow**Click on "**blue underlined text**" for more info or image**Original design****1) Chassis**[S3](#)[S3 Short](#)[S3 Short Low](#)[S3 Large](#)[S3 Long](#)[S3 0°](#)[S3 Short Abd](#)

Clear

Seat width **33-50** cm, Seat depth 40 cmSeat width **30-45** cm, Seat depth 27-33 cm (seat width 30-33), 35 cm (seat width 36-45)Seat width **33-39** cm, Seat depth 35 cmSeat width **39-50** cm, Seat depth 45 cmSeat width **33-50** cm, Seat depth 45 cmSeat width **33-50** cm, Seat depth 35, 37.5, 40, 42.5 cmSeat width **27-33** cm, Seat depth 27-33 cm**Alternative options****Other options****2) Chassis colour**[Black](#) - Anodic Black[Gray](#) - Metallic gray

Clear

Optional colour - A delivery time of 20 days
for optional colour. Fill in art.no. in the square**3) Seat width**

Check allowed seat width at "1) Chassis"

Clear

27 cm

30 cm

33 cm

36 cm

39 cm

42 cm

45 cm

50 cm

4) Seat depth

Clear

35 cm

37.5 cm

40 cm

42.5 cm

45 cm

Option only needed for S3 0°

5) Back rest

Height (HH)

[INFO](#)[Standard](#)

523BBHH VER2

Clear

20 cm

35 cm

25 cm

40 cm

30 cm

45 cm

Clear

[Tapered](#) 525BBHH VER2[Curved](#) 524BBHH VER2[Frame from solid backrest](#)[INFO](#)[Tapered 6 cm](#)[Flared 3 cm](#)[Curved/Tapered](#)**6) Rear axle**[Carbon std](#)

33023BB

Clear

[Carbon +15 mm](#)

33023BC*

Use this rear axle when choosing arm support
at Accessories and/or increased seat height

* seat width BB+1

[Other](#) rear axle or seat height[Increase the seat height](#)**7) Castor and fork**[art.no.](#)[90 mm](#)[120 mm](#)[150 mm](#)

Clear

8) Footrest[V-shape for S \(titanium\)](#)

36001BB

[Small heel bar for S series](#)

3600134 (width 33)

Clear

[V-shape extended, reinforced \(titanium\) *](#)

36111BB

* std for S3 Large

[Foldable footplates;](#) [art.no.](#)[Heel strap for footplates](#)[Plastic plate for footrest](#)

36010BB

[Carbon footplate](#)

65040BB

9) Brake[Brake S3](#)

4630000

Clear

[One hand brake, right](#)[One hand brake, left](#)[art.no.](#)[Assistant brake *](#)

Art.no.

* Not for short / low chassis

All prices for rearwheels are for pair

10) Rear wheel - without pushrim

[Rear wheel sizes](#)

[24" std](#)

[art.no.](#)

22" [standard](#)

[One arm drive](#)

Clear

24" [Spinergy X](#) black spokes

[Rear wheel 24x2" MTB](#)

Titanium pushrims

25" [Spinergy X](#) black spokes

26" [Spinergy X](#) black spokes

24" [Spinergy X](#) white spokes

25" [Spinergy X](#) white spokes

26" [Spinergy X](#) white spokes

Tyre - choose tyre

[Schwalbe Right Run](#) 22", 24", 25", 26"

Clear

[Rugged 24"](#)

All prices for tyres are for pair

[Schwalbe Marathon Plus](#), 24", 25", 26"

[Schwalbe One](#) 24", 25"

[PU 24" \(massive\)](#)

reTyre does not fit PU tyres

[reTyre skins 24"](#)

[reTyre skins 25"](#)

[reTyre skins 26"](#)

Clear

11) Pushrim

[Aluminium](#)

1902430 (x2 / wheelchair)

Clear

All prices for pushrims are for pair

[Paragrip](#)

19051DBT x 2

[Tetragrip](#)

19052DBT x 2

[Maxgrip 22", 24"](#)

1903060 x 2 (60=24", 80=22"
(contains latex)

[Titanium](#)

190DD11 (x2 / wheelchair)

Accessories

Side guard [art.no.](#)

[Side guard S3](#)

[video](#)

Clear

Arm support [art.no.](#)

[Arm rest S3](#) *

[video](#)

* 26" std for 24" wheels for Short Low
26" std for Assistant brake

Side guard Carbon [art.no.](#)

[Without fender](#)

[Small fender](#)

[Large fender](#)

Push handles [Video](#)

[Height adjustable S3](#)

4252060 VER2

[Height adjustable S3 +10 cm](#)

4252063 VER2

Max. userweight 100 kg

Clear

Push handle foldable

[Foldable S3](#)

4245000

[Video](#)

Push bar

[Push bar S3](#)

42400BB VER2

Max. userweight 100 kg

Anti-Tip [Video](#)

[Anti-tip](#) std seat height

4353000

[Anti-tip](#) S3 Short Low

4355000

[Anti-tip](#) S3 Large

4353080

Clear

[Other seat height](#)

Art.no.

Other

[Tube protection, front](#)

9900251

[Tube protection, rear](#)

9900251

[Crutch holder S3](#)

9900301 (x1/ crutch)

[Backrest wedge](#)

4710012

[Freewheel](#)

Cushion Wedge cushion

[2,5 cm](#)

572BB40

[Wedge cushion](#)

57710BB

[5 cm](#)

575BB40

Clear

Spoke protectors

[24" logo](#)

4500000

[22" logo](#)

4500100

[24" no logo](#)

4500011

[22" no logo](#)

4500111

Clear

Spoke protectors with theme

[22" Splash](#)

4500322

[24" Splash](#)

4500324

[22" Car rim](#)

4500122

[24" Car rim](#)

4500124

[22" Wild animals](#)

4500422

[24" Wild animals](#)

4500424

[22" Smiley](#)

4500222

[24" Smiley](#)

4500224

Clear

Chose art.no. for Freewheel according to the footrest height of the wheelchair
Read more about Freewheel on the [homepage](#).

SPLASH

CAR RIM

WILD ANIMALS

SMILEY

Set-up adjustments

Back rest angle

Note measure (A) for desired back rest angle.
14-28 mm. Standard = 20 mm

A= _____mm

Footrest height - Foot plates

Note measure (A) and (B) for desired footrest

A= _____mm B= _____mm

Rear axle adjustment

Note measure (A) for desired balance
Standard = 60 mm. at raised rear axle = 51 mm
Standard = 40 mm for S3 Short, Short Low
Standard = 31 mm Short ABD (6 degree camber)

A= _____mm

Extra