
2025 Power wheelchair *A200*.







Article number: 490E46=00000_C Standard equipment selection (unless alternative selected)

VR2 control device

- Control panel holder, standard 6 km/h
- 28,75Ah (C5) / 35Ah C20) Gel batteries
- Battery charger
- 12 1⁄2" drive wheels (pneumatic tyres)
- 8" PU caster wheels
- Standard sea
- Seat cushion
- Arm supports
- Leg supports
- Silver metallic frame colour

Max. load capacity: 100 kg/220 lbs *

*: Additional options may reduce the safe load capacity. Please note the maximum permitted weight on the nameplate.

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please scan the QR code to access the spare parts catalogue for any spare parts orders.



Base Price - £3721.00

Ottobockmobility@ottobock.com

Please ensure you are using the lastet order form

By placing the order, you agree to comply with the instructions for use/ service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with

national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for

Wheelchairs with CLT package cannot be returned or exchanged

Please email all orders to

Valid from 01.01.2025 to 31.12.25

use/service manuals.

Power wheelchair A200.

Basic data (voluntary information) **Mandatory information*** \bigcirc female Odivers ⊖ male Gender User height [cm] Indication User weight [kg] 1 Seat width [cm] 2 Seat depth [cm] 3 Trunk depth [cm] 4 Arm support height [cm] 5 Armpit height [cm] 6 Schoulder heigth [cm] 8 3 7 Head height [cm] 7 5 6 8 Forearm length to middle of palm 1 2 9 Trunk width [cm] **10** Lower leg length [cm] 10 * This information will help to support user-oriented settings

and product development. Ottobock guarantees the confidential and purely internal use of these data.

Standard soat

Standard seat								
O EC18 Standard seat Junior	(SW 34 40 cm, SE) 34 40 cr	m) (max. loa	d capacity: ⁻	75 kg)			£163.00
O EC01 Standard seat small (S	SW 38 42 cm, SD	38 46 cm	,)					Inclusive
O EC02 Standard seat large (S	SW 43 48 cm, SD	42 50 cm))					Inclusive
Settings for standard seat								
Back support angle	O -9/1/	11/21°	O 0/10/	'20/30°				
Not available with machnical back	support angle adju	stment!						
Seat width SW	○ 34 ○ 42	○ 35 ○ 43	○ 36 ○ 44	○ 37 ○ 45	○ 38 ○ 46	○ 39 ○ 47	○ 40 ○ 48	○ 41
Seat depth SD in cm	○ 34 ○ 44	○ 36 ○ 46	○ 38 ○ 48	○ 40 ○ 50	O 42			
Lowert leg length LL	cm (25 47	cm) withou	ut seat cush	iion				
Seat height SH in cm	○ 43	O 48						
Note: without seat cushion, depende	nt on lower leg len	øth seat he	ight less low	ver leg lengt	h equals gro	ound clearar	nce a minim	um of 3 cm

Note: without seat cushion, dependent on lower leg length, seat height less lower leg length equals ground clearance, a minimum of 3 cm is recommended. Seat height 43 cm not available with standard seat, large.

Seat cushio	Seat cushion (only for standard seat)			
O EC06	Seat cushion, black cover (standard equipment) (seat cushion thickness: 50 mm)	Inclusive		
O EC10	Seat cushion with incontinence cover (seat cushion thickness: 50 mm)	£53.00		
○ EC07	Without Seat cushion	Inclusive		

Power wheelchair A200.

⊖ EC03	Contour seat small (SW 38 42 cm, SD 36 44 cm) (seat cushion thickness 50 mm)					50 mm)			£737.00
O EC04	Contour seat large (SW 43 48 cm, SD 42 48 cm) (seat cushion thickness 50 mm)					£737.00			
Contour ty	/pe								
O EC23	With flat contours					Inclusive			
O EC24	With deep contours								Inclusive
Cover type	9								
C EC25	Fabric cover								Inclusive
C EC26	Synthetic lether cover								£70.00
O EC27	Incontinence cover (can b	e ordered in ad	dition to opt	tion code EC	25)				£37.00
Settings fo	or Contour seat								
Seat widtł	1 SW	○ 34 ○ 42	○ 35 ○ 43	○ 36 ○ 44	○ 37 ○ 45	○ 38 ○ 46	○ 39 ○ 47	○ 40 ○ 48	○ 41
Seat depth	n SD in cm	O 36	O 38	○ 40	O 42	0 44	0 46	O 48	
Lower leg	length UI	cm (28 54	cm)						
	it SH in cm				EC EC				
			57. 51		JX. 50				
SH of 51 cn	seat padding, dependent on L n not available with contour se	L) SH less LL ea				of 3 cm is re	commende	d)	
SH of 51 cn	seat padding, dependent on L	L) SH less LL eo at, large.	quals ground	d clearance,	a minimum	of 3 cm is re	commende	d)	£552.00
SH of 51 cn Back supp	seat padding, dependent on L n not available with contour se ort adjusment Mechanical back support	L) SH less LL eo at, large.	quals ground	d clearance,	a minimum	of 3 cm is re	commende	d)	£552.00
SH of 51 cn Back supp) ED20	seat padding, dependent on L n not available with contour se ort adjusment Mechanical back support	L) SH less LL eo eat, large. angle adjustm	quals ground ent 30° (gas	d clearance, s compressi	a minimum (of 3 cm is re	commende	d)	
BH of 51 cm Back supp D ED20 Leg suppo	seat padding, dependent on L n not available with contour se ort adjusment Mechanical back support rts Individual leg supports, wi	L) SH less LL ed angle adjustm ith plastic foot	ent 30° (ga: plates (star	d clearance, s compressi ndard equipr	a minimum on spring) ment)		commende	d)	£552.00 Inclusive £179.00
SH of 51 cm Back supp C ED20 Leg suppo C EB01	seat padding, dependent on L n not available with contour se ort adjusment Mechanical back support rts Individual leg supports, wi Not available with Junior sta	L) SH less LL ed angle adjustm ith plastic foot andard seat. ith aluminium fous aluminium	ent 30° (gas plates (star foot plates	d clearance, s compressi ndard equipr (continuousl	a minimum on spring) ment) y angle-adju	stable)	commende	d)	Inclusive
Back supp Back supp ED20 Leg suppo EB01 EB02	seat padding, dependent on L n not available with contour se ort adjusment Mechanical back support rts Individual leg supports, wi Not available with Junior sta Individual leg supports, wi Leg support with continuo	L) SH less LL ed angle adjustm ith plastic foot andard seat. ith aluminium fous aluminium	ent 30° (gas plates (star foot plates	d clearance, s compressi ndard equipr (continuousl	a minimum on spring) ment) y angle-adju	stable)	commende	d)	Inclusive £179.00

Leg support accessories

○ EB80	Lateral leg pad for mechanically elevating leg support (pair)	£170.00
○ ЕВ70	Fixation straps for aluminium foot plates (included with mounting accessories)	£36.00

Power wheelchair A200.

Arm suppor	Arm support accessories			
EE34	Channel forearm pad adapter, fixed, mounting side left	£20.00		
EE24	Channel forearm pad adapter, fixed, mounting side right	£20.00		
EE35	Channel forearm pad adapter, swivelling, mounting side left	£171.00		
EE25	Channel forearm pad adapter, swivelling, mounting side right	£171.00		
EE36	Arm strap, mounting side left	£38.00		
EE26	Arm strap, mounting side right	£38.00		
EL021	Padded covers for arm supports	£80.00		
EL022	Padded covers for clothing guard	£79.00		
Please refer	to our accessories catalogue for information about channel forearm pads and hand pads.			

Frame colour

	Brillant silver	£171.00
O 002 A		2111.00
	Anthracite metallic	£171.00
O 003 J	Jet black RAL 9005	£171.00
O 004 I	ce blue	£171.00
O 005 S	Sparkle light orange	£171.00
O 009 V	/inho sparkle	£171.00
O 010 N	Marine blue	£171.00
O 012 S	Sky blue	£171.00
🔾 013 🚽	Jet black RAL 9005 matte	£171.00
O 014 C	Candy red	£171.00
O 017 Y	/ellow RAL 1023	£171.00
O 018 S	Signal red RAL 3001	£171.00
O 020 S	Saturn blue metallic	£171.00
O 021 S	Sparkle granny-smith	£171.00
O 022 C	Cream white RAL 9001	£171.00
O 023 V	Nhite RAL 9016	£171.00
O 026 S	Sparkling Iron Effect Light	£171.00
O 027 S	Shimano matte	£171.00

Tyres

) EF10	Puncture-proof tyres for caster wheels (standard equipment)	Inclusive
○ EG06	Puncture-proof tyres for all wheels	£147.00

Battery charger

,		
○ EU91	Battery charger (standard equipment)	Inclusive
) EU02	Battery charger ohne Lüfter (low-noise)	£80.00

Power wheelchair A200.

Control panel holder			
Standard (standard equipment)	Inclusive		
Swing-away, height-adjustable	£286.00		
Swing-away in parallel	£233.00		
	Standard (standard equipment) Swing-away, height-adjustable		

Control panel holder mounting side

- O Right
- O Left

Control device accessories

EU15	Attendant control (Schiebegriffe höhenverstellbar, abnehmbar erforderlich)	£979.00
EU23	Fork for tetraplegics, horizontal (adjustable for hand width 70 90 mm)	£147.00
EU24	Stick S80 (special joystick handle 80 mm)	£70.00
EU25	Soft ball, black cover	£120.00
EU26	Ball top, small (diameter 43 mm)	£114.00
EU27	Ball top, large (diameter 48 mm)	£142.00
EU28	Joystick top, flexible, including ball top, large*	£271.00
EU35	Soft ball (diameter 30 mm, 2 pieces)	£57.00
*: Extension	n by 60 mm; control panel holder, downwards adjustable or swing-away, is recommended.	

General accessories

EE 30	Adapter for head support installation kit Please refer to our accessories catalogue for information about head supports.	£47.00
EP 65	Lap belt with buckle	£117.00
EZ 52	Tool kit with tyre pump	£56.00
🗌 ES 25	Additional lights	£185.00
EF 07	Curb climbing assist (not available in combination with single-panel leg support)	£295.00
ES 22	Accessories bag (e.g. for tool kit)	£59.00
ES 24	Pocket for mobile phone	£81.00
ES 35	Tray, swing-away to the side (incl. mounting accessories; cut-out for control panel must be adapted)	£524.00
🗌 EA 60	Crutch holder	£74.00
ES 60	Vehicle transportation kit (required for AMF anchor point system)	Inclusive


© Ottobock · 647F225=en_MASTER-23-2312 · Technical modifications and printing errors reserved. - November 2024 - v1



Information



EC01 Standard seat



EC25 Fabric cover



EC23 Contour seat, flat contoured



EC26 Sythetic leather cover



EC24 Contour seat, deep contoured



EC27 Incontinence cover



ED20 mechanical back support angle adjustment 30°



EP65 Lep belt with buckle



EB02 Individual leg support, with Aluminium foot plates



EF07 Curb climbing assist




EB03 Leg support with continous Aluminium foot plate



EB20 Mechanically elevating leg supports



EB80 Lateral leg pad



EU35 Soft ball





Additional seat cushio accessories

Note: When entering the order, the article number(s) of the following accessories must be additionally entered under the configuration reference number.

	Seat cusioin height:	50 mm	
	Seat cushion comp	ete with cover	
	Article number	Seat cusion size mm]	Price
\bigcirc	476C00=SK1450	380 x 400	Add. charge
\bigcirc	476C00=SK1451	400 x 420	Add. charge
\bigcirc	476C00=SK1452	420 x 420	Add. charge
\bigcirc	476C00=SK1453	420 x 440	Add. charge
\bigcirc	476C00=SK1454	420 × 460	Add. charge
\bigcirc	476C00=SK1455	420 x 520	Add. charge
\bigcirc	476C00=SK1456	450 x 420	Add. charge
\bigcirc	476C00=SK1457	450 x 440	Add. charge
\bigcirc	476C00=SK1458	450 x 460	Add. charge
\bigcirc	476C00=SK1459	480 x 420	Add. charge
\bigcirc	476C00=SK1460	480 x 440	Add. charge
\bigcirc	476C00=SK1461	480 x 460	Add. charge
\bigcirc	476C00=SK1462	510 x 440	Add. charge
\bigcirc	476C00=SK1463	510 x 460	Add. charge
0	476C00=SK1464	520 x 520	Add. charge



Power wheelchair A200.

	Seat cusioin height	80 mm	
	Seat cushion comp	ete with cover	
	Article number	Seat cusion size [mm]	Price
\bigcirc	476C00=SK1480	380 x 400	Add. charge
\bigcirc	476C00=SK1481	400 x 400	Add. charge
0	476C00=SK1482	400 x 420	Add. charge
0	476C00=SK1483	410 x 460	Add. charge
\bigcirc	476C00=SK1484	420 x 400	Add. charge
\bigcirc	476C00=SK1485	420 x 420	Add. charge
\bigcirc	476C00=SK1486	420 x 440	Add. charge
\bigcirc	476C00=SK1487	420 x 460	Add. charge
0	476C00=SK1488	420 x 520	Add. charge
0	476C00=SK1489	450 x 420	Add. charge
0	476C00=SK1490	450 x 440	Add. charge
0	476C00=SK1491	450 x 460	Add. charge
0	476C00=SK1492	460 x 510	Add. charge
0	476C00=SK1493	480 x 420	Add. charge
0	476C00=SK1494	480 x 440	Add. charge
0	476C00=SK1495	480 x 460	Add. charge
0	476C00=SK1496	500 x 420	Add. charge
0	476C00=SK1497	510 x 440	Add. charge
\bigcirc	476C00=SK1498	510 x 460	Add. charge
0	476C00=SK1499	520 x 520	Add. charge



Power wheelchair A200.

\bigcirc	Seat cushion Cloud (n	nax. user weight = 250	kg)		
	Functional height Thight trough: adapta Ischial zone: adaptabl Side lateral: 110 mm Note: Wheelchair dime	le	when selecting cushic	on size.	
	Seat cushion complet				
	Article number	Description	wc width [mm]	wc depth [mm]	Price
\bigcirc	476C00=FFC12x12*	Cloud 300 x 300	290 - 320	290 – 320	Add. charge
\bigcirc	476C00=FFC14x14	Cloud 350 x 350	340 - 360	340 – 370	Add. charge
\bigcirc	476C00=FFC14x16	Cloud 350 x 400	340 – 360	380 – 420	Add. charge
\bigcirc	476C00=FFC15x15	Cloud 380 x 380	370 – 390	360 – 400	Add. charge
\bigcirc	476C00=FFC15x16	Cloud 380 x 400	370 – 390	380 – 420	Add. charge
\bigcirc	476C00=FFC16x16	Cloud 400 x 400	390 - 410	380 – 420	Add. charge
\bigcirc	476C00=FFC16x16.5	Cloud 400 x 420	390 - 410	400 - 440	Add. charge
\bigcirc	476C00=FFC16x18	Cloud 400 x 460	390 - 410	420 – 480	Add. charge
\bigcirc	476C00=FFC16,5x16	Cloud 420 x 400	410 - 430	380 – 420	Add. charge
\bigcirc	476C00=FFC16.5x16.5	Cloud 420 x 420	410 - 430	400 - 440	Add. charge
\bigcirc	476C00=FFC17x17	Cloud 430 x 430	420 - 440	420 - 460	Add. charge
\bigcirc	476C00=FCC17x18	Cloud 430 x 460	420 - 440	420 – 480	Add. charge
\bigcirc	476C00=FFC17.5x16.5	Cloud 440 x 420	430 - 450	400 - 440	Add. charge
\bigcirc	476C00=FCC18x16	Cloud 460 x 400	450 - 480	380 – 420	Add. charge
\bigcirc	476C00=FCC18x16.5	Cloud 460 x 420	450 - 480	400 - 440	Add. charge
\bigcirc	476C00=FCC18x18	Cloud 460 x 460	450 - 480	420 – 480	Add. charge
\bigcirc	476C00=FCC18x20	Cloud 460 x 500	450 - 480	460 – 520	Add. charge
\bigcirc	476C00=FCC19x18	Cloud 480 x 460	460 - 500	420 – 480	Add. charge
\bigcirc	476C00=FCC20x16*	Cloud 500 x 400	480 - 540	380 – 420	Add. charge
\bigcirc	476C00=FCC20x18	Cloud 500 x 460	480 - 540	420 – 480	Add. charge
\bigcirc	476C00=FCC22x16*	Cloud 560 x 400	520 - 600	380 – 420	Add. charge
\bigcirc	476C00=FFC22x18*	Cloud 560 x 460	520 - 600	420 - 480	Add. charge
\bigcirc	476C00=FCC22x20*	Cloud 560 x 500	520 - 600	460 - 520	Add. charge
0	476C00=FCC24x16*	Cloud 610 x 400	570 – 650	380 - 420	Add. charge
0	476C00=SA200	Cloud special size (v	vidth x depth) min. 30)5 × 305 mm; max. 910 x 910 mm	Add. charge
			• •		

For special sizes, please ask for delivery time.



Power wheelchair A200.

	Functional height Thight trough: 60 mm Ischial zone: 70 mm Side lateral: 95 mm Note: Wheelchair dimensions are a guideline when selecting cushion size. Seat cushion complete with cover						
	Article number	Description	wc width [mm]	wc depth [mm]	Price		
\bigcirc	476C00=SK631	Terra, 355 × 355	350 - 370	340 - 360	Add. charge		
\bigcirc	476C00=SK608	Terra, 355 × 405	350 - 370	370 – 390	Add. charge		
0	476C00=SK606	Terra, 380 × 405	380 - 390	370 – 390	Add. charge		
0	476C00=SK601	Terra, 405 × 405	400 - 410	370 – 390	Add. charge		
\bigcirc	476C00=SK640	Terra, 405 × 430	400 - 410	400 - 420	Add. charge		
0	476C00=SK604	Terra, 405 × 455	400 - 410	430 - 450	Add. charge		
0	476C00=SK632	Terra, 405 × 505	400 - 410	460 - 480	Add. charge		
0	476C00=SK633	Terra, 430 × 405	420 - 430	370 – 390	Add. charge		
\bigcirc	476C00=SK638	Terra, 430 × 430	420 - 430	400 - 420	Add. charge		
0	476C00=SK607	Terra, 430 × 455	420 - 430	430 - 450	Add. charge		
0	476C00=SK634	Terra, 430 × 505	420 - 430	460 - 480	Add. charge		
0	476C00=SK603	Terra, 455 × 405	440 - 470	370 – 390	Add. charge		
0	476C00=SK639	Terra, 455 × 430	440 - 470	400 - 420	Add. charge		
0	476C00=SK602	Terra, 455 × 455	440 - 470	430 - 450	Add. charge		
0	476C00=SK635	Terra, 455 × 505	440 - 470	460 - 480	Add. charge		
0	476C00=SK636	Terra, 505 × 405	480 - 520	370 - 390	Add. charge		
0	476C00=SK605	Terra, 505 × 455	480 - 520	430 - 450	Add. charge		
0	476C00=SK637	Terra, 505 × 505	480 - 520	460 - 480	Add. charge		
0	476C00=SA620	Terra special size width 505 × depth 430 mm	480 - 520	400 - 420	Add. charge		



Power wheelchair A200.

\bigcirc	Seat cushion Terra Aquos (max. user weight = 150 kg)						
	Functional height Thight trough: 60 mm Ischial zone: 70 mm Side lateral: 95 mm Note: Wheelchair dimensions are a guideline when selecting cushion size.						
	Seat cushion comp	lete with cover					
	Article number	Description	wc width [mm]	wc depth [mm]	Price		
\bigcirc	476C00=SK681	Terra Aquos, 355 × 355	350 - 370	340 - 360	Add. charge		
\bigcirc	476C00=SK658	Terra Aquos, 355 × 405	350 - 370	370 - 390	Add. charge		
\bigcirc	476C00=SK656	Terra Aquos, 380 × 405	380 - 390	370 – 390	Add. charge		
\bigcirc	476C00=SK651	Terra Aquos, 405 × 405	400 - 410	370 – 390	Add. charge		
\bigcirc	476C00=SK690	Terra Aquos, 405 × 430	400 - 410	400 - 420	Add. charge		
\bigcirc	476C00=SK654	Terra Aquos, 405 × 455	400 - 410	430 - 450	Add. charge		
\bigcirc	476C00=SK682	Terra Aquos, 405 × 505	400 - 410	460 - 480	Add. charge		
\bigcirc	476C00=SK683	Terra Aquos, 430 × 405	420 - 430	370 – 390	Add. charge		
\bigcirc	476C00=SK688	Terra Aquos, 430 × 430	420 - 430	400 - 420	Add. charge		
\bigcirc	476C00=SK657	Terra Aquos, 430 × 455	420 - 430	430 – 450	Add. charge		
\bigcirc	476C00=SK684	Terra Aquos, 430 × 505	420 - 430	460 - 480	Add. charge		
\bigcirc	476C00=SK653	Terra Aquos, 455 × 405	440 - 470	370 – 390	Add. charge		
\bigcirc	476C00=SK689	Terra Aquos, 455 × 430	440 - 470	400 - 420	Add. charge		
\bigcirc	476C00=SK652	Terra Aquos, 455 × 455	440 - 470	430 – 450	Add. charge		
\bigcirc	476C00=SK685	Terra Aquos, 455 × 505	440 - 470	460 - 480	Add. charge		
\bigcirc	476C00=SK686	Terra Aquos, 505 × 405	480 - 520	370 - 390	Add. charge		
\bigcirc	476C00=SK655	Terra Aquos, 505 × 455	480 - 520	430 - 450	Add. charge		
\bigcirc	476C00=SK687	Terra Aquos, 505 × 505	480 - 520	460 - 480	Add. charge		
\bigcirc	476C00=SA660	Terra special size width 505 × depth 430 mm	480 - 520	400 - 420	Add. charge		
For	special sizes, please a	sk for delivery time.					



Power wheelchair A200.

	Functional height Thight trough: 60 m Ischial zone: 70 mm Side lateral: 95 mm Note: Wheelchair din	1	cushion size.				
	Seat cushion complete with cover						
	Article number	Description	wc width [mm]	wc depth [mm]	Price		
\bigcirc	476C00=SK878	Terra Flair, 355 × 405	350 - 370	350 - 390	Add. charge		
0	476C00=SK876	Terra Flair, 380 × 405	380 - 390	370 - 390	Add. charge		
0	476C00=SK871	Terra Flair, 405 × 405	400 - 410	370 – 390	Add. charge		
\bigcirc	476C00=SK879	Terra Flair, 405 × 430	400 - 410	400 - 420	Add. charge		
0	476C00=SK874	Terra Flair, 405 × 455	400 - 410	430 – 450	Add. charge		
0	476C00=SK882	Terra Flair, 405 × 505	400 - 410	460 - 480	Add. charge		
0	476C00=SK883	Terra Flair, 430 × 405	420 - 430	370 – 390	Add. charge		
0	476C00=SK888	Terra Flair, 430 × 430	420 - 430	400 - 420	Add. charge		
0	476C00=SK877	Terra Flair, 430 × 455	420 - 430	430 – 450	Add. charge		
0	476C00=SK884	Terra Flair, 430 × 505	420 - 430	460 - 480	Add. charge		
0	476C00=SK873	Terra Flair, 455 × 405	440 - 470	370 - 390	Add. charge		
0	476C00=SK889	Terra Flair, 455 × 430	440 - 470	400 - 420	Add. charge		
\bigcirc	476C00=SK872	Terra Flair, 455 × 455	440 - 470	430 - 450	Add. charge		
0	476C00=SK885	Terra Flair, 455 × 505	440 - 470	460 - 480	Add. charge		
0	476C00=SK886	Terra Flair, 505 × 405	480 - 520	370 - 390	Add. charge		
0	476C00=SK875	Terra Flair, 505 × 455	480 - 520	430 - 450	Add. charge		
0	476C00=SK887	Terra Flair, 505 × 505	480 - 520	460 - 480	Add. charge		
0	476C00=SA880	Terra Flair specail size width 505 × depth 430 mm	480 – 520	400 - 420	Add. charge		

For special sizes, please ask for delivery time.



Power wheelchair A200.

Additional belt and harness accessories

Note: When entering the order, the article number(s) of the following accessories must be additionally entered under the configuration reference number.

Trunk supports, anterior

Anterior trunk supports must always be used in combination with a pelvic support in order to avoid injuries.

	Article number	Figure	Description	Size	Dimensions [mm]	Price
0	476P52=SK015		Sternum harness	S	A: 225, B: 320, C: 130, D: 60, E: 130	Add. charge
0	476P52=SK016			Μ	A: 255, B: 380, C: 155, D: 60, E: 150	Add. charge
0	476P52=SK017			L	A: 260, B: 510, C: 200, D: 60, E: 200	Add. charge
0	476P52=SK009		_	XS	A: 90, B: 170, C: 140, D: 45	Add. charge
0	476P52=SK010	c		S	A: 110, B: 180, C: 160, D: 45	Add. charge
0	476P52=SK011	A	Dynamic harness —	М	A: 145, B: 230, C: 200, D: 50	Add. charge
0	476P52=SK012		_	L	A: 175, B: 260, C: 230, D: 60	Add. charge
0	476P52=SK020			S	A: 350, B: 95, C: 45	Add. charge
0	476P52=SK021	A	Shoulder harness	Μ	A: 380, B: 115, C: 65	Add. charge
\bigcirc	476P52=SK022	B		L	A: 480, B: 145, C: 75	Add. charge
0	473K00=SK020	$\int \circ \cap$		Gr. 1	A: 240, B: 180, C: 95, D: 90	Add. charge
0	473K00=SK021		Anterior trunk support, standard, black	Gr. 2	A: 335, B: 210, C: 190,D: 155	Add. charge
0	473K00=SK022	R.	·	Gr. 3	A: 405, B: 260, C: 225, D: 160	Add. charge
0	434S7=1.5-7		Anterior trunk support without padding			Add. charge

Pelvic supports, anterior Article number Figure Description Dimensions [mm] Price 2-point lap belt, plastic snap \bigcirc 476P52=SK004 B: 40, L: 2000 Add. charge buckle, adaptation on both sides 2-point lap belt, metal push \bigcirc 476P52=SK002 B: 40, L: 2000 Add. charge button, adaptation on one side 4-point lap belt, metal push 476P52=SK001 B: 40, L: 2000 Add. charge button, adaptation on one side