# Power wheelchair Juvo B5.

Quotation	Order
Billing Address	Shipping address (if different from billing address)
PO no.	Cust Name
Cust Name	Street no.
Street no.	PC, County
PC, County	
Name Date	Signature



**Rear-wheel drive** figure shows add charge options



**Mid-wheel drive** figure shows add charge options



**Front-wheel drive** figure shows add charge options

### **Article number:**

EA004 - FWD - 490E75=0\_AS01\_C EA005 - RWD - 490E75=0\_AS01\_C

EA006 - MWD - 490E75=0\_AS05\_C

max. load capacity: 160 kg (standard equipment)

### **Base Price**

FWD - £5631.00 RWD - £5139.00 MWD - £7439.00

Please email all orders to Ottobockmobility@ottobock.com

Valid from 01.01.2025 to 31.12.25 Please ensure you are using the lastet order form

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals. Wheelchairs with CLT package cannot be returned or exchanged


The number codes contained in this order form are not intended to be used as article numbers for spare parts orders.

Please scan the QR code to access the spare parts catalogue for any spare parts orders.



# Power wheelchair Juvo B5.

### Basic data (voluntary information)



### **Mandatory information\***

User height [cm]	
User weight [kg]	
1 Seat width [cm]	
2 Seat depth [cm]	
3 Trunk depth [cm]	
4 Arm support height [cm]	
5 Armpit height [cm]	
6 Schoulder heigth [cm]	
7 Head height [cm]	
8 Forearm length to middle of palm	
9 Trunk width [cm]	
10 Lower leg length [cm]	

\* This information will help to support user-oriented settings and product development. Ottobock guarantees the confidential and purely internal use of these data.

### **Product classification**

O EA002

Chassis size

EA007

Drive type  FA004	Front-wheel drive (FWD)	£5631.00
O EA005	Rear-wheel drive (RWD)	£5139.00
O EA006	Mid-wheel drive (MWD) see exclusions 2.1)	£7439.00
Max. user wei	ght (user + personal luggage, information required for chassis suspension)	
Лах. user wei	ght (user + personal luggage, information required for chassis suspension)  70 kg	Inclusive
Max. user wei		Inclusive Inclusive
Max. user wei	70 kg	

Category B (In-/Outdoor) (electric lighting mandatory in Europe)

Inclusive

Inclusive

Size 1 (overall width approx. 60 cm; max. user weight 140 kg) see exclusions 4.1)

### ottobock.

ocating systems										
O EC001	Standard sea (SW 3440 cm 5.2)					able in 5 cm	increments	) see exclusi	ions	£152.00
O EC002	Standard sea ments) see e			m, SD 3840	6 cm, BH 55	cm bis 45 c	m, adjustab	le in 5 cm in	cre-	Inclusive
O EC003	Standard sea ments) see e			m, SD 4250	) cm, BH 55	cm bis 45 c	m, adjustab	le in 5 cm ind	cre-	Inclusive
O EC004	Standard sea ments) see e			SD 4250 cr	m, BH 55 cm	n bis 45 cm,	adjustable i	n 5 cm incre	-	£195.00
O EC005	VAS (Vario Ad	djust Seat)	(SW 3854	cm, SD 38	.58 cm, BH !	55 cm, 53 cr	m, 51 cm, 45	cm)		£449.00
Back support for	modular Recai	ro seating	system se	e exclusions	: 6 0) and 61	)				
O ED030	LX (manually		-	c cxotadionic	, c.c, and c.	'/				£1536.00
O ED031	LT (adaptable	•	•	nually adius	tahla)					£1595.00
C LD031	LI (adaptable	taleral su	ipports, mai	ridally adjus	table)					21393.00
Seat bottom for n	nodular Recard	o back sup	port syste	<b>m</b> see exclu	ısions 6.0) a	nd 6.1)				
O EC008	F (flat padde	d, seat bot	tom sewn t	o lateral gui	des, cushior	n thickness a	approx. 14 cı	m)		£988.00
O EC009	X (contoured	lateral gui	des with se	at extensior	ı, cushion th	ickness app	rox. 16.5 cm	)		£1161.00
O EC010	<b>W</b> (flat padde	ed, with sea	at extensior	n, cushion th	ickness app	orox. 14.5 cm	1)			£995.00
* All Recaro seats	are equipped w	vith a head	support.							
Settings for stand	dard seat Junio	or see excl	usions 8.0)	to 8.12) and	9.0) to 9.2)					
Seat width SD in c	m	○34	○ 36	○ 38	O 40					
Seat depth SD in c	m	○34	○ 36	○ 38	O 40					
Back support heigh	nt BH 47 cm (ac	djustable to	o 42 cm or 3	37 cm)						
Settings for stand	dard seat smal		usions 8.0) t		9.0) to 9.2)					
Seat width SD in c	m	<u> </u>	O 40	O 42						
Seat depth SD in c	m	○38	O 40	O 42	O 44	O 46				
Back support heigh	nt BH 55 cm (ac	djustable to	o 50 cm or	45 cm)						
Settings for stand	lard coat large	م دمم معماري	eione 8 0) ta	s 8 16) and 0	0) to 9 2)					
Seat width SD in c		0 44	0.6)	0 48	.0) (0 3.2)					
		0 42	O 44	0 46	O 48	O 50				
Seat depth SD in c					O 48	O 50				
Back support heigh	it bh 55 cm (ac	ajustable ti	0 50 011 01 4	45 (111)						
Settings for stand	dard seat XL se	ee exclusio	ns 8.0) to 8	.16) and 9.0)	to 9.2)					
Seat width SD in c	m	O 50	O 52	O 54	O 56					
Seat depth SD in c		O 42	O 44	O 46	O 48	O 50				
Back support heigh										
		,		/						
Settings for VAS	see exclusions 8	8.0) to 8.2)	and 9.0) to	9.2)						
Seat width SD in c	m	○38	O 40	O 42	O 44	O 46	O 48	O 50	O 52	O 54
Seat depth SD in c	m	○38	O 40	O 42	O 44	O 46	O 48	O 50	O 52	O 54
		O 56	○ 58							
Back support heigh	nt BH 55 cm (ac	diustbable	to 53 cm. 5	1 cm or 45 c	m)					

# Power wheelchair *Juvo B5*.

### Overview about seating systems, seat widht and seat depth

### Seat width

	Seat width SW [cm]												
Seat	34	36	38	40	42	44	46	48	50	52	54	56	
Standard seat Junior	0	0	0	0									
Standard seat small			0	0	0								
Standard seat large						0	0	0					
Standard seat XL									0	0	0	0	
VAS			0	0	0	0	0	0	0	0	0		

### Seat depth

						Seat	depth SI	<b>)</b> [cm]					
Seat	34	36	38	40	42	44	46	48	50	52	54	56	58
Standard seat Junior	0	0	0	0									
Standard seat small			0	0	0	0	0						
Standard seat large					0	0	0	0	0				
Standard seat XL					0	0	0	0	0				
VAS			0	0	0	0	0	0	0	0	0	0	0
Recaro n-Joy Plus			0	0	0	0	0	0	0	0	0	0	

Composible in combination with Recaro) Lower leg length LLL cm (15 ... 54 cm) (without seat cushion; > 50 cm not possible in combination with Recaro) see exclusions 5.1) 8.12) 10.1) 10.2) 19.1)

**Seat cushion** (only possible in combination with standard seat or VAS, mandatory information) see exclusions 9.0) 9.1)

O EC011	Without seat cushion	Inclusive
O EC012	Seat cushion, sblack cover (seat cushion thickness 5 cm)	Inclusive
O EC013	Seat cushion with incontinence cover (seat cushion thickness 5 cm)	£103.00
O EC035	Evoflair (max. user weight 200 kg; seat cushion thickness 8 cm) see exclusions 11.7)	£303.00
O EC014	Terra (up to 150 kg; seat cushion thickness 6 cm) see exclusions 11.1) 11.2)	£207.00
O EC015	Terra Aquos (up to 150 kg; seat cushion thickness 6 cm) see exclusions 11.1) 11.2)	£233.00
O EC016	Terra Flair (up to 150 kg; seat cushion thickness 6 cm) see exclusions 11.1) 11.3)	£466.00
O EC018	Cloud (seat cushion thickness 11 cm) see exclusions 11.5)	£571.00
O EC020	Contour, flat contoured (seat cushion thickness 7 cm) see exclusions 11.8) 11.10) bis 11.12)	£252.00
O EC021	Contour, deep contoured (seat cushion thickness 9 cm) see exclusions 11.8) 11.10) bis 11.12)	£252.00
Please refer to	our seat cushion brochure for information on additional seat cushions	

Please refer to our seat cushion brochure for information on additional seat cushions.

### Power wheelchair *Juvo B5*.

Cover for seat cushion contoured (possible only in combination with seat cushion flat or deep contoured, mandatory information) see exclusions 12.0) 12.1) EC022 Fabric cover £299.00 EC023 £308.00 Synthetic lether cover EC024 Fabric cover with incontinence barrier £335.00 Back support version/with contour (possible only in combination with standard seat or VAS, mandatory information) see exclusions 9.1) ED032 Without back support upholstery see exclusions 9.0) Inclusive ED033 Back support upholstery, adaptable see exclusions 9.0) Inclusive Back support pad flat contoured (seat depth reduction by approx. 2 cm) ED034 £359.00 see exclusions 9.0) 11.8) Back support pad deep contoured (seat depth reduction by approx. 2 cm) ED035 £359.00 see exclusions 9.0) 11.8) Back support pad flat contoured AD (adaptable, seat depth reduction by approx. 2 cm) see exclu-ED050 £420.00 Back support pad deep contoured AD (adaptable, seat depth reduction by approx. 2 cm) see ex-ED051 £420.00 Baxx aluminium flat top back support (max. user weight 113 kg, installation accessories 4-point-FD036 PRO, SD reduction by approx. 2 cm, back support width = chosen seat width) £694 00 see exclusions 13.1) 13.2) 13.3) Cover for back support pad, contoured (possible only in combination with flat or deep contoured back support pad, mandatory information) see exclusions 14.0) 14.1) ED037 Fabric cover Inclusive ED038 Synthetic lether cover £51.00 Accessories for back support pad, contoured (possible only in combination with flat or deep contoured back support pad, mandatory information) see exclusions 14.0) 14.1) Side panels (possible only in combination with deep contoured back support pad) see exclusions ED039 £95.00 ED040 Lumbar support £72.00 Back support height for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) see exclusions 16.0) 16.1) ED041 High (18"/46 cm) Inclusive ED042 Extra high (20"/51 cm) Inclusive Back support contour for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) see exclusions 16.0) 16.1) ED043 Active (2,5"/6 cm) Inclusive ED044 Deep (4"/10 cm) £29.00 ED045 Extra deep (6"/15 cm) £56.00 Colour for Baxx (possible only in combination with Baxx aluminium flat top back support; mandatory information) see exclusions 16.0) 16.1) ED002 Anthrazit metallic ED016 Inclusive Silver metallic Inclusive ED003 Jet black RAL 9005 Inclusive ED017 Yellow RAL 1023 Inclusive ED004 ED018 Ice blue Inclusive Signal red RAL 3001 Inclusive ED005 ED021 Sparkle light orange Inclusive Sparkle granny-smith Inclusive ED009 ED022 Vinho Sparkle Inclusive Creame RAL 9001 Inclusive ED012 FD023 Sky blue Inclusive White RAI 9016 Inclusive ED013 Jet black RAL 9005 matte Inclusive ED027 Inclusive Shimano matt ED014 FD029 Candy red Inclusive Pink RAL 4010 Inclusive

### ottobock.

## Power wheelchair *Juvo B5*.

Seat inclin	nation (pre-tilt)
$\circ$	-3° (not possible in combination with Recaro n-Joy, n-Joy-Plus, modular seating system; front-wheel drive; mid-wheel drive; combination of rear-wheel drive and VAS) see exclusions 10.1) 19.1) 19.2) 19.3)
0	0°
0	<b>3°</b> (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) see exclusions 10.1)
0	<b>6°</b> (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) see exclusions 5.1) 10.1)
0	9° (not possible in combination with Recaro n-Joy, n-Joy-Plus or modular seating system) see exclusions 5.1) 10.1)

FWD, RWD, MWD	cm	41	43	45	47	49	51	53	55	57
Size 1 & 2	Inch	16,5	17,5	18	18,5	19,5	20,5	21	22	23
Notices and exclusions		21.0) bis 21.6) 21.9) 21.10)	21.0) 21.5) bis 21.7) 21.9) 21.10) 21.14) bis 21.17)	21.0) 21.5) 21.6) 21.15) bis 21.17)	21.0) 21.15) 21.17)	8.12) 21.0) 21.6) 21.15)	8.12) 10.2) 21.0) 21.6)	5.1) 19.1) 21.0) 21.6) 21.12)	5.1) 19.1) 21.0) 21.6) 21.11) bis 21.13)	10.1) 19.1) 19.3) 21.0) 21.6) 21.8) 21.12) 21.13
Standard seat		$\circ$	0	0	$\circ$	0	0	0	0	
Vario Adjust Seat (VAS)			0	0	0	0	0	0	0	0
Recaro (n-Joy, n-Joy Plus and dules)  + ca. 13 - 16 cm seat cu thickness			0	0	0	0				
Standard seat; tilt 45°					0	0	0	0	0	0
Vario Adjust Seat (VAS); tilt 45	o				0	0	0	0	0	0
Recaro (all); tilt 45°					0	0				
Standard seat; tilt 45° & seat height adjustment					0					
Vario Adjust Seat (VAS); tilt 45 height adjustment	° & seat				0					
Recaro (all); tilt 45° & seat height adjustment					0					

Seat height measured without load from floor to top of seat plate/seat frame (for Recaro), at 0° pre-tilt, without seat height adjustment and without seat cushion. Under load the specified seat height will be min. 1 cm.

O EC025	Power seat tilt 45° with centre of gravity shifting see exclusions 20.0) 20.11) to 20.13) 20.24) 20.29) 20.30)	£860.00
C EC026	Power seat height adjustment 35 cm see exclusions 20.0) 20.10) to 20.14) 20.25) 20.29) 20.30) 42.3)	£2374.00
C EC027	Power seat height adjustment 35 cm with 45° seat tilt, with centre of gravity shifting see exclusions 20.0) 20.10) to 20.14) 20.25) 20.29) 20.30) 42.3)	£2774.00
C033	<b>Without</b> see exclusions 20.15) to 20.23) 20.26) to 20.28) 20.31) 20.32)	Inclusive
Power seat ad	justment accessories	
ES307	Stabilisation for power seat height adjustment see exclusions 85.1)	£78.00
Back support	angle adjustment (mandatory information in combination with standard seat or VAS) see exclusions 9.1)	
O ED046	Mechanical in increments (standard seat: 0/10/20/30° or -9/1/11/21°; VAS: -5/0/10/20/30°9; possible only in combination with standard seat or VAS) see exclusions 9.0)	Inclusive
O ED047	Power (Standard seat 30°; VAS -5° to 30°) see exclusions 22.1)	£733.00
Mounting kit f	or head/neck supports (not possible in combination with Recaro seat and seating system) see exclusions 10.	1)
O EL001	Gooseneck	£136.00
O EL002	Multi-axis, offset	£126.00
O EL003	Multi-axis, straight	£185.00
O EL031	<b>UniLink holder for head support, multi-axis</b> (suitable only for Advanced line head supports; not possible in combination with EL006, EL007, EL013 bis EL016)	£251.00
UniLink acces	sories (may be used to compensate the distance at kyphotic head posture) see exclusions 83.0)	
O EL039	UniLink extension, 38 mm	£87.00
	UniLink extension, 50 mm	£64.00
O EL040	UniLink extension, 75 mm	£87.00
Head/neck sur	<b>pports</b> (possible only in comb. with mounting kit for head/neck supports, mandatory information)) see exclusion	us 24 (1) 24 (1)
Care line	possible only in comb. With mounting kit for head, neek supports, mandatory information, see exclusion	13 24.0) 24.1)
O EL006	Head support, small (PU) see exclusions 24.2)	£95.00
O EL007	Head support, large (PU) see exclusions 24.2)	£95.00
O EL013	Head/neck support, small (PU) see exclusions 24.2)	£90.00
O EL014	Head/neck support, large (PU) see exclusions 24.2)	£90.00
O EL015	Head/neck support, X-shape, small (PU) see exclusions 24.2)	£109.00
O EL016	Head/neck support, X-shape, large (PU) see exclusions 24.2)	£109.00
Advanced line		
O EL033	Comfort Plus, size S	£168.00
O EL034	Comfort Plus, size M	£194.00
O EL035	Comfort Plus, size L	£194.00
○ EL035 ○ EL036	Comfort Plus, size L Combo (3-pad), size S	£194.00 £333.00

### ottobock.

### Power wheelchair *Juvo B5*.

$\bigcirc$	EP001	Standard lep belt	Inclusive
$\subset$	EP002	<b>2-point lap belt, padded, metal buckle</b> (not possible in combination with Recaro seat and seating system) see exclusions 10.1)	£161.00
0	EP003	<b>2-point lap belt, padded, plastic buckle</b> (not possible in combination with Recaro seat and seating system) see exclusions 10.1)	£146.00
0	EP020	<b>2-point lap belt with metal buckle and rewinder</b> (buckle on side of joystick) see exclusions 10.1) 11.8) 25.2)	£244.00
Che	st/shoulde	r harnesses (not possible in combination with Recaro) see exclusions 10.1)	
$\bigcirc$	EP005	Dynamic harness, size S	£207.00
$\bigcirc$	EP006	Dynamic harness, size M	£207.00
$\bigcirc$	EP007	Dynamic harness, size L	£207.00
$\bigcirc$	EP008	Sternum harness, size S	£198.00
$\bigcirc$	EP009	Sternum harness, size M	£198.00
$\bigcirc$	EP010	Sternum harness, size L	£198.00
$\bigcirc$	EP011	Slimline sternum harness, size S	£192.00
$\bigcirc$	EP012	Slimline sternum harness, size M	£192.00
$\bigcirc$	EP013	Slimline sternum harness, size L	£192.00
0	EP014	Shoulder harness, size S	£213.00
$\bigcirc$	EP015	Shoulder harness, size M	£213.00
$\bigcirc$	EP016	Shoulder harness, size L	£213.00
VAS	accessorie ED048	s (possible only in combination with VAS)  Push handles	£72.00
0	ED048	Push handles	
0	ED048	Push handles Standard	Inclusive
0	ED048	Push handles	Inclusive
Arn	ED048  supports  EE023  EE024	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in	Inclusive
Arn	ED048  supports  EE023  EE024	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3)	Inclusive
Arn O Pad	ED048  supports  EE023  EE024  ding for arm  support ve	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3)  support and clothing guard can be ordered from the spare parts catalogue.	Inclusive £271.00
Arn O Pad	supports EE023 EE024 ding for arm	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3) support and clothing guard can be ordered from the spare parts catalogue.  rsion  Standard (LLL is required) see exclusions 20.29) 28.1)	Inclusive £271.00
Arn O Pad	ED048  supports  EE023  EE024  ding for arm  support ve	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3)  support and clothing guard can be ordered from the spare parts catalogue.  rsion  Standard (LLL is required) see exclusions 20.29) 28.1)  Mechanically elevating with length adjustment (with length adjustment, not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.5) 28.45)	Inclusive £271.00 Inclusive
Arn O Pad	ED048  supports  EE023  EE024  ding for arm  support ve  EB001	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3)  support and clothing guard can be ordered from the spare parts catalogue.  rsion  Standard (LLL is required) see exclusions 20.29) 28.1)  Mechanically elevating with length adjustment (with length adjustment, not available for LLL <	Inclusive £271.00 Inclusive £638.00
Arn O Pad	ED048  supports  EE023  EE024  ding for arm  support ve  EB001  EB002	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3)  support and clothing guard can be ordered from the spare parts catalogue.  rsion  Standard (LLL is required) see exclusions 20.29) 28.1)  Mechanically elevating with length adjustment (with length adjustment, not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.5) 28.45)  Power elevating with length adjustment and separate control (not available for LLL < 21 cm;	Inclusive £271.00 Inclusive £638.00 £1299.00
Arn O Pad	ED048  supports  EE023  EE024  ding for arm  support ve  EB001  EB002  EB003	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3)  support and clothing guard can be ordered from the spare parts catalogue.  rsion  Standard (LLL is required) see exclusions 20.29) 28.1)  Mechanically elevating with length adjustment (with length adjustment, not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.5) 28.45)  Power elevating with length adjustment and separate control (not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.7)  Power elevating with length adjustment and simultaneous control (not available for LLL < 21	Inclusive £271.00 Inclusive £638.00 £1299.00
Arn O Pad	ED048  supports  EE023  EE024  ding for arm  support ve  EB001  EB002  EB003  EB004	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3)  support and clothing guard can be ordered from the spare parts catalogue.  rsion  Standard (LLL is required) see exclusions 20.29) 28.1)  Mechanically elevating with length adjustment (with length adjustment, not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.5) 28.45)  Power elevating with length adjustment and separate control (not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.7)  Power elevating with length adjustment and simultaneous control (not available for LLL < 21 cm; LLL is required) see exclusions 28.1) to 28.7)  Centrally mounted leg support (LLL is required) exclusions see tables from page 24; see exclusions	Inclusive £271.00  Inclusive £638.00 £1299.00 £1299.00
Arm Pad Leg	ED048  supports  EE023  EE024  ding for arm  support ve  EB001  EB002  EB003  EB004  EB013  EB005	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3)  support and clothing guard can be ordered from the spare parts catalogue.  rsion  Standard (LLL is required) see exclusions 20.29) 28.1)  Mechanically elevating with length adjustment (with length adjustment, not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.5) 28.45)  Power elevating with length adjustment and separate control (not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.7)  Power elevating with length adjustment and simultaneous control (not available for LLL < 21 cm; LLL is required) see exclusions 28.1) to 28.7)  Centrally mounted leg support (LLL is required) exclusions see tables from page 24; see exclusions 28.1) 28.9) to 28.44) 28.46) to 28.48)  Without leg support (not possible in combination with selected lower leg length) see exclusions	Inclusive £271.00  Inclusive £638.00 £1299.00 £1299.00
Arm Pad Leg	ED048  supports  EE023  EE024  ding for arm  support ve  EB001  EB002  EB003  EB004  EB013  EB005	Push handles  Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3)  support and clothing guard can be ordered from the spare parts catalogue.  rsion  Standard (LLL is required) see exclusions 20.29) 28.1)  Mechanically elevating with length adjustment (with length adjustment, not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.5) 28.45)  Power elevating with length adjustment and separate control (not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.7)  Power elevating with length adjustment and simultaneous control (not available for LLL < 21 cm; LLL is required) see exclusions 28.1) to 28.7)  Centrally mounted leg support (LLL is required) exclusions see tables from page 24; see exclusions 28.1) 28.9) to 28.44) 28.46) to 28.48)  Without leg support (not possible in combination with selected lower leg length) see exclusions 28.8)	Inclusive £271.00  Inclusive £638.00 £1299.00 £1299.00 Inclusive
Arm O Pad Leg	ED048  supports  EE023  EE024  ding for arm  support ve  EB001  EB002  EB003  EB004  EB013  EB005  t plate vers	Standard  Flip-up (effective seat width (+/- 1 cm per side) on standard seat small, SW 42 cm; standard seat large, SW 48 cm; standard seat XL, SW 56 cm; VAS plus 2 cm) (max. user weight 125 kg; not in combination with standard seat junior and Recaro) see exclusions 10.1) 11.6) 11.8) 79.1) bis 79.3)  support and clothing guard can be ordered from the spare parts catalogue.  rsion  Standard (LLL is required) see exclusions 20.29) 28.1)  Mechanically elevating with length adjustment (with length adjustment, not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.5) 28.45)  Power elevating with length adjustment and separate control (not available for LLL < 21 cm; LLL is required) see exclusions 4.1) 28.1) to 28.7)  Power elevating with length adjustment and simultaneous control (not available for LLL < 21 cm; LLL is required) see exclusions 28.1) to 28.7)  Centrally mounted leg support (LLL is required) exclusions see tables from page 24; see exclusions 28.1) 28.9) to 28.44) 28.46) to 28.48)  Without leg support (not possible in combination with selected lower leg length) see exclusions 28.8)  ion see exclusions 29.0) 29.1)  Individual, plastic foot plate (standard equipment by EB001, max. user weight 140 kg; not availab-	£72.00  Inclusive £271.00  Inclusive £638.00 £1299.00 £1299.00 Inclusive  Inclusive

Otto Bock Mobility Solutions Plc - 32 Parsonage Road, Englefi eld Green, Egham, Surrey, TW20 0LD - Tel 01784 744900 - Web www.ottobock.com/en-uk

### ottobock.

$\bigcirc$	EB010	Lateral leg pad for power and mechanical elevating leg supports (pair) (possible only in combination with mechanically or power elevating leg support adjustment) see exclusions 30.1)	£235.00
0	EB017	<b>Lock for single panel aluminium foot plate</b> (only possible in combinateion with EB009) see exclusions 30.2) 30.3) 30.4)	£85.00
Bat	teries		
0	EU036	AGM 56 Ah (C5) / 60,4 Ah (C20) see exclusions 5.1) 31.3)	Inclusive
Bat	tery charge	r	
$\bigcirc$	EU041	Battery charger 8 A, fanless (suitable only for batteries with 56 Ah (C5)) see exclusions 32.1) 32.3)	Inclusive
0	EU042	Battery charger 12 A, incl. external charging receptacle (magnetic, installation side right) see exclusions 32.3)	Inclusive
Ado	ditional cha	rging receptacle	
0	EU043	<b>External charging receptacle (magnetic, installation side right; possible only with</b> EU040; recommended with an existing 12 A battery charger) see exclusions 75.1)	£205.00
Cas	ster wheel s	wing arm	
$\bigcirc$	EF001	Suspension	£161.00
0	EF002	No suspension see exclusions 5.1) 19.3)	Inclusive
Cas	ster wheels		
$\bigcirc$	EF003	6" PU Komfort (only for MWD) see exclusions 19.1) 64.6)	Inclusive
0	EF009	6" PU Performance (only for MWD, harder rubber mixture) see exclusions 19.1) 64.6)	Inclusive
$\bigcirc$	EF005	9" pneumatic, puncture-resistant see exclusions 19.3)	Inclusive
$\bigcirc$	EF006	9" puncture-proof see exclusions 19.3)	Inclusive
$\bigcirc$	EF007	10" pneumatic, puncture-resistant see exclusions 19.3)	Inclusive
0	EF008	10" puncture-proof see exclusions 19.3)	Inclusive
Dri	ve wheels		
$\bigcirc$	EG001	14" pneumatic, puncture-resistant	Inclusive
0	EG002	14" puncture-proof	Inclusive
Tyr	e colour		
$\bigcirc$	EG011	Grey	Inclusive
0	EG012	Black	Inclusive
Tre	ad		
0	EG013	Ribs (only with tyre colour grey) see exclusions 37.1)	Inclusive
0	EG014	Lugs see exclusions 19.3)	Inclusive

### ottobock.

Wh	eelchair col	lour					
$\bigcirc$	002	Anthrazit metallic	Inclusive	0	016	Silver metallic	Inclusive
$\bigcirc$	003	Jet black RAL 9005	Inclusive	0	017	Yellow RAL 1023	Inclusive
$\bigcirc$	004	Ice blue	Inclusive	0	018	Signal red RAL 3001	Inclusive
$\bigcirc$	005	Sparkle light orange	Inclusive	0	021	Sparkle granny-smith	Inclusive
$\bigcirc$	009	Vinho Sparkle	Inclusive	0	022	Creame RAL 9001	Inclusive
$\bigcirc$	012	Sky blue	Inclusive	0	023	White RAL 9016	Inclusive
$\bigcirc$	013	Jet black RAL 9005 matte	Inclusive	0	027	Shimano matt	Inclusive
0	014	Candy red	Inclusive	0	037	Pink RAL 4010	Inclusive
Cha	ssis access	ories					
$\bigcirc$	EA010	<b>Splash guard for drive wheels</b> (i on of RWD, VAS and SH 43 cm) se			e in conju	unction with the combinati-	£102.00
0	EA011	Splash guard for caster wheels					£40.00
Cas	ter wheel s	wivel lock					
0	EF020	<b>Mechanical</b> (possible only in con and splash guard for caster whee			n of splas	sh guard for drive wheels	£472.00
Cha	ıssis safety	accessories					
$\bigcirc$	EF021	Curb climbing assist (only for RV					£381.00
0	ES002	<b>Kit for vehicle transport</b> (not po exclusions 4.1) 41.1)	ssible in combinatio	n with ED	036; max	x. load capacity 140 kg) see	Inclusive
0	ES013	Ottobock installation kit for Da	hl docking system s	see exclu	sions 4.1)	41.1) 41.3)	£125.00
Zub	ehör allgen	nein					
	ES003	Pocket for mobile phone					£59.00
	ES004	Luggage carrier see exclusions 5	.1)				£268.00
	ES005	Crutch holder					£136.00
	ES006	Rear-view mirror (installation side tray control or TEN° tray module)		ol panel	side or sv	vivel mechanism for mid-	£202.00
	ES007	Tool kit					£70.00
	ES010	Beverage holder					£30.00
	ES011	Airman pump					£285.00
	ET001	External horn					£553.00
	ES012	<b>Therapy tray</b> (swivel mechanism ES006) see exclusions 42.2) 42.3)		panel si	de; not po	ossible in combination with	£472.00
	ES023	Backpack hooks see exclusions	10.1)				£87.00
							£63.00
							£46.00
Rec	eptacle for	external power supply, right (front)	right next to safety s	witch, ma	ındatory i	nformation) see exclusions 43.0) 43	3.1)
$\bigcirc$	ET002	12 V			-	,	£355.00
$\bigcirc$	ET003	24 V					£143.00
$\overline{}$	ET004	USB					£160.00

### Power wheelchair *Juvo B5*.

$\bigcirc$					J	mation) see exclusions 44.0) 44	,
	ET005	<b>12 V</b> (not possible in combination exclusions 44.2)	with receptacle for	external	power sup	oly, right, 12 V or 24 V) see	£355.00
$\bigcirc$	ET006	<b>24 V</b> (not possible in combination exclusions 44.2)	n with receptacle for	external	power sup	ply, right, 12 V or 24 V) see	£143.00
0	ET007	USB					£160.00
l iøl	<b>hting</b> see excl	usions 63 0)					
	ES021	Electric lighting according to G	erman Motor Vehicle	e Safety	Standards	(StVZO)	£758.00
Cor	ntrol device						
<b>О</b>	EU050	VR2 (90 A), without power func see exclusions 45.1) 45.4) to 45.6)		not recom	nmended f	or user weight > 120 kg)	Inclusive
0	EU051	VR2 (90 A), max. 2 power funct > 120 kg) see exclusions 45.3) to	ions and lighting po	ssible (n	ot recomm	ended for user weight	Inclusive
0	EU061	VR2 (90 A) power module with lighting are possible) see exclus			er (max. 2	power funktions and	£1161.00
0	EU053	R-net/TEN° (120 A) power mode weight)	ule (mandatory for 14	1 km/h, re	ecommend	ed for >150 kg user	£2577.00
Inp	ut for R-net/T	TEN° power module see exclusions	46.0)				
$\bigcirc$	EU079	R-net LED hand module					£788.00
$\bigcirc$	EU065	TENº hand module, standard co	olour Shimano matte	е			Inclusive
$\supset$	EU066	TENº hand module, colour sele	ctable				£89.00
$\bigcirc$	EU063	TEN° (120 A), tray module, electexclusions see 42.1) 42.3) Note: The mends the use of an external ho	ne supplied horn can	be perce	eived as to		£2577.00
0	493U75=ST188	Jog Wheel with Toggle					£43.10
O Col			pination with control	panel TF	'N°. manda	tory information) see exclusion	
O Col	our for TENº l	nand module (possible only in com		panel TE		· · · · · · · · · · · · · · · · · · ·	s 47.0) 47.1)
Col	our for TEN° h	nand module (possible only in comb Anthrazit metallic	Inclusive	0	EU016	Silver metallic	s 47.0) 47.1) Inclusive
	our for TEN° h EU002 EU003	nand module (possible only in comb Anthrazit metallic Jet black RAL 9005	Inclusive Inclusive	0	EU016 EU017	Silver metallic Yellow RAL 1023	s 47.0) 47.1) Inclusive Inclusive
Col	our for TEN° h EU002 EU003 EU004	nand module (possible only in comb Anthrazit metallic Jet black RAL 9005 Ice blue	Inclusive Inclusive Inclusive	0	EU016 EU017 EU018	Silver metallic Yellow RAL 1023 Signal red RAL 3001	s 47.0) 47.1) Inclusive Inclusive Inclusive
	EU002 EU003 EU004 EU005	nand module (possible only in comb Anthrazit metallic Jet black RAL 9005 Ice blue Sparkle light orange	Inclusive Inclusive Inclusive Inclusive	0	EU016 EU017 EU018 EU021	Silver metallic  Yellow RAL 1023  Signal red RAL 3001  Sparkle granny-smith	Inclusive Inclusive Inclusive
	EU002 EU003 EU004 EU005 EU009	nand module (possible only in comb Anthrazit metallic Jet black RAL 9005 Ice blue Sparkle light orange Vinho Sparkle	Inclusive Inclusive Inclusive Inclusive Inclusive	0	EU016 EU017 EU018 EU021 EU022	Silver metallic Yellow RAL 1023 Signal red RAL 3001 Sparkle granny-smith Creame RAL 9001	s 47.0) 47.1)  Inclusive  Inclusive  Inclusive  Inclusive  Inclusive
	EU002 EU003 EU004 EU005 EU009	nand module (possible only in comb Anthrazit metallic Jet black RAL 9005 Ice blue Sparkle light orange Vinho Sparkle Sky blue	Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive	0	EU016 EU017 EU018 EU021 EU022 EU023	Silver metallic Yellow RAL 1023 Signal red RAL 3001 Sparkle granny-smith Creame RAL 9001 White RAL 9016	s 47.0) 47.1)  Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive
Col	EU002 EU003 EU004 EU005 EU009 EU012 EU013	Anthrazit metallic  Jet black RAL 9005 Ice blue  Sparkle light orange Vinho Sparkle Sky blue Jet black RAL 9005 matte	Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive	0	EU016 EU017 EU018 EU021 EU022	Silver metallic Yellow RAL 1023 Signal red RAL 3001 Sparkle granny-smith Creame RAL 9001	s 47.0) 47.1)  Inclusive Inclusive Inclusive Inclusive Inclusive
Coll () () () () () () () () () () () () ()	EU002 EU003 EU004 EU005 EU009	nand module (possible only in comb Anthrazit metallic Jet black RAL 9005 Ice blue Sparkle light orange Vinho Sparkle Sky blue	Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive	0	EU016 EU017 EU018 EU021 EU022 EU023	Silver metallic Yellow RAL 1023 Signal red RAL 3001 Sparkle granny-smith Creame RAL 9001 White RAL 9016	s 47.0) 47.1) Inclusive Inclusive Inclusive
	EU002 EU003 EU004 EU005 EU009 EU012 EU013 EU014	Anthrazit metallic  Jet black RAL 9005 Ice blue  Sparkle light orange Vinho Sparkle Sky blue  Jet black RAL 9005 matte  Candy red	Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive	0	EU016 EU017 EU018 EU021 EU022 EU023	Silver metallic Yellow RAL 1023 Signal red RAL 3001 Sparkle granny-smith Creame RAL 9001 White RAL 9016	s 47.0) 47.1)  Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive
	EU002 EU003 EU004 EU005 EU009 EU012 EU013 EU014 EV014	Anthrazit metallic  Jet black RAL 9005 Ice blue  Sparkle light orange  Vinho Sparkle  Sky blue  Jet black RAL 9005 matte  Candy red  * tray module see exclusions 80.0)  Required force 250 g	Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive	0	EU016 EU017 EU018 EU021 EU022 EU023	Silver metallic Yellow RAL 1023 Signal red RAL 3001 Sparkle granny-smith Creame RAL 9001 White RAL 9016	s 47.0) 47.1)  Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive
	EU002 EU003 EU004 EU005 EU009 EU012 EU013 EU014	Anthrazit metallic  Jet black RAL 9005 Ice blue  Sparkle light orange Vinho Sparkle Sky blue  Jet black RAL 9005 matte  Candy red	Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive	0	EU016 EU017 EU018 EU021 EU022 EU023	Silver metallic Yellow RAL 1023 Signal red RAL 3001 Sparkle granny-smith Creame RAL 9001 White RAL 9016	s 47.0) 47.1)  Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive
O O O O O O O O O O O O O O O O O O O	our for TEN° f EU002 EU003 EU004 EU005 EU009 EU012 EU013 EU014  rstick for TEN° EU116 EU117	Anthrazit metallic  Jet black RAL 9005 Ice blue  Sparkle light orange  Vinho Sparkle  Sky blue  Jet black RAL 9005 matte  Candy red  * tray module see exclusions 80.0)  Required force 250 g	Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive 80.1)		EU016 EU017 EU018 EU021 EU022 EU023 EU029	Silver metallic Yellow RAL 1023 Signal red RAL 3001 Sparkle granny-smith Creame RAL 9001 White RAL 9016 Pink RAL 4010	s 47.0) 47.1)  Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive
O O O O O O O O O O O O O O O O O O O	our for TEN° f EU002 EU003 EU004 EU005 EU009 EU012 EU013 EU014  rstick for TEN° EU116 EU117	Anthrazit metallic  Jet black RAL 9005 Ice blue  Sparkle light orange  Vinho Sparkle  Sky blue  Jet black RAL 9005 matte  Candy red  * tray module see exclusions 80.0)  Required force 250 g  Required force 120 g	Inclusive On tray module; possi		EU016 EU017 EU018 EU021 EU022 EU023 EU029	Silver metallic Yellow RAL 1023 Signal red RAL 3001 Sparkle granny-smith Creame RAL 9001 White RAL 9016 Pink RAL 4010	s 47.0) 47.1)  Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive
Joy	EU002 EU003 EU004 EU005 EU009 EU012 EU013 EU014 EV116 EU117 Eernal buttons	Anthrazit metallic  Jet black RAL 9005 Ice blue  Sparkle light orange Vinho Sparkle Sky blue  Jet black RAL 9005 matte Candy red  * tray module see exclusions 80.0) Required force 250 g Required force 120 g  * (connection on TEN° control panel rical flip-over) see exclusions 48.0)	Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive or tray module; possi		EU016 EU017 EU018 EU021 EU022 EU023 EU029	Silver metallic Yellow RAL 1023 Signal red RAL 3001 Sparkle granny-smith Creame RAL 9001 White RAL 9016 Pink RAL 4010	s 47.0) 47.1)  Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive
Joy	EU002 EU003 EU004 EU005 EU009 EU012 EU013 EU014 EV116 EU117 EV116 EU117 EV116 EU117	Anthrazit metallic  Jet black RAL 9005 Ice blue  Sparkle light orange  Vinho Sparkle  Sky blue  Jet black RAL 9005 matte  Candy red  **Tray module* see exclusions 80.0)  Required force 250 g  Required force 120 g  **Connection on TEN° control panel rical flip-over) see exclusions 48.0)  2 Piko buttons, diameter 50 mm	Inclusive		EU016 EU017 EU018 EU021 EU022 EU023 EU029	Silver metallic  Yellow RAL 1023  Signal red RAL 3001  Sparkle granny-smith  Creame RAL 9001  White RAL 9016  Pink RAL 4010	s 47.0) 47.1)  Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive
Joy	EU002 EU003 EU004 EU005 EU009 EU012 EU013 EU014 EV116 EU117 EV116 EU117 EV116 EU117 EV116 EU117	Anthrazit metallic  Jet black RAL 9005 Ice blue  Sparkle light orange Vinho Sparkle Sky blue  Jet black RAL 9005 matte Candy red  * tray module see exclusions 80.0) Required force 250 g Required force 120 g  ** (connection on TEN° control panel rical flip-over) see exclusions 48.0) 2 Piko buttons, diameter 50 mm	Inclusive 1 (red/black) Inclusive Inclusive Inclusive	ible only	EU016 EU017 EU018 EU021 EU022 EU023 EU029	Silver metallic  Yellow RAL 1023  Signal red RAL 3001  Sparkle granny-smith  Creame RAL 9001  White RAL 9016  Pink RAL 4010	s 47.0) 47.1)  Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive Inclusive  Evice or TEN°  £421.00

Otto Bock Mobility Solutions Plc - 32 Parsonage Road, Englefi eld Green, Egham, Surrey, TW20 0LD - Tel 01784 744900 - Web www.ottobock.com/en-uk

### ottobock.

Holder for har	nd module see exclusions 49.0) 49.2)	
O EU070	Control panel holder, standard (possible only in combination with VR2) see exclusions 49.3)	Inclusive
O EU071	Control panel holder, swing-away in parallel, height-adjustable	£135.00
O EU072	Control panel holder, swing-away in parallel, 9.5 cm height-adjustable	£161.00
Mounting mat	erial tray for TEN° tray module see exclusions 80.0) 80.1)	
O ES014	Tray with attachment, TEN° tray module centrally mounted	£1048.00
O ES015	Tray (without cut-out) with attachment, incl. cutting template for TEN° tray module (for individual placement by the dealer)	£745.00
O ES016	Attachment only, incl. cutting template for TEN° tray module (for individual placement by the dealer)	£562.00
O ES017	Cutting template for TEN° tray module (for individual placement by the dealer)	£103.00
	for holder for hand module or tray id-tray control (MTC) or TEN° tray module; mandatory information) see exclusions 50.0) 50.1)	
0	Right	
0	Left	
Joystick top		
O EU080	Fork for tetraplegics, horizontal (adjustable for hand width 70 - 90 mm) see exclusions 51.1) 51.2)	£135.00
O EU081	Stick S80 (special joystick handle 80 mm) see exclusions 51.1) 51.2)	£119.00
O EU082	Soft ball, black cover see exclusions 51.1) 51.2)	£202.00
O EU083	Ball top, smal (diameter 43 mm) see exclusions 51.1) 51.2)	£136.00
O EU084	Ball top, large (diameter 48 mm) see exclusions 51.1) 51.2)	£125.00
O EU085	Soft balls see exclusions 51.1)	£244.00
	,	
Module for co	ntrol device R-net/TEN° (possible only in combination with TEN° control device) see exclusions 46.0) 52.0)	
O EU054	<b>TEN° LCD module</b> (when using 1-switch scan drive, programming by service required; please order button separately; adapter switch box not required) see exclusions 52.0) 52.1)	£1914.00
O EU055	Input/Output module (required e.g. for Easywave radio control) see exclusions 52.2) 52.3)	£1230.00
		F2 0) F24)
	N° LCD module (possible only in combination with TEN° LCD module, mandatory information) see exclusions  Standard (installation across from control panel side; not possible in combination with tray)	£98.00
O EU073	see exclusions 42.1) 51.2)	200.00
O EU074	<b>With gooseneck</b> (installation across from control panel side; not possible in combination with tray) see exclusions 42.1) 51.2)	£303.00
O EU075	With gooseneck for tray (included)	£227.00
Engoigl innut	device for TEN° LCD-Modul (possible only in combination with TEN° LCD module) see exclusions 52.0) 53.0)	
EU100		£4453.00
O EU101	mo-Vis micro joystick (required force 10 g)	£4068.00
O EU102	mo-Vis multi joystick (required force 50 g)	£3371.00
^	mo-Vis all-round joystick light (required force 120 g)	£2146.00
O EU128	mo-Vis all-round joystick (required force 250 g)	£4139.00
O EU129	mo-Vis all-round heavy duty joystick (required force 650 g)	
O EU150	Calibratable mini joystick  Sin and puff control (possible only in combination with Posses seet and conting system) acc av	£1096.00
O EU103	<b>Sip and puff control</b> (possible only in combination with Recaro seat and seating system) see exclusions 25.1)	£1339.00
O EU104	<b>Button control</b> (for 3 or 4 buttons as driving input via adapter box, 2 additional buttons included on/off + mode on TEN° LCD module)	£789.00

### ottobock.

Top for calibra	atable mini joystick see exclusions 84.0) 84.1)	
O EU131	Soft ball with elastomer	£151.00
O EU132	Soft ball with spring, hard	£115.00
O EU133	Soft ball with spring, soft	£115.00
O EU134	Control knob with elastomer	£113.00
Number of but	ttons for button control (possible only in comb. with button control, mandatory	r information) see exclusions 55.0) 55.1)
0	3 Buttons	
0	4 Buttons	
	<b>utton control</b> (mandatory information with number of buttons for button contro button control = 3, 4) see exclusions 72.0) 72.1)	l = 3, 4; only in combination with number
O EU086	Piko button diameter 50 mm red	£202.00
O EU087	Piko button diameter 50 mm yellow	£202.00
O EU088	Piko button diameter 50 mm black	£202.00
O EU089	Piko button diameter 50 mm silver	£202.00
O EU090	Piko button diameter 30 mm red	£202.00
O EU091	Piko button diameter 30 mm yellow	£202.00
O EU092	Piko button diameter 30 mm black	£202.00
O EU093	Piko button diameter 30 mm silver	£202.00
	outton control (mandatory information with number of buttons for button control button control = 3, 4) see exclusions 72.0) 72.1) Piko button diameter 50 mm red	£202.00
O EU187	Piko button diameter 50 mm yellow	£202.00
O EU188	Piko button diameter 50 mm black	£202.00
O EU189	Piko button diameter 50 mm silver	£202.00
O EU190	Piko button diameter 30 mm red	£202.00
O EU191	Piko button diameter 30 mm yellow	£202.00
O EU192	Piko button diameter 30 mm black	£202.00
O EU193	Piko button diameter 30 mm silver	£202.00
	nutton control (mandatory information with number of buttons for button control	
	button control = 3, 4) see exclusions 72.0) 72.1)	or – 3, 4, only in combination with number
O EU286	Piko button diameter 50 mm red	£202.00
O EU287	Piko button diameter 50 mm yellow	£202.00
O EU288	Piko button diameter 50 mm black	£202.00
O EU289	Piko button diameter 50 mm silver	£202.00
O EU290	Piko button diameter 30 mm red	£202.00
O EU291	Piko button diameter 30 mm yellow	£202.00
O EU292	Piko button diameter 30 mm black	£202.00
O EU293	Piko button diameter 30 mm silver	£202.00

O EU386	Piko button diameter 50 mm red	£202.00
O EU387	Piko button diameter 50 mm yellow	£202.0
O EU388	Piko button diameter 50 mm black	£202.00
O EU389	Piko button diameter 50 mm silver	£202.00
O EU390	Piko button diameter 30 mm red	£202.00
O EU391	Piko button diameter 30 mm yellow	£202.00
O EU392	Piko button diameter 30 mm black	£202.00
O EU393	Piko button diameter 30 mm silver	£202.00
	device (direct connection to the bus system; possible only in combination with TEN° control device; not possecial controls with TEN° LCD module) see exclusions 46.0) 48.0) 57.0)	sible in combi-
O EU105	mo-Vis micro joystick (required force 10 g)	£4618.00
O EU106	mo-Vis multi joystick (required force 50 g)	£4349.00
O EU107	mo-Vis all-round joystick light (required force 120 g)	£3642.00
O EU108	mo-Vis all-round joystick (required force 250 g)	£2542.00
O EU109	mo-Vis all-round heavy duty joystick (required force 650 g)	£4545.0
Holder for spe	Power swivel arm, installation side left on the back support (to hold joysticks, sip & puff and	£2956.0
O EU077	button controls) see exclusions 42.3) 58.2) 58.4) 58.7)  Power swivel arm, installation side right on the back support (to hold joysticks, sip & puff and button controls) see exclusions 42.3) 58.2) 58.4) 58.7)	£2956.0
O EU078	Holder for tray (must be installed by the customer) see exclusions 42.3)	£653.0
O EU110	Holder for arm support incl. 1 finger button (for on/off, installation on control panel side) see exclusions 58.6)	£330.0
O EU111	<b>Holder for arm support incl. 2 finger buttons</b> (for on/off, installation on control panel side) see exclusions 58.5)	£515.0
O EU112	<b>Holder for arm support incl. 1 piko button</b> (diameter 30 mm red for on/off, installation on control panel side) see exclusions 58.6)	£358.0
O EU113	<b>Holder for arm support incl. 2 piko buttons</b> (diameter 30 mm red/black for on/off and mode, installation on control panel side) see exclusions 58.5)	£571.0
O EU118	Without attachment incl. 2 Piko-Buttons (diameter 30 mm red/black for on/off and mode)	£499.0
Actuator mod	ule for R-net/TEN° control device see exclusions 46.0) 59.0) 59.1)	
O EU056	Actuator module (required for lighting and/or power seat functions on TEN° (120 A)	Inclusiv
Control device	e accessories	
EU057	Attendant control see exclusions 60.2)	£833.0
EU094	<b>Easywave radio module</b> (possible only in combination with input/output module) see exclusions 60.1)	£380.0
Attendant cor	atrol installation side (possible only in combination with attendant control; mandatory information) see exclu	usions 61.0)
)	Right see exclusions 61.2)	
~	<u> </u>	

### ottobock.

	Mechanical (not possible in comb. with drive type MWD; possible only in comb. with chassis acc.	
O EF022	splash guard for caster wheels; not possible in comb. of drive type FWD and speed > 7,2 km/h) see exclusions 19.3) 40.2) 64.3)	Inclusive
O EF023	<b>Power</b> (gyro-module, included for FWD 10 km/h; not in combination with FWD and VR2; depending on terrain, the specified driving distance range can be reduced when using a gyro) see exclusions 2.1) 46.0)	£658.00
O EF024	<b>Mechanical incl. ASM</b> (stability control; only in combination with TEN°, only for Australia, Canada or USA, not for RWD) see exclusions 19.3) 46.0) 64.5) 64.6)	£470.00
•	ale for power seat functions (possible only in combination with TEN° (120A) control device or TEN° tray modu exclusions 46.0)	ıle, electrical
O EU122	Back support angle adjustment, pre-programmed, 20° see exclusions 77.1) 77.2)	£568.00
O EU123	Seat tilt, pre-programmed, 20° see exclusions 77.2) 77.3)	£582.00
O EU124	Back support angle adjustment/seat tilt, pre-programmed 35°/15° see exclusions 77.4) bis 77.6)	£1212.00
Option for ele	ctric seat adjustment	
O EU127	Speed limiter (sum angle >35°) see exclusions 77.3) 82.0) 82.1)	£260.00
Drive unit		
O ET010	<b>Standard</b> (max. user weight 140 kg; possible only in comb. with overall weight <= 260 kg; not possible in combination with TEN° control device (120A) or TEN° tray module, electrical flip-over)) see exclusions 4.1) 45.2) 65.1)	Inclusive
O ET016	Performance (recommended for user weight > 100 kg; widening size 1 to 620 mm)	Inclusive
O ET011	<b>High performance</b> (recommended for user weight > 100 kg; mandatory 14 km/h; (widening size 1 to 620 mm)	£660.00
Speed		
O ET012	6 km/h	Inclusive
O ET013	7,2 km/h see exclusions 66.1)	Inclusive
O ET014	<b>10 km/h</b> (not in combination with FWD and VR2) see exclusions 5.1) 45.4) 64.2) 66.1) 66.5) 66.6)	Inclusive
O ET015	<b>14 km/h</b> (only in comb. with RWD and TEN° (120A)) see exclusions 19.1) 45.2) 46.0) 66.1) 66.3) 66.4)	Inclusive
Drive unit wa	rranty extension (only for drive motors, not for actuators)	
O EW002	From 24 months to 48 months (the Mobility Solutions GmbH terms and exclusions apply) see exclusions 5.1)	£95.00
Additional ins	tructions for use (additional IFU for non-national languages) see exclusions 68.0)	
☐ ES028	Qualified personnel	£24.00



EC001-EC004 Standard seat



EC005 VAS (Vario Adjust Seat)



EC006 Recaro n-Joy



ED050/051 Contour back support pad AD



ED008 Recaro seating system seat buttom F



ED009 Recaro seating system seat buttom X



ED010 Recaro seating system seat buttom W



ED036 Baxx aluminium flat top back support



**ED031 Recaro LT** 



ED030 Recaro LX



EC020/ED034 Contour seat with flat contour



EC021/ED035 Contour seat with deep contour



EC022/ED037 Fabric cover for contour seat



EC023/ED038 Synthetic lether for contour seat



ED039 Side panels



ED040 Lumbar support



EP002 Lap belt with metal buckle



EP003 Lap belt with plastic buckle



EP020 Lap belt with rewinder, metal buckle



EP005 - EP007 Dynamic harness



EP008 - EP010 Sternum harness



EP011 - EP013 Slimline sternum harness



EP014 - EP017 Shoulder harness



**EL001 Gooseneck** 



EL002 Multi-axis, offset



EL003 Multi-axis, straight



EL031 UniLink head support holder, multi-axis



EL033/EL034/EL035 Comfort Plus



EL036/EL037 Combo



EL006/007 Head support, small/large



EL013/014 Combination head/ neck support small/large



EL015/016 head/neck support X-shape, small/large



EE024 Flip-up arm support



EC025 Power seat tilt



EC026 Power seat height adjustment 35 cm



EB003 Power elevating leg support, separate control



EB013 Centrally mounted leg support



EB007 Individual aluminium foot plate



EB017 Lock for single panel foot plate



EU043 External magnetic charging receptacle



EU041 Battery charger 8 A, fanless



EU044 Battery charger 10 A, fanless (IP54)



EU046 Battery charger 10 A, with fan



EU042 Battery charger 12 A, incl. external chraging receptacle



EG013 Ribs



EG014 Lugs



EG015 Caster wheel with ribs



EF020 Caster wheel swivel lock



**EF021 Curb climbing assist** 



ES002 Kit for vehicle transport



ES013 Dahl docking system installation kit



ES003 Pocket for mobile phone



ES004 Luggage carrier



ES005 Crutch holder



ES006 Rearview mirror



ES010 Beverage holder



ES023 Backpack holder



ES305 Backpack with Ottobock logo



ES306 Catheter bag, large



ET002/005 12V



ET004/007 USB



ES020/021 Electr. lighting for footpaths



EU050/051 VR2



EU053 TENº hand module





EU063 TENº tray module, electrical flip over



EU098 Button module



EU054 TEN° LCD module



**EU057 Attendant control** 



EF001 Caster wheel swing arm, spring-mounted



EU080 Fork for Tetraplegics, horizontal



EU081 Stick S80



EU082 Soft ball, black cover



EU083 Ball top, small



EU084 Ball top, large



EU085 Soft ball



EU110-113 3 Holder for arm support



EU111 mo-Vis Joystick incl. 2 finger buttons

### ottobock.



EU100/105 mo-Vis micro joystick



EU101/106 mo-Vis multi joystick



EU102/107 mo-Vis allround joystick light



EU103 Sip and puff control

### ottobock.

# Power wheelchair *Juvo B5*.

### Overview possible combinations centrally mounted leg support - standard seat junior and standard seat small

		SH [cm]	45		47			49			51		5	3	5	55	57
SD [cm]	Chassis size	Equipment	MW	FW	MW	RW	FW	MW	RW	FW	MW	RW	MW	RW	MW	RW	RV
		without tilt															
	1	with seat lift and tilt															
		with tilt															
34		without tilt															
	2	with seat lift and tilt															
	,	with tilt															
		without tilt															
	1	with seat lift and tilt															
	,	with tilt	$\overline{}$														
36		without tilt															
	2	with seat lift and tilt															
		with tilt															
		without tilt															
	1	with seat lift and tilt															
	,	with tilt															
38		without tilt															
	2	with seat lift and tilt															
		with tilt															
		without tilt															
	1	with seat lift and tilt															
without tilt																	
40		without tilt															
	2	with seat lift and tilt															
	-	with tilt	_														
		without tilt															
	1	with seat lift and tilt										-					
	' ·	with tilt															
42		without tilt															
	2	with seat lift and tilt										-					
		with tilt	-														
		without tilt															
	1	with seat lift and tilt															
	' '	with tilt															
44		without tilt															
	2	with seat lift and tilt															
		with tilt															
		without tilt															
	1	with seat lift and tilt															
	'	with tilt															
46		without tilt															
	0	with seat lift and tilt															
	2	with tilt															
		VVICIT LILL															

### ottobock.

# Power wheelchair Juvo B5.

### Overview possible combinations centrally mounted leg support - standard seat large and standard seat XL

		sible combinatio SH [cm]		3		45		_	' SS lar			17 SS X			SS laı		4	19 SS X	L
SD [cm]	Chassis size	Equipment	FW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW
		А																	
	1	В																	
		С																	
42		А																	
	2	В																	
		С																	
		А																	
	1	В																	
		С																	
44		А																	
	2	В																	
		С																	
		А																	
	1	В																	
		С																	
46		А																	
	2	В																	
		С																	
		А																	
	1	В																	
		С																	
48		А																	
	2	В																	
		С																	
		А																	
	1	В																	
		С																	
50		А												1					
	2	В																	
		С																	

Combination possible

Combination not possible

A without tilt

B with seat lift and tilt

C with tilt

### ottobock.

# Power wheelchair *Juvo B5*.

### Continuation overview possible combinations centrally mounted leg support - standard seat large and standard seat XL

		SH [cm]		1 SS larg			51 SS XI		1	53	1	55	57
SD [cm]	Chassis size	Equipment	FW	MW	RW	FW	MW	RW	MW	RW	MW	RW	RW
		without tilt											
	1	with seat lift and tilt											
		with til											
42		without tilt											
	2	with seat lift and tilt											
		with til											
		without tilt											
	1	with seat lift and tilt											
		with til											
44		without tilt											
	2	with seat lift and tilt											
		with til											
		without tilt											
	1	with seat lift and tilt											
		with til											
46		without tilt											
	2	with seat lift and tilt											
		with til											
		without tilt											
	1	with seat lift and tilt											
		with til											
48		without tilt											
	2	with seat lift and tilt											
		with til											
		without tilt											
	1	with seat lift and tilt											
		with til											
50		without tilt											
	2	with seat lift and tilt											
		with til											

Combination possible

Combination not possible

### ottobock.

# Power wheelchair Juvo B5.

### Overview possible combinations centrally mounted leg support - VAS

		SH [cm]	4	.3		45			47			49			51		5	3	5	5	5	7
SD [cm]	Chassis size	Equipment	FW	RW	FW	MW	RW	FW	мw	RW	FW	мw	RW	FW	мw	RW	мw	RW	мw	RW	MW	RW
		А																				
	1	В																				
		С																				
38		А																				
	2	В																				
		С																				
		А																				
	1	В																				
40		С																				
40		A																				
	2	В																				
		С																				
		А																				
	1	В																				
42		С																				
42		А																				
	2	В																				
		С																				
		А																				
	1	В																				
44		С																				
44		А																				
	2	В																				
		С																				
		А																				
	1	В																				
46		С	$\angle$																			
40		Α	$\angle$		$\angle$									$\angle$								
	2	В	$\angle$		$\angle$	$\angle$																
		С	$\angle$																			
		А																				
	1	В																				
48		С																				
70		Α																				
	2	В																				
		С																				

Combination possible

Combination not possible

A without tilt

B with seat lift and tilt

C with tilt

### ottobock.

# Power wheelchair Juvo B5.

### Continuation verview possible combinations centrally mounted leg support - VAS

		SH [cm]	4	3		45			47			49			51		5	3	5	5	5	7
SD [cm]	Chassis size	Equipment	FW	RW	FW	MW	RW	FW	MW	RW	FW	мw	RW	FW	MW	RW	мw	RW	MW	RW	MW	RW
		А																				
	1	В																				
		С																				
50		А																				
	2	В																				
		С																				
		А																				
	1	В																				
		С				$\overline{}$																
52		А																				
	2	В																				
		С																				
		А																				
	1	В																				
		С																				
54		А																				
	2	В																				
		С																				
		А																				
	1	В																				
56		С																				
56		А																				
	2	В				$\angle$																
		С																				
		А																				
	1	В																				
58		С																				
90		А																				
	2	В																				
		С																				

Combination possible

Combination not possible

A without tilt

B with seat lift and tilt

C with tilt

# Power wheelchair Juvo B5.

### **Seat cushion Livo**

						Seat wi	dth [cm]					
SD [cm]	34	36	38	40	42	44	46	48	50	52	54	56
34												
36												
38				0								
40			0		$\circ$							
42				0	0	0	0	0		0		
44					$\circ$	0	0	0	0	0		
46					0	0	0	0	0	0		
48					0	0	0					
50						0	0					
52					0	0	0			0		
54												
56												
58												



# Power wheelchair Juvo B5.

### Seat cushion Evoflair


	Seat width [cm]												
SD [cm]	34	36	38	40	42	44	46	48	50	52	54	56	
34													
36													
38													
40			0	$\circ$	$\circ$								
42				0	0		0	0	0				
44					0		0	0		0			
46					0		0	0		0			
48													
50													
52					0		0			0			
54													
56													
58													



# Power wheelchair Juvo B5.

### Seat cushion Terra, Terra Aquos

SD [cm]	Seat width [cm]												
SD [CIII]	34	36	38	40	42	44	46	48	50	52	54	56	
34		0											
36		0											
38		0	0	0	0	0	0	$\circ$	0	0			
40				0	0	$\circ$	0						
42				0	0	0	0						
44				0	0	0	0	0	0	0			
46				0	0	0	0	$\circ$	$\circ$	0			
48				0	0	0	0	$\circ$	0	0			
50													
52													
54													
56													
58													



# Power wheelchair Juvo B5.

### Seat cushion Terra Flair

CD [cm]	Seat width [cm]												
SD [cm]	34	36	38	40	42	44	46	48	50	52	54	56	
34													
36													
38			0	0	0	0	0	0	0	0			
40				0	0	0	0						
42				0	0	0	0						
44				0	0	0	0	0	0	0			
46				0	0	0	0	0	0	0			
48				0	0	0	0	0	0	0			
50													
52													
54													
56													
58													



# Power wheelchair Juvo B5.

### **Seat cushion Cloud**

SD [cm]	Seat width [cm]												
SD [CIII]	34	36	38	40	42	44	46	48	50	52	54	56	
34	0	0											
36	0	0	0										
38	0	0	0	0	0		0						
40	0	0	0	0	0	0	0						
42			0	0	0	0	0	0	0	0	0		
44				0	0	0	0	0	0	0	0		
46				0	0	0	0	0	0	0	0		
48				0	0	0	0	0	0	0	0		
50							0	0					
52							0	0					
54													
56													
58													



# Power wheelchair Juvo B5.

### Seat cushion with flat contour and with deep contour

SD [cm]	Seat width [cm]												
SD [CIII]	38	40	42	44	46	48	50	52	54				
38	0	0											
40	0	0											
42	0	0	0	0	0	0	0	0	0				
44	0	0	0	0	0	0	0	0	0				
46	0	0	0	0	0	0	0	0	0				
48			0	0	0	0	0	0	0				
50			0	0	0	0	0	0	0				
52			0	0	0	0	0	0	0				
54			0	0	0	0	0	0	0				
56			0	0	0	0	0	0	0				
58													

<sup>:</sup> possible dimension in combination with VAS

# Power wheelchair Juvo B5.

### Notices and exclusions

- 2.1) Not possible in conjunction with Australia, Canada or the United States of America as the country of destination
- 4.1) Possible only in combination with maximum user weight <= 140 kg
- Not possible in conjunction with the combination of Australia, Canada or the United States of America as the country of destination 4.2)and drive type Mid Wheel Drive (MWD)
- 5.1) Possible only in combination with maximum user weight <= 160 kg
- 5.2) Possible only in combination with maximum user weight <= 100 kg
- 6.0)Possible only in combination with modular Recaro seating system
- 6.1)Mandatory information in combination with modular Recaro seating system
- 8.0)Possible only in combination with standard seat, VAS (Vario Adjust Seat) or Recaro n-Joy-Plus
- 8.1) Mandatory information in combination with standard seat, VAS (Vario Adjust Seat) or Recaro n-Joy-Plus
- 8.2) See table "seat depth" (490E75=0-Sitztiefe)
- Not possible in conjunction with the combination of maximum user weight > 75 kg and drive type Mid Wheel Drive (MWD) 8.3)
- 8.4)Not possible in conjunction with the combination of maximum user weight > 100 kg, chassis, size 1 and standard seat, small or VAS (Vario Adjust Seat)
- Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Rear Wheel Drive (RWD) and VAS (Va-8.5)rio Adjust Seat)
- 8.6)Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Rear Wheel Drive (RWD), chassis, size 1 and VAS (Vario Adjust Seat)
- Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Rear Wheel Drive (RWD), chassis, size 8.7)2 and VAS (Vario Adjust Seat)
- 8.8) Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Mid Wheel Drive (MWD), chassis, size 2 and standard seat, small or VAS (Vario Adjust Seat)
- Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type Mid Wheel Drive (MWD) and VAS (Va-8.9) rio Adjust Seat)
- 8.10) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type Rear Wheel Drive (RWD) and VAS (Vario Adiust Seat)
- 8.11) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type Front Wheel Drive (FWD) and VAS (Vario Adjust Seat)
- 8.12) Not possible in conjunction with the combination of maximum user weight > 160 kg and drive type Front Wheel Drive (FWD)
- Not possible in conjunction with the combination of maximum user weight > 160 kg and drive type Mid Wheel Drive (MWD) 8.13)
- Not possible in conjunction with the combination of maximum user weight > 180 kg and drive type Mid Wheel Drive (MWD) 8.14) Not possible in conjunction with the combination of maximum user weight > 180 kg and drive type Front Wheel Drive (FWD) 8.15)
- Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type Rear Wheel Drive (RWD) or Mid Wheel 8.16) Drive (MWD) and standard seat, large or standard seat, XL
- Possible only in combination with standard seat or VAS (Vario Adjust Seat) 9.0)
- Mandatory information in combination with standard seat or VAS (Vario Adjust Seat) 9.1)
- See table "seat width" (490E75=0-Sitzbreite) 9.2)
- Cannot be combined with Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system 10.1)
- 10.2)Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD) and Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
- 10.3) Cannot be combined with standard seat or VAS (Vario Adjust Seat)
- Not possible in conjunction with the combination of maximum user weight > 70 kg and Recaro n-Joy, Recaro n-Joy-Plus or modular 10.4)Recaro seating system
- 10.5) Not possible in conjunction with the combination of maximum user weight > 70 kg and standard seat
- Not possible in conjunction with the combination of maximum user weight > 70 kg and VAS (Vario Adjust Seat) 10.6)
- Not possible in conjunction with the combination of maximum user weight > 70 kg, drive type Rear Wheel Drive (RWD) or Mid Wheel 10.7)Drive (MWD) and VAS (Vario Adjust Seat)
- Not possible in conjunction with the combination of maximum user weight > 70 kg, VAS (Vario Adjust Seat) and seat depth <= 46 cm 10.8)
- Possible only in combination with maximum user weight <= 150 kg 11.1)
- See table "seat cushion Terra, Terra Aquos" (490E75=0-Terra\_T-Aquos) 11.2)
- See table "seat cushion Terra-Flair" (490E75=0-Terra-Flair) See table "seat cushion Livo" (490E75=0-Livo) 11.3)
- 11.4)
- See table "seat cushion Cloud" (490E75=0-Cloud) 11.5)
- Possible only in combination with maximum user weight <= 125 kg 11.6)
- See table "seat cushion Evoflair" (490E75=0-Evoflair) 11.7)
- Cannot be combined with standard seat, Junior 11.8)
- Not possible in conjunction with the combination of VAS (Vario Adjust Seat), seat width 38 cm or 40 cm and seat depth > 46 cm, see 11.10) table "seat cushion with flat contours, with deep contours" (490E75=0-konturiert)
- Not possible in conjunction with the combination of VAS (Vario Adjust Seat), seat width > 40 cm and seat depth 38 cm or 40 cm, see 11.11) table "seat cushion with flat contours, with deep contours" (490E75=0-konturiert)
- Not possible in conjunction with the combination of VAS (Vario Adjust Seat) and seat depth 58 cm, see table "seat cushion with flat 11.12) contours, with deep contours" (490E75=0-konturiert)
- 12.0) Possible only in combination with seat cushion with flat or deep contours
- Mandatory information in combination with seat cushion with flat or deep contours 12.1)
- Possible only in combination with maximum user weight <= 113 kg 13.1)
- Possible only in combination with VAS (Vario Adjust Seat) 13.2)
- 13.3) Cannot be combined with seat width 54 cm
- 14.0) Possible only in combination with back version back cushion with flat or deep contours
- Mandatory information in combination with back version back cushion with flat or deep contours 14.1)
- Possible only in combination with back version back cushion with deep contours 15.1)
- 16.0) Possible only in combination with back version ADI aluminium flat top back
- 16.1) Mandatory information in combination with back version ADI aluminium flat top back
- Cannot be combined with drive type Front Wheel Drive (FWD) 19.1)
- 19.2) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD) and VAS (Vario Adjust Seat)
- Cannot be combined with drive type Mid Wheel Drive (MWD) 19.3)

- 20.0) Possible only with seat inclination 0°
- 20.11) Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Mid Wheel Drive (MWD), chassis, size 1, standard seat, small and seat depth 40 cm
- 20.12) Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Rear Wheel Drive (RWD), chassis, size 1, standard seat, large or standard seat, XL and seat depth 42 cm
- 20.13) Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Mid Wheel Drive (MWD), chassis, size 1, standard seat, XL and seat depth 42 cm
- 20.14) Cannot be combined with lower leg length >= 45 cm
- 20.15) Not possible in conjunction with the combination of maximum user weight > 75 kg, drive type Front Wheel Drive (FWD) and seat depth 34 cm
- 20.16) Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Front Wheel Drive (FWD), chassis, size 2, standard seat, small or VAS (Vario Adjust Seat) and seat depth 38 cm
- 20.17) Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Front Wheel Drive (FWD), standard seat, small and seat depth 40 cm
- 20.18) Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Mid Wheel Drive (MWD), chassis, size 1, VAS (Vario Adjust Seat) and seat depth 40 cm
- 20.19) Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Front Wheel Drive (FWD), chassis, size 1, standard seat, large or standard seat, XL and seat depth 42 cm
- 20.20) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type Front Wheel Drive (FWD), VAS (Vario Adjust Seat) and seat depth 42 cm
- 20.21) Not possible in conjunction with the combination of maximum user weight > 100 kg, drive type Rear Wheel Drive (RWD), chassis, size 1, VAS (Vario Adjust Seat) and seat depth 44 cm
- 20.22) Not possible in conjunction with the combination of maximum user weight <= 75 kg, drive type Mid Wheel Drive (MWD), chassis, size 2, standard seat, small and seat depth 46 cm
- 20.23) Not possible in conjunction with the combination of maximum user weight <= 100 kg, drive type Mid Wheel Drive (MWD), chassis, size 2, standard seat, XL and seat depth 50 cm
- 20.24) Not possible in conjunction with the combination of France as the country of destination, drive type Rear Wheel Drive (RWD), maximum user weight >= 150 kg and lower leg length >= 49 cm
- 20.25) Not possible in conjunction with the combination of maximum user weight > 100 kg and chassis, size 1
- 20.26) Not possible in conjunction with the combination of maximum user weight > 160 kg, drive type Front Wheel Drive (FWD) and seat depth 50 cm
- 20.27) Not possible in conjunction with the combination of maximum user weight > 160 kg, drive type Mid Wheel Drive (MWD) and seat depth 44 cm
- 20.28) Not possible in conjunction with the combination of maximum user weight > 180 kg, drive type Mid Wheel Drive (MWD) and seat depth 46 cm or 48 cm
- 20.29) Not possible in conjunction with the combination of maximum user weight > 70 kg, VAS (Vario Adjust Seat) and lower leg length 23 cm
- 20.30) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type Rear Wheel Drive (RWD), standard seat, large or standard seat, XL and seat depth 44 cm
   20.31) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type Front Wheel Drive (FWD), standard
- seat, large or standard seat, XL and seat depth 42 cm
- 20.32) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type Mid Wheel Drive (MWD), standard seat, large and seat depth 44 cm
- 21.0) Seat height >= lower leg length + 3 cm
- 21.1) Cannot be combined with VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
- 21.2) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), chassis, size 1 and standard seat, large
- 21.3) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD) and standard seat, XL
- 21.4) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD) and standard seat
- 21.5) Cannot be combined with electric seat adjustment seat tilt 45°
- 21.6) Not possible in conjunction with the combination of electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 21.7) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), standard seat, large or standard seat, XL and seat inclination -3°
- 21.8) Not possible in conjunction with the combination of standard seat and unselected electric seat adjustment seat tilt 45°
- 21.9) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD) and standard seat, large or standard seat, XL
- 21.10) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD), standard seat, Junior or standard seat, small 21.11) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD) and Recaro n-Joy, Recaro n-Joy-Plus or mo-
- dular Recaro seating system

  21.12) Not possible in conjunction with the combination of France as the country of destination, drive type Rear Wheel Drive (RWD), maximum user weight >= 150 kg and electric seat adjustment seat tilt 45°
- 21.13) Cannot be combined with seat inclination -3°
- 21.14) Not possible in conjunction with the combination of maximum user weight > 70 kg, chassis, size 1, VAS (Vario Adjust Seat), seat depth 50 cm and lower leg length 23 cm
- 21.15) Not possible in conjunction with the combination of maximum user weight > 70 kg, chassis, size 2, VAS (Vario Adjust Seat), seat depth 48 cm and lower leg length 23 cm
- 21.16) Not possible in conjunction with the combination of maximum user weight > 70 kg, chassis, size 2, VAS (Vario Adjust Seat), seat depth 50 cm or 52 cm or 54 cm and lower leg length 23 cm
- 21.17) Not possible in conjunction with the combination of maximum user weight > 70 kg, chassis, size 1, VAS (Vario Adjust Seat), seat depth 48 cm and lower leg length 23 cm
- 22.1) Cannot be combined with Recaro n-Joy or Recaro n-Joy Plus
- 24.0) Possible only in combination with head/neck support mounting kit
- 24.1) Mandatory information in combination with head/neck support mounting kit
- 24.2) Possible only in combination with head/neck support mounting kit, Goose Neck or Multi-axis, offset or Multi-axis, straight
- 25.0) Mandatory information in combination with product classification category B (In-/Outdoor)
- 25.1) Possible only in combination with Recaro n-Joy or Recaro n-Joy-Plus or modular Recaro seating system
- 25.2) Not possible in conjunction with the combination of standard seat, small, seat depth < 42 cm and seat width > 38 cm

- 28.1) Possible only in combination with selected lower leg length
- 28.2) Not possible in conjunction with the combination of standard seat or VAS (Vario Adjust Seat) and lower leg length < 21 cm
- 28.3) Not possible in conjunction with the combination of maximum user weight > 70 kg, standard seat and lower leg length < 28 cm
- 28.4) Not possible in conjunction with the combination of maximum user weight > 70 kg, VAS (Vario Adjust Seat) and lower leg length < 27 cm
- 28.5) Not possible in conjunction with the combination of maximum user weight > 70 kg, Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and lower leg length < 21 cm
- 28.6) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 2, standard seat, small and seat height 43 cm
- 28.7) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 2, standard seat, small, seat inclination -3° and seat height 43 cm
- 28.8) Not possible in conjunction with selected lower leg length
- 28.9) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), standard seat, Junior or standard seat, small and electric seat adjustment, without
- 28.10) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), standard seat, large or standard seat, XL, seat depth <= 46 cm and electric seat adjustment, without
- 28.11) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), chassis, size 2, standard seat, large or standard seat, XL, seat depth >= 48 cm, seat height 43 cm and electric seat adjustment, without
- 28.12) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), chassis, size 2, standard seat, large, seat depth 42 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.13) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), chassis, size 2, standard seat, large, seat depth 42 cm, seat height 47 cm or 49 cm and electric seat adjustment seat tilt 45°
- 28.14) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), standard seat and lower leg length < 28 cm
  28.15) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), VAS (Vario Adjust Seat), seat depth <= 46
  cm and electric seat adjustment, without
- 28.16) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), chassis, size 1, VAS (Vario Adjust Seat), seat depth 48 cm, seat height <= 47 cm and electric seat adjustment, without
- 28.17) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), chassis, size 1, VAS (Vario Adjust Seat), seat depth 50 cm, seat height 43 cm and electric seat adjustment, without
- 28.18) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), chassis, size 2, VAS (Vario Adjust Seat), seat depth 48 cm, seat height <= 49 cm and electric seat adjustment, without
- 28.19) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), chassis, size 2, VAS (Vario Adjust Seat), seat depth 50 cm or 52 cm or 54 cm, seat height <= 45 cm and electric seat adjustment, without
- 28.20) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 43 cm and electric seat adjustment, without
  28.21) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), VAS (Vario Adjust Seat), Recaro n-Joy, Re-
- 28.21) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm and electric seat adjustment seat tilt 45°, seat height adjustment up to 35 cm with seat tilt 45°
- 28.22) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 1, standard seat, Junior or standard seat, small, seat height <= 51 cm and electric seat adjustment, without
- 28.23) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 1, standard seat, Junior or standard seat, small, seat depth <= 40 cm, seat height 53 cm or 55 cm and electric seat adjustment, without
- 28.24) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 1, standard seat, Junior, seat depth 34 cm or 36 cm, seat height 49 cm or 51 cm or 53 cm and electric seat adjustment seat tilt 45°
- 28.25) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 2, standard seat, Junior or standard seat, small or standard seat, XL and electric seat adjustment, without
- 28.26) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 2, standard seat, Junior and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.27) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 2, standard seat, small, seat depth <= 42 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.28) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 2, standard seat, Junior, seat height 47 cm and electric seat adjustment seat tilt 45°
- 28.29) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 2, standard seat, small, seat depth <= 42 cm, seat height 47 cm and electric seat adjustment seat tilt 45°
- 28.30) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), standard seat, lower leg length < 28 cm or > 48 cm and electric seat adjustment, without
- 28.31) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), standard seat, lower leg length < 28 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.32) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), standard seat, lower leg length < 28 cm or > 49 cm and electric seat adjustment seat tilt 45°
- 28.33) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 1, VAS (Vario Adjust Seat), seat depth <= 42 cm, seat height 43 cm and electric seat adjustment, without
  28.34) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 2, VAS (Vario Adjust Seat), seat
- depth <= 40 cm, seat height 43 cm and electric seat adjustment, without
  28.35) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), VAS (Vario Adjust Seat), Recaro n-Joy, Reca-
- ron-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 49 cm and electric seat adjust Seat, without
- 28.36) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.37) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 48 cm and electric seat adjustment seat tilt 45°
- 28.38) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD), standard seat, Junior or standard seat, small, seat height 41 cm or 43 cm and electric seat adjustment, without
- 28.39) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD), standard seat, lower leg length < 28 cm or > 48 cm and electric seat adjustment, without

- 28.40) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD), standard seat, lower leg length < 27 cm or > 40 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.41) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD), standard seat, lower leg length < 27 cm or > 48 cm and electric seat adjustment seat tilt 45°
- 28.42) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, seat height 43 cm and electric seat adjustment, without
- 28.43) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 49 cm and electric seat adjustment set tilt 45° or without
- 28.44) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 41 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.45) Not possible in conjunction with the combination of VAS (Vario Adjust Seat), seat depth 38 cm and arm support, flip-up
- 28.46) Not possible in conjunction with the combination of VAS (Vario Adjust Seat) and seat width 38 cm
- 28.47) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 1, standard seat, Junior, seat depth 34 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.48) Not possible in conjunction with the combination of drive type Mid Wheel Drive (MWD), chassis, size 1, standard seat, small, seat depth 42 cm, seat height 45 cm and electric seat adjustment, without
- 28.49) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), chassis, size 2, standard seat, large, seat depth 44 cm, lower leg length 28 cm and seat height 43 cm
- 29.0) Cannot be combined with leg support version, without leg support or centre mounted
- 29.1) Mandatory information in combination with leg support version, standard, mechanically elevating or electrically elevating
- 29.2) Not possible in conjunction with the combination of standard seat and lower leg length < 25 cm
- 29.3) Not possible in conjunction with the combination of VAS (Vario Adjust Seat) and lower leg length < 24 cm
- 29.4) Not possible in conjunction with the combination of Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and lower leg length < 18 cm
- 29.6) Cannot be combined with leg support version, mechanically elevating or electrically elevating
- 29.10) Cannot be combined with leg support version, mechanically elevating or electrically elevating, separate controllable
- 29.11) Not possible in conjunction with the combination of maximum user weight > 140 kg and leg support version, electrically elevating, simultaneously controllable
- 30.1) Possible only in combination with leg support version, mechanically or electrically elevating
- 30.2) Possible only in combination with foot plate version single-panel, aluminium foot plate
- 30.3) Not possible in conjunction with the combination of standard seat and lower leg length < 24 cm or VAS (Vario Adjust Seat) and lower leg length < 24 cm or Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and lower leg length < 17 cm and leg support version standard
- 30.4) Not possible in conjunction with the combination of standard seat and lower leg length < 28 cm or VAS (Vario Adjust Seat) and lower leg length < 27 cm or Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and lower leg length < 21 cm and leg support version electrically elevating, simultaneously controllable
- 31.1) Possible only in combination with chassis, size 2
- 31.3) Not possible in conjunction with the combination of maximum user weight > 100 kg and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 32.1) Possible only in combination with batteries, AGM 56Ah (C5) / 60,4Ah (C20)
- 32.2) Not possible in conjunction with Argentina, Australia, Brazil, Hong Kong, Japan, Canada, Columbia, Mexico, Thailand, United Kingdom or United States of America as the country of destination
- 32.3) Not possible in conjunction with Argentina, Brazil, Canada, Columbia, Mexico or United States of America as the country of destination
- 37.1) Possible only in combination with tyre colour, grey
- 37.2) Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD) or Rear Wheel Drive (RWD) and tyre colour, black
- 39.1) Mandatory information in combination with drive type Front Wheel Drive (FWD) or Mid Wheel Drive (MWD) (derivation)
- 39.2) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), VAS (Vario Adjust Seat) and seat height 43 cm
- 39.3) Not possible in conjunction with the combination of drive type Rear Wheel Drive (RWD), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and seat height 43 cm
- 40.1) Possible only in conjunction with the combination of chassis accessories splash guard for rear wheels and splash guard for caster wheels
- 40.2) Possible only in combination with chassis accessories splash guard for caster wheels
- 41.1) Cannot be combined with back version ADI aluminium flat top back
- 41.2) Cannot be combined with leg support version, centre mounted
- 41.3) Cannot be combined with chassis safety accessories curb climbing assist
- 42.1) Cannot be combined with general accessories therapy tray
- 42.2) Cannot be combined with general accessories rearview mirror
- 42.3) Possible only in combination with maximum user weight <= 180 kg
- 43.0) Possible only in combination with general accessories external power supply, mounting side right
- 43.1) Mandatory information in combination with general accessories external power supply, mounting side right
- 44.0) Possible only in combination with general accessories external power supply, mounting side left
- 44.1) Mandatory information in combination with general accessories external power supply, mounting side left
- 44.2) Cannot be combined with socket for external power supply, right, 12V or 24V
- 45.1) Cannot be combined with electric functions
- 45.2) Possible only in combination with total weight <= 260 kg
- 45.3) Possible only in combination with max. 2 electric functions
- 45.4) Possible only in combination with total weight <= 320 kg
- 45.5) Possible only in combination with drive type Rear Wheel Drive (RWD), Mid Wheel Drive (MWD) or in conjunction with the combination of Front Wheel Drive (FWD) and chassis accessories splash guard for caster wheels
- 45.6) Cannot be combined with lighting acc. to German StVZO

- 45.7) Not possible in conjunction with the combination of modular Recaro seating system and back angle adjustment, electric
- Possible only in combination with control unit, R-net/TEN° (120A) power module 46.0)
- 46.1) Mandatory information in conjunction with the combination of standard seat and unselected battery charger, 12A, incl. external charging socket
- Possible only in combination with input for R-net/TEN° power module TEN° hand module, colour selectable 47.0)
- Mandatory information in combination with input for R-net/TEN° power module TEN° hand module, colour selectable 47.1)
- Possible only in combination with input for R-net/TEN° power module TEN° hand module, Shimano matte or TEN° hand module, 48.0) colour selectable or TEN° tray module, electrical flip over
- Possible only in combination with control unit, VR2, without electric functions and lighting or VR2, max. 2 electric functions and 49.0) lighting poss. or input for R-net/TEN° power module - R-net LED hand module or TEN° hand module, Shimano matte or TEN° hand module, colour selectable
- 49.1) Possible only in combination with control unit, VR2
- 49.2) Mandatory information in combination with control unit, VR2, without electric functions and lighting or VR2, max. 2 electric functions and lighting poss. or input for R-net/TEN° power module - R-net LED hand module or TEN° hand module, Shimano matte or TEN° hand module, colour selectable
- 49.3) Cannot be combined with input for R-net/TEN° power module
- Possible only in combination with control unit, VR2 or input for R-net/TEN° power module R-net LED hand module or TEN° hand 50.0) module, Shimano matte or TEN° hand module, colour selectable or in conjunction with the combination of input for R-net/TEN° power module - TEN° tray module and mounting material tray for tray module - tray with attachment, tray module centrally mounted or tray with attachment, incl. template or only attachment, incl. template
- 50.1) Mandatory information in combination with control unit, VR2 or input for R-net/TEN° power module - R-net LED hand module or TEN° hand module, Shimano matte or TEN° hand module, colour selectable or in conjunction with the combination of input for Rnet/TEN° power module - TEN° tray module and mounting material tray for tray module - tray with attachment, tray module centrally mounted or tray with attachment, incl. template or only attachment, incl. template
- 51.1) Cannot be combined with control unit, VR2 with tray module, manual flip over
- 51.2) Cannot be combined with input for R-net/TEN° power module - TEN° tray module, electrical flip over
- 52.0) Mandatory information in combination with unselected input for R-net/TEN° power module
- 52.1) Not possible in conjunction with the combination of standard seat and modules for control unit, R-net/TEN° - Input/Output Module
- 52.2) Not possible in conjunction with the combination of standard seat and modules for control unit, R-net/TEN° - TEN° LCD module
- 52.3) Not possible in conjunction with the combination of unselected input for R-net/TEN° power module and unselected TEN° LCD mo-
- 53.0) Possible only in combination with modules for control unit, R-net/TEN° - TEN° LCD module
- 53.1) Mandatory information in combination with modules for control unit, R-net/TEN° - TEN° LCD module
- 55.0) Possible only in combination with special input device for TEN° LCD module - button control
- Mandatory information in combination with special input device for TEN° LCD module button control Cannot be combined with modules for control unit, R-net/TEN° TEN° LCD module 55.1)
- 57.0)
- 58.0) Possible only in combination with special input device for TEN° LCD module - Micro Joystick, Multi Joystick, All-round Joystick light, All-round Joystick, All-round Heavy Duty Joystick, calibratable mini joystick or special input device - Micro Joystick, Multi Joystick, All-round Joystick light, All-round Joystick, All-round Heavy Duty Joystick
- Mandatory information in combination with special input device for TEN° LCD module Micro Joystick, Multi Joystick, All-round Joy-58.1) stick light, All-round Joystick, All-round Heavy Duty Joystick, calibratable mini joystick or special input device - Micro Joystick, Multi Joystick, All-round Joystick light, All-round Joystick, All-round Heavy Duty Joystick
- 58.2) Cannot be combined with special input device for TEN° LCD module - All-round Heavy Duty Joystick or Special Input Device - Allround Heavy Duty Joystick
- 58.4) Cannot be combined with external buttons - 2 Piko buttons diam. 50 mm or 2 Piko buttons diam. 30 mm
- 58.5) Cannot be combined with special input device for TEN° LCD module - All-round Joystick light, All-round Joystick, All-round Heavy Duty Joystick or special input device - All-round Joystick light, All-round Joystick or All-round Heavy Duty Joystick
- 58.6) Cannot be combined with special input device for TEN° LCD module - All-round Joystick light, All-round Joystick, All-round Heavy Duty Joystick or special input device - Micro Joystick, Multi Joystick, All-round Joystick light, All-round Joystick, All-round Heavy **Duty Joystick**
- Cannot be combined with general accessories hooks for backpack 58.7)
- 59.0) Mandatory information in conjunction with the combination of >= 1 electric function and control unit, R-net/TEN° (120A) power mo-
- Mandatory information in conjunction with the combination of lighting acc. to German StVZO and control unit, R-net/TEN° (120A) po-59.1) wer module
- 60.1) Possible only in combination with modules for control unit, R-net/TEN° - Input/Output Module
- 60.2) Not possible in conjunction with the combination of standard seat, Junior and modules for control unit, R-net/TEN°
- 61.0) Possible only in combination with control unit accessories attendant control
- 61.1) Mandatory information in combination with control unit accessories attendant control
- 61.2) Not possible in conjunction with the combination of standard seat, Junior and control unit, R-net/TEN° (120A) power module
- 63.0) Mandatory information in conjunction with the combination of all countries of destination except Other countries, Argentina, Australia, Brazil, France, Hong Kong, Japan, Canada, Columbia, Korea, Mexico, Russia, Switzerland, Thailand, United Kingdom or United States of America and product classification category B (In-/Outdoor)
- 63.1) Not possible in conjunction with the combination of Germany as the country of destination and product classification category B (In-/Outdoor)
- 64.0) Mandatory information in conjunction with drive type Front Wheel Drive (FWD)
- Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD) and control unit, VR2 64.2)
- Not possible in conjunction with the combination of drive type Front Wheel Drive (FWD) and speed > 7,2 km/h 64.3)
- 64.5) Possible only in conjunction with Australia, Canada or the United States of America as the country of destination
- 64.6)Cannot be combined with drive type Rear Wheel Drive (RWD)
- Cannot be combined with control unit, R-net/TEN° (120A) power module 65.1)
- For Germany as the country of destination, this is possible only in conjunction with the combination of chassis accessories rear war-66.1) ning sign and lighting acc. to German StVZO
- Possible only in combination with drive unit High Performance 66.3)
- Cannot be combined with batteries, AGM 56Ah (C5) / 60,4Ah (C20) 66.4)
- 66.5)Not possible in conjunction with the combination of maximum user weight > 100 kg and batteries, AGM 56Ah (C5) / 60,4Ah (C20)

### ottobock.

### Power wheelchair *Juvo B5*.

Cannot be combined with drive unit High Performance

66.6)

67.0)	Possible only in conjunction with the combination of Germany as the country of destination and speed > 6 km/h
67.1)	Mandatory information in conjunction with the combination of Germany as the country of destination and speed > 6 km/h
68.0)	Not possible in conjunction with Australia as the country of destination
69.0)	Possible only in combination with additional instructions for use, qualified personnel
69.1)	Mandatory information in combination with additional instructions for use, qualified personnel
70.0)	Possible only in combination with additional instructions for use, user
70.1)	Mandatory information in combination with additional instructions for use, user
71.1)	Theoretical total weight (without special requests) = sum of the selected characteristic value weights
71.2)	Cannot be combined with theoretical total weight > 380 kg (the evaluated options exceed the permissible total weight of 380 kg)
72.0)	Mandatory information in combination with number of button for button control = 3, 4
72.1)	Possible only in combination with number of button for button control = 3, 4
74.0)	Mandatory information in combination with number of button for button control = 4
74.1)	Possible only in combination with number of button for button control = 4
75.1)	Possible only in combination with battery charger, without
77.1)	Possible only in combination with back angle adjustment, electric
77.2)	Cannot be combined with > 5 electric functions
77.3)	Possible only in combination with electric seat adjustment seat tilt 45° or seat height adjustment up to 35 cm with seat tilt 45°
77.4)	Possible only in conjunction with the combination of back angle adjustment, electric and electric seat adjustment seat tilt 45° or
	back angle adjustment, electric and electric seat adjustment seat height adjustment up to 35 cm with seat tilt 45°
77.5)	Cannot be combined with > 4 electric functions
77.6)	Cannot be combined with track stabilisation, mechanical incl. ASM
79.1)	Not possible in conjunction with the combination of standard seat, small and seat width 38 cm or 40 cm
79.2)	Not possible in conjunction with the combination of standard seat, large and seat width 44 cm or 46 cm
79.3)	Not possible in conjunction with the combination of standard seat, XL and seat width 50 cm or 52 cm
79.4)	Cannot be combined with belts lap belt with rewinder, metal buckle
80.0)	Possible only in combination with input for R-net/TEN° power module - TEN° tray module, electrical flip over
80.1)	Mandatory information in combination with input for R-net/TEN° power module - TEN° tray module, electrical flip over
82.0)	Not possible in conjunction with France as the country of destination
82.1)	Mandatory information in conjunction with the combination of maximum user weight > 160 kg and electric seat adjustment seat tilt 45° or seat height adjustment up to 35 cm with seat tilt 45° except with France as the country of destination
83.0)	Possible only in combination with head/neck support mounting kit, UniLink, multi-axis
84.0)	Possible only in combination with special input device for TEN° LCD module - calibratable mini joystick
84.1)	Mandatory information in combination with special input device for TEN° LCD module - calibratable mini joystick
85.1)	Possible only in combination with electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°