2025

ottobock.

Adaptive wheelchair *Motus CS*.

Quotation	Order	
Billing Address		Shipping address (if different from billing address)
PO No		Customer Name
Customer Name		Street
Street		PC, County
PC, County		
Name Da	teS	Signature



Standard equipment selection

(unless alternative selected)

Article number: 480F61=2_AA03_C

- Aluminium tube frame with cross brace
- Integrated leg support holders
- Single-panel foot plates, angle-adjustable
- · Back support tubes with different height setting options
- Back support upholstery, adaptable
- Clothing guard side panels
- Drive wheels with hollow rims and quick-release axles, 1" tyres
- Knee lever wheel lock 4.0

Max. user weight: 125 kg/275 lbs

Crash-tested according to DIN ISO 7176-19

Base Price - £1413.00

Please email all orders to Ottobockmobility@ottobock.com

Valid from 01.01.2025 to 31.12.25 Please ensure you are using the lastet order form

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals. Wheelchairs with CLT package cannot be returned or exchanged

○ MA63			Yes								£90.0
U IVIA03		0 1	No								Inclusiv
Seat widt	h (SW) in c	·m									
○ 35,5	○ 38	O 40,5	O 43	O 45,5	O 48						
Seat dept	h (SD) in c	m									
○ 36	○ 38	O 40	O 42	O 44	O 46	O 48	○ 50	○ 52	○ 54		
Antorior	soot boid	ht in cm (se	o o + o b l o)								
38 1)	39 ¹⁾	40 1)2)	0 41 2)	O 42 2)	O 43 ²⁾	O 44 2)	O 45 ²⁾	O 46 2)			
○ 38 ° ○ 47 ²)	○ 48 ²⁾	0 40 ⁹²	O 50 2)	O 42 2)	O 52 ²⁾	O 53 ²⁾	O 54 ²⁾	O 55 ²⁾			
1): 22" driv 2): 24" driv	e wheel					3 00					
Lower leg	length in	cm (without	seat cushic	n)							
Lower leg	length: (Ll	_) in cm	(avail	able adjustr	ment range (34 cm – 55 (cm)	1			
								2			
Posterior 36 1)	seat heigh	t in cm	O 39 ¹)	O 40 ²⁾	O 41 2)	O 42 ²⁾	O 43 ²⁾	O 44 ²⁾			
○ 36 ¹⁾	O 46 ²⁾	O 47 ²⁾	O 48 ²⁾	O 40 ²⁾	0 41 ²⁾	O 42 2)	O 43 ²⁾	O 44 ²⁾			
1): 22" driv		O 41	<u> </u>	O 43	<u> </u>	<u> </u>	○ 32 ·				
2): 24" driv											
Back supp 30	oort height	in cm 35	○ 37,5	O 40	O 42,5	O 43	O 45	O 47,5	O 48	O 50	
<u> </u>	○ 32,5	<u> </u>	<i>○ 31,</i> 5	<u> </u>	<u> </u>	<u> </u>	<u> </u>	O 41,5	<u> </u>	<u> </u>	
Frame ac	cessories										
○ MA51			ist, right								£47.0
○ MA52		Tip-ass									£47.0
○ MA55			per, right								£96.0
			per, left								£96.0
○ MA57			holder with								£93.0
○ MA58		Crutch l	holder with	tip-assist,	left						£93.0
Caster wl	neels										
		4" solid	rubber, bla	ck							Inclusiv
○ MF31		5" solid	rubber, bla	ck							Inclusiv
○ MF04		5.5" sof	t caster, gr	ey							Inclusiv
○ MF32		6" solid	rubber, bla	.ck							Inclusiv
_		7" solid	rubber								Inclusiv
○ MF08		7 30114									

© Ottobock · 647F856=en_MASTER-07-2312 · Technical modifications and printing errors reserved. - November 2024 - v1

ottobock.

A O E	e wheel position	
Drive wheel rin	n Hollow rims	Inclusive
○ MG15	Infinity Ultralight (not possible in combination with MG 34)	£138.00
○ MG80	With drum brake / attendant*	£387.00
Tyres		
◯ MG30	Pneumatic tyre 1 3/8"	Inclusive
MG34	PU 1" (not possible in combination with MG 15/MG 150)	Inclusive
MG341	PU 1" black (not possible in combination with MG 15/MG 150)	£64.00
○ MG37	Schwalbe Marathon Plus Evolution 1"	£73.00
○ MG371	Schwalbe Marathon Plus Evolution 1.1"	£134.00
○ MG200	Schwalbe ONE 1"	£184.00
Handrims		
◯ MG52	Aluminium, silver anodised, high	Inclusive
◯ MG53	Aluminium, silver anodised, low	£71.00
○ MG54	rubber-coated	£106.00
MG56	Stainless steel, polished, high	£55.00
○ MG65	GEKKO, ergonomic handrim	£576.00
Mheelbase ext	ension including wheel lock adapter Extra long with second fitting	£351.00
	Exclusions with second means	2001.00
Drive wheel ac	cessories	
☐ MG87	High-pressure air pump, 14 bar	£130.00
MG88	Airman-pump, battery-operated	£250.00
Wheel locks		
MH01	Push-to-lock knee lever wheel lock	Inclusive
○ MH11	Knee lever wheel lock Pull-to-lock	£27.00
	Scissor wheel lock	£199.00
○ MH06	Knee lever wheel lock for user and attendant	£400.00
Wheel lock acc		
	Wheel lock lever extension	£38.00
Back support s	ystem	
○ MD01	Back support, straight	Inclusive
○ MD09	Back support with lumbar curve 8°	Inclusive
○ MD10	Back support, angle-adjustable 30° (back support height 43 or 48 cm, max. upload capacity 125 kg/275 lb)	£363.00
○ MD11	foldable	£192.00
Pook oursest	mholotoru	
Back support u	photstery Adaptable, padded	Inclusive
○ MD04	Standard (only for back support, angle-adjustable 30°)	Inclusive
○ MD05	Adaptable, breathable	£105.00
○ MD05	Without	Inclusive
	vviciiout	inclusive

© Ottobock · 647F856=en_MASTER-07-2312 · Technical modifications and printing errors reserved. - November 2024 - v1

ottobock.

Back support page	d widening	
○ MD80	+ 2 cm	£16.00
○ MD81	+ 4 cm	£16.00
○ MD82	Without	Inclusive
Use of BAXX back	k support system (include order form, model-specific restrictions are possible)	
○ MD44	Baxx Aluminium back support (enclosed)	£694.00
Push handles MD50	Short	Inclusive
○ MD51	Long	Inclusive
○ MD53	Telescoping, short	£96.00
○ MD52	Telescoping, long	£96.00
○ MD55	Height-adjustable/removable	£145.00
○ MD45	height-adjustable/removable for Baxx	£152.00
○ MD56	Fold-down (max. load capacity 125 kg/275 lbs)	£90.00
O MID36	rotu-uowii (max. toad capacity 125 kg/215 tbs)	£90.00
Back support sys	stem range of adjustment	
0	30 - 32,5 (back support straight with push handles heigth-adjustable/telescoping)	Inclusive
\bigcirc	30 - 37,5 (back support straight with push handles short/long/folding)	Inclusive
\bigcirc	32,5 - 40 (back support straight with push handles heigth-adjustable/telescoping)	Inclusive
\bigcirc	35 - 40 (back support 8° with push handles heigth-adjustable/telescoping)	Inclusive
\bigcirc	37,5 - 45 (back support straight with push handles short/long/folding)	Inclusive
\bigcirc	40 - 45 (back support straight with push handles short/long/folding)	Inclusive
\bigcirc	42,5 - 50 (back support straight with push handles heigth-adjustable/telescoping)	Inclusive
\bigcirc	45 - 50 (back support 8°)	Inclusive
0	47,5 - 50 (back support straight with push handles short/long/folding or back support foldable with push handles long)	Inclusive
Baalaaaaa aa		
Back support ass	Stabiliser bar	£115.00
<u> </u>		
Side panels	With protection against the cold	Inclusive
ME01 ME02	With protection against the cold With splash guard and protection against the cold	Inclusive
ME04	Carbon, with splash guard	£457.00
ME05	Desk side panel with arm support, short	£284.00
ME06	Desk side panel with arm support, long	£291.00
ME11	Plug-on side panel, plastic	Inclusive
○ ME17	Side panel with arm support long, depth-adjustable	£329.00
<u> </u>	Cao panot min ann support tong, aspin asjastazio	8020.00
Side panel acces		
○ ME50	Arm support padded, swing away (not possible in combin. with desk side panel)	£281.00
	O short O long O long, extra high	
○ ME60	Tray	£220.00
Seat upholstery		
○ MC13	Standard	Inclusive
O MC14	readjustable	£102.00
MC06	Without	Inclusive

© Ottobock · 647F856=en_MASTER-07-2312 · Technical modifications and printing errors reserved. - November 2024 - v1

ottobock.


Seat cushions		
○ MC01	Standard (cushion thickness 5 cm)	£41.00
○ MC02	Cubic Foam (cushion thickness 5 cm)	£146.00
○ MC05	Evolight (cushion thickness 6 cm)	£208.00
○ MC29	Livo (cushion thickness 5 cm)	£87.00
○ MC30	EvoFlair (cushion thickness 5 cm)	£313.00
Leg support		
	Singel-panel, angle-adjustable	Inclusive
○ MB09	Individual, angle-adjustable, flip up, Aluminium	£115.00
Version foot su	pport bar	
○ MB200	Standard	Inclusive
○ MB201	swing away, left side	£79.00
○ MB202	swing away, right side	£79.00
Choice of foot s	support bar (without seat cushion)	
	Short (max. 34 - 41 cm)	Inclusive
○ MB41	Medium (max. 41 - 51 cm)	Inclusive
○ MB42	Long (max. 47 - 55 cm)	Inclusive
Other accessori	ae:	
MZ51	Lap belt with metal buckle	£74.00
	Tool kit	£55.00
Spoke protecto	r	
○ MG90	Transparent	£131.00
Frame colours		
002	Anthrazit metallic	Inclusive
O10	Marine blue *	£105.00
012	Sky blue	£105.00
014	Candy red	£105.00
014	Silber metallic	£105.00
021	Sparkle granny-smith	£105.00
023	White RAL 9016	£105.00
048	Jet black matte (structure)	£105.00
	older in Jet black matte (structur); for all other colours in frame colour	
Side panes in fr	ame colour *	
	Yes **	£53.00
*: Standard colo	ur 048 jet black matte (texture) without additional charge	
	in combination with side panels ME04 & ME11	
Special accesso	pries	
MZ58	Bag for drive wheels (for 2 drive wheels up to 28")	£112.00
	Pocket for mobile phone	£28.00
	Protection for quick-release-axle	£10.00
MZ92	Wheelblades (Mini-skis for caster wheels)	£462.00
MZ93	Backpack	£64.00

Adaptive wheelchair *Motus CS*.

Information

Wheelchair measurements

- 1 Anterior seat height (ASH) = ground to top of seat upholstery
- 2 Lower leg length (LL) = top of seat upholstery to top of foot plate (without seat cushion)
- 3 Posterior seat height (PSH)= ground to top of seat upholstery
- 4 Back support height (BH)= top of seat tube (crossbrace) to top of back support upholstery
- 5 Seat depth (SD) = front of seat upholstery to back support tube
- 6 Seat width (SW) = outside edge of frame tube to outside edge of frame tube



Anterior seat height [cm]								
Caster fork	Wheel diameter							
	4"	5"	5,5"	6"	7"			
short	38 -46	40 - 46	42 - 47	42 - 47	44 - 49			
long	46 - 53	47 - 54	44 - 55	44 - 55	45 - 55			

The values indicated are rounded values which have been theoretically determined. Max. deviation of 1 cm.

The anterior seat height depends on the selected wheel size, caster fork and mounting position. Please refer to the seat height table! Specified without seat cushion at 0° seat inclination.

Horizontal position of the drive wheel attachment device: see sketch.

The posterior seat height (PSH) depends on the selected wheel size and mounting position in the drive wheel attachment device. Please refer to the seat height table!

A manufacturing tolerance of 10 mm applies to all measurements and of 10% to specified weights.

Positions drive wheel adapter 0 0 0 0 0 0 0 O 0 0 0 0 0 0 0 0 O O 0 0

Adaptive wheelchair *Motus CS*.

Information



Drive wheel adapter



MA51 Tip-assist



MA55 Anti-tipper



MA57 Crutch holder



MF30/31/32 solid rubber 4", 5", 6", black



MF04 Soft rubber 5,5"



MG06 Hollow rim




MG15 Infinity Ultralight



MG31 Right Run 1"



MG371 Marathon Plus Evolution 1.1"



MG54 rubber-coated



MG65 Gekko



MG63 Curve L (eloxiert)



MG64 Curve L Grip



MH05 Outfront-scissor wheel lock



MH01 Knee lever wheel lock

Adaptive wheelchair *Motus CS*.

Information



MH10 Wheel lock extension



MD10 Back support, angleadjustable



ME11 Plug-on side panel plastic



MD04 Back support upholstery Standard



MD05 Back support upholstery, breathable



MD03 Back support upholstery, padded



MD58 Stabiliser bar



MD55 Push handles heigthadjustable, removable



MD56 Push handles foldable



ME11 Plug-on side panel plastic



ME02 Side panel with clothing guard and against cold



ME04 Carbon side panel



ME17 Side panel with arm support long, height-adjustable



ME50 Side panel, padded



ME60 Therapy tray

Adaptive wheelchair *Motus CS*.

Information



MB03 Single-panel leg supports, angle-adjustable



MB201 Swing away foot support bar, left



MZ59 MZ59 Poket for mobile phone



MZ58 Bag for drive wheels



MZ89 Protection for quickrelease-axle



MZ92 Wheel Blades



MZ93 Backpack

Seat cushion Livo									
Cook double found	Seat width [cm]								
Seat depth [cm]	38	40,5	43	45,5	48				
38		0							
40	0		0						
42		0	0	\circ	0				
44			0	\circ	0				
46			0	0	0				
48			0	\circ					
50				0					
52			0	0					

Seat cushion Evoflair									
	Seat width [cm]								
Seat depth [cm]	38	40,5	43	45,5	48				
40	0	0	0						
42		0	0	0	0				
44			0	0	0				
46			0	0	0				
48									
50									
52			0	0					



MC29 Livo



MC30 Evoflair