2025

ottobock.

Adaptive wheelchair *Motus CV*.

Quotation	Order Order	
Billing Address	Shipping address (if different from billing address)	
PO No.	Cust Name	
Cust. Name	Street	
Street	PC, County	
PC, County		
Name Date	Signature	



Standard equipment selection

(unless alternative selected)

Article number: 480F61=2_AA02_C

- · Aluminium tube frame with cross brace
- Integrated leg support holders
- Single-panel foot plates, angle-adjustable
- Back support tubes with different height setting options
- Back support upholstery, adaptable
- Clothing guard side panels
- Drive wheels with hollow rims and quick-release axles, 1" tyres
- Knee lever wheel lock 4.0

Max. user weight: 125 kg/275 lbs

Crash-tested according to ISO 7176-19

Base Price - £1413.00

Please email all orders to Ottobockmobility@ottobock.com

Valid from 01.01.2025 to 31.12.25 Please ensure you are using the lastet order form

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

Wheelchairs with CLT package cannot be returned or exchanged



The number codes contained in this order form are not intended to be used as article numbers for spare parts orders.

Please scan the QR code to access the spare parts catalogue for any spare parts orders.

Otto Bock Mobility Solutions Plc - 32 Parsonage Road, Englefi eld Green, Egham, Surrey, TW20 0LD - Tel 01784 744900 - Web www.ottobock.com/en-uk

		Standar	rd								Inclusiv
MB50 Foot-propelled chair (reduced ground clearance in delivery condition for hemiplegia model)*								el)*	Inclusiv		
* : Risk du	e to getting	caught on c	bstacles. Pl	ease observ	e safety info	rmation in t	he instruction	ons for use!			
	L (0)11)										
35,5	h (SW) in c	• m ○ 40,5	O 43	O 45,5	O 48						
<u> </u>	○ 36	O 40,5	<u> </u>	<u> </u>	O 46						
Seat dept	h (SD) in c	m									
○ 36	○ 38	O 40	O 42	O 44	O 46	O 48	○ 50	○ 52	○ 54		
Seat dept	h (SD) in c	m									
38 ¹)	39 1)	O 40 ¹)	O 41 2)	O 42 2)	O 43 ²⁾	O 44 2)	O 45 2)	O 46 2)			
O 47 2)	O 48 2)	O 49 2)	O 50 ²⁾	O 51 ²⁾	O 52 2)	O 53 ²⁾	O 54 ²⁾	O 55 ²⁾			
1): 22" driv											
²⁾ : 24" driv	e wheel										
Lower leg	length in	cm (without	seat cushio	ın)							
Lower leg	length: (Ll	_) in cm	(avail	able adjustr	ment range (34 cm – 55	cm)				
								2			
								2 /			
									y		
O 36 1)	seat heigh	38 ¹⁾	O 39 ¹)	O 40 2)	O 41 2)	O 42 2)	O 43 ²⁾	O 44 2)			
○ 45 ²)	O 46 ²⁾	O 47 ²⁾	O 48 ²⁾	O 40 ²⁾	O 50 ²⁾	O 51 ²⁾	O 52 ²⁾	○ 44 ⁻ /			
1): 22" driv		O 41 -7	○ 46 -	<u></u> 49 ⁻ ⁄	<u></u> 50 ⁻′	<u></u>	○ 52 -				
⁹ . 22 driv ²⁾ : 24" driv											
7. 24 UHV	e wrieet										
Back supp	oort height										
○ 30	○ 32,5	○ 35	○ 37,5	O 40	O 42,5	O 43	O 45	O 47,5	O 48	○ 50	
Frame acc	cessories										
○ MA51		Tip-ass	ist, right								£47.0
MA52		Tip-ass	ist, left								£47.0
											£96.0
O MA55											£96.0
○ MA55											£93.0
		Crutch	holder with								£93.0
MA56MA57					lof+						
			holder with		left						200.0
MA56MA57	1eels				left						200.0
MA56MA57MA58	neels	Crutch		tip-assist,	left						Inclusiv
MA56 MA57 MA58 Caster wh	neels	Crutch 4" solid	holder with	tip-assist,	left						Inclusiv
MA56 MA57 MA58 Caster wh	neels	Crutch 4" solid 5" solid	holder with rubber, bla	tip-assist, ck ck	left						
 MA56 MA57 MA58 Caster wh MF30 MF31 MF04 	neels	4" solid 5" solid 5.5" sof	nolder with rubber, bla rubber, bla t caster, gre	tip-assist, ck ck	left						Inclusiv Inclusiv Inclusiv
 MA56 MA57 MA58 Caster wh MF30 MF31 	neels	4" solid 5" solid 5.5" sof	rubber, bla rubber, bla rubber, bla t caster, gre rubber, bla	tip-assist, ck ck	left						Inclusiv Inclusiv

© Ottobock · 647F857=en_MASTER-08-2402 · Technical modifications and printing errors reserved. - November 2024 - v1

ottobock.

	e wheel position	
<u>) а</u> () в	\bigcirc c \bigcirc D	
Orive wheel rim		
◯ MG06	Hollow rims	Inclusiv
○ MG15	Infinity Ultralight (not possible in combination with MG 34)	£138.0
○ MG80	With drum brake / attendant*	£387.0
Towns.		
Tyres MG30	Pneumatic tyre 1 3/8"	Inclusiv
○ MG31	Schwalbe RightRun 1"	Inclusiv
○ MG34	PU 1" (not possible in combination with MG 15/MG 150)	Inclusiv
○ MG341	PU 1" black (not possible in combination with MG 15/MG 150)	£64.0
○ MG37	Schwalbe Marathon Plus Evolution 1"	£73.0
○ MG371	Schwalbe Marathon Plus Evolution 1.1"	£134.0
○ MG200	Schwalbe Waracion Flus Evolution III	£184.00
<u> </u>		
Handrims		
MG52	Aluminium, silver anodised, high	Inclusiv
○ MG53	Aluminium, silver anodised, low	£71.00
○ MG54	rubber-coated	£106.00
○ MG56	Stainless steel, polished, high	£55.00
○ MG65	GEKKO, ergonomic handrim	£576.00
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	and a feet with a color of the december.	
MG82	ension including wheel lock adapter Extra long with second fitting	£351.00
<u> </u>		
Drive wheel acc	essories	
MG87	High-pressure air pump, 14 bar	£130.00
	Airman-pump, battery-operated	£250.00
Wheel locks		
	Push-to-lock knee lever wheel lock	Inclusive
○ MH11	Knee lever wheel lock Pull-to-lock	£27.00
MH05	Scissor wheel lock	£199.00
○ MH06	Knee lever wheel lock for user and attendant	£400.00
Wheel lock acc	essories	
○ MH10	Wheel lock lever extension	£38.00
Back support sy	ustem	
MD01	Back support, straight	Inclusive
	Back support with lumbar curve 8°	Inclusive
○ MD10	Back support, angle-adjustable 30°	£363.00
	(back support height 43 or 48 cm, max. upload capacity 125 kg/275 lb) foldable	£192.00
O INIDIT	ividubi6	ಹ 192.00
Back support u	•	
	Adaptable, padded	Inclusiv
○ MD04	Standard (only for back support, angle-adjustable 30°)	Inclusive
○ MD05	Adaptable, breathable	£105.00
○ MD06	Without	Inclusive

$@ Ottobock \cdot 647F857 = en_MASTER-08-2402 \cdot Technical modifications and printing errors reserved. - November 2024 - v1 and printing errors reserved. - Novemb$

ottobock.

	+ 2 cm	£16.00		
→ MD81	+ 4 cm	£16.00		
→ MD82	Without	Inclusive		
	support system (include order form, model-specific restrictions are possible)			
) MD44	Baxx Aluminium back support (enclosed)	£694.00		
Push handles				
→ MD50	Short	Inclusive		
MD51	Long	Inclusive		
→ MD53	Telescoping, short	£96.00		
→ MD52	Telescoping, long	£96.00		
MD55	Height-adjustable/removable	£145.00		
○ MD45	height-adjustable/removable for Baxx	£152.00		
MD56	Fold-down (max. load capacity 125 kg/275 lbs)	£90.00		
Sack support sys	tem range of adjustment			
<u> </u>	30 - 32,5 (back support straight with push handles heigth-adjustable/telescoping)	Inclusive		
)	30 - 37,5 (back support straight with push handles short/long/folding)	Inclusive		
<u> </u>	32,5 - 40 (back support straight with push handles heigth-adjustable/telescoping)	Inclusive		
<u> </u>	35 - 40 (back support 8° with push handles heigth-adjustable/telescoping)	Inclusive		
O	37,5 - 45 (back support straight with push handles short/long/folding)	Inclusive		
\supset	40 - 45 (back support straight with push handles short/long/folding)	Inclusive		
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	42,5 - 50 (back support straight with push handles heigth-adjustable/telescoping)			
\supset	45 - 50 (back support 8°)			
)	47,5 - 50 (back support straight with push handles short/long/folding or back support foldable with pu sh handles long)	Inclusive		
_				
Back support ass	eccories Stabiliser bar	C11E 0.0		
○ MD58	Stabiliser dar	£115.00		
Side panels				
ME01	With protection against the cold	Inclusive		
○ ME02	With splash guard and protection against the cold	Inclusive		
ME04	Carbon, with splash guard	£457.00		
○ ME05	Desk side panel with arm support, short	£284.00		
○ ME06	Desk side panel with arm support, long	£291.00		
○ ME11	Plug-on side panel, plastic	Inclusive		
○ ME17	Side panel with arm support long, depth-adjustable	£329.00		
Side panel acces				
○ ME50	Arm support padded, swing away (not possible in combin. with desk side panel)	£281.00		
	O short O long O long, extra high			
O		£220.00		
○ ME60	Tray	2220.00		
	Tray	\$220.00		
ME60 Seat upholstery MC13	Tray Standard	Inclusive		
Seat upholstery				

© Ottobock · 647F857=en_MASTER-08-2402 · Technical modifications and printing errors reserved. - November 2024 - v1

ottobock.

Adaptive wheelchair *Motus CV*.

Seat cushions


Seat cusnions		
○ MC01	Standard (cushion thickness 5 cm)	£41.00
○ MC02	Cubic Foam (cushion thickness 5 cm)	£146.00
○ MC05	Evolight (cushion thickness 6 cm)	£208.00
○ MC29	Livo (cushion thickness 5 cm)	£87.00
○ WC30	EvoFlair (cushion thickness 5 cm)	£313.00
Leg supports		
○ MB03	Single panel, angle-adjustable	Inclusive
○ MB09	Individual, angle-adjustable, flip up, Aluminium	£115.00
	Individual, angle-adjustable, flip up, Plastic	Inclusive
○ MB21	Amputation leg support, right	£216.00
○ MB22	Amputation leg support, left	£216.00
○ MB23	Amputation leg support, pair	£429.00
○ MB26	Elevating leg support, right	£146.00
	Elevating leg support, left	£146.00
	Elevating leg support, pair	£294.00
	without	Inclusive
Choice of foot su	upport bar (without seat cushion)	
○ MB40	Short (max. 34 - 41 cm)	Inclusive
○ MB41	Medium (max. 41 - 51 cm)	Inclusive
○ MB42	Long (max. 47 - 55 cm)	Inclusive
Other accessorie	25	
MZ51	Lap belt with metal buckle	£74.00
MZ52	Tool kit	£55.00
Spoke protector MG90		£131.00
○ MG90	Transparent	£131.00
Frame colours		
002	Anthrazit metallic	Inclusive
<u>010</u>	Marine blue *	£105.00
012	Sky blue	£105.00
014	Candy red	£105.00
014	Silber metallic	£105.00
021	Sparkle granny-smith	£105.00
023	Weiß RAL 9016	£105.00
048 *: log support bold	Jet black matte (structure) der in Jet black matte (structur); for all other colours in frame colour	£105.00
teg support not	der in der black marte (structur), for all other colours in marile colour	
Side panes in fra		
ME20	Yes **	£53.00
	r 048 jet black matte (texture) without additional charge	
^^: not possible in	n combination with side panels ME04 & ME11	
Special accessor	ries	
MZ58	Bag for drive wheels (for 2 drive wheels up to 28")	£112.00
MZ59	Pocket for mobile phone	£28.00
MZ89	Protection for quick-release-axle	£10.00
MZ92	Wheelblades (Mini-skis for caster wheels)	£462.00
MZ93	Backpack	£64.00

Adaptive wheelchair *Motus CV*.

Information

Wheelchair measurements

- 1 Anterior seat height (ASH) = ground to top of seat upholstery
- 2 Lower leg length (LL) = top of seat upholstery to top of foot plate (without seat cushion)
- 3 Posterior seat height (PSH)= ground to top of seat upholstery
- 4 Back support height (BH)= top of seat tube (crossbrace) to top of back support upholstery
- 5 Seat depth (SD) = front of seat upholstery to back support tube
- 6 Seat width (SW) = outside edge of frame tube to outside edge of frame tube



Anterior seat height [cm]									
Caster fork	Wheel diameter								
	4"	5"	5,5"	6"	7"				
short	38 -46	40 - 46	42 - 47	42 - 47	44 - 49				
long	46 - 53	47 - 54	44 - 55	44 - 55	45 - 55				

The values indicated are rounded values which have been theoretically determined. Max. deviation of 1 cm.

The anterior seat height depends on the selected wheel size, caster fork and mounting position. Please refer to the seat height table! Specified without seat cushion at 0° seat inclination.

Horizontal position of the drive wheel attachment device: see sketch.

The posterior seat height (PSH) depends on the selected wheel size and mounting position in the drive wheel attachment device. Please refer to the seat height table!

A manufacturing tolerance of 10 mm applies to all measurements and of 10% to specified weights.

Positions drive wheel adapter 0 0 0 0 0 0 0 O 0 0 0 0 0 0 0 0 O 0 0

Adaptive wheelchair *Motus CV*.

Information



Drive wheel adapter



MA51 Tip-assist



MA55 Anti-tipper



MA57 Crutch holder



MF30/31/32 solid rubber 4", 5", 6", black



MF04 Soft rubber 5,5"



MG06 Hollow rim




MG15 Infinity Ultralight



MG31 Right Run 1"



MG371 Marathon Plus Evolution 1.1"



MG54 rubber-coated



MG65 Gekko



MG63 Curve L (eloxiert)



MG64 Curve L Grip



MH05 Outfront-scissor wheel lock



MH01 Knee lever wheel lock

Adaptive wheelchair *Motus CV*.

Information



MH10 Wheel lock extension



MD10 Back support, angleadjustable



ME11 Plug-on side panel plastic



MD04 Back support upholstery Standard



MD05 Back support upholstery, breathable



MD03 Back support upholstery, padded



MD58 Stabiliser bar



MD55 Push handles heigthadjustable, removable



MD56 Push handles foldable



ME11 Plug-on side panel plastic



ME02 Side panel with clothing guard and against cold



ME04 Carbon side panel



ME17 Side panel with arm support long, height-adjustable



ME50 Side panel, padded



ME60 Therapy tray

Adaptive wheelchair *Motus CV*.

Information



MB10 Leg supprt, individual, angle-adjustable, swivel up



MB22 Amputation leg support, left



MB25 Leg supports, elevating



MZ59 MZ59 Poket for mobile phone



MZ58 Bag for drive wheels



MZ89 Protection for quickrelease-axle



MZ92 Wheel Blades



MZ93 Backpack

Seat cushion Livo								
Cook double found	Seat width [cm]							
Seat depth [cm]	38	40,5	43	45,5	48			
38		0						
40	0		0					
42		0	0	0	0			
44			0	\circ	0			
46			0	0	0			
48			0	0				
50				0				
52			0	0				

Seat cushion Evoflair									
	Seat width [cm]								
Seat depth [cm]	38	40,5	43	45,5	48				
40	0	0	0						
42		0	0	0	0				
44			0	0	0				
46			0	0	0				
48									
50									
52			0	0					





MC29 Livo

MC30 Evoflair