
2025 Adaptive wheelchair *Motus XXL*.

ottobock.

Quotation

Order

Billing Address





Standard equipment selection (unless alternative selected)

Article number: 480F61=2_AA04_C

Base Price - £1413.00

Shipping address (if different from billing address)

Please email all orders to Ottobockmobility@ottobock.com

Valid from 01.01.2025 to 31.12.25 Please ensure you are using the lastet order form

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/ service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications for use/service manuals. Wheelchairs with CLT package cannot be returned or exchanged

- Reinforced Aluminium tube frame with double crossbrace (from SW 50,5 cm on)
- Swing-away or integrated leg support holders
- Individual foot plate, angle-adjustable or single-panel foot plate, angle-adjustable
- Back support tubes with different height setting options
- Back support upholstery, adaptable
- Clothing guard side panels
- Drive wheels with hollow rims and quick-release axles, 1" tyres
- Knee lever wheel lock 4.0
- Drive wheel camber 0°

Folding, max. user weight 140 kg

Crash-tested according to DIN ISO 7176-19



The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please scan the QR code to access the spare parts catalogue for any spare parts orders.

Adaptive wheelchair *Motus XXL*.

		CS (leg s	upports wi	th integrated	leg suppor	t holders, si	ngle-panel	foot plate, flip up)	Inclusiv
0		CV (leg s	upports wi	th individual	foot plate,	swing-away,	, removable	, flip up)	Inclusiv
	wheelchair	Standard	4						Inclusiv
<u>О мв50</u>)			elchair (red		d clearance i	in delivery o	ondition for hemiplegia fittings)*	Inclusiv
<u> </u>		caught on ob	-		-		-		motdorv
Max loa	d capacity								
	u capacity	up to 12	5 kg / 276 l	b					Inclusiv
$\overline{\bigcirc}$			0 kg / 309						Inclusiv
<u> </u>									inotaon
~	lth (SW) in o	â							
○ 35,5 ¹		<u> </u>		○ 45,5 ¹)	○ 48 ¹)	○ 50,5	○ 53	○ 55,5	
": mit 1,5·	-tacher Kreuz	zstrebe und r	nax. Zuladu	ng 125 kg					
Seat dep	oth (SD) in c								
O 36	0 38	○ 40	O 42	○ 44	◯ 46	O 48	○ 50	○ 52 ○ 54	
Anterior	seat height	: in cm (see T							
	39 ¹⁾	(300 T	0 41 ²⁾	O 42 ²⁾	43 ²⁾	44 ²⁾	O 45 ²⁾	46 ²⁾	
○ 30 ○ 47 ²⁾	() 48 ²⁾	○ 40 ○ 49 ²⁾	○ 1 1 ○ 50 ²⁾	O 51 ²⁾	○ 4 3 ○ 52 ²⁾	○ 4 4 ○ 53 ²⁾	O 54 ²⁾	○ 40 ○ 55 ²⁾	
	ive wheel	0 40	0.00	0.01	0 32	0.00	0.04	0.00	
	ive wheel								
Lowerla	a lanath in	ere (with out	aget quebie	2)					
Lowerle	eg lengtn in	cm (without	seat cushic	in)					
			2 11	able adjuster	ent range (34 cm – 55 d	cm)		
Lower le	eg length: (∟	L) in cm	(avaıl	abic aujustri				\sim	
Lower le	eg length: (∟	L) in cm	(avail						
Lower le	eg length: (∟	L) in cm	(avail					2	
Lower le	eg length: (∟	L) in cm	(avail					2	
Lower le	eg length: (∟	L) in cm	(avail					2	
Lower le	eg length: (∟	L) in cm	(avail					2	
Lower le	eg length: (L	L) in cm	(avail					2	
Lower le	eg length: (∟	L) in cm	(avail					2	
			(avail					2	
Posterio	r seat heigh	it in cm			(d1 2)	(12.2)	(122)		
Posterio	r seat heigh	t in cm ◯ 38 ¹⁾	⊖ 39 ^ŋ	<u>40</u> ²	○ 41 ²) ○ 50 ²)	○ 42 ²⁾ ○ 51 ²⁾	() 43 ²⁾ () 52 ²⁾	2	
Posterio 36 ¹⁾ 45 ²⁾	r seat heigh	it in cm			○ 41 ²⁾ ○ 50 ²⁾	○ 42 ²⁾ ○ 51 ²⁾	() 43 ²⁾ () 52 ²⁾		
Posterio ○ 36 ¹) ○ 45 ²) ¹ : 22" dr	or seat heigh 37 ⁻¹⁾ 46 ⁻²⁾	t in cm ◯ 38 ¹⁾	⊖ 39 ^ŋ	<u>40</u> ²					
Posterio 36 ¹⁾ 45 ²⁾ ¹⁾ : 22" dr ²⁾ : 24" dr	or seat heigh 37^{1} 46^{2} ive wheel	t in cm ○ 38 ¹⁾ ○ 47 ²⁾	⊖ 39 ^ŋ	<u>40</u> ²					

ottobock.

Adaptive wheelchair *Motus XXL*.

 \bigcirc d

Frame accessories

O MA51	Tip-assist, right	£47.00
○ MA52	Tip-assist, left	£47.00
○ MA55	Anti-tipper, right	£96.00
○ MA56	Anti-tipper, left	£96.00
○ MA57	Crutch holder with tip-assist, right	£93.00
○ MA58	Crutch holder with tip-assist, left	£93.00

Caster wheels

() MF30	4" solid rubber, black	Inclusive
() MF31	5" solid rubber, black	Inclusive
O MF04	5.5" soft caster, grey	Inclusive
() MF32	6" solid rubber, black	Inclusive
○ MF08	7" solid rubber	Inclusive

Horizontal drive wheel position

 \bigcirc c

Оа Ов

Drive wheel rim

O MG06	Hollow rims	Inclusive
○ MG15	Infinity Ultralight (not possible in combination with MG 34)	£138.00
O MG80	With drum brake / attendant*	£387.00
O MG83	One-arm drive with double handrim left	£617.00
O MG83	One-arm drive with double handrim right	£617.00
*: not possible in a	combination with camber	

Tyres

○ MG30	Pneumatic tyre 1 3/8"	Inclusive
O MG34	PU 1" (not possible in combination with MG 15/MG 150)	Inclusive
O MG341	PU 1" black (not possible in combination with MG 15/MG 150)	£64.00
O MG37	Schwalbe Marathon Plus Evolution 1"	£73.00
O MG371	Schwalbe Marathon Plus Evolution 1.1"	£134.00
O MG200	Schwalbe ONE 1"	£184.00

Handrims

○ MG52	Aluminium, silver anodised, high	Inclusive
○ MG53	Aluminium, silver anodised, low	£71.00
O MG54	rubber-coated	£106.00
O MG56	Stainless steel, polished, high	£55.00
○ MG65	GEKKO, ergonomic handrim	£576.00

Wheelbase extension including wheel lock adapter

🔘 MG82	Extra long with second fitting	£351.00
Drive wheel a	accessories	

MG87	High-pressure air pump, 14 bar	£130.00
MG88	Airman-pump, battery-operated	£250.00

£38.00

Adaptive wheelchair *Motus XXL*.

Wheel locks

MH01 Push-to-lock knee lever wheel lock	Inclusive
MH11 Knee lever wheel lock Pull-to-lock	£27.00
O MH05 Scissor wheel lock	£199.00
MH06 Knee lever wheel lock for user and attendant	£400.00

Wheel lock accessories

Back support system

Buok Support Syster		
O MD01	Back support, straight	Inclusive
O MD09	Back support with lumbar curve 8°	Inclusive
○ MD10	Back support, angle-adjustable 30° (back support height 43 or 48 cm, max. upload capacity 125 kg/275 lb)	£363.00
() MD11	foldable	£192.00

Back support upholstery

○ MD03	Adaptable, padded	Inclusive
O MD04	Standard (only for back support, angle-adjustable 30°)	Inclusive
O MD05	Adaptable, breathable	£105.00
O MD06	Without	Inclusive

Back support pad widening

O MD80	+ 2 cm	£16.00
() MD81	+ 4 cm	£16.00
○ MD82	Without	Inclusive

Push handles

○ MD50	Short	Inclusive
O MD51	Long	Inclusive
○ MD52	Telescoping, long	£96.00
O MD53	Telescoping, short	£96.00
O MD55	Height-adjustable/removable	£145.00
() MD56	Fold-down (max. load capacity 125 kg/275 lbs)	£90.00

Back support system range of adjustment

0	30 - 32,5 (back support straight with push handles heigth-adjustable/telescoping)	Inclusive
0	30 - 37,5 (back support straight with push handles short/long/folding)	Inclusive
0	32,5 - 40 (back support straight with push handles heigth-adjustable/telescoping)	Inclusive
0	35 - 40 (back support 8° with push handles heigth-adjustable/telescoping)	Inclusive
0	37,5 - 45 (back support straight with push handles short/long/folding)	Inclusive
0	40 - 45 (back support straight with push handles short/long/folding)	Inclusive
0	42,5 - 50 (back support straight with push handles heigth-adjustable/telescoping)	Inclusive
0	45 - 50 (back support 8°)	Inclusive
0	47,5 - 50 (back support straight with push handles short/long/folding or back support foldable with push handles long)	Inclusive

£115.00

Adaptive wheelchair *Motus XXL*.

Side panels		
ME01	With protection against the cold	Inclusive
O ME02	With splash guard and protection against the cold	Inclusive
O ME04	Carbon, with splash guard	£457.00
O ME05	Desk side panel with arm support, short	£284.00
O ME06	Desk side panel with arm support, long	£291.00
O ME11	Plug-on side panel, plastic	Inclusive
O ME17	Side panel with arm support long, depth-adjustable	£329.00

Side panel accessories

○ ME50	Arm support padded, swing away (not possible in combin. with desk side panel)		£281.00	
	⊖ short	○ long	◯ long, extra high	
O ME60	Tray			£220.00

Seat upholstery

○ MC13	Standard	Inclusive
○ MC14	readjustable	£102.00
O MC06	Without	Inclusive

Seat cushions

O MC01	Standard (cushion thickness 5 cm)	£41.00
O MC02	Cubic Foam (cushion thickness 5 cm)	£146.00
○ MC29	Livo (cushion thickness 5 cm)	£87.00
○ мсзо	EvoFlair (cushion thickness 5 cm)	£313.00

Leg support

○ мвоз	Singel-panel, angle-adjustable	Inclusive
○ мво9	Individual, angle-adjustable, flip up, Aluminium	£115.00
○ MB10	Individual, angle-adjustable, flip up, Plastic	Inclusive
○ мв99	Without	Inclusive

Version foot support bar

O MB200	Standard	Inclusive
O MB201	swing away, left side	£79.00
O MB202	swing away, right side	£79.00

Choice of foot support bar (without seat cushion)		
○ MB40	Short (max. 34 - 41 cm)	Inclusive
○ MB41	Medium (max. 41 - 51 cm)	Inclusive
○ MB42	Long (max. 47 - 55 cm)	Inclusive

Other accessories

MZ51	Lap belt with metal buckle	£74.00
MZ52	Tool kit	£55.00
Spoke protector		
<u>О</u> MG90	Transparent	£131.00

Adaptive wheelchair *Motus XXL*.

002	Anthracite metallic	Inclusive
010	Marine blue *	£105.00
012	Sky blue	£105.00
014	Candy red	£105.00
014	Silber metallic	£105.00
021	Sparkle granny-smith	£105.00
023	Weiß RAL 9016	£105.00
048	Jet black matte (structure)	£105.00
*: leg support ho	older in Jet black matte (structur); for all other colours in frame colour	
Side panes in fr	rame colour *	
O ME20	Yes **	£53.00
*: Standard colo	our 048 jet black matte (texture) without additional charge	
**: not possible	in combination with side panels ME04 & ME11	


pries	
Bag for drive wheels (for 2 drive wheels up to 28")	£112.00
Pocket for mobile phone	£28.00
Protection for quick-release-axle	£10.00
Wheelblades (Mini-skis for caster wheels)	£462.00
Backpack	£64.00
כ	Bag for drive wheels (for 2 drive wheels up to 28")Pocket for mobile phoneProtection for quick-release-axleWheelblades (Mini-skis for caster wheels)

Adaptive wheelchair *Motus XXL*.

Information

Wheelchair measurements

- 1 Anterior seat height (ASH) = ground to top of seat upholstery
- 2 Lower leg length (LL) = top of seat upholstery to top of foot plate (without seat cushion)
- 3 Posterior seat height (PSH)= ground to top of seat upholstery
- 4 Back support height (BH)= top of seat tube (crossbrace) to top of back support upholstery
- 5 Seat depth (SD) = front of seat upholstery to back support tube
- 6 Seat width (SW) = outside edge of frame tube to outside edge of frame tube



Anterior seat height [cm]					
Caster fork	Wheel diameter				
	4"	5"	5,5"	6"	7"
short	38 -46	40 - 46	42 - 47	42 - 47	44 - 49
long	46 - 53	47 - 54	44 - 55	44 - 55	45 - 55

The values indicated are rounded values which have been theoretically determined. Max. deviation of 1 cm.


The anterior seat height depends on the selected wheel size, caster fork and mounting position. Please refer to the seat height table! Specified without seat cushion at 0° seat inclination.

Horizontal position of the drive wheel attachment device: see sketch.

The posterior seat height (PSH) depends on the selected wheel size and mounting position in the drive wheel attachment device. Please refer to the seat height table!

A manufacturing tolerance of 10 mm applies to all measurements and of 10% to specified weights.

Positions drive wheel adapter



Adaptive wheelchair *Motus XXL*.

Information



Drive wheel adapter



MA51 Tip-assist



MA55 Anti-tipper



MA57 Crutch holder



MF30/31/32 solid rubber 4", 5", 6", black




MG06 Hollow rim



MG15 Infinity Ultralight



MG371 Marathon Plus Evolution 1.1"



MG54 rubber-coated



MH10 Wheel lock extension



MG65 Gekko



MH05 Scissor wheel lock



MD11 Foldable back support



MH01 Knee lever wheel lock



MD04 Back support upholstery Standard



MD10 Back support, angleadjustable

Otto Bock Mobility Solutions Plc - 32 Parsonage Road, Englefi eld Green, Egham, Surrey, TW20 0LD - Tel 01784 744900 - Web www.ottobock.com/en-uk

Adaptive wheelchair Motus XXL.

Information



MD05 Back support upholstery, breathable



MD56 Push handles foldable



MD03 Back support upholstery, padded



ME11 Foldable back support



MD58 Stabiliser bar



ME02 Side panel with clothing guard and against cold



ME60 Therapy tray



MZ59 Poket for mobile phone



MD55 Push handles heigthadjustable, removable



ME04 Carbon side panel



MB03 Single-panel foot plate, angle-adjustable



MZ58 Bag for drive wheels



ME17 Side panel with arm support long, height-adjustable



MB10 Leg supprt, individual, angle-adjustable, swivel up





MB201 Foot support bar swing-away, left

Adaptive wheelchair *Motus XXL*.

Information





MZ89 Protection for quickrelease-axle

MZ92 Wheel Blades



MZ93 Backpack

Adaptive wheelchair *Motus XXL*.

Seat cushion Livo						
Seat depth [cm]	Seat width [cm]					
	38	40,5	43	45,5	48	
38		0				
40	0		0			
42		0	\bigcirc	\bigcirc	\bigcirc	
44			0	0	0	
46			0	0	0	
48			0	0		
50				0		
52			0	0		

Seat cushion Evoflair						
Seat depth [cm]	Seat width [cm]					
	38	40,5	43	45,5	48	
40	0	\bigcirc	\bigcirc			
42		0	\bigcirc	\bigcirc	\bigcirc	
44			0	0	0	
46			0	\bigcirc	0	
48						
50						
52			0	\bigcirc		





© Ottobock · 647F876=en_MASTER-07-2312 · Technical modifications and printing errors reserved- November 2024 - vI.