

2021/22

ottobock.

Juvo B4 Assessment Information Sheet



Technical modifications and printing errors reserved.

© Ottobock 490E75=1_C_647F567-EN_INT-10-2010 - January 2021 - v1

Additional options installed on the power wheelchair can reduce the maximum load.
Please observe the maximum gross weight on the nameplate.

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders.
Please use the spare parts catalogue for spare parts orders.

Seating systems



EC001 - EC004 Standard seat



EC005 VAS

Seat cushion



EC034 Livo



EC035 Evoflair

Seat cushions/back support version with contour



EC020/ED034 Flat contoured



EC021/ED035 Deep contoured

Cover for seat cushion/back support pad contoured



EC022 Fabric cover



EC023 Synthetic leather cover

Back support version



ED050/ED051 Back support pad flat/deep contoured



ED036 Baxx aluminium flat top back support

Accessories for back support pad, contoured



ED039 Side panels



ED040 Lumbar support

Power seat adjustment



EC025 45° seat tilt



EC026 Seat height adjustment 35 cm



ED047 Power back support angle adjustment

Tread



EG013 Ribs



EG014 Lugs



EG015 Caster wheel with ribs

Mounting Kit for head/neck supports



EL001 Gooseneck



EL002 Multi-axis, offset



EL003 Multi-axis, straight



EL031 UniLink multi axis, including seat back mount

Head/neck supports Care line



EL006/EL007 Head support small/large



EL013/EL014 Combination head/neck support small/large



EL015/EL016 Head/neck support, X-shape, small/large

Head/neck supports Advanced line



EL033/EL034/EL035 Comfort Plus



EL036/EL037 Combo

Arm supports



EE024 Flip-up arm supports

Belts



EP001 Standard lap belt



EP002 2-point lap belt, padded, metal buckle



EP003 Lap belt, padded, plastic buckle

Chest/shoulder harnesses



EP005 - EP007 Dynamic harness S/M/L



EP008 - EP010 Sternum harness S/M/L



EP011 - EP013 Slimline sternum harness S/M/L



EP014 - EP016 Shoulder harness S/M/L

Leg support version



EB011 Standard (basic design)



EB001 Standard (new design)



EB002 Mechanically elevating with length adjustment



EB003 Power elevating, separate control

Foot plate version



EB004 Power elevating, simultaneous control



EB012 Individual, plastic foot plates



EB007 Individual aluminum foot plates

Add. charging receptacle



EU043 External magnetic charging receptacle

Battery charger



EU045 Battery charger 5 A,
with fan



EU041 Battery charger 8 A,
fanless



EU044 Battery charger 10 A,
fanless



EU046 Battery charger 10 A,
with fan

Chassis accessories



EU042 Battery charger 12 A,
incl. external charging recep-
tacle



EA010 Splash guard for
drive wheels



EF021 Curb climbing
assist



ES013 Dahl mounting kit

Chassis safety accessories

General accessories



ES003 Pocket for mobile
phone



ES004 Luggage carrier



ES005 Crutch holder



ES006 Rearview mirror

Receptacle f. ext. power



ES010 Beverage holder



ET002 Receptacle f. 12 V
ET003 Receptacle f. 24 V
ET004 USB

Lighting



ES021 Electric lighting


Control device



EU050/EU059 VR2



EU051/EU060 VR2



EU052 TEN°



EU058 R-net LED-L

Joystick top



EU064 R-net Colour



EU080 Fork for tetraplegics, horizontal



EU081 Stick S80



EU082 Soft ball, black cover



EU083 Ball top, small



EU084 Ball top, large



EU085 Soft ball, coloured

Modul for TEN° ↶



EU054 TEN° LCD module

Control device accessories



EU057 Attendant control



EU095 Hand warmer (single hood for handmodule)

Tables for notes and exclusions

Seat depth

Seat	Seat depth SD												
	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm	52 cm	54 cm	56 cm	58 cm
Standard seat Junior	X	X	X	X									
Standard seat, small			X	X	X	X	X						
Standard seat, large					X	X	X	X	X				
Standard seat, XL					X	X	X	X	X				
VAS			X	X	X	X	X	X	X	X	X	X	X

X = combination possible


Seat width

Seat	Seat width (SW)												
	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm	52 cm	54 cm	56 cm	
Standard seat Junior	X	X	X	X									
Standard seat, small			X	X	X								
Standard seat, large						X	X	X					
Standard seat, XL									X	X	X	X	
VAS			X	X	X	X	X	X	X	X	X		

X = combination possible

Terra, Terra Aquos seat cushion												
SD [cm]	Seat width [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
34		X										
36		X										
38		X	X	X	X	X	X	X	X	X		
40				X	X	X	X					
42				X	X	X	X					
44				X	X	X	X	X	X	X		
46				X	X	X	X	X	X	X		
48				X	X	X	X	X	X	X		
50												
52												
54												
56												
58												

Terra Flair seat cushion												
SD [cm]	Seat width [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
34												
36												
38			X	X	X	X	X	X	X	X		
40				X	X	X	X					
42				X	X	X	X					
44				X	X	X	X	X	X	X		
46				X	X	X	X	X	X	X		
48				X	X	X	X	X	X	X		
50												
52												
54												
56												
58												



EC014 Terra



EC015 Terra Aquos



EC016 Terra Flair

Cloud seat cushion												
SD [cm]	Seat width [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
34	X	X										
36	X	X	X									
38	X	X	X	X	X		X	X	X	X	X	X
40	X	X	X	X	X	X	X	X	X	X	X	X
42			X	X	X	X	X	X	X	X	X	X
44				X	X	X	X	X	X	X	X	X
46				X	X		X	X	X	X	X	X
48				X	X		X	X	X	X	X	X
50							X			X	X	X
52							X			X	X	X
54												
56												
58												



EC018 Cloud

Notes and exclusions

- 2.1) not possible in conjunction with product classification category A (indoor)
- 3.1) possible only in combination with maximum user weight <= 140 kg
- 3.2) possible only in combination with maximum user weight <= 75 kg
- 3.3) possible only in combination with maximum user weight <= 125 kg
- 4.0) see table "seat depth"
- 4.1) not possible in conjunction with the combination of maximum user weight > 75 kg and Standard seat Junior or VAS
- 4.3) not possible in conjunction with the combination of maximum user weight > 100 kg and Standard seat Small or Standard seat Large or Standard seat XL or VAS
- 4.4) possible only in combination with maximum user weight <= 113 kg möglich
- 5.0) see table "seat width"
- 7.1) possible only in combination with maximum load capacity <= 150 kg
- 7.2) see table "seat cushion Terra, Terra Aquos"
- 7.3) see table "seat cushion Terra-Flair"
- 7.5) see table "seat cushion Cloud"
- 7.6) possible only in combination with maximum user weight <= 125 kg
- 7.8) cannot be combined with Standard seat, Junior
- 7.9) not possible in conjunction with the combination of VAS and seat width 38 cm, 42 cm, 46 cm, 48 cm or 52 cm
- 7.10) not possible in conjunction with the combination of VAS, seat width 40 cm and seat depth 48 cm, 50 cm, 52 cm, 54 cm or 56 cm
- 7.11) not possible in conjunction with the combination of VAS, seat width 44 cm or 50 cm or 54 cm and seat depth 38 cm or 40 cm
- 7.12) cannot be combined with seat depth 58 cm
- 8.0) possible only in combination with seat cushion with flat or deep contours
- 8.1) mandatory information in combination with seat cushion with flat or deep contours
- 9.1) possible only in combination with VAS
- 9.2) possible only in combination with maximum user weight <= 113 kg
- 9.3) cannot be combined with seat width 54 cm
- 10.0) possible only in combination with back cushion with flat or deep contours or back cushion with flat or deep contours, for adaptable back upholstery
- 10.1) mandatory information in combination with back cushion with flat or deep contours or back cushion with flat or deep contours, for adaptable back upholstery
- 11.1) possible only in combination with back cushion with deep contours
- 12) mandatory information in combination with Standard seat Small and SW 38 cm
- 12.1) not possible in conjunction with Standard seat Small and SW 38 cm and unselected upholstery covers for arm supports
- 14.0) possible only in combination with Baxx aluminium flat top back support
- 14.1) mandatory information in combination with Baxx aluminium flat top back support
- 17.1) cannot be combined with VAS
- 18.1) possible only with seat inclination 0°
- 18.2) cannot be combined with seat inclination -3° / 6° / 9°
- 20.1) not possible in conjunction with caster wheel swing arm spring mounted
- 20.2) not possible in conjunction with product classification category B (indoor/outdoor)
- 22.1) not possible in conjunction with caster wheels 8" or drive wheels 12"
- 23.1) possible only in conjunction with tyre colour grey
- 24.0) seat height >= lower leg length +3 cm
- 24.1) possible only in combination with product classification category A (indoor)
- 24.2) cannot be combined with seat tilt 45° or seat height adjustment 35cm or seat height adjustment 35 cm with seat tilt 45°
- 24.3) not possible in conjunction with VAS and caster wheel swing arm unsprung and caster wheels 9"
- 24.4) not possible in combination with VAS and maximum user weight > 75 kg
- 24.5) cannot be combined with seat tilt 20°
- 24.6) possible only in combination with seat tilt 45° or seat height adjustment 35 cm or seat height adjustment 35 cm with seat tilt 45°
- 24.7) possible only in combination with caster wheel swing arm unsprung and caster wheels 9"
- 24.8) possible only in combination with caster wheel swing arm spring mounted or caster wheels 10"
- 24.9) not possible in conjunction with the combination of maximum user weight > 100 kg and VAS
- 24.10) not possible in conjunction with the combination of seat height adjustment up to 35 cm with seat tilt 45° and VAS
- 24.11) not possible in conjunction with the combination of VAS and SW > 42 cm and seat inclination 6°, 9° and caster wheel swing arm spring mounted or caster wheels 10"
- 24.12) not possible in conjunction with the combination of VAS and caster wheel swing arm spring mounted or caster wheels 10"
- 24.13) cannot be combined with caster wheels 10" or caster wheel swing arm spring mounted
- 24.14) cannot be combined seat inclination -3°
- 24.15) not possible in conjunction with the combination of seat inclination -3° and caster wheels 10" or caster wheel swing arm spring mounted
- 24.16) not possible in conjunction with Standard seat Large/ XL and seat tilt 20° and caster wheels 8"
- 24.17) not possible in conjunction with Standard seat Large/ XL and seat tilt 20° and caster wheel swing arm unsprung and caster wheels 9"
- 24.18) not possible in conjunction with the combination of VAS and seat inclination 9° and caster wheel swing arm unsprung and caster wheels 9"
- 24.19) not possible in conjunction with the combination of VAS and seat inclination 9° and caster wheel swing arm spring mounted or caster wheels 10"
- 24.20) not possible in conjunction with VAS and seat inclination 9° and caster wheel swing arm unsprung and caster wheels 10" or caster wheel swing arm sprung and caster wheels 9"
- 24.21) not possible in conjunction with VAS and caster wheels 8"
- 24.22) not possible in conjunction with Standard seat Junior/Small/Large/XL and seat inclination 6°, 9° and caster wheel swing arm unsprung and caster wheels 10" or caster wheel swing arm sprung and caster wheels 9"
- 24.23) not possible in conjunction with Standard seat Junior/Small/Large/XL and seat inclination 3°, 6°, 9° and caster wheel swing arm unsprung and caster wheels 9"
- 24.24) not possible in conjunction with Standard seat Junior/Small/Large/XL and seat inclination 9° and caster wheel swing arm unsprung and caster wheels 9"
- 24.26) not possible in conjunction with Standard seat Junior/Small/Large/XL and seat inclination 9° and caster wheels 8"
- 24.27) not possible in conjunction with Standard seat Large/XL and seat tilt 20° and caster wheel swing arm unsprung and caster wheels 10" or caster wheel swing arm sprung and caster wheels 9"
- 24.28) not possible in conjunction with caster wheel swing arm spring mounted or caster wheels 10"
- 24.29) not possible in conjunction with the combination of VAS and SW > 42 cm and caster wheels 8"
- 24.31) not possible in conjunction with the combination of VAS and seat inclination 9° and caster wheels 8"
- 24.32) not possible in conjunction with Standard seat Large/XL
- 24.33) not possible in conjunction with Standard seat Large/XL and caster wheel swing arm unsprung and caster wheels 9"

- 24.34) not possible in combination with seat height adjustment up to 35 cm with seat tilt 45° and maximum user weight > 75 kg
- 24.35) not possible in combination with seat tilt 20° and seat inclination 3° and caster wheel swing arm unsprung and caster wheels 9"
- 24.36) not possible in combination with seat tilt 20° and seat inclination 3° and caster wheel swing arm unsprung and caster wheels 8"
- 24.37) nee table "seat height"
- 27.0) possible only in combination with head/neck support mounting kit
- 27.1) mandatory information in combination with head/neck support mounting kit
- 28.0) mandatory information in combination with category B
- 31.1) possible only in combination with selected lower leg length
- 31.2) not possible in conjunction with the combination of Standard seat or VAS and lower leg length < 21 cm
- 31.3) not possible in conjunction with the combination of maximum user weight > 75 kg and Standard seat and lower leg length < 28 cm
- 31.4) not possible in conjunction with the combination of maximum user weight > 75 kg and VAS and lower leg length < 27 cm
- 31.5) not possible in conjunction with selected lower leg length
- 31.6) not possible in conjunction with the combination of seat height SH < 45 cm and lower leg length LLL ≤ 30 cm
- 32.0) cannot be combined with leg support adjustment, without
- 32.1) mandatory information in combination with leg support adjustment, standard, mechanically elevating or electrically elevating
- 32.2) not possible in conjunction with the combination of Standard seat and lower leg length < 25 cm
- 32.3) not possible in conjunction with the combination of VAS and lower leg length < 24 cm
- 32.4) cannot be combined with leg support adjustment, mechanically elevating or electrically elevating
- 32.6) cannot be combined with leg support adjustment standard (basic design)
- 32.7) not possible in conjunction with the combination of Standard seat or VAS and lower leg length < 17 cm and leg support adjustment, standard
- 32.8) not possible in conjunction with the combination of maximum user weight > 75 kg and Standard seat or VAS and lower leg length < 24 cm and leg support adjustment, standard
- 32.9) cannot be combined with leg support adjustment, mechanically elevating or electrically elevating, separate controllable
- 32.10) not possible in conjunction with the combination of maximum user weight > 140 kg and leg support adjustment, electrically elevating, simultaneously controllable
- 33.1) possible only in combination with leg support adjustment, mechanically or electrically elevating
- 35.1) possible only in conjunction with AGM 53 Ah batteries
- 35.2) not possible in conjunction with the combination of Argentina, Australia, Brazil, Hong Kong, Japan, Canada, Columbia, Mexico, Thailand, United Kingdom or United States of America as the country of destination
- 35.3) cannot be combined with AGM batteries 63 Ah (C5) or Gel batteries 63 Ah (C5)
- 35.4) not possible in conjunction with the combination of Argentina, Brazil, Canada, Columbia, Mexico or United States of America as the country of destination
- 36.1) possible only in conjunction with battery charger, without
- 39.5) not possible in conjunction with the combination of SH 40 cm and caster wheel swing arm unsprung and caster wheels 9" and VAS or Standard seat Large/XL
- 39.6) not possible in conjunction with the combination of SH 42,5 cm and caster wheel swing arm spring mounted or caster wheels 10" and VAS or eat systems Standard seat Large/XL
- 41.1) cannot be combined with Baxx aluminium flat top back support
- 41.2) cannot be combined with chassis safety accessories curb climbing assist
- 42.1) cannot be combined with therapy tray
- 42.2) cannot be combined with rearview mirror
- 43.1) cannot be combined with socket for external power supply, right 24 V and socket for external power supply, right USB
- 43.2) cannot be combined with socket for external power supply, right 12 V and socket for external power supply, right USB
- 43.3) cannot be combined with socket for external power supply, right 12 V and socket for external power supply, right 24 V
- 43.4) cannot be combined with batteries/battery capacity AGM 63 Ah (C5) / 75 Ah (C20)
- 44.0) mandatory information in conjunction with the combination of product classification category B and all countries of destination except Other countries, Argentina, Australia, Brazil, France, Hong Kong, Japan, Canada, Columbia, Korea, Mexico, Russia, Switzerland, Thailand, United States of America or United Kingdom
- 44.1) Not possible in conjunction with the combination of Germany as the country of destination and product classification category B
- 46.1) cannot be combined with electric functions
- 46.2) possible only in combination with total weight ≤ 260 kg
- 46.3) possible only in combination with max. 3 electric functions
- 46.4) cannot be combined with lighting acc. to German StVZO
- 46.5) not possible in conjunction with Germany as the country of destination and more than 2 electric functions
- 46.7) cannot be combined with seat height adjustment 35 cm or seat height adjustment 35 cm with seat tilt 45°
- 47.0) possible only in combination with control unit, TEN°
- 47.1) mandatory information in combination with control unit, TEN°
- 48.0) possible only in combination with control panel, TEN°, colour selectable
- 48.1) mandatory information in combination with control panel, TEN°, colour selectable
- 50.1) cannot be combined with control unit TEN°
- 53.0) possible only in combination with control unit, TEN° or R-net LED-L (90 A) or R-net Colour (90 A)
- 54.0) possible only in combination with TEN° LCD module
- 54.1) mandatory information in combination with TEN° LCD module
- 55.0) mandatory information in conjunction with the combination of control unit, TEN° (90 A) or R-net LED-L (90 A) or R-net Colour (90 A) and > 1 electric function
- 55.1) mandatory information in conjunction with the combination of lighting acc. to German StVZO and control unit, TEN° or R-net LED-L (90 A)
- 57.0) possible only in combination with attendant control
- 57.1) mandatory information in combination with attendant control
- 57.2) not possible in conjunction with the combination of Standard seat Junior and actuator module for control unit, TEN°
- 58.1) possible only in combination with control unit, VR2
- 59.0) not possible in conjunction with Australia, Canada or the United States of America as the country of destination
- 59.1) not possible in conjunction with the combination of batteries Gel 63 Ah (C5) / 74 Ah (C20) and general accessories external horn
- 59.2) not possible in conjunction with the combination of batteries AGM 63 Ah (C5) / 75 Ah (C20) and general accessories external horn for Germany as the country of destination, this is possible only in conjunction with the combination of rear warning sign and lighting acc. to German StVZO
- 61.1) not possible in conjunction with drive unit high performance
- 62.0) possible only in conjunction with the combination of Germany as the country of destination and speed > 6 km/h
- 62.1) mandatory information in conjunction with the combination of Germany as the country of destination and speed > 6 km/h
- 63.0) not possible in conjunction with Australia as the country of destination
- 64.0) possible only in combination with additional instructions for use, qualified personnel
- 64.1) mandatory information in combination with additional instructions for use, qualified personnel
- 65.0) possible only in combination with additional instructions for use, user
- 65.1) mandatory information in combination with additional instructions for use, user

- 67.1) not possible in conjunction with the combination of Standard seat Small and seat width 38 cm or 40 cm
- 67.2) not possible in conjunction with the combination of Standard seat Large and seat width 44 cm or 46 cm
- 67.3) not possible in conjunction with the combination of Standard seat XL and seat width 50 cm or 52 cm
- 68.1) possible only in combination with electric seat adjustment seat tilt 45°
- 68.2) not possible in conjunction with France as the country of destination