

2021/22

ottobock.

Juvo B5 and B6 Assessment Information Sheet



Technical modifications and printing errors reserved

© Ottobock 490E75=0_C_647F566=EN_INT-07-2010 - January 2021 - VI

Additional options installed on the power wheelchair can reduce the maximum load.
Please observe the maximum gross weight on the nameplate.

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders.
Please use the spare parts catalogue for spare parts orders.

Seating system



EC001 - EC004 Standard seat



EC005 VAS



EC006 Recaro n-Joy

Seat cushion



EC034 Livo

Seat cushionbottom for modular Recaro back support system



EC008 F



EC009 X



EC010 W

Seat cushion



EC035 Evoflair

Back support for modular Recaro seating system



ED031 Recaro LT



ED030 Recaro LX



EC020/ED034 Flat contoured



EC021/ED035 Deep contoured

Seat cushion/back support version contoured

Cover f. seat cushion/back support version contoured



EC022/ED037 Fabric cover



EC023/ED038 Synthetic leather cover

Back support version



ED050/ED051 Contour back support pad AD




ED036 Baxx aluminium flat top back support

Accessories for back support pad, contoured



ED039 Siede panels



ED040 Lumbar support

Power seat adjustment



EC025 45° seat tilt



EC026 Seat height adjustment 35 cm

Belts



EP002 Lap belt, metal buckle



EP003 Lap belt, plastic buckle

Chest/shoulder harnesses



EP005 - EP007 Dynamic harness



EP008 - EP010 Sternum harness

Mounting kits for head/neck supports



EP011 - EP013 Slimline sternum harness



EP014 - EP017 Shoulder harness



EL001 Gooseneck



EL002 Mehrachsig, gekröpft

Head/neck supports Advanced line



EL003 Multi-axis, straight



EL031 UniLink holder for head support, multi-axis



EL033/EL034/EL035 Comfort Plus



EL036/EL037 Combo

Head/neck supports Care line



EL006/EL007 Head support small/large



EL013/EL014 Combination head/neck support small/large



EL015/EL016 Head/neck support, X-shape, small/large

Arm supports



EE024 Flip-up arm support

Leg support version



EB003 Power elevating, separate control



EB013 Centrally mounted leg support

Foot plate version



EB007 Individual aluminum foot plate

Battery charger



EU041 Battery charger 8 A, fanless



EU044 Battery charger 10 A, fanless (IP54)



EU046 Battery charger 10 A, with fan



EU042 Battery charger 12 A, incl. external charging receptacle

Add. charg. receptacle



EU043 External magnetic charging receptacle

Tread



EG013 Ribs



EG014 Lugs



EG015 Caster wheel with ribs

Caster wheel swivel lock



EF020 Caster wheel swivel lock

Chassis safety accessories



EF021 Curb climbing assist



ES002 Kit for vehicle transport



ES013 Dahl docking system installation kit

General accessories



ES003 Pocket for mobile phone



ES004 Luggage carrier



ES005 Crutch holder



ES006 Rearview mirror

Socket for external power supply



ES010 Beverage holder



ET002/005 12 V



ET004/007 USB

Lighting



ES020/021 Electric lighting for footpaths


Control device



EU050/EU051 VR2



EU053 TEN°



EU063 TEN° tray module, electrical flip over

External buttons



EU098 Button module

Module for TEN°




EU054 TEN° LCD module

Control device accessories



EU057 Attendant control

Caster wheel swing arm



EF001 Caster wheel swing arm, spring-mounted

Joystick top



EU080 Fork for tetraplegics, horizontal



EU081 Stick S80



EU082 Soft ball, black cover



EU083 Ball top, small

Holder for mo-Vis joystick



EU084 Ball top, large



EU085 Soft ball, coloured



EU110-113 Holder for arm support



EU111 mo-Vis Joystick incl. 2 finger buttons

Special controls with TEN° LCD module / without TEN° LCD module



EU100/105 mo-Vis micro-joystick



EU101/106 mo-Vis multi-joystick





EU102/107 mo-Vis all-round joystick light



EU103 Sip and puff control



Overview possible combinations centrally mounted leg support - Standard seat junior and Standard seat Small ↵

SD [cm]	Chassis size	Equipment	45		47		49			51			53		55		57	
			MW	FW	MW	RW	FW	MW	RW	FW	MW	RW	MW	RW	MW	RW	RW	
34	1	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
36	1	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
38	1	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
40	1	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
42	1	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
44	1	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
46	1	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	without tilt	Green	Red	Green	Red	Red	Green	Red	Red	Green	Red	Green	Red	Green	Red	Red	Red
		with seat lift and tilt	Red	Green	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		with tilt	Red	Green	Green	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green

 Combination possible
 Combination not possible

Overview possible combinations centrally mounted leg support - Standard seat Large and Standard seat XL ↩



SD [cm]	Chassis size	Equipment	SH [cm]		43			45			47 SS large			47 SS XL			49 SS large			49 SS XL			
			FW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	
42	1	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	
		B	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		C	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	A	Red	Red	Red	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		B	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		C	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
44	1	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	
		B	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	
		C	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	
	2	A	Red	Red	Red	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		B	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		C	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
46	1	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	
		B	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	
		C	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	
	2	A	Red	Red	Red	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		B	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		C	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
48	1	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	
		B	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	
		C	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	
	2	A	Red	Red	Red	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		B	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		C	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
50	1	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	
		B	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	
		C	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	
	2	A	Red	Red	Red	Green	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		B	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red	Red
		C	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green

 Combination possible
 Combination not possible

- A without tilt
- B with seat lift and tilt
- C with tilt

Overview possible combinations centrally mounted leg support - VAS ↩



SD [cm]	Chassis size	SH [cm]	43		45			47			49			51			53		55		57		
			FW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	MW	RW	MW	RW	MW	RW	
38	1	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
	2	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
40	1	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
	2	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
42	1	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
	2	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
44	1	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
	2	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
46	1	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
	2	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
48	1	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
	2	A	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		B	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
		C	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

 Combination possible
 Combination not possible

- A without tilt
- B with seat lift and tilt
- C with tilt

Continuation overview possible combinations centrally mounted leg support - VAS ↷


SD [cm]	Chassis size	SH [cm]	43		45			47			49			51			53		55		57	
			FW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	FW	MW	RW	MW	RW	MW	RW	MW	RW
50	1	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		B	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		C	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		B	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		C	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
52	1	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		B	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		C	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		B	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		C	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
54	1	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		B	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		C	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		B	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		C	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
56	1	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		B	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		C	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		B	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		C	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
58	1	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		B	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		C	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
	2	A	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		B	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
		C	Red	Red	Red	Red	Red	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green

-  Combination possible
-  Combination not possible

- A without tilt
- B with seat lift and tilt
- C with tilt

Terra, Terra Aquos seat cushion												
SD [cm]	Seat width [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
34		X										
36		X										
38		X	X	X	X	X	X	X	X	X		
40				X	X	X	X					
42				X	X	X	X					
44				X	X	X	X	X	X	X		
46				X	X	X	X	X	X	X		
48				X	X	X	X	X	X	X		
50												
52												
54												
56												
58												

Terra Flair seat cushion												
SD [cm]	Seat width [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
34												
36												
38			X	X	X	X	X	X	X	X		
40				X	X	X	X					
42				X	X	X	X					
44				X	X	X	X	X	X	X		
46				X	X	X	X	X	X	X		
48				X	X	X	X	X	X	X		
50												
52												
54												
56												
58												



EC014 Terra



EC015 Terra Aquos



EC016 Terra Flair

Cloud seat cushion												
SD [cm]	Seat width [cm]											
	34	36	38	40	42	44	46	48	50	52	54	56
34	X	X										
36	X	X	X									
38	X	X	X	X	X		X	X	X	X	X	X
40	X	X	X	X	X	X	X	X	X	X	X	X
42			X	X	X	X	X	X	X	X	X	X
44				X	X	X	X	X	X	X	X	X
46				X	X		X	X	X	X	X	X
48				X	X		X	X	X	X	X	X
50							X			X	X	X
52							X			X	X	X
54												
56												
58												



EC018 Cloud

Notes and exclusions

- 2.1) Not possible in combination with Australia, Canada or the USA as the country of destination
- 4.1) Possible only in combination with max. user weight <= 140 kg
- 5.1) Possible only in combination with maximum user weight <= 160 kg
- 5.2) Possible only in combination with maximum user weight <= 100 kg
- 6.0) Possible only in combination with modular Recaro seating system
- 6.1) Mandatory information only in combination with modular Recaro seating system
- 8.0) Possible only in combination with Standard seat, VAS or Recaro n-Joy Plus
- 8.1) Mandatory information in combination with Standard seat, VAS or Recaro n-Joy-Plus
- 8.2) See table "Seat depth"
- 8.3) Not possible in conjunction with the combination of max. user weight > 75 kg and mid-wheel drive
- 8.4) Not possible in conjunction with the combination of max. user weight > 100 kg, chassis size 1 and Standard seat Small or VAS
- 8.5) Not possible in conjunction with the combination of max. user weight > 100 kg, rear-wheel drive and VAS
- 8.6) Not possible in conjunction with the combination of max. user weight > 100 kg, rear-wheel drive, chassis size 1 and VAS
- 8.7) Not possible in conjunction with the combination of max. user weight > 100 kg, rear-wheel drive, chassis size 2 and VAS
- 8.8) Not possible in conjunction with the combination of max. user weight > 100 kg, mid-wheel drive, chassis size 2 and Standard seat Small or VAS
- 8.9) Not possible in conjunction with the combination of max. user weight > 140 kg, mid-wheel drive and VAS
- 8.10) Not possible in conjunction with the combination of max. user weight > 140 kg, rear-wheel drive and VAS
- 8.11) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type front-wheel drive (FWD) and VAS
- 8.12) Not possible in conjunction with the combination of maximum user weight > 160 kg and drive type front-wheel drive (FWD)
- 8.13) Not possible in conjunction with the combination of maximum user weight > 160 kg and drive type mid-wheel drive (MWD)
- 8.14) Not possible in conjunction with the combination of maximum user weight > 180 kg and drive type mid-wheel drive (MWD)
- 8.15) Not possible in conjunction with the combination of maximum user weight > 180 kg and drive type front-wheel drive (FWD)
- 8.16) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type rear-wheel drive (RWD) or mid-wheel drive (MWD) and standard seat, large or standard seat, XL
- 9.0) Possible only in combination with Standard seat or VAS
- 9.1) Mandatory information in combination with Standard seat or VAS
- 9.2) See table "Seat width"
- 10.1) Not possible in combination with Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
- 10.2) Not possible in conjunction with the combination of front-wheel drive and Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
- 10.3) Not possible in combination with Standard seat or VAS
- 10.4) Not possible in conjunction with the combination of maximum user weight > 70 kg and Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
- 10.5) Not possible in conjunction with the combination of maximum user weight > 70 kg and Standard seat
- 10.6) Not possible in conjunction with the combination of maximum user weight > 70 kg and VAS
- 10.7) Not possible in conjunction with the combination of maximum user weight > 70 kg, drive type Rear Wheel Drive (RWD) or Mid Wheel Drive (MWD) and VAS
- 10.8) Not possible in conjunction with the combination of maximum user weight > 70 kg, VAS and seat depth <= 46 cm
- 11.1) Possible only in combination with max. user weight <= 150 kg
- 11.2) See table "Terra, Terra Aquos seat cushion"
- 11.3) See table "Terra-Flair seat cushion"
- 11.5) See table "Cloud seat cushion"
- 11.6) Possible only in combination with max. user weight <= 125 kg
- 11.8) Not possible in combination with Standard seat Junior
- 11.9) Not possible in conjunction with the combination of VAS and SW 38 cm, 42 cm, 46 cm, 48 cm or 52 cm
- 11.10) Not possible in conjunction with the combination of VAS, SW 40 cm and SD 48 cm, 50 cm, 52 cm, 54 cm or 56 cm
- 11.11) Not possible in conjunction with the combination of VAS, SW 44 cm or 50 cm or 54 cm and SD 38 cm or 40 cm
- 11.12) Not possible in combination with SD 58 cm
- 12.0) Possible only in combination with seat cushion with flat or deep contours
- 12.1) Mandatory information in combination with seat cushion with flat or deep contours
- 13.1) Possible only in combination with max. user weight <= 113 kg
- 13.2) Possible only in combination with VAS
- 13.3) Not possible in combination with SW 54 cm
- 14.0) Possible only in combination with back version back cushion with flat or deep contours
- 14.1) Mandatory information in combination with back version back cushion with flat or deep contours
- 15.1) Possible only in combination with back version back cushion with deep contours
- 16.0) Possible only in combination with back version ADI aluminium flat top back
- 16.1) Mandatory information in combination with back version ADI aluminium flat top back
- 19.1) Not possible in combination with front-wheel drive
- 19.2) Not possible in conjunction with the combination of rear-wheel drive and VAS
- 19.3) Not possible in combination with mid-wheel drive
- 20.0) Possible only in combination with seat inclination 0°
- 20.11) Not possible in conjunction with the combination of max. user weight > 100 kg, mid-wheel drive, chassis size 1, Standard seat Small and SD 40 cm
- 20.12) Not possible in conjunction with the combination of max. user weight > 100 kg, rear-wheel drive, chassis size 1, Standard seat Large or Standard seat XL and SD 42 cm
- 20.13) Not possible in conjunction with the combination of max. user weight > 100 kg, mid-wheel drive, chassis size 1, Standard seat XL and SD 42 cm
- 20.14) Not possible in combination with LL >= 45 cm
- 20.15) Not possible in conjunction with the combination of max. user weight > 75 kg, front-wheel drive and SD 34 cm
- 20.16) Not possible in conjunction with the combination of max. user weight > 100 kg, front-wheel drive, chassis size 2, Standard seat Small or VAS and SD 38 cm
- 20.17) Not possible in conjunction with the combination of max. user weight > 100 kg, front-wheel drive, Standard seat Small or VAS and SD 40 cm
- 20.18) Not possible in conjunction with the combination of max. user weight > 100 kg, mid-wheel drive, chassis size 1, VAS and SD 40 cm
- 20.19) Not possible in conjunction with the combination of max. user weight > 100 kg, front-wheel drive, chassis size 1, Standard seat Large or Standard seat XL and SD 42 cm
- 20.20) Not possible in conjunction with the combination of max. user weight > 140 kg, front-wheel drive, VAS and SD 42 cm
- 20.21) Not possible in conjunction with the combination of max. user weight > 100 kg, rear-wheel drive, chassis size 1, VAS and SD 44 cm
- 20.22) Not possible in conjunction with the combination of max. user weight > 75 kg, mid-wheel drive, chassis size 2, Standard seat Small and SD 46 cm
- 20.23) Not possible in conjunction with the combination of max. user weight <= 100 kg, mid-wheel drive, chassis size 2, Standard seat XL and SD 50 cm

- 20.24) Not possible in conjunction with the combination of France as the country of destination, drive type Rear-wheel Drive (RWD), maximum user weight \geq 150 kg and lower leg length \geq 49 cm
- 20.25) Not possible in conjunction with the combination of maximum user weight > 100 kg and chassis, size 1
- 20.26) Not possible in conjunction with the combination of maximum user weight > 160 kg, drive type front-wheel drive (FWD) and seat depth 50 cm
- 20.27) Not possible in conjunction with the combination of maximum user weight > 160 kg, drive type mid-wheel drive (MWD) and seat depth 44 cm
- 20.28) Not possible in conjunction with the combination of maximum user weight > 180 kg, drive type mid-wheel drive (MWD) and seat depth 46 cm oder 48 cm
- 20.29) Not possible in conjunction with the combination of maximum user weight > 70 kg, VAS and lower leg length 23 cm
- 20.30) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type rear-wheel drive (RWD), standard seat, large or standard seat, XL and seat depth 44 cm
- 20.31) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type front-wheel drive (FWD), standard seat, large or standard seat, XL and seat depth 42 cm
- 30.32) Not possible in conjunction with the combination of maximum user weight > 140 kg, drive type mid-wheel drive (MWD), standard seat, large and seat depth 44 cm
- 21.0) SH \geq LL +3 cm
- 21.1) Not possible in combination with VAS, Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
- 21.2) Not possible in conjunction with the combination of front-wheel drive, chassis size 1 and Standard seat Large
- 21.3) Not possible in conjunction with the combination of front-wheel drive and Standard seat XL
- 21.4) Not possible in conjunction with the combination of rear-wheel drive and Standard seat
- 21.5) Not possible in combination with 45° seat tilt
- 21.6) Not possible in combination with 35 cm seat height adjustment or 35 cm seat height adjustment combined with 45° seat tilt
- 21.7) Not possible in conjunction with the combination of rear-wheel drive and Standard seat Large or Standard seat XL and -3° seat inclination
- 21.8) Not possible in combination with Standard seat when 45° seat tilt is not selected
- 21.9) Not possible in conjunction with the combination of mid-wheel drive and Standard seat Large or Standard seat XL
- 21.10) Not possible in conjunction with the combination of mid-wheel drive, Standard seat Small and SW 42 cm
- 21.11) Not possible in conjunction with the combination of mid-wheel drive and Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system
- 21.12) Not possible in conjunction with the combination of France as the country of destination, drive type Rear-wheel Drive (RWD), maximum user weight \geq 150 kg and electric seat adjustment seat tilt 45°
- 21.13) Cannot be combined with seat inclination -3°
- 21.14) Not possible in conjunction with the combination of maximum user weight > 70 kg, chassis, size 1, VAS, seat depth 50 cm and lower leg length 23 cm
- 21.15) Not possible in conjunction with the combination of maximum user weight > 70 kg, chassis, size 2, VAS, seat depth 48 cm and lower leg length 23 cm
- 21.16) Not possible in conjunction with the combination of maximum user weight > 70 kg, chassis, size 2, VAS, seat depth 50 cm or 52 cm or 54 cm and lower leg length 23 cm
- 21.17) Not possible in conjunction with the combination of maximum user weight > 70 kg, chassis, size 1, VAS, seat depth 48 cm and lower leg length 23 cm
- 22.1) Not possible in combination with Recaro n-Joy or Recaro n-Joy Plus
- 24.0) Possible only in combination with mounting kit for head/neck supports
- 24.1) Mandatory information in combination with the mounting kit for head/neck supports
- 25.0) Mandatory information in combination with category B
- 25.1) Possible only in combination with Recaro n-Joy or Recaro n-Joy-Plus or modular Recaro seating system
- 28.1) Possible only in combination with selected LL
- 28.2) Not possible in conjunction with the combination of Standard seat or VAS and LL < 21 cm
- 28.3) Not possible in conjunction with the combination of max. user weight > 70 kg and Standard seat and LL < 28 cm
- 28.4) Not possible in conjunction with the combination of max. user weight > 70 kg and VAS and LL < 27 cm
- 28.5) Not possible in conjunction with the combination of max. user weight > 70 kg and Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and LL < 21 cm
- 28.6) Not possible in conjunction with the combination of rear-wheel drive, chassis size 2, Standard seat Small and SH 43 cm
- 28.7) Not possible in conjunction with the combination of rear-wheel drive, chassis size 2, Standard seat Small, -3° seat inclination and SH 43 cm
- 28.8) Not possible in combination with selected lower leg length
- 28.9) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), Standard seat Junior or Standard seat Small and electric seat adjustment, without
- 28.10) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), Standard seat Large or Standard seat XL, seat depth \leq 46 cm and electric seat adjustment, without
- 28.11) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 2, Standard seat Large or Standard seat XL, seat depth \geq 48 cm, seat height 43 cm and electric seat adjustment, without
- 28.12) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 2, Standard seat Large, seat depth 42 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.13) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 2, Standard seat Large, seat depth 42 cm, seat height 47 cm or 49 cm and electric seat adjustment seat tilt 45°
- 28.14) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), Standard seat and lower leg length < 28 cm
- 28.15) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), VAS (Vario Adjust Seat), seat depth \leq 46 cm and electric seat adjustment, without
- 28.16) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 1, VAS (Vario Adjust Seat), seat depth 48 cm, seat height \leq 47 cm and electric seat adjustment, without
- 28.17) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 1, VAS (Vario Adjust Seat), seat depth 50 cm, seat height 43 cm and electric seat adjustment, without
- 28.18) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 2, VAS (Vario Adjust Seat), seat depth 48 cm, seat height \leq 49 cm and electric seat adjustment, without
- 28.19) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), chassis, size 2, VAS (Vario Adjust Seat), seat depth 50 cm or 52 cm or 54 cm, seat height \leq 45 cm and electric seat adjustment, without
- 28.20) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 43 cm and electric seat adjustment, without
- 28.21) Not possible in conjunction with the combination of drive type Front-wheel Drive (FWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm and electric seat adjustment seat tilt 45°, seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.22) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 1, Standard seat Junior or Standard seat Small, seat height \leq 51 cm and electric seat adjustment, without
- 28.23) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 1, Standard seat Junior or Standard seat Small, seat depth \leq 40 cm, seat height 53 cm or 55 cm and electric seat adjustment, without
- 28.24) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 1, Standard seat Junior, seat depth 34 cm or 36 cm, seat height 49 cm or 51 cm or 53 cm and electric seat adjustment seat tilt 45°

- 28.25) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, Standard seat Junior or Standard seat Small or Standard seat XL and electric seat adjustment, without
- 28.26) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, Standard seat Junior and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.27) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, Standard seat Small, seat depth <= 42 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.28) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, Standard seat Junior, seat height 47 cm and electric seat adjustment seat tilt 45°
- 28.29) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, Standard seat Small, seat depth <= 42 cm, seat height 47 cm and electric seat adjustment seat tilt 45°
- 28.30) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), Standard seat, lower leg length < 28 cm or > 48 cm and electric seat adjustment, without
- 28.31) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), Standard seat, lower leg length < 28 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.32) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), Standard seat, lower leg length < 28 cm or > 49 cm and electric seat adjustment seat tilt 45°
- 28.33) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 1, VAS (Vario Adjust Seat), seat depth <= 42 cm, seat height 43 cm and electric seat adjustment, without
- 28.34) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 2, VAS (Vario Adjust Seat), seat depth <= 40 cm, seat height 43 cm and electric seat adjustment, without
- 28.35) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 49 cm and electric seat adjustment, without
- 28.36) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.37) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 48 cm and electric seat adjustment seat tilt 45°
- 28.38) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), Standard seat Junior or Standard seat Small, seat height 41 cm or 43 cm and electric seat adjustment, without
- 28.39) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), Standard seat, lower leg length < 28 cm or > 48 cm and electric seat adjustment, without
- 28.40) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), Standard seat, lower leg length < 27 cm or > 40 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.41) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), Standard seat, lower leg length < 27 cm or > 48 cm and electric seat adjustment seat tilt 45°
- 28.42) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, seat height 43 cm and electric seat adjustment, without
- 28.43) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 49 cm and electric seat adjustment set tilt 45° or without
- 28.44) Not possible in conjunction with the combination of drive type Mid-wheel Drive (MWD), VAS (Vario Adjust Seat), Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system, lower leg length < 28 cm or > 41 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 28.46) Not possible in conjunction with the combination of VAS (Vario Adjust Seat) and seat width 38 cm
- 28.47) Not possible in conjunction with the combination of drive type Rear-wheel Drive (RWD), chassis, size 1, standard seat, Junior, seat depth 34 cm and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 29.0) Not possible in combination with leg support adjustment, none or centrally mounted
- 29.1) Mandatory information in combination with standard, mechanically elevating or power elevating leg support adjustment
- 29.2) Not possible in conjunction with the combination of Standard seat and LL < 25 cm
- 29.3) Not possible in conjunction with the combination of VAS and LL < 24 cm
- 29.4) Not possible in conjunction with the combination of Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and LL < 18 cm
- 29.6) Not possible in combination with mechanically elevating or power elevating leg support adjustment
- 29.10) Not possible in combination with mechanically elevating or power elevating leg support adjustment, separate control
- 29.11) Not possible in conjunction with the combination of max. user weight > 140 kg and power elevating leg support adjustment, simultaneous control
- 30.1) Possible only in combination with mechanically or power elevating leg support adjustment
- 31.1) Possible only in combination with chassis size 2
- 31.2) Possible only in combination with chassis, size 1
- 31.3) Not possible in conjunction with the combination of maximum user weight > 100 kg and electric seat adjustment seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
- 32.1) Possible only in combination with AGM 53 Ah (C5) or Gel 39 Ah (C5) batteries
- 32.2) Not possible in combination with Argentina, Australia, Brazil, Hong Kong, Japan, Canada, Colombia, Mexico, Thailand, the UK or USA as the country of destination
- 32.3) Not possible in conjunction with the combination of Brazil, Canada or USA as the country of destination
- 37.1) Possible only in combination with grey tyres
- 37.2) Not possible in conjunction with the combination of front-wheel drive or rear-wheel drive and black tyres
- 39.1) Mandatory information in combination with front-wheel drive or mid-wheel drive (derivation)
- 39.2) Not possible in conjunction with the combination of rear-wheel drive, VAS and SH 43 cm
- 39.3) Not possible in conjunction with the combination of rear-wheel drive, Recaro n-Joy, Recaro n-Joy-Plus or modular Recaro seating system and SH 43 cm
- 40.1) Possible only in conjunction with the combination of splash guard for drive wheels and splash guard for caster wheels
- 40.2) Possible only in combination with splash guard for caster wheels
- 41.1) Not possible in combination with ADL aluminium flat top back support
- 41.2) Not possible in combination with leg support adjustment, with central mounting
- 41.3) Not possible in combination with curb climbing assist
- 42.1) Not possible in combination with general accessories therapy tray
- 42.2) Not possible in combination with rearview mirror
- 42.3) Possible only in combination with maximum user weight <= 180 kg
- 43.0) Possible only in combination with external power supply, installation side right
- 43.1) Mandatory information in combination with external power supply, installation side right
- 44.0) Possible only in combination with external power supply, installation side left
- 44.1) Mandatory information in combination with external power supply, installation side left
- 44.2) Not possible in combination with socket for external power supply, right, 12 V or 24 V
- 45.1) Not possible in combination with power functions

- 45.2) Possible only in combination with overall weight \leq 260 kg
- 45.3) Possible only in combination with max. 2 power functions
- 45.4) Possible only in combination with overall weight \leq 320 kg
- 45.5) Possible only in combination with rear-wheel drive, mid-wheel drive or the combination of front-wheel drive and splash guard for caster wheels
- 45.6) Not possible in combination with lighting in accordance with Germany Motor Vehicle Safety Standards (StVZO)
- 45.7) Not possible in combination with modular Recaro seating system and power back support angle adjustment
- 46.0) Possible only in combination with control unit R-net/TEN° (120 A) power module
- 47.0) Possible only in combination with input for R-net/TEN° power module - TEN° hand module, colour selectable
- 47.1) Mandatory information in combination with input for R-net/TEN° power module - TEN° hand module, colour selectable
- 48.0) Possible only in combination with input for R-net/TEN° power module - TEN° hand module, Shimano matte or TEN° hand module, colour selectable or TEN° tray module, electrical flip over
- 49.0) Possible only in combination with control unit, VR2, without electric functions and lighting or VR2, max. 2 electric functions and lighting poss. or input for R-net/TEN° power module - R-net LED hand module or TEN° hand module, Shimano matte or TEN° hand module, colour selectable
- 49.1) Possible only in combination with VR2 control device
- 49.2) Mandatory information in combination with control unit, VR2, without electric functions and lighting or VR2, max. 2 electric functions and lighting poss. or input for R-net/TEN° power module - R-net LED hand module or TEN° hand module, Shimano matte or TEN° hand module, colour selectable
- 49.3) Cannot be combined with input for R-net/TEN° power module
- 50.0) Possible only in combination with control unit, VR2 or input for R-net/TEN° power module - R-net LED hand module or TEN° hand module, Shimano matte or TEN° hand module, colour selectable or in conjunction with the combination of input for R-net/TEN° power module - TEN° tray module and mounting material tray for tray module - tray with attachment, tray module centrally mounted or tray with attachment, incl. template or only attachment, incl. template
- 50.1) Mandatory information in combination with control unit, VR2 or input for R-net/TEN° power module - R-net LED hand module or TEN° hand module, Shimano matte or TEN° hand module, colour selectable or in conjunction with the combination of input for R-net/TEN° power module - TEN° tray module and mounting material tray for tray module - tray with attachment, tray module centrally mounted or tray with attachment, incl. template or only attachment, incl. template
- 51.1) Not possible in combination with control unit VR2 with tray module, manual flip over
- 51.2) Not possible in combination with input for R-net/TEN° power module - TEN° tray module, electrical flip over
- 52.0) Mandatory information in combination with unselected input for R-net/TEN° power module
- 52.1) Not possible in conjunction with the combination of Standard seat and modules for control unit R-net/TEN° - Input/Output module
- 52.2) Not possible in conjunction with the combination of Standard seat and modules for control unit R-net/TEN° - TEN° LCD module
- 52.3) Not possible in conjunction with the combination of unselected input for R-net/TEN° power module and unselected TEN° LCD module
- 53.0) Possible only in combination with modules for control unit, R-net/TEN° - TEN° LCD module
- 53.1) Mandatory information in combination with modules for control unit, R-net/TEN° - TEN° LCD module
- 55.0) Possible only in combination with modules for control unit for TEN° - TEN° LCD-Modul
- 55.1) Mandatory information in combination with special controls for TEN° LCD modul button control
- 57.0) Not possible in combination with modules for control unit, R-net/TEN° - TEN° LCD module
- 58.0) Possible only in combination with special controls for TEN° LCD module – micro-joystick, multi-joystick, all-round joystick light or special controls – micro-joystick, multi-joystick, all-round joystick light, all-round joystick, all-round joystick heavy duty
- 58.1) Mandatory information in combination with special controls for TEN° LCD module – micro-joystick, multi-joystick, all-round joystick light or special controls – micro-joystick, multi-joystick, all-round joystick light, all-round joystick, all-round joystick heavy duty
- 58.2) Not possible in combination with special controls – all-round joystick or all-round joystick heavy duty
- 58.4) Not possible in combination with external buttons – 2 piko buttons diameter 50 mm or 2 piko buttons diameter 30 mm
- 58.5) Not possible in combination with special controls for TEN° LCD module – all-round joystick light or special controls – all-round joystick light, all-round joystick or all-round joystick heavy duty
- 58.6) Not possible in combination with special controls for TEN° LCD module - All-round Joystick light or special controls - Micro Joystick, Multi Joystick, All-round Joystick light, All-round Joystick, All-round Heavy Duty Joystick
- 58.7) Not possible in combination with input for R-net/TEN° power module - R-net LED hand module
- 59.0) Mandatory information in conjunction with the combination of \geq 1 electric function and control unit R-net/TEN° (120A) power module
- 59.1) Mandatory information in conjunction with the combination of lighting acc. to German StVZO and control unit R-net/TEN° (120A) power module
- 60.1) Possible only in combination with modules for control unit R-net/TEN° input/output module
- 60.2) Not possible in conjunction with the combination of Standard seat, Junior and modules for control unit R-net/TEN°
- 61.0) Possible only in combination with control unit accessories attendant control
- 61.1) Mandatory information in combination with control unit accessories attendant control
- 61.2) Not possible in conjunction with the combination of Standard seat Junior and control unit R-net/TEN° (120A) power module
- 63.0) Mandatory information in conjunction with the combination of all countries of destination except other countries, Argentina, Australia, Brazil, France, Hong Kong, Japan, Canada, Colombia, Korea, Mexico, Russian Federation, Switzerland, Thailand, the UK or USA and product classification category B (in-/outdoor)
- 63.1) Not possible in conjunction with the combination of Germany as the country of destination and category B
- 64.0) Mandatory information in conjunction with the combination of front-wheel drive
- 64.2) Not possible in conjunction with the combination of front-wheel drive and VR2 control device
- 64.3) Not possible in conjunction with the combination of front-wheel drive and speed $>$ 7.2 km/h
- 64.4) Not possible in combination with Australia, Canada or the USA as the country of destination
- 64.5) Only possible in combination with Australia, Canada or the USA as the country of destination
- 64.6) Not possible in combination with rear-wheel drive
- 65.1) Not possible in combination with control unit R-net/TEN° (120 A) power moduler
- 66.1) For Germany as the country of destination, possible only in conjunction with the combination of rear marker plate and lighting in accordance with Germany Motor Vehicle Safety Standards (StVZO)
- 66.3) Possible only in combination with drive unit high performance
- 66.4) Cannot be combined with batteries, 39Ah Gel (C5) or AGM 53Ah (C5))
- 66.5) Not possible in conjunction with the combination of maximum user weight $>$ 100 kg and batteries, Gel 39Ah (C5) or AGM 53Ah (C5)
- 66.6) Cannot be combined with drive unit high performance
- 67.0) Possible only in conjunction with the combination of Germany as the country of destination and speed $>$ 6 km/h
- 67.1) Mandatory information in conjunction with the combination of Germany as the country of destination and speed $>$ 6 km/h
- 68.0) Not possible in conjunction with Australia as the country of destination
- 69.0) Possible only in combination with instructions for use (qualified personnel)
- 69.1) Mandatory information in combination with instructions for use (qualified personnel)
- 70.0) Possible only in combination with instructions for use (user)
- 70.1) Mandatory information in combination with instructions for use (user)
- 71.1) Theoretical overall weight (without special requests) = sum of the chosen characteristic values
- 71.2) Cannot be combined with theoretical total weight $>$ 380 kg (the evaluated options exceed the permissible total weight of 380 kg)
- 72.0) Mandatory information with number of buttons for button control = 3, 4
- 72.1) Possible only in combination with number of buttons for button control = 3, 4

- 74.0) Mandatory information with number of buttons for button control = 4
- 74.1) Possible only in combination with number of buttons for button control = 4
- 75.1) Possible only in combination with battery charger
- 77.1) Possible only in combination with power back support angle adjustment
- 77.2) Not possible in combination with > 5 power functions
- 77.3) Possible only in combination with 45° seat tilt or 35 cm seat height adjustment combined with 45° seat tilt
- 77.4) Possible only in conjunction with the combination of power back support angle adjustment and 45° seat tilt or power back support angle adjustment and 35 cm seat height adjustment combined with 45° seat tilt
- 77.5) Not possible in combination with > 4 power functions
- 77.6) Not possible in combination with mechanical track stabiliser incl. ASM
- 79.1) Not possible in conjunction with the combination of Standard seat Small and SW 38 cm or SW 40 cm
- 79.2) Not possible in conjunction with the combination of Standard seat Large and SW 44 cm or SW 46 cm
- 79.3) Not possible in conjunction with the combination of Standard seat XL and SW 50 cm or SW 52 cm
- 80.0) Possible only in combination with input for R-net/TEN° power module - TEN° tray module, electrical flip over
- 80.1) Mandatory information in combination with input for R-net/TEN° power module - TEN° tray module, electrical flip over
- 82.0) Not possible in conjunction with France as the country of destination
- 82.1) Mandatory information in conjunction with the combination of maximum user weight > 160 kg and electric seat adjustment seat tilt 45° or seat height adjustment up to 35 cm with seat tilt 45° except with France as the country of destination