

# Panthera X3

Carbon-fibre chassis, backrest and rear axle. Designed for advanced users · Max user weight 125 kg.

**permobil**

ADJUSTED FOR _____	ADJUSTED BY _____	TELEPHONE · E-MAIL _____	DATE _____	BASE PRICE <b>£7,571</b>
-----------------------	----------------------	-----------------------------	---------------	-----------------------------

**BB** = seat width · **HH** = backrest height.

## 01 Seat width (BB)

Select width & balance for art. no.

- 33 cm     
  36 cm     
  39 cm     
  42 cm     
  45 cm

## 02 Balance & seat height

Position is set at manufacture – cannot be changed later

- |   |   |
|---|---|
| <input type="radio"/> A1 – Active balance<br>Standard seat height | <input type="radio"/> B1 – Active balance<br>Lowered -15 mm |
| <input type="radio"/> A2 – Stable balance<br>Standard seat height | <input type="radio"/> B2 – Stable balance<br>Lowered -15 mm |

Art. no. \_\_\_\_\_ (combined seat width × balance)

## 03 Backrest height (HH)

- 22 cm     23 cm     24 cm     25 cm     26 cm     27 cm     28 cm  
 29 cm     30 cm     31 cm     32 cm     33 cm     34 cm     35 cm

Art. no. backrest \_\_\_\_\_

## 04 Backrest positioning

Position can be changed later

- Position 1  
Most active     
  Position 2  
Active     
  Position 3  
Stable     
  Position 4  
Most stable

## 05 Castor and fork

- Castor 90 mm + fork     
  Castor 120 mm + fork\*  
\*No combination for 120 with 24" in B1/B2 balance     
  Castor X with S3 fork

Art. no. \_\_\_\_\_ -C

## 06 Footrest

- |   |              |   |              |
|---|--------------|---|--------------|
| <input type="checkbox"/> Footrest Alu X   | <b>£139</b>  | <input type="checkbox"/> Footrest titanium          | <i>incl.</i> |
| <input type="checkbox"/> Footplate carbon   | <i>incl.</i> | <input type="checkbox"/> Plastik plate for footrest |              |
| <input type="checkbox"/> Titanium extended, reinforced<br><small>Needed for FreeWheel</small> | <i>incl.</i> |   |              |

Art. no. \_\_\_\_\_

## Panthera X3

## 07 Brake

- One-arm brake X3, Right
  One-arm brake X3, Left
  Brake S3 for X

Art. no. \_\_\_\_\_ -C

## 08 Rear wheel – without push rim &amp; tyre

- 24" Spinergy X · white
  24" Spinergy X · black  
 25" Spinergy X · white
  25" Spinergy X · black  
 26" Spinergy X · white
  26" Spinergy X · black

Art. no. alternative wheel \_\_\_\_\_

**NOTE:** if user weight is over 100 kg, wheel axle in steel is needed.

## 09 Tyre &amp; push rim

## Tyre

- Schwalbe Right Run *incl.*  
 Schwalbe One **£98**  
 Marathon Plus **£98**  
 Rugged 24" **£98**  
 Solid (puncture-free) **£98**

## Push rim

- Aluminium *incl.*  
 Paragrip **£165**  
 Tetragrip **£165**  
 Maxgrip 24" **£299**  
 Titanium **£299**  
 Aluminium X **£299**

## 10 Side guards

- Sideguard S3 **£256**
 Carbon – no cover **£518**  
 Carbon – small cover **£518**
 Carbon – large cover **£518**

## Panthera X3

## 11 Cushion

 Standard cushion 5 cm

£116

 Wedge cushion

£55

Art. no. \_\_\_\_\_

## 12 Protection

 Tube protection front (frame)

£84

Art. no. 9900256-C

 Tube protection rear (backrest)

£42

Art. no. 9900255-C

 Housing

£73

 Rear end

£42

## 13 Accessories

 Armhook X3

£95

 Pushhandle, foldable

£155

Anti-tip

£308

 FreeWheel

£796

 Height 6–14 cm · Art. no. 2600102-C · choose art. no. matching footrest height reTyre

£201

## 14 Settings

Measurements

## Backrest angle (A)

Note measure (A) for desired backrest angle.

A = \_\_\_\_\_ mm

## Footrest height (K)

Note measure (K) for desired footrest height. Standard = 15 mm.

K = \_\_\_\_\_ mm

# Panthera X3 — Compilation

Transcribe selected art. nos. and prices from pages 1–3.



DESCRIPTION	SELECTION	ART. NO.	PRICE
			<b>WHEELCHAIR MODEL</b>
Wheelchair model	Panthera X3		£7,571.00
Seat width			
Balance			
Backrest height			
Backrest placement			
Castor		-C × 2	
Footrest			
Plastic plate			
			<b>WHEELS &amp; BRAKE</b>
Brake		-C	
Rear wheel		-C × 2	
Tyre	× 2		
Push rim	× 2		
Wheel axle in steel	required if user > 100 kg		
			<b>SIDE GUARDS, CUSHION &amp; PROTECTION</b>
Side guards			
Cushion			
Wedge cushion			
Tube prot. front (frame)		9900256-C	
Tube prot. rear (backrest)		9900255-C	
Housing			
Rear end			
Transport prot.			
			<b>ACCESSORIES</b>
Armhook X3			
Pushhandle, foldable			
Anti-tip			
FreeWheel		2600102-C	
reTyre			
			<b>SETTINGS</b>
Backrest angle (A) · C167	... mm	—	—
Footrest height (K) · C169	... mm	—	—
<b>Total · GBP, ex. VAT</b>			<b>£</b>

## Customer signature

By signing, the customer confirms the configuration above is correct.

Signature

Date

## Dealer / Prescriber

Permobil reference, name &amp; date.

Signature

Date

Permobil UK · Unit 7 Polaris Centre, 41 Brownfields, Welwyn Garden City AL7 1AN · +44 1484 722888 · customer\_support\_uk@permobil.com · permobil.com