

Adjusted by:

Tel:

Save the form to the desktop and open it with Adobe Reader.

E-mail:

Date:

The price changes depending on the choices made in the form £:

Standard configuration includes; chassis, seat, calf strap, backrest lock, standard colour option, backrest, carbon rear axle, castor and fork, titanium foot rest or foldable footplates, push to lock S3 brake, Panthera crosslaced steel spoke rear wheel, titanium pushrims and Schwalbe right Run tires.

Choice required:

Max. user weights : Seat width 33-42 cm 100 kg, Seat width 45-50 cm 150 kg

Optional **Upcharge /Add-price** **Marked yellow**

Click on "blue underlined text" for more info or image

Original design

Alternative options

Other options

1) Chassis



- U3** Seat width 33-45 cm Seat depth 35-46 cm
- U3 Y-Front** Seat width 33-50 cm Seat depth 35, 37.5, 40, 42.5 cm
- U3 Y-Front Short** Seat width 33-50 cm Seat depth 35, 37.5 cm (seat width 50 cm) 37.5 cm
- U3 Y-Front Low** Seat width 33-50 cm Seat depth 35, 37.5 cm (seat width 50 cm) 37.5 cm
- Clear

2) Chassis colour



- Black- Anodic Black**
- Gray- Metallic Gray**
- Optional colour - A delivery time of 20 days for optional colour. Fill in art.no. in the square**
- Clear

3) Seat width



- 33 cm
- 36 cm
- 39 cm
- 42 cm
- 45 cm
- 50 cm
- Clear

4) Seat depth

- 35 cm
- 37.5 cm
- 40 cm
- 42.5 cm
- Clear

5) Back rest **Height (HH)** [INFO](#)



- Standard** 523BBHH VER2
- 20 cm
- 25 cm
- 30 cm
- 35 cm
- 40 cm
- 45 cm
- Clear
- Tapered** 525BBHH VER2 [INFO](#)
- Curved back** 524BBHH VER2
- For fixed backrest**
- Tapered 6 cm**
- Flared 3 cm**
- Curved-tapered**

6) Rear axle



- Carbon std** 33023BB
- Carbon +15 mm** * seat width BB+1 33023BC*
- Other** rear axle or seat height
- Clear
- Use this rear axle when choosing arm support at Accessories and/or increased seat height
- [Increase the seat height](#) +0 mm

7) Castor and fork [art.no.](#)



- 120 mm
- 90 mm
- 150 mm
- Clear

8) Footrest



- Footrest Titanium** 36001BB
- Footrest U-shape, small heel bar** 3600134 (width 33)
- Clear
- Titanium, extended, reinforced** * 36111BB * std for S3 Large
- Carbon footplate** 65050BB
- Foldable footplates;** [art.no.](#)
- Heel strap for footplates**
- Plastic plate for footrest** 36010BB

9) Brake



- Brake S3** 4630000
- One hand brake, right**
- One hand brake, left**
- Clear
- Assistant brake *** Art.no.
- [art.no.](#)
- * Not for short / low chassis

All prices for rear wheels are for pair



10) Rear wheel - without pushrim

[Rear wheel sizes](#)

- 24" std [art.no.](#)
- Clear
- 22" standard
- 24" Spinerger X black spokes
- 25" Spinerger X black spokes
- 26" Spinerger X black spokes £826
- 24" Spinerger X white spokes
- 25" Spinerger X white spokes
- 26" Spinerger X white spokes
- One arm drive £1190
- Rear wheel 24x2" MTB Titanium pushrims £590



Tyre - choose tyre

All prices for tyres are for pair

- [Schwalbe Right Run](#) 22", 24", 25", 26"
- Clear
- Rugged 24" £68
- Schwalbe Marathon Plus, 24", 25", 26" £68
- Schwalbe One 24", 25" £68
- PU 24" (massive) £110
- reTyre does not fit PU tyres
- reTyre skins 24" £245
- reTyre skins 25" £245
- reTyre skins 26" Clear



11) Pushrim

All prices for pushrims are for pair

- Titanium 190DD11 (x2 / wheelchair)
- Clear
- Paragrip 19051DDBT x 2 £150
- Tetragrip 19052DDBT x 2 £150
- Maxgrip 22", 24" 1903060 x 2 (60=24", 80=22" (contains latex)) £330
- Aluminum X 1904404 x2 (04=24", 05=25", 06=26") £330

DD=Wheel diameter

Accessories

Side guard [art.no.](#)



- Side guard S3 [video](#)
- Clear £230



Arm support [art.no.](#)

- Arm support S3* [video](#)
- * 26" std for 24" wheels for Short Low
26" std for Assistant brake
- Clear £340



Side guard Carbon [art.no.](#)

- Without fender
- Small fender
- Large fender
- Clear £465

Push handles [Video](#)



- Height adjustable S3 4252060 VER2
- Height adjustable S3 +10 cm 4252063 VER2 Max. userweight 100 kg
- Clear £240



Push handle foldable

- Foldable S3 [Video](#) 4245000
- Clear £120



Push bar

- Push bar S3 42400BB VER2 Max. userweight 100 kg
- Clear £240

Anti-Tip [Video](#)



- Anti-tip std seat height 4353000
- Anti-tip U3 Low 4355000
- Clear
- Other seat height £290



Cushion Wedge cushion

- 2,5 cm 572BB40
- 5 cm 575BB40
- Clear
- Wedge cushion 57710BB £49



Spoke protectors

- 24" logo 4500000
- 22" logo 4500100
- 24" no logo 4500011
- 22" no logo 4500111
- Clear £140

Art.no.

Other



- Tube protection, front 9900251 (2 pcs) £15
- Tube protection, rear 9900251 (1 pcs) £15
- Crutch holder S3 9900301 (x1/ crutch) £39
- Backrest wedge 4710012 £84
- Freewheel Height 14-19 cm, art: 2600106 £715
- Table S3 6810020 £220
- Only together with arm support



Spoke protectors with theme

- 22" Splash 4500322
- 24" Splash 4500324 £195
- 22" Car rim 4500122
- 24" Car rim 4500124
- 22" Wild animals 4500422
- 24" Wild animals 4500424
- 22" Smiley 4500222
- 24" Smiley 4500224
- Clear



SPLASH CAR RIM WILD ANIMALS SMILEY

Chose art.no. for Freewheel according to the footrest height of the wheelchair Read more about Freewheel on the [homepage](#)

Set-up adjustments



Back rest angle

Note measure (A) for desired back rest angle.
14-28 mm. Standard = 20 mm

A= mm



Rear axle adjustment

Note measure (A) for desired balance
Standard = 60 mm. at raised rear axle = 51 mm

A= mm



Footrest height - Foot plates

Note measure (A) and (B) for desired footrest

A= mm B= mm



Extra