

Permobil

Panthera S3 Series



permobil

Designed to fit you and your active lifestyle

The Panthera S3 series is designed to accommodate users of different builds. Although there are variations in dimensions, every S3 offers the comfort of a full-width frame, a low transport weight, and a complete range of accessories. Available in seven models.

Key benefits:

- Made to maneuver
- Low weight and robust
- Adjusts for comfort
- Integrated anti-tip device
- Easy to manage



Specifications

	S3	S3 Short	S3 Short Low
Seat width	33 - 36 - 39 - 42 - 45 - 50 cm	30 - 33 - 36 - 39 - 42 - 45 cm	33 - 36 - 39 cm
Seat depth	40 cm	35 cm	27 - 33 cm, 35 cm
Seat height	Front 47 cm (24" rear wheels) Back 43 cm (24" rear wheels)	Front 47 cm (24" rear wheels) Back 43 cm (24" rear wheels)	Front 47 cm (24" rear wheels) Back 43 cm (24" rear wheels)
Seat angle	7°	7°	7°
Total length	78 - 90 cm	73 - 85 cm	73 - 85 cm
Total width	Seat width +21 cm	Seat width +21 cm	Seat width +21 cm
Front frame angle	105°	105°	105°
Backrest height	20 - 45 cm	20 - 45 cm	20 - 45 cm
Backrest angle	13° - (-8°)	13° - (-8°)	13° - (-8°)
Footplate distance	35 - 43 cm	35 - 43 cm	35 - 43 cm
Camber	2.2°, 4° (seat width 33 - 45 cm) 6° (seat width 33 cm) 8° (seat width 33 - 39 cm)	2.2°, 4° (seat width 30 - 45 cm) 6° (seat width 30 - 33 cm) 8° (seat width 30 - 39 cm)	2.2°, 4°, 6° (seat width 33 cm), 8°
Weight without rear wheels	4.2 - 5.3 kg	4.0 - 4.7 kg	4.5 - 4.8 kg
Wheelchair weight	7.8 - 9.0 kg	7.6 - 8.3 kg	8.0 - 8.3 kg
Maximum load	100 kg, 150 kg (seat width 45- 50 cm)	100 kg, 150 kg (seat width 45 cm)	100 kg
Material (chassis)	Chrome molybdenum tubing	Chrome molybdenum tubing	Chrome molybdenum tubing
Material (upholstery)	Polyurethane covered polyester	Polyurethane covered polyester	Polyurethane covered polyester



Personalise your ride*

ANODIC
BLACK

PEARL
WHITE

GREY
METALLIC

BLUE
CLASSIC

PINE
GREEN

Actual product colors may vary.

S3 Large	S3 Long	S3 0°	S3 Short Abd
39 - 42 - 45 - 50 cm	33 - 36 - 39 - 42 - 45 - 50 cm	33 - 36 - 39 - 42 - 45 - 50 cm	27 - 30 - 33 cm
45 cm	45 cm	35 - 42.5 cm	27 - 33 cm
Front 49.5 cm (24" rear wheels) Back 45.5 cm (24" rear wheels)	Front 47 cm (24" rear wheels) Back 43 cm (24" rear wheels)	Front 45 cm (24" rear wheels) Back 45 cm (24" rear wheels)	Front 47 cm (24" rear wheels) Back 43 cm (24" rear wheels)
7°	7°	0°	4°
83 - 95 cm	83 - 95 cm	84 cm	73 - 85 cm
Seat width +21 cm	Seat width +21 cm	Seat width +21 cm	Seat width +28 cm (6° camber)
105°	105°		105°
20 - 45 cm	20 - 45 cm	20 - 45 cm	20 - 45 cm (25 - 40 cm seat width 27 cm)
13° - (-8°)	13° - (-8°)	13° - (-8°)	13° - (-8°)
41 - 51 cm	35 - 43 cm	35 - 43 cm	35 - 43 cm
2.2°, 4° (seat width 39 - 45 cm)	2.2°, 4° (seat width 33 - 45 cm) 6° (seat width 33 cm) 8° (seat width 33 - 39 cm)	2.2°, 4° (seat width 33 - 45 cm) 6° (seat width 33 cm) 8° (seat width 33 - 39 cm)	2° - 4° - 6° - 8°
4.8 - 5.2 kg	4.7 - 5.3 kg	4.5 - 5.4 kg	4410 - 4570 grams
8.4 - 8.8 kg	8.3 - 8.8 kg	8.0 - 8.9 kg	7970 - 8130 grams
100 kg, 150 kg (seat width 45 - 50 cm)	100 kg, 150 kg (seat width 45 - 50 cm)	100 kg, 150 kg (seat width 45 - 50 cm)	100 kg
Chrome molybdenum tubing	Chrome molybdenum tubing	Chrome molybdenum tubing	Chrome molybdenum tubing
Polyurethane covered polyester	Polyurethane covered polyester	Polyurethane covered polyester	Polyurethane covered polyester



Permobil

Panthera S3 Series

**Designed to fit you
and your active lifestyle**

permobil

permobil.com | info@permobil.co.uk | T. +44 (0)1484 722 888



PANTHERAS3SERIESDATASHEETUK230111