

Order Form

PROGEO UK (English)

Company stamp

DUKE

Rigid frame wheelchair

Date

User name

Responsible

Wheelchair measures

Seat width (LS) ☐ 33 ☐ 36 ☐ 39 ☐ 42 ☐ 45 ☐ 48

The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1.5 cm wider.

Seat depth (PS) ☐ 35 ☐ 37,5 ☐ 40 ☐ 42,5 ☐ 45 ☐ 47,5 ☐ 50

The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.

Footplate distance (DP) (Real distance between seat and footplate)

IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.)


Setting ☒ Standard ☐ Prudential ☐ Active

Backrest Height (TS) Std.Value 33,5(min 24.5-max 47)

Camber ☒ 0° ☐ 2° ☐ 4°

Front frame

☆ Carbon fibre frame, Angle 90°



☐ Short frame - Ideal with Seat depth (PS) 35 - 37,5

☐ Medium frame - Ideal with Seat depth (PS) 40 - 42,5

☐ Long frame - Ideal with Seat depth (PS) 45 - 47,5

Front height - Tick the box with the required height

The possible difference in height between HIGH frame and LOW frame is 3cm (with same fork, caster and assembly hole).

	 SPORT fork (H95)	 Small size fork (H115)
LOW FRAME 90° Front height (min 44,5 - max 50) Footplate distance (min 34,5)	Casters 3" ☐ ~44,5 ☐ ~45,5 4" ☐ ~45,5 ☐ ~46,5 5" ☐ ~48	Casters 3" ☐ ~46,5 ☐ ~47,5 4" ☐ ~46,5 ☐ ~47,5 ☐ ~48,5 5" ☐ ~49 ☐ ~50
HIGH FRAME 90° Front height (min 47,5 - max 53) Footplate distance (min 37,5)	Casters 3" ☐ ~47,5 ☐ ~48,5 4" ☐ ~48,5 ☐ ~49,5 5" ☐ ~51	Casters 3" ☐ ~49,5 ☐ ~50,5 4" ☐ ~49,5 ☐ ~50,5 ☐ ~51,5 5" ☐ ~52 ☐ ~53

The real front-seat height could be slightly different from the chosen one considering it is affected by seat depth and rear seat height.

Rear height

The difference between Font Height and Rear Height must be in the 3 - 12 cm range.

Rear wheels 22" (min 36 - max 44)

Rear wheels 24" (min 38 - max 46)

Rear wheels 25" (min 39 - max 47)

Rear wheels 26" (min 41 - max 48)

Seat

☆ Seat cloth with pocket (under seat)

☐ Seat with tension straps

08883 £ 196

☐ Carbon rigid seat

08336 £ 415

☐ Pocket (under seat) [25x11x4,5]

08281 £ 65

English
Date Order User name Address

CUSTOMIZE COLORS

① Fork colour

☆ Opaque black

☐ Bright silver
☐ Pearl white
☐ Bright red

08342

☐ Bright blue
☐ Bright fuchsia
☐ Bright lime

£ 55

② Colour rear wheels

To be matched only with: Rear wheels Ultra-light Progeo - Standard! (22 - 24)


☆ Black

☐ Bright silver
☐ Pearl white
☐ Bright red

04692

☐ Bright blue
☐ Bright fuchsia
☐ Bright lime

£ 55



Rear wheels axle

☆ Aluminum rear wheels axle

☐ Carbon fiber rear wheels axle

(Lightest configuration)

07647

£ 131

Backrest with rake adjustable from -4° to +16°

☆ Adjustable velcro straps and padded transpiring upholstery

☐ Light adjustable velcro straps and padded transpiring upholstery SPORT

08337

£ 65

☆ Backrest with double locking (upright and folded)

☐ Backrest with upright locking system ONLY (no locking when folded)

☐ Fixed back(non-folding back)

☆ Aluminium backrest

☐ Titanium backrest

☐ Carbon fibre backrest

(Lightest configuration)



06811

£ 109

04389

£ 600

☐ **A I R - Posture backrest - Lateral retaining STANDARD 6,5cm**

06815

£ 1015


not available for seat width 48 - Std. Backrest upholstery not provided - Handle tube aluminium with short tubes

Carbon shell H25 - Height ☐29 ☐30,5 ☐32 ☐33,5 ☐35 ☐36,5

Carbon shell H33 - Height ☐37 ☐38,5 ☐40 ☐41,5 ☐43 ☐44,5

AIR Cover STANDARD


fabric insert: colour silver



Transpiring fabric stitchings
Fabric insert stitchings
colour grey

AIR Cover SPORT

fabric insert: colour black




Transpiring fabric stitchings
Fabric insert stitchings

☐ Silver ☐ Lime ☐ Orange ☐ Red
☐ Fuchsia ☐ Blue ☐ Anthracite ☐ Black

AIR Cover ACTIVE

fabric insert: colour

☐ Red
☐ Lime
☐ Blue



Fabric insert stitchings
colour grey
Transpiring fabric stitchings
colour black

Handle tube

☆ Handle tube STD

☐ Handle tube SPORT Without push handles

☐ Handle tube with short tubes

☐ Carbon fibre handle (with short tubes)

Weight reduction approx. 110gr.

04390

£ 109

Not available with: Posture backrest PHYSIO - Posture backrest A I R

☐ Folding handles aluminium



02958

£ 218

English
Date Order User name Address

Footplate

- ☆ Aluminium footplate. Rake not adjustable
Low Frame minimum footplate distance 34,5 - High Frame minimum footplate distance 37,5
 ☆ Aluminium footplate ☐ with plastic plate



- Aluminium footplate, rake and depth adjustable
Low Frame minimum footplate distance 34,5 - High Frame minimum footplate distance 37,5
 ☆ Internal ☐ 2/3 Internal ☐ External ☐ 2/3 External



04456 £ 218

Mudguard

- ☆ Carbon fibre mudguard
☐ Carbon fibre Straight sideguard
☐ Removable version



08921 £ 109

Casters

- ☆ 4" Soft
☐ 3" Sport
☐ 5" Soft
 ○ 3" Active Soft (wide) (Aluminium alloy rim) 06824 £ 109
 ○ 4" Active Sport (narrow) (Aluminium alloy rim) 01398 £ 109
 ○ 4" Active Soft (wide) (Aluminium alloy rim) 03943 £ 109
 ○ 5" Active Soft (wide) (Aluminium alloy rim) 07518 £ 109

Rear wheels

- ☆ 24" Ultra-light Progeo - Standard!
☐ 22" Ultra-light Progeo - Standard!
☐ 25" Ultra-light Progeo - Standard!
☐ 26" Progeo - Standard!
 ○ 24" ULTRA-LIGHT PROGEO KEY SPORT Weight reduction approx. 450gr. 04383 £ 742
 ○ 24" Ultra-light "Spinergy LX" 01685 £ 742
 ○ 24" Ultra-light "Spinergy XL" 07846 £ 742
 ○ 24" Ultra-light "Spinergy Flex rim" 02270 £ 1200
 ○ 25" Ultra-light "Spinergy LX" 02101 £ 742
 ○ 25" Ultra-light "Spinergy XL" 07847 £ 742
 ○ 26" Ultra-light "Spinergy LX" 02102 £ 742
 ○ 24" Off-road 01392 £ 164

Rear wheel tyre

- ☆ High pressure tyre (22"-24"-25"-26")
☐ High pressure profile tyre (24")
 ○ Marathon Plus (24"-25") with anti-puncture protection 01669 £ 55
 ○ Kik tyre Mako - Colour Black (24") 01041 £ 87
 ○ Kik tyre Mako - Colour Grey (24") 01751 £ 87


Handrim - Wheel distance

☆ 3 cm ☐ 4 cm

- ☆ Aluminium (22"-24"-25"-26")
 ○ Chromed Steel (24"-25") (Not available with Spinergy) 01684 £ 109
 ○ Titanium (24"-25") 00016 £ 218
 ○ Ultra Grepp (24"-25") 00017 £ 262
 ○ Max Grepp (24"-25") 00834 £ 305
 ○ Ergo Para (24") 00632 £ 305
 ○ SURGE LT (24"-25") Oval countour with a rubber insert 06427 £ 316
 ○ Quad (24") 00693 £ 175
 ○ Silicon cover for standard aluminium handrim Available for measures (22"-24"-25"-26") 04050 £ 142

Wheel locks

- ☆ Bent lever push to lock
☐ Straight lever Push to lock
☐ Straight lever Pull to lock
 ○ Sport brake OUT-FRONT 06428 £ 109
 ○ Brake with extension lever push to lock 01949 £ 55
 ○ Brake with extension lever pull to lock 03372 £ 55



Date Order English User name Address

Armrests

- ☐ Swing away armrests (Swing away, removable and height adjustable armrest)  00694 £ 218
- ☐ Removable armrest with ABS straight sideguard  08881 £ 196
- ☐ Removable armrest with carbon-fiber straight sideguard 08882 £ 393
- Kind of pad to be mounted on chosen armrest**
- ☆ Pad STANDARD
- ☐ Ergonomic pad (30x6 cm.) 04104 £ 55

Optional 1

Only one optional devices for side can be chosen

- ☐ Transit wheels Exclude the installation of Anti-tippers  03290 £ 131
- ☐ Anti-tipper with rapid hookup Exclude the installation of Transit wheels (inside rotation to reduce the encumbrance)
- ☐ Right 06821 £ 87
- ☐ Left 06822 £ 87

Optional 2

- ☐ Push handles for companion (Removable and height adjustable)  03645 £ 153
- ☐ Pad for front frame protectors 07058 £ 39
- ☐ Tetraclip (Quick release axle for quadriplegic) 03947 £ 131
- ☐ Safety pelvic belt 03972 £ 55
- ☐ Lumbar support (to insert in the backrest upholstery) 00013 £ 33
- ☐ Swing away lateral support ☐ Right  02097 £ 218
- Not available with:** ☐ Left 02098 £ 218
- Posture backrest PHYSIO - Posture backrest A I R**
- ☐ Spoke guards Black (22"-24") 01043 £ 131
- ☐ Spoke guards Transparent (22"-24") 00835 £ 131
- ☐ Spoke guards Progeo design (22"-24") 00019 £ 153
- ☐ Spoke guards Dragon (22"-24") 02106 £ 153

Additional Kit

- ☐ 24" Off-road rear wheels (only with aluminium handrim) 03378 £ 436

Date Order English User name Address

PHYSIO - Posture backrest

☐ Aluminum shell - Lateral retaining STANDARD 7,5cm Height ☐ 25 ☐ 33 ☐ 41 05308 £ 884
Height ☐ 52 05309 £ 938



Lateral retaining wing ☐ A=high ☐ B=low

☐ Aluminum shell - Lateral retaining DEEP 15cm Height ☐ 25 ☐ 33 ☐ 41 05310 £ 938
H25 not available for seat width 39-42-45-48



Height ☐ 52

05311 £ 993

Lateral retaining wing ☐ A=high ☐ B=low

☐ Carbon shell - Lateral retaining STANDARD 7,5cm Height ☐ 25 ☐ 33 ☐ 41 05312 £ 1015



Lateral retaining wing ☐ A=high ☐ B=low


COVER

☆ Cover with fabric-cover of backrest's rear side and high refraction fabric hems



☐ SWING AWAY - Lateral support
Not available with Physio backrest with lateral retaining DEEP and in carbon backrest

Internal thoracic support to the backrest width, adjustable (0 ÷ -1,5cm)



Large (17,5x11,5)


☐ Left 05646 ☐ Right 05647

Small (14x9,5)

☐ Left 05642 ☐ Right 05643

☐ Additional Kit for internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)

Internal thoracic support to the backrest width, adjustable (-4 ÷ -5,5cm)




Large (17,5x11,5)

☐ Left 05646 ☐ Right 05647

Small (14x9,5)

☐ Left 05642 ☐ Right 05643

Internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)



Large (17,5x11,5)

☐ Left 05646 ☐ Right 05647

Small (14x9,5)

☐ Left 05642 ☐ Right 05643

(with additional kit)

£ 175
£ 175

£ 175
£ 175

☐ Headrest adjustable - Double ball mounting system
Not available for Physio backrest's height 25 and with carbon shell



☐ Large (34x14)
☐ Small (28x14)

05648 £ 393

English
Date Order User name Address

Rehateam s.r.l. Vicolo Negrelli, 4 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484664
P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr. Trib. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

1	Rear wheels	
	Model	Features
	22" Ultra-light Progeo - Standard!	(not available in anthracite color)
	24" Ultra-light Progeo - Standard!	(available for all coulers)
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes) - (black hub, rim and 18 spokes)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	25" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes)
	26" Progeo - Standard!	(colour: black)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)

Note

Italia Certified company normative UNI EN ISO 9001

Important notice! is page only if any optional have been chosen

Pag. 6 / 6

Wheelchair : DUKE - Rev. 2018.0

Prices in EURO - VAT excluded
to be added to the price list

☒ standard (supplied if no requests are indicated)
☐ on request (without extra charge)
☐ optional (cost to be added at the basic price)