

Date

User name

Responsible

Company stamp

**Rigid frame wheelchair
CRASH TEST APPROVED**
£ 2538
Retail price - VAT not included

| Wheelchair measures | |
|--|---|
| Seat width (LS) | <input type="checkbox"/> 24 <input type="checkbox"/> 27 <input type="checkbox"/> 30 <input type="checkbox"/> 33 <input type="checkbox"/> 36 |
| Seat depth (PS) | <input type="checkbox"/> 27,5 <input type="checkbox"/> 30 <input type="checkbox"/> 32,5 <input type="checkbox"/> 35 <input type="checkbox"/> 37,5 <input type="checkbox"/> 40 |
| Seat depth can be increased by 2,5 or 5 cm. | |
| Footplate distance (DP) | (Real distance between seat and footplate) |
| IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.) | |
| Setting | <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Prudential <input type="checkbox"/> Active |
| Backrest Height (TS) | Std.Value 33,5(min 29 - max 51) |
| camber | <input checked="" type="checkbox"/> 0° <input type="checkbox"/> 2° <input type="checkbox"/> 4° |
| Front height | (STD 45) |
| Casters 3" (min 35 - max 51) | |
| Casters 4" (min 35 - max 52) | |
| Casters 5" (min 32 - max 52) | |
| The difference between Front Height and Footplate distance must be greater than 10cm | |
| Rear height | (STD 41) |
| Rear wheels 22" (min 35 - max 45) | |
| Rear wheels 24" (min 37 - max 47) | |

| Front frame | |
|---|--|
| <input checked="" type="checkbox"/> Aluminium frame - Angle 95° | |
| <p>☆ Frame with abduction</p> | <p><input type="checkbox"/> Straight frame</p> |
| | |
| Colour aluminium frame | |
| <input checked="" type="checkbox"/> Bright silver <input type="checkbox"/> Opaque black <input type="checkbox"/> Bright blue <input type="checkbox"/> Bright fuchsia <input type="checkbox"/> Bright red <input type="checkbox"/> Bright lime <input type="checkbox"/> Pearl white <input type="radio"/> Opaque orange | |
| 08341 59,00 | |

| Footplate |
|---|
| <input checked="" type="checkbox"/> One piece aluminium footplate - Flip-up! FLIP-UP! - rake and depth adjustable |
| Footplate distance (min 8 - max 38) |
| |

| Backrest with double locking (upright and folded) (with rake adjustable from -4° to +16°) |
|--|
| <input checked="" type="checkbox"/> Aluminium backrest <input checked="" type="checkbox"/> Adjustable velcro straps and padded transpiring upholstery |
| |

| Handle tube |
|--|
| <input checked="" type="checkbox"/> Tubes with standard handle <input type="checkbox"/> Folding handles |
| |
| 02958 238,00 |

| Fork colour | Colour rear wheels |
|---|--|
| <input checked="" type="checkbox"/> Black | To be matched only with: Rear wheels Ultra-light Progeo - Standard! (22 - 24) |
| <input type="radio"/> Bright silver <input type="radio"/> Bright anthracite <input type="radio"/> Pearl white <input type="radio"/> Bright red | <input checked="" type="checkbox"/> Black <input type="radio"/> Bright silver <input type="radio"/> Bright anthracite (24") <input type="radio"/> Pearl white <input type="radio"/> Bright red |
| <input type="radio"/> Bright orange <input type="radio"/> Bright blue <input type="radio"/> Bright fuchsia <input type="radio"/> Bright lime | <input type="radio"/> Bright orange <input type="radio"/> Bright blue <input type="radio"/> Bright fuchsia <input type="radio"/> Bright lime |
| 08342 59,00 | 04692 59,00 |





| | | | |
|------------|-------------|-----------------|---------------|
| Date | Order | User name | Address |
|------------|-------------|-----------------|---------------|

| Casters | | | |
|--|-----------------------|-------|--------|
| ☆ 4" Soft | | | |
| <input type="checkbox"/> 3" Sport | | | |
| <input type="checkbox"/> 5" Soft | | | |
| <input type="radio"/> 3" Active Soft (wide) | (Aluminium alloy rim) | 06824 | 119,00 |
| <input type="radio"/> 4" Active Sport (narrow) | (Aluminium alloy rim) | 01398 | 119,00 |
| <input type="radio"/> 4" Active Soft (wide) | (Aluminium alloy rim) | 03943 | 119,00 |
| <input type="radio"/> 5" Active Soft (wide) | (Aluminium alloy rim) | 07518 | 119,00 |
| <input type="radio"/> 5" Pneumatic | | 10844 | 59,00 |

| Rear wheels | | | |
|--|---|-------|----------|
| ☆ 24" Ultra-light Progeo - Standard! | | | |
| <input type="checkbox"/> 22" Ultra-light Progeo - Standard! | | | |
| <input type="radio"/> 24" ULTRA-LIGHT PROGEO KEY SPORT | Weight reduction approx. 450gr. | 04383 | 826,00 |
| <input type="radio"/> 24" Ultra-light "Spinergy LX" | | 01685 | 826,00 |
| <input type="radio"/> 24" Ultra-light "Spinergy LXL" | <input type="checkbox"/> Black hub and white spokes <input type="checkbox"/> Hub and spokes black | 07846 | 826,00 |
| <input type="radio"/> 24" Ultra-light "Spinergy Flex rim" | Integrated aluminium/rubber handrim | 02270 | 1.296,00 |
| <input type="radio"/> 24" Off-road (aluminium handrim black) | | 01392 | 211,00 |


| Rear wheel tyre | | | |
|---|-----------|-------------------------------|--------------|
| ☆ High pressure tyre | (22"-24") | | |
| <input type="checkbox"/> High pressure profile tyre | (24") | | |
| <input type="radio"/> Marathon Plus | (24") | with anti-puncture protection | 01669 59,00 |
| <input type="radio"/> Anti-puncture - Colour Grey | (22") | | 04181 92,00 |
| <input type="radio"/> Anti-puncture - Colour Black | (24") | | 11083 119,00 |
| <input type="radio"/> Anti-puncture - Colour Grey | (24") | | 11083 119,00 |

| Handrim | | Wheel distance ☆ 3 cm <input type="checkbox"/> 4 cm | | |
|--|-----------|--|-------|--------|
| ☆ Aluminium | (22"-24") | | | |
| <input type="radio"/> Aluminium black SOFT-TOUCH | (24") | | 09170 | 119,00 |
| <input type="radio"/> Chromed Steel | (24") | | 01684 | 140,00 |
| <input type="radio"/> Titanium | (24") | | 00016 | 259,00 |
| <input type="radio"/> Ultra Grepp | (24") | | 00017 | 297,00 |
| <input type="radio"/> Max Grepp | (24") | | 00834 | 329,00 |
| <input type="radio"/> Ergo Para | (24") | | 00632 | 329,00 |
| <input type="radio"/> TOP FRICTION | (24") | | 11023 | 376,00 |
| Oval countour with a rubber insert | | | | |
| <input type="radio"/> NOVA H | (24") | | 11025 | 248,00 |
| Ergonomic black profile | | | | |
| <input type="radio"/> NOVA D | (24") | | 11026 | 270,00 |
| Ergonomic profile with rubber coating (ideal for quadriplegics) | | | | |
| <input type="radio"/> Quad | (24") | | 00693 | 189,00 |
| <input type="radio"/> Silicon cover for standard aluminium handrim | | Available for measures (22"-24") | 04050 | 151,00 |


| Wheel locks | | | |
|---|---|-------|-------|
| ☆ Bent lever push to lock |  | | |
| <input type="checkbox"/> Straight lever push to lock |  | | |
| <input type="checkbox"/> Straight lever pull to lock |  | | |
| <input type="radio"/> Brake with extension lever push to lock |  | 01949 | 59,00 |
| <input type="radio"/> Brake with extension lever pull to lock | | 03372 | 59,00 |

| | | | |
|------|-------|-----------|---------|
| Date | Order | User name | Address |
|------|-------|-----------|---------|

Mudguard

- Removable ABS mudguard
- Removable ABS fibre straight sideguard
- Removable carbon fibre mudguard  03946 297,00
- Removable Carbon fibre straight sideguard 03946 297,00

Armrests

- Tubular armrests  04828 167,00
(Swing away, removable and height adjustable armrest)

Height assembly (to the seat): 27 28,5 30 31,5 33 34,5 36

Removable armrest with ABS mudguard

- Removable armrest with ABS straight sideguard  08881 211,00
- Removable armrest with carbon-fiber straight sideguard 08882 427,00

SAFETY

- 4 points tie-down system rings  08654 178,00




Accessories

- Pad for front frame protectors 07058 49,00
- Backrest-seat connection cloth 10241 16,00
- Removable storage bag (with quick coupling) 09811 119,00

Optional 1

- Anti-tipper with rapid hookup  06821 119,00
(inside rotation to reduce the encumbrance)
- Right 06822 119,00
- Left

Optional 2

- One piece Push handle for companion  08930 167,00
(Removable and height adjustable)
- Push handles for companion  03645 167,00
(Removable and height adjustable)
- Tetraclip 03947 167,00
(Quick release axle for quadriplegic)
- Safety pelvic belt 03972 59,00
- Harness 04103 119,00
- Lumbar support 00013 38,00
(to insert in the backrest upholstery)
- Swing away lateral support  02097 238,00
Not available with: Posture backrest PHYSIO - Posture backrest A I R
- Right 02098 238,00
- Left
- Spoke guards Black (22"-24") 01043 140,00
- Spoke guards Transparent (22"-24") 00835 140,00
- Spoke guards Progeo design (22"-24") 00019 167,00
- Spoke guards Dragon (22"-24") 02106 167,00

Additional Kit

- 24" Off-road rear wheels Off-Road tyre - aluminium handrim (black colour) 03378 470,00
- 24" FAT rear wheels FAT tyre 3" - aluminium handrim (black colour) 09357 826,00

Date Order User name Address



PHYSIO - Std. Backrest upholstery not provided

Removable with quick release
 Suitable for tubes with diameter 18÷26mm
 Depth adjustment (4cm)
 Angle adjustment ($\pm 18^\circ$)

Posture backrest KID JUNIOR VERSION



- KID** Aluminum shell

WARNING: with this backrest the seat depth is reduced by 5 cm approx.



| BACKREST HEIGHT | 29 | 34 | 40 | 956,00 |
|---|----------------------------------|--------------------------|--------------------------|--------|
| Shell's shape | Lateral retaining wing B=regular | | | |
| | R | R | R | |
|   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Posture backrest ADULT VERSION

- AIR** Carbon shell
not available for seat width 27 - 30

| BACKREST HEIGHT | 28 | 34 | 40 | 988,00 |
|---|---|--------------------------|--------------------------|--------------------------|
| Shell's shape | Lateral retaining wing A=high - R=regular | | | |
| | A | R | A | R |
|   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

- POSTURE** Aluminum shell
not available for seat width 27 - 30

| BACKREST HEIGHT | 34 | 40 | 52 | 956,00 |
|---|----------------------------------|--------------------------|--------------------------|--------|
| Shell's shape | Lateral retaining wing B=regular | | | |
| | R | R | R | |
|   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Configuration DEEP with side support PAD (height adjustable)

- Alluminum lateral with padded, breathable upholstery.




| Small (h 13cm) | Large (h 20cm) |
|---|---|
| <input type="checkbox"/> Right 10272  <input type="checkbox"/> Left 10272  | <input type="checkbox"/> Right 10273  <input type="checkbox"/> Left 10273  |
| 27,00 | 38,00 |

Date Order User name Address

Accessories

KID AIR POSTURE

SWING AWAY - Lateral support
 Not available for backrest Physio AIR carbon shell
 Fixing and adjustment hardware complete with protection sleeve
 Alluminum lateral with padded, breathable upholstery.



Large (18x12)

05647 173,00

Small (14x9)

05643 173,00

Lateral support extension

Quantity (number pcs).....

10271 65,00

Lateral support extension

Quantity (number pcs).....

Small (14x9)

05642 173,00

Large (18x12)

05646 173,00

Headrest adjustable - Double ball mounting system
 Not available for backrest Physio AIR carbon shell

Large (34x14)
 Small (28x14)



05648 238,00

| | | |
|--|--|---|
| Wheelchair : Progeo JOKER JUNIOR 2.0 - Rev. 2022.1 | Prices - VAT excluded to be added to the price list | Send this page only if any optional have been chosen |
| | | <input checked="" type="checkbox"/> standard (supplied if no requests are indicated) |
| | | <input type="checkbox"/> on request (without extra charge) |
| | | <input type="checkbox"/> optional (cost to be added at the basic price) |