

Date

User name

Company stamp

Responsible



Rigid frame wheelchair

Wheelchair measures

Seat width (LS) ☐33 ☐36 ☐39 ☐42 ☐45 ☐48

The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1.5 cm wide

Seat depth (PS) ☐35 ☐37,5 ☐40 ☐42,5 ☐45 ☐47,5 ☐50

The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.

Footplate distance (DP) (Real distance between seat and footplate)


IMPORTANT NOTICE! From the footplate to the floor minimum 4cm!! (Minimum Front height = DP + 4cm.)

Setting ☒ Standard ☐ Prudentia ☐ Active ☐ Extreme

Backrest Height (TS) Std.Value 33,5(min 24.5-max 4

Camber ☒ 0° ☐ 2° ☐ 4°

☒ Standard rear adjustment



☒ Carbon fibre mudguard

☐ Carbon fibre Straight sideguard

☐ Removable version




08921

£ 109

☐ FULL CARBON rear adjustment plate with integrated mudguard
(Lightest configuration)

07646

£ 818



☒ Version mudguard (AVAILABLE ONLY WITH REAR WHEELS 24")

☐ Version straight sideguard

Front height - Tick the box with the required height

The possible difference in height between HIGH frame and LOW frame is 3cm (with same fork, caster and assembly hole).

	 SPORT fork (H95)	 Small size fork (H115)
LOW FRAME 90° Front height (min 44,5 - max 50) Footplate distance (min 33)	Casters 3" ☐ ~45 ☐ ~46 4" ☐ ~46 ☐ ~47 5" ☐ ~48,5	Casters 3" ☐ ~45,5 ☐ ~47 4" ☐ ~46,5 ☐ ~48 ☐ ~49 5" ☐ ~49 ☐ ~50
HIGH FRAME 90° Front height (min 47,5 - max 53) Footplate distance (min 36)	Casters 3" ☐ ~48 ☐ ~49 4" ☐ ~49 ☐ ~50 5" ☐ ~51,5	Casters 3" ☐ ~48,5 ☐ ~50 4" ☐ ~49,5 ☐ ~51 ☐ ~52 5" ☐ ~52 ☐ ~53

The real front-seat height could be slightly different from the chosen one considering it is affected by seat depth and rear seat height.

Rear height

Rear wheels 22" (min 36 - max 44)

Rear wheels 24" (min 38 - max 46)

Rear wheels 25" (min 39 - max 47)

Rear wheels 26" (min 41 - max 48)

The difference between Font Height and Rear Height must be in the 3 - 12 cm range.

English


Date Order User name Address

Seat

- ☆ Seat cloth with pocket (under seat)
- ☐ Seat with tension straps 08883 £ 196
- ☐ Carbon rigid seat 08336 £ 415
- ☐ Pocket (under seat) [25x11x4, 08281 £ 65

CUSTOMIZE COLORS

- ① Frame colour**
- ☐ Pearl white
- ☐ Opaque black
- ☐ Bright silver
- ☐ Bright red
- ☐ Bright blue
- ☐ **MATT METTALIC BLUE**
- ☐ Opaque orange 08341 £ 55
- ② Fork colour**
- ☆ Pearl white
- ☐ Bright silver
- ☐ Opaque black
- ☐ Bright red
- ☐ Bright blue
- ☐ Bright fuchsia
- ☐ Bright lime
- £. 55
- ③ Colour rear wheels**
- To be matched only with:Rear wheels Ultra-light Progeo - Standard! (22 - 24)
- ☆ Pearl white
- ☐ Bright silver
- ☐ Black
- ☐ Bright red
- ☐ Bright blue
- ☐ Bright fuchsia
- ☐ Bright lime
- £. 55



Rear wheels axle

- ☆ Aluminum rear wheels axle
- ☐ Carbon fiber rear wheels axle (Lightest configuration) 07647 £ 131


Backrest with rake adjustable from -4° to +16°

- ☆ Adjustable velcro straps and padded transpiring upholstery
- ☐ Light adjustable velcro straps and padded transpiring upholstery SPORT 08337 £ 65
- ☆ Backrest with double locking (upright and folded)
- ☐ Backrest with upright locking system ONLY (no locking when folded)
- ☐ Fixed back(non-folding back)
- ☆ Aluminium backrest
- ☐ Titanium backrests
- ☐ Carbon fibre backrest (Lightest configuration) 06811 £ 164
- ☐ **A I R - Integrated posture backrest (not removable) - Lateral retaining 6,5cm.** 04389 £ 655
- not available for seat width 48 - Std. Backrest upholstery not provided - Handle tube aluminium with short tubes 06815 £ 1015




Lateral retaining wing B=low

Carbon shell H25



Backrest Height (TS) min 29 max 41


Carbon shell H33



Backrest Height (TS) (37 ÷ 46)

Lateral retaining wing A=high

Carbon shell H30



Backrest Height (TS) (32 ÷ 42,5)

AIR Cover

- ☆ Cover Standard - fabric insert: GREY, stitchings GREY

○ Cover SPORT

- ☐ fabric insert: BLACK - Stitchings GREY
- ☐ fabric insert: BLACK - Stitchings LIME
- ☐ fabric insert: BLACK - Stitchings ORANGE
- ☐ fabric insert: BLACK - Stitchings RED
- ☐ fabric insert: BLACK - Stitchings BLUE
- ☐ fabric insert: BLACK - Stitchings BLACK
- ☐ fabric insert: BLACK - Stitchings FUCHSIA
- ☐ fabric insert: BLACK - Stitchings ANTHRACITE


09195 £ 87

○ Cover ACTIVE

- ☐ fabric insert: RED - Stitchings BLACK
- ☐ fabric insert: LIME - Stitchings BLACK
- ☐ fabric insert: BLUE - Stitchings BLACK

09195 £ 87

fabric insert:



Transpiring fabric stitchings

Order Form

JOKER R2

English

Date Order User name Address

Handle tube

☆ Handle tube STD

- ☐ Handle tube SPORT Without push handles
☐ Handle tube with short tubes

- ☐ Carbon fibre handle (with short tubes) Weight reduction approx. 110gr.
Not available with: Posture backrest PHYSIO - Posture backrest A I R

04390 £ 131

- ☐ Folding handles aluminium

02958 £ 218



Casters

☆ 4" Soft

- ☐ 3" Sport
☐ 5" Soft

- ☐ 3" Active Soft (wide) (Aluminium alloy rim)
☐ 4" Active Sport (narrow) (Aluminium alloy rim)
☐ 4" Active Soft (wide) (Aluminium alloy rim)
☐ 5" Active Soft (wide) (Aluminium alloy rim)

06824 £109

01398 £88

03943 £88

07518 £88

Rear wheels

☆ 24" Ultra-light Progeo - Standard!

- ☐ 22" Ultra-light Progeo - Standard!
☐ 25" Ultra-light Progeo - Standard!
☐ 26" Progeo - Standard!

(colour: black)

(colour: black)

- ☐ 24" ULTRA-LIGHT PROGEO KEY SPORT Weight reduction approx. 450gr.

04383 £764

- ☐ 24" Ultra-light "Spinergy LX"

01685 £726

- ☐ 24" Ultra-light "Spinergy LXL"

07846 £726

- ☐ 24" Ultra-light "Spinergy Flex rim"

☐ Black hub and white blade spokes☐ Hub and blade spokes black

02270 £1,140

- ☐ 25" Ultra-light "Spinergy LX"

02101 £726

- ☐ 25" Ultra-light "Spinergy LXL"

☐ Black hub and white blade spokes

07847 £726

- ☐ 26" Ultra-light "Spinergy LX"

02102 £726

- ☐ 24" Off-road (aluminium handrim black)

01392 £ 196

Rear wheel tyre

☆ High pressure tyre (22"-24"-25"-26")

- ☐ High pressure profile tyre (24")

- ☐ Marathon Plus (24"-25") with anti-puncture protection
☐ Solid tyre Kik Mako - Colour Black (24")
☐ Solid tyre Kik Mako - Colour Gre (24")

01669 £ 55

01041 £ 109

01751 £ 109

Handrim - Wheel distance

☆ 3 cm ☐ 4 cm

☆ Aluminium (22"-24"-25"-26")

- ☐ Aluminium black SOFT-TOUCH (24"-25")

09170 £ 109

- ☐ Chromed Steel (24"-25")

01684 £ 131

- ☐ Titanium (24"-25")

00016 £228

- ☐ Ultra Grepp (24"-25")

00017 £ 273

- ☐ Max Grepp (24"-25")

00834 £ 305

- ☐ Ergo Paræ (24")

00632 £ 305

- ☐ SURGE LT (24"-25")

Oval countour with a rubber insert

06427 £250

- ☐ Quad (24")

(24")

00693 £ 175

- ☐ Silicon cover for standard aluminium handrim

Available for measures (22"-24"-25"-26")

04050 £ 142

Wheel locks

☆ Bent lever push to lock

- ☐ Straight lever Push to loc
☐ Straight lever Pull to lock

- ☐ Sport brake/ push brake (Outfror)

06428 £95

- ☐ Brake with extension lever push to lock

01949 £ 55

- ☐ Brake with extension lever pull to lock

03372 £ 55



English

Date Order User name Address

Footplate

☆ Aluminium footplate. Rake not adjustable

☆ Aluminium footplate ☐ with plastic plate

☐ One piece aluminium footplate - Flip-up! FLIP-BACK! - rake and depth adjustable

☐ Aluminium footplate - rake and depth adjustable


☆ Internal ☐ 2/3 Internal ☐ External ☐ 2/3 External

☐ U-TUBE - Aluminium footplate, rake and depth adjustable

Low Frame minimum footplate distance 21 - High Frame minimum footplate distance 24

☐ One piece Carbon fibre footplate. Rake adjustable

☆ Internal ☐ External



09420 £ 164

04456 £ 218

09853 £ 196

04110 £ 327

Armrests

☐ Swing away armrests (Swing away, removable and height adjustable armrest)

☐ Removable armrest with carbon-fiber straight sideguard

Available only with: Standard rear adjustment

Kind of pad to be mounted on chosen armrest

☆ Pad STANDARD
☐ Ergonomic pad (30x6 cm.)



00694 £ 218

09079 £ 196

04104 £ 55

Accessories

☐ Pad for front frame protectors

07058 £ 44

☐ Removable storage bag (with quick coupling)

09811 £ 109

Optional 1

Only one optional devices for side can be chosen

☐ Transit wheels Exclude the installation of Anti-tippers

☐ Anti-tipper with rapid hookup

Exclude the installation of Transit wheels
(inside rotation to reduce the encumbrance)
☐ Right
☐ Left



03290 £ 131

06821 £ 109

06822 £ 109

Optional 2

☐ Push handles for companion (Removable and height adjustable)

☐ Tetraclip (Quick release axle for quadriplegic)

☐ Safety pelvic belt

☐ Lumbar support (to insert in the backrest upholstery)

☐ Swing away lateral support

Not available with:

Posture backrest PHYSIO - Posture backrest A I R

☐ Right
☐ Left

☐ Spoke guards Black (22"-24")

☐ Spoke guards Transparent (22"-24")

☐ Spoke guards Progeo design (22"-24")

☐ Spoke guards Dragon (22"-24")



03645 £ 153

03947 £ 153

03972 £ 55

00013 £ 33

02097 £ 218

02098 £ 218

01043 £ 131

00835 £ 131

00019 £ 153

02106 £ 153

Additional Kit

☐ 24" Off-road rear wheels Off-Road tyre - aluminium handrim (black colour)

03378 £ 436

☐ 24" FAT rear wheel FAT tyre 3" - aluminium handrim (black colour)

09357 £ 764

English

Date Order User name Address

PHYSIO - Posture backrest

- ☐ Aluminum shell - Lateral retaining STANDARD 7,5c Height ☐ 25 ☐ 33 ☐ 41 05308 **£ 884**
Height ☐ 52 05309 **£ 938**



Lateral retaining wing ☐ A=high ☐ B=low

- ☐ Aluminum shell - Lateral retaining DEEP 15c Height ☐ 25 ☐ 33 ☐ 41 05310 **£ 938**
H25 not available for seat width 39-42-45-48



Height ☐ 52 05311 **£ 993**

Lateral retaining wing ☐ A=high ☐ B=low

- ☐ Carbon shell - Lateral retaining STANDARD 7,5cm Height ☐ 25 ☐ 33 ☐ 41 05312 **£ 1015**



Lateral retaining wing ☐ A=high ☐ B=low


COVER

- ☆ Cover with fabric-cover of backrest's rear side and high
refraction fabric hems




- ☐ SWING AWAY - Lateral support
Not available with Physio backrest with lateral retaining DEEP and in carbon backrest

Internal thoracic support to the backrest width,
adjustable (0 ÷ -1,5cm)




- Large (17,5x11,5)
☐ Left 05646 ☐ Right 05647
Small (14x9,5)
☐ Left 05642 ☐ Right 05643
☐ Additional Kit for internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)

Internal thoracic support to the backrest width,
adjustable (-4 ÷ -5,5cm)



- Large (17,5x11,5)
☐ Left 05646 ☐ Right 05647
Small (14x9,5)
☐ Left 05642 ☐ Right 05643

Internal thoracic support to the backrest width,
adjustable (-8,5 ÷ -10cm)



- Large (17,5x11,5)
☐ Left 05646 ☐ Right 05647 **£ 175**
£ 175
Small (14x9,5)
☐ Left 05642 ☐ Right 05643 **£ 175**
£ 175
(with additional kit)

- ☐ Headrest adjustable - Double ball mounting system
Not available for Physio backrest's height 25 and with carbon shell



- ☐ Large (34x14) 05648 **£ 393**
☐ Small (28x14)

English

Date Order User name Address

1	Rear wheels	
	Model	Features
	22" Ultra-light Progeo - Standard!	(not available in anthracite color)
	24" Ultra-light Progeo - Standard!	(available for all coulors)
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes) - (black hub, rim and 18 spokes)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	25" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes)
	26" Progeo - Standard!	(colour: black)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)

Note

Italia Certified company normative UNI EN ISO 9001		Important notice! s page only if any optional have been chosen	
Pag. 6 / 6	Wheelchair : JOKER R2 - Rev. 2020.0	Prices in EURO - VAT excluded to be added to the price list	☒ standard (supplied if no requests are indicated) ☐ on request (without extra charge) ☐ optional (cost to be added at the basic price)