

Permobil Limited Unit 7, Polaris Centre, 41 Brownfields, Welwyn Garden City, Herts, AL7 1AN United Kingdom - Phone: +44 1484 722888

Date

User name

Responsible

Company stamp

Folding tilting frame wheelchair

£ 3618

Retail price - VAT not included

Information on end user

End user pathology :

Presence of dystonia or important spasms : YES NO

End user weight:.....Kg

MODEL ADULT

33 36 39 42 45 48

kit to increase seat width (LS + 3CM)

09876 **81,00**

☆ Not mounted Mounted

MODEL JUNIOR

27 30 33 36 39


kit to increase seat width (LS + 3CM)

09876 **81,00**


☆ Not mounted Mounted

Seat depth (PS) - adjustable!


Short frame
35 37,5 40




Medium frame
40 ☆42,5 45



Long frame
45 47,5 50



Backrest tube position



Footplate distance (DP) Minimum footplate distance ~22cm

(Real distance between seat and footplate)

IMPORTANT NOTICE! From the footplate to the floor minimum 4cm!! (Minimum Front height = DP + 4cm.)


Seat height (parallel to the ground)

CASTERS 6"	Rear wheels			
	12"	16"	22"	24"
<input type="checkbox"/> 42		<input type="checkbox"/> 42	<input type="checkbox"/> 42	<input type="checkbox"/> 43,3
☆ 43,3		<input type="checkbox"/> 43,3	<input type="checkbox"/> 43,3	<input type="checkbox"/> 44,5
<input type="checkbox"/> 44,5		<input type="checkbox"/> 44,5	<input type="checkbox"/> 44,5	<input type="checkbox"/> 45,8
<input type="checkbox"/> 45,8		<input type="checkbox"/> 45,8	<input type="checkbox"/> 45,8	<input type="checkbox"/> 47
<input type="checkbox"/> 47	<input type="checkbox"/> 47	<input type="checkbox"/> 47	<input type="checkbox"/> 47	<input type="checkbox"/> 48,3
	<input type="checkbox"/> 48,3		<input type="checkbox"/> 48,3	


CASTERS 7"	Rear wheels			
	12"	16"	22"	24"
<input type="checkbox"/> 44,5		<input type="checkbox"/> 44,5	<input type="checkbox"/> 44,5	<input type="checkbox"/> 44,5
<input type="checkbox"/> 45,8		<input type="checkbox"/> 45,8	<input type="checkbox"/> 45,8	<input type="checkbox"/> 47
<input type="checkbox"/> 47		<input type="checkbox"/> 47	<input type="checkbox"/> 47	<input type="checkbox"/> 48,3
	<input type="checkbox"/> 48,3		<input type="checkbox"/> 48,3	

Front frame


☆ Straight frame
(not available for seat width 27)




Front frame, swing away, and removable




Frame with abduction 6cm
not available for seat width 42 - 45 - 48
Maximum footplate distance 42





Front frame, swing away, and removable
















Elevating front frame, swing away and removable
Including plastic footplate with heel band
not available for seat width 27 - 30 - 33
Minimum footplate distance 25cm.



09730 **238,00**

Date	Order	User name	Address
Frame colour (without extra charge) <input type="checkbox"/> Opaque black <input type="checkbox"/> Opaque orange <input type="checkbox"/> AVIO blue - NEW! <input type="checkbox"/> Pearl white			
Frame colour on request <input type="radio"/> Bright red <input type="radio"/> Bright fuchsia <input type="radio"/> Bright lime <input type="radio"/> Bright blue china 09729 238,00			
One piece Push handle for companion One piece Push handle with tilting control - REMOVABLE adjustable angle 		Backrest ☆ Fixed back(non-folding back) adjustable angle from -4° to +12°	
With fixed back(non-folding back) adjustable distance 30÷70cm (to the seat)		<input type="radio"/> Folding back backrest adjustable angle from -4° to +12° 09728 259,00	
With folding back backrest adjustable distance 20÷60cm (to the seat)		<input type="radio"/> Reclining backrest (Non-folding back) dynamic reclining with gas spring 10090 297,00	
		The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.	
Backrest upholstery ☆ WITH NO backrest upholstery, NOR tension adjustment straps Backrest Height (TS) (std 42cm)			
<input type="radio"/> WITH backrest upholstery and tension adjustment straps 04693 119,00 With fixed back(non-folding back)->minimum height 39cm Backrest Height (TS) (std 42cm)			
<input type="radio"/> Backrest-seat connection cloth 10241 16,00			
Casters ☆ 6" Soft <input type="checkbox"/> 6" Pneumatic <input type="checkbox"/> 7" Soft Not available with: Front frame 95°			
Rear wheels ☆ 12" transit rear wheels - Anti-puncture			
<input type="checkbox"/> 12" transit rear wheels - Pneumatic <input type="checkbox"/> 16" transit rear wheels - Pneumatic <input type="radio"/> 24" Ultra-light Progeo - Standard! 04696 119,00 <input type="radio"/> 22" Ultra-light Progeo - Standard! 04696 119,00 <input type="radio"/> 24" Ultra-light "Spinergy LX" 04691 918,00 <input type="radio"/> 24" Ultra-light "Spinergy LXL" <input type="checkbox"/> Black hub and white spokes <input type="checkbox"/> Hub and spokes black 07848 918,00 <input type="radio"/> 24" Ultra-light "Spinergy Flex rim" 02270 1.296,00 <input type="radio"/> 24" Off-road (aluminium handrim black) 04690 297,00 <input type="radio"/> 12" with brake handles for companion (drum brake) 04105 308,00 <input type="radio"/> 16" with brake handles for companion (drum brake) 04107 308,00 <input type="radio"/> 22" with brake handles for companion (drum brake) (aluminium handrim) 03385 315,00 <input type="radio"/> 24" with brake handles for companion (drum brake) (aluminium handrim) 03384 340,00			
Colour rear wheels - To be matched only with:Rear wheels Ultra-light Progeo - Standard!			
☆ Polished black 22-24" 04692 59,00 <input type="radio"/> Bright silver 22-24" 04692 59,00 <input type="radio"/> Bright anthracite 24" 04692 59,00 <input type="radio"/> Bright orange 22-24" 04692 59,00 <input type="radio"/> Bright fuchsia 22-24" 04692 59,00 <input type="radio"/> Bright blue 22-24" 04692 59,00 <input type="radio"/> Bright red 22-24" 04692 59,00 <input type="radio"/> Bright lime 22-24" 04692 59,00 <input type="radio"/> Pearl white 22-24" 04692 59,00			
Handrim Wheel distance ☆ 3 cm □ 4 cm			
☆ Aluminium (22-24")			
<input type="radio"/> Aluminium black SOFT-TOUCH (24") 09170 119,00			
<input type="radio"/> Chromed Steel (24") 01684 140,00			
<input type="radio"/> Titanium (24") 00016 259,00			
<input type="radio"/> Ultra Grepp (24") 00017 297,00			
<input type="radio"/> Max Grepp (24") 00834 329,00			
<input type="radio"/> Ergo Para (24") 00632 329,00			
<input type="radio"/> TOP FRICTION (24"-25") (24" handrim, on 25" wheel is installed with spacers) 11023 376,00			
Oval countour with a rubber insert			
<input type="radio"/> NOVA H (24"-25") (24" handrim, on 25" wheel is installed with spacers) 11025 248,00			
Ergonomic black profile			
<input type="radio"/> NOVA D (24"-25") (24" handrim, on 25" wheel is installed with spacers) 11026 270,00			
Ergonomic profile with rubber coating (ideal for quadriplegics)			
<input type="radio"/> SURGE LT (25") Oval countour with a rubber insert 06427 340,00			
<input type="radio"/> Quad (24") 00693 189,00			
<input type="radio"/> Silicon cover for standard aluminium handrim Available for measures (22"-24") 04050 151,00			

Date	Order	User name	Address
Rear wheel tyre			
<input checked="" type="checkbox"/> High pressure tyre	(22-24")		
<input type="checkbox"/> High pressure profile tyre	(24")		
<input type="checkbox"/> Marathon Plus	(24")	with anti-puncture protection	01669 59,00
<input type="checkbox"/> Anti-puncture - Colour Grey	(22")		04181 92,00
<input type="checkbox"/> Anti-puncture - Colour Black	(24")		11083 119,00
<input type="checkbox"/> Anti-puncture - Colour Grey	(24")		11083 119,00
Wheel locks			
<input checked="" type="checkbox"/> Bent lever push to lock			
<input type="checkbox"/> Straight lever push to lock			
<input type="checkbox"/> Straight lever pull to lock			
<input type="checkbox"/> Brake with extension lever push to lock			01949 59,00
<input type="checkbox"/> Brake with extension lever pull to lock			03372 59,00
Footplate (Not available with Elevating front frame, swing away and removable)			
<input checked="" type="checkbox"/> Plastic footrest, rake adjustable			
Minimum footplate distance ~22cm			
Not available with: Front frame with levating footrest, swing away and removable			
<input type="checkbox"/> One piece aluminium footplate - Flip-up! rake and depth adjustable			
Not available for seat width 27-30 with straight front frame			
Minimum footplate distance ~21cm			
Not available with: Front frame with levating footrest, swing away and removable			
	<input type="checkbox"/> Internal	<input checked="" type="checkbox"/> 2/3 Internal	<input type="checkbox"/> 2/3 External
			<input type="checkbox"/> External
Removable armrest with ABS mudguard			
<input checked="" type="checkbox"/> Desk armrests PROGEO	(Removable and height adjustable)		
<input type="checkbox"/> Removable armrest with ABS straight sideguard	(Removable and height adjustable)		
Real distance between seat and armrest pads (cm) <input type="checkbox"/> 21 <input type="checkbox"/> 23 <input type="checkbox"/> 25 <input checked="" type="checkbox"/> 27 <input type="checkbox"/> 29			
SAFETY			
<input type="checkbox"/> 4 points tie-down system rings			 08654 178,00
Accessories			
<input type="checkbox"/> Pad for front frame protectors			07058 49,00
<input type="checkbox"/> Removable storage bag (with quick coupling)			09811 119,00
Optional 1			
<input checked="" type="checkbox"/> Anti-tipper with rapid hookup			
INCLUDED ON THE BASIC PRICE (inside rotation to reduce the encumbrance)			
<input type="checkbox"/> Super Head rest	(Folding with the wheelchair)		 04049 427,00
<input type="checkbox"/> Transit wheels			 00836 140,00
<input type="checkbox"/> Tipping aid	<input type="checkbox"/> Right		 00025 70,00
	<input type="checkbox"/> Left		01046 70,00
<input type="checkbox"/> Crutches support	<input type="checkbox"/> Right		 00838 70,00
	<input type="checkbox"/> Left		00837 70,00
Optional 2			
<input type="checkbox"/> Harness			04103 119,00
<input type="checkbox"/> Safety pelvic belt			03972 59,00
<input type="checkbox"/> Tray table (removable)			00508 259,00
<input type="checkbox"/> Lumbar support	(to insert in the backrest upholstery)		00013 38,00
<input type="checkbox"/> Spoke guards Black	(22-24")		01043 140,00
<input type="checkbox"/> Spoke guards Transparent	(22-24")		00835 140,00
<input type="checkbox"/> Spoke guards Progeo design	(22-24")		00019 167,00
<input type="checkbox"/> Spoke guards Dragon	(22-24")		02106 167,00

Date Order User name Address


PHYSIO - Std. Backrest upholstery not provided

Removable with quick release
 Suitable for tubes with diameter 18±26mm
 Depth adjustment (4cm)
 Angle adjustment (±18°)

Posture backrest KID JUNIOR VERSION

- KID** Aluminum shell


WARNING: with this backrest the seat depth is reduced by 5 cm approx.

BACKREST HEIGHT	29	34	40
Shell's shape 	Lateral retaining wing B=regular		
	R	R	R
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

956,00


Posture backrest ADULT VERSION

- AIR** Carbon shell
not available for seat width 27 - 30

BACKREST HEIGHT	28	34	40
Shell's shape 	Lateral retaining wing A=high - R=regular		
	A	R	A
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

988,00

- POSTURE** Aluminum shell
not available for seat width 27 - 30

BACKREST HEIGHT	34	40	52
Shell's shape 	Lateral retaining wing B=regular		
	R	R	R
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

956,00

Configuration DEEP with side support PAD (height adjustable)

- Alluminum lateral with padded, breathable upholstery.



Small (h 13cm)



Right
10272

27,00



Left
10272

27,00

Large (h 20cm)



Right
10273

38,00



Left
10273

38,00


Permobil Limited Unit 7, Polaris Centre, 41 Brownfields, Welwyn Garden City, Herts, AL7 1AN United Kingdom - Phone: +44 1484 722888

Date	Order	User name	Address
------------	-------------	-----------------	---------------

Accessories

KID AIR POSTURE

SWING AWAY - Lateral support
 Not available for backrest Physio AIR carbon shell
 Fixing and adjustment hardware complete with protection sleeve
 Alluminum lateral with padded, breathable upholstery.



Large (18x12) 05647 173,00

Small (14x9) 05643 173,00

Lateral support extension Quantity (number pcs)..... 10271 65,00

Lateral support extension Quantity (number pcs).....

Small (14x9) 05642 173,00

Large (18x12) 05646 173,00

Headrest adjustable - Double ball mounting system Large (34x14) 05648 238,00
Not available for backrest Physio AIR carbon shell Small (28x14)



customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Wheelchair : Progeo TEKNA TILT 2.0 - Rev. 2022.1	Prices - VAT excluded to be added to the price list	<p style="text-align: center; font-weight: bold; font-size: small;">Send this page only if any optional have been chosen</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;"><input checked="" type="checkbox"/></td> <td style="width: 70%;">standard</td> <td style="width: 20%; font-size: x-small;">(supplied if no requests are indicated)</td> </tr> <tr> <td><input type="checkbox"/></td> <td>on request</td> <td>(without extra charge)</td> </tr> <tr> <td><input type="radio"/></td> <td>optional</td> <td>(cost to be added at the basic price)</td> </tr> </table>	<input checked="" type="checkbox"/>	standard	(supplied if no requests are indicated)	<input type="checkbox"/>	on request	(without extra charge)	<input type="radio"/>	optional	(cost to be added at the basic price)
<input checked="" type="checkbox"/>	standard	(supplied if no requests are indicated)									
<input type="checkbox"/>	on request	(without extra charge)									
<input type="radio"/>	optional	(cost to be added at the basic price)									