



Yes, you can:

Powerchairs Retail Prescription Form

Tel: 01656 776222 Fax: 01656 776220
 Email: ordersuk@invacare.com
 Online Spares available at: www.invacare.co.uk

APRIL 2020
 Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Pronto M41 Standard

Standard Features

- Max user weight 136Kg (21.4 Stone)
- Standard seating system
- Adjustable seat widths from 440mm - 480mm (17" - 19")
- Adjustable seat depth Set at 460mm (410mm - 510mm) (16", 18" or 20")
- Backrest height 480mm or 540mm (19" or 21.25")
- Black Nylon tension adjustable backrest upholstery
- Detachable and height adjustable armrest assembly with extended armpad
- Choice of 5 seat heights 455mm - 555mm (18" - 22")
- Manual settable backrest Recline
- Adjustable flip-up centre footboard
- Shark2 REM D01 with standard bracket
- Candy Red shrouds
- 255mm x 80mm (10" x 3") solid insert / puncture proof Grey drive wheels
- 6 km/h (4mph) motors and 35Ah AGM batteries
- 8A (200-250V) charger
- 4 Point tie down system

Standard Base price: £2,052



Please make your selection with a cross in the box ○ Free of charge ◆ standard feature POA special request

Customer weight = KG

Code	Description	
BASE PRODUCT*		
AQB1150	PRONTO M41 STANDARD SEAT	£2,052
BASE MODEL*		
AQB0000	Pronto M41 Standard Seat	◆
AQZ0000	Special Pronto M41 Standard Seat	POA
SEATING TYPE*		
AQB1150	Standard Seat Unit	◆
SEAT WIDTH*		
AQB0343	440mm - 480mm (17" - 19")	◆

SEAT DEPTH*			
AQB0327	<input type="checkbox"/>	460mm (410mm or 510mm) (16", 18" or 20")	◆
SEAT CUSHION*			
AQB1336	<input type="checkbox"/>	Width 430mm, 50mm Thick	◆
BACKREST HEIGHT*			
AQB0448	<input type="checkbox"/>	480mm (19")	◆
AQB0454	<input type="checkbox"/>	540mm (21.25")	○
BACK CUSHION*			
AQB1178	<input type="checkbox"/>	Tension Adjustable	◆
UPHOLSTERY TYPE*			
AQB0268	<input type="checkbox"/>	Black (Nylon)	◆
ARMRESTS (Pair)*			
AQB0606	<input type="checkbox"/>	Detachable Armrests	◆
ARMPADS (Pair)*			
AQB0649	<input type="checkbox"/>	Armpad extended	◆
HEADREST / NECKREST - Adequate headrest option must be selected*			
AQB1432	<input type="checkbox"/>	Headrest, sidewise adjustable	£181
AQB1495	<input type="checkbox"/>	Push bar dia	○
SEAT HEIGHT*			
AQB0325	<input type="checkbox"/>	455mm (18")	○
AQB0339	<input type="checkbox"/>	480mm (19")	○
AQB0387	<input type="checkbox"/>	505mm (20")	○
AQB0338	<input type="checkbox"/>	530mm (21")	○
AQB0389	<input type="checkbox"/>	555mm (22")	○
BACKREST RECLINER*			
AQB0959	<input type="checkbox"/>	Manual Settable	◆
FOOTREST HANGER TYPE*			
AQB0595	<input type="checkbox"/>	Adjustable flip-up footboard	◆
FOOTPLATE TYPE*			
AQB0559	<input type="checkbox"/>	Angle & width adjustable	◆
CONTROL*			
AQB1801	<input type="checkbox"/>	Shark 2 REM D01	◆
CONTROL BRACKETRY*			
AQB1207	<input type="checkbox"/>	Standard bracket RH	○
AQB1208	<input type="checkbox"/>	Standard bracket LH	○
AQB1707	<input type="checkbox"/>	Swing away + height adjustable bracket RH high end	£108
AQB1708	<input type="checkbox"/>	Swing away + height adjustable bracket LH high end	£108
SHROUD COVER COLOUR*			
AQB0227	<input type="checkbox"/>	Candy Red	◆
WHEELS*			
AQB0781	<input type="checkbox"/>	255mm x 80mm (10" - 3")	◆
MOTOR TYPE*			
AQB1282	<input type="checkbox"/>	6 km/h (4mph)	◆
AQB1294	<input type="checkbox"/>	3 km/h (2mph)	○
BATTERY*			
AQB1261	<input type="checkbox"/>	35Ah AGM	◆

CHARGER*			
AQB1343	<input type="checkbox"/>	OptiCharge 8A (200 - 250V)	◆
AQB1313	<input type="checkbox"/>	OptiCharge 10A (200 - 250V)	£124
TRANSPORTATION KIT*			
AQB1494	<input type="checkbox"/>	4-Point tie-down (NC 1150)	◆
FIXATION BELT*			
AQB1329	<input type="checkbox"/>	Lap Belt fitted to base of backrest	◆

TOTAL PRICE	
--------------------	--

Non Conforming Options:

AQB1150	PRONTO M41 STANDARD SEAT
AQB1150	Standard Seat Unit



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name: _____ Email: _____

Phone: _____ Fax: _____

Description of special request (please include relevant option code or part number):