

ORDER FORM

ORDER	QUOTE
• · · · · · ·	€00

ICON 60

LIGHTWEIGHT, RIGID FRAME WHEELCHAIR

Base model £1895.00

- Max user weight 120kg
- Series 7000 Aluminium rigid active wheelchair
- Multiple of adjustments, Seat Depth, Front and Rear Seat Heights and Centre of Gravity
- Angle Adjustable Front Forks
- 24" Day Light Rear Wheel with back anodised hand rim, QR Axle and Pneumatic tyre
- 4" Alu Core Castor
- Lockdown Folding, Angle, Height and Tension Adjustable Backrest with 3D breathable Fabric and Seat cushion.
- Low Profile Scissor Lock Brakes
- Aluminium Side Guards
- Calf strap and under seat zipped pouch included

SUITABLE FOR USE WITH POWERED ASSISTED WHEELCHAIR SYSTEMS









Help to save paper and use the interactive PDF. Please order by e-mail to ukadmin@rehasense.com. Thank's a lot.

Name:	Date:
Customer ID:	Order number:
Contact person:	Delivery address
E-Mail:	Str. & house nr:
Tel./Fax:	City & postcode:

PLEASE	MARK TO) SELECT	AN	OPH	ON

	Hereby I consent to the processing of my personal data for the purpose of the order fulfilment
for a	rehabilitation equipment in accordance with Article 4 Paragraph 11 of the Regulation (EU)
2016	679 of the European Parliament and of the Council of 27 April 2016 on the protection of natura
pers	ons with regard to the processing of personal data and on the free movement of such data,
and	repealing Directive 95/46/EC (General Data Protection Regulation)

I am aware of the fact that all dimensions
an be provided within the dimensional tolerance
of ± 1 cm. A dimensional deviation within this tolerance
ange shall not constitute a reason to claim the wheel-
hair and deem it non-compliant with this contract.



SEAT WIDTH						
tick to order	Part number	Description	Standard or cost option	Price		
\bigcirc	SW36	Seat width 36 cm	Standard	£ 0.00		
\bigcirc	SW38	Seat width 38 cm	Standard	£ 0.00		
0	SW40	Seat width 40 cm	Standard	£ 0.00		
\bigcirc	SW42	Seat width 42 cm	Standard	£ 0.00		
\bigcirc	SW44	Seat width 44 cm	Standard	£ 0.00		
\bigcirc	SW46	Seat width 46 cm	Standard	£ 0.00		
\bigcirc	SW48	Seat width 48 cm	Standard	£ 0.00		

SEA	T DEPTH				
	SD40	Seat depth 40 cm	Standard	£ 0.00	Seat range adjustable
	SD41.5	Seat depth 41.5 cm	Standard	£ 0.00	between 40 cm - 49 cm
	SD43	Seat depth 43 cm	Standard	£ 0.00	
	SD44.5	Seat depth 44.5 cm	Standard	£ 0.00	
	SD46	Seat depth 46 cm	Standard	£ 0.00	1 1 1 1
	SD47.5	Seat depth 47.5 cm	Standard	£ 0.00	
	SD49	Seat depth 49 cm	Standard	£ 0.00	

FRO	NT SEAT HEI	СНТ			
	FSH1	Seat height front 49.5 cm (4" castor wheel only)	Standard	£ 0.00	N
0	FSH2	Seat height front 50.5 cm (4" & 5" castor wheel)	Standard	£ 0.00	
	FSH3	Seat height front 51.5 cm (4" & 5" castor wheel)	Standard	£ 0.00	
0	FSH4	Seat height front 52.5 cm (5" castor wheel only)	Standard	£ 0.00	

REA	REAR SEAT HEIGHT								
0	RSH1	Position 1: 38.5 cm	Standard	£ 0.00	J				
0	RSH2	Position 2: 41 cm	Standard	£ 0.00					
0	RSH3	Position 3: 44.5 cm	Standard	£ 0.00					

LOW	LOWER LEG LENGTH (FOOTREST POSITION)							
0	LLL1	Position 1: 41.5 cm	Option	£ 0.00				
	LLL2	Position 2: 43 cm	Standard	£ 0.00				
0	LLL3	Position 3: 44.5 cm	Option	£ 0.00				
	LLL4	Position 4: 46 cm	Option	£ 0.00				



SEA	SEAT POSTION (BALANCE)							
	SP1	Position 1 = +7.5 cm most active	Option	£ 0.00				
	SP2	Position 2 = + 6 cm	Option	£ 0.00				
	SP3	Position 3 = + 4.5 cm	Option	£ 0.00				
	SP4	Position 4 = + 3 cm	Standard	£ 0.00				
	SP5	Position 5 = +1.5 cm	Option	£ 0.00	(11111111111111111111111111111111111111			
0	SP6	Position 6 = 0	Option	£ 0.00				
	SP7	Position 7 = -1.5 cm	Option	£ 0.00				
	SP8	Position 8 = -3 cm least active	Option	£ 0.00				

CAM	CAMBER REAR WHEELS							
	CRWO	Camber 0	Option	£ 0.00				
0	CRWI	Camber 1	Option	£ 0.00				
	CRW2	Camber 2	Standard	£ 0.00				
	CRW3	Camber 3	Option	£ 0.00				

BUS	HING TYPE				
0	BT1	Inch 1/2"	Standard	£ 0.00	
	BT2	Metric 12 mm	Option	£ 0.00	

BAC	BACKREST ANGLE								
	BRAI	Forward +1 → +20°	Option	£ 0.00	BRA2 0° BRA1				
	BRAO	Vertical O°	Standard	£ 0.00					
	BRA2	Backward -10 → -1°	Option	£ 0.00					

FRA	ME COLOUR				
	FC1	White	Option	£ 0.00	
\bigcirc	FC2	Black Matt	Standard	£ 0.00	
	FC3	Silver	Option	£ 0.00	
\bigcirc	FC4	Gold	Option	£ 40.00	
	FC5	Blue	Option	£ 40.00	
\bigcirc	FC6	Red	Option	£ 40.00	



BAC	KREST OPTIC	ONS			
0	BRO1	Height adjustable backrest without push handles	Standard	£ 0.00	
0	BRO2	Height adjustable backrest fitted with height adjustable push handles	Option	£ 160.00	
0	BRO3	Height adjustable backrest fitted with ergonomic backrest frame	Option	£ 140.00	
0	BRO4	Height adjustable backrest fitted with ergonomic backrest frame and height adjustable push handles	Option	£ 160.00	
0	EV1	Height adjustable, standard backrest without push handles width adjustable between -7 to +7 cm	Option	£ 50.00	F
0	EV2	Height adjustable, standard backrest without push handles width adjustable between -3 to +3 cm	Option	£ 50.00	BRO1 Height adjustable backrest without push handles











BACKREST HEIGHT (CM)						
32 standard						
33	34	<u></u>				
36 37 38						

BAC	KREST	OPTIONS				
0	BRH1	Backrest with foldable pushandles, sin- gle bended crossbar, frame height 25cm +6cm with handle (31cm)	Option	£ 100.00		
0	BRH2	Backrest with foldable pushandles, sin- gle bended crossbar, frame height 30cm +6cm with handle (36cm)	Option	£ 100.00		
0	BRH3	Backrest with foldable pushandles, sin- gle bended crossbar, frame height 35cm +6cm with handle (41cm)	Option	£ 100.00	Backrest height non-extendable, for folding handles in the backrest frame.	U
0	BRH4	Backrest with foldable pushandles, dou- ble bended crossbar, frame height 25cm +6cm with handle (31cm)	Option	£ 100.00		
0	BRH5	Backrest with foldable pushandles, dou- ble bended crossbar, frame height 30cm +6cm with handle (36cm)	Option	£ 100.00		o l
	BRH6	Backrest with foldable pushandles, dou- ble bended crossbar, frame height 35cm +6cm with handle (41cm)	Option	£ 100.00	Backrest height non-extendable, for folding handles in the backrest frame. Crossbar curved, two radiuses	

FOO	TREST					1
0	FR1	Standard footrest	Standard	£ 0.00		
0	FR2	Reinforced footrest for track wheel	Option	£ 75,00	FRI	FR2



SIDE	SIDE PANELS						
0	SPI	Aluminium side panel, flat, swing away	Standard	£ 0.00			
0	SP2	Carbon side panel, flat, swing away	Option	£ 130.00			
0	SP3	Carbon fenders with radius/removable	Option	£ 180.00			
0	SP4	Side panel with armrest cushion	Option	£ 150.00 * available soon	4		

BRA	KES				
0	B1	Horizontal (left, right)	Option	£ 45,00	
0	B2	Horizontal Premium Lock-P (L+R)	Standard	£ 0.00	
\circ	B3	Horizontal Lock-A in aluminium	Option	£ 75.00	







FOR	KS							
	FI	Standard Light	Standard	£ 0.00		M		#
	F2	Jazz-Shock	Option	£ 330.00	FI	y f	F2	V V

FRO	NT WHEELS				
	FW1	Alucore - 4" 100x34 mm rim anodised, Silver coloured	Standard	£ 0.00	
	FW2	Alucore - 4" 100x34 mm rim anodised, black coloured	Standard	£ 0.00	
	FW3	Alucore - 5" 125x34 mm rim anodised, silver coloured	Option	£ 50.00	
	FW4	Alucore - 5" 125x34 mm rim anodised, black coloured	Option	£ 50.00	
	FW5	Tristar - 4" 100x34 mm rim anodised, silver coloured	Option	£ 50,00	FWI
	FW6	Tristar - 5" 125x34 mm rim anodised, silver coloured	Option	£ 50,00	Alucore - 4" 100x34 mm rim anodised, Silver coloured
	FW7	Lotus fibercore - 4" 100x34 mm rim plastic, black	Option	£ 55,00	
	FW8	Lotus fibercore - 5" 125x34 mm rim plastic, black	Option	£ 55,00	







FW4 Alucore - 5", 125 X 34 mm rim anodised, black



FW5 Tristar - 4" 100x34 mm rim anodised, silver



FW6 Tristar - 5" 125x34 mm rim anodised, silver



FW7 Lotus fibercore - 4" 100x34 mm rim plastic, black



plastic, black



REA	R WHEELS				
	RWI	DAYLITE - 24" x 1" wheel (Tyre: TI, T2, T3: Pushrim: PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)	Standard	£ 0.00	
0	RW2	SKYLITE - 24" x 1" wheel (Tyres: T1, T2, T3: Pushrim: PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)	Option	£ 220.00	
0	RW4	HURRICANE 24" x 1" Wheel (Tyres: T1, T2, T3: Pushrim: PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8)	Option	£ 410.00	
0	RW5	OFF ROAD 24" x 2" buddy wheel (Tyres: T4: Pushrim: PR2, PR7)	Option	£ 550.00	
	RW6	SMARTLITE 24" wheel	Option	£ 220.00	RWI DAYLITE 930S 24" wheel/2 pcs.











PUS	H RIMS				
0	PR1	Anodised aluminium, Black - coloured	Standard	£ 0.00	
	PR2	Anodised aluminium, Silver - coloured	Option	£ 0.00	
	PR3	Steel	Option	£ 70.00	
	PR4	Titanium	Option	£ 175,00	
	PR5	Tetra Optimum F	Option	£ 200.00	
	PR7	Tetra silicone, Black	Option	£ 85,00	
	PR8	Nova H	Option	£ 210.00	Ano

















TYRI	TYRES						
0	π	Speedlite 24" x 1"	Standard	£ 0.00	PREDLY		
0	T2	Gazelle 24" x 1"	Option	£ 50.00			
	Т3	Trailblazer 24" x 1"	Option	£ 80.00			
0	T4	Schwalbe Big Apple (only to be used with 24" Buddy)	Option	£ 0.00	TI Speedlite 24"		







QR A	QR AXLES						
0	QR1	Quick release axle / 2pcs	Standard	£ 0.00	41		
	QR2	Quick release tetra handle axle / 2pc	Option	£ 80.00	QRI		



OPTIONS						
	01	Anti-Tip Left	Option	£ 120.00	4	
	O2	Anti-Tip Right	Option	£ 120.00		
	O3	Tip-on Left	Option	*available soon		
0	04	Tip-on Right	Option	*available soon		

TRACK WHEEL				
0	STWA	Single arm track wheel Aluminium	Option	£ 399.00
0	DTWA	Double arm track wheel Aluminium	Option	£ 499.00
0	STWC	Single arm track wheel Carbon	Option	£ 499.00
	DTWC	Double arm track wheel Carbon	Option	£ 599.00





Your	notes
Your	notes

Technical Data will vary according to the frame dimensions chosen and the way the wheelchair is set up (front and rear wheels). The data in the table refers to a Seat Width of 40 cm and a Seat Depth of 42 cm. All measurements are in centimeters (cm) for distance and kilograms (kg) for weight, unless otherwise stated.