

Powerchairs Retail Prescription Form

Yes, you can:

Tel: 01656 776222 Fax: 01656 776220 Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

JUNE 2023 Customer Ref:

| Customer Ref* | Account No* |
|-------------------|-------------|
| Contact No* | Order No* |
| Delivery Address* | Order Qty* |
| | Order date* |

Storm 4-Xplore Recaro

Standard Features

- Max user weight 150kg (23.5 stone)
- 6 km/h, 10 km/h or 12 km/h
- Recaro powered, Including Headrest
- Seat Width 490mm 530mm (360mm seat)
- Seat Depth 460mm 510mm
- Fixed armrests adjustable in height 290mm 380mm
- Manually settable seat Tilt
- Angle adjustable legrest hangers (VARI F) with Fixed footplates
- LiNX REM110 Control with Standard Bracket
- Choice of 6 colours
- Puncture proof (sealed) drive wheels and front castors
- 73.5 Ah GEL batteries
- 8A (200 250V) Charger
- Lapbelt (adjustable both sides)

Standard Base price: £7,894



| Please make your selection with a cross in the box | O Free of charge standard feature POA special request | |
|--|---|--|
|--|---|--|

Customer weight = KG

| Code | Description | |
|-------------|---|----------|
| CHAIR TYPE* | | |
| ATE0017 | Storm 4 X-plore-Recaro | £7,894 |
| ATZ0017 | Storm 4 X-plore-RecaroSpecial Basic Model (Please provide details in special section) | POA |
| SEATING TYP | E* | |
| ATE1152 | Recaro Seat Unit | • |
| SEAT WIDTH* | | |
| AFT0370 | 490mm - 530mm | • |
| SEAT DEPTH | | |
| ATE0329 | 460mm - 510mm | • |

| SEAT TYPE* | | |
|--------------|---|----------|
| ATE0926 | Seat Mobility (Powered) upholstery fabric | £502 |
| ARMRESTS* | | |
| ATE0636 | Fixed Armrest 290mm - 380mm | • |
| ATE0690 | Without Armrests | O |
| ARMPADS* | | |
| ATE0647 | Short Armpad (325mm) | • |
| ATE0649 | Long Armpad (375mm) | O |
| HEADREST* | | |
| ATE1355 | Recaro Headrest | • |
| SEAT HEIGHT | AND SEAT RISER* | |
| ATE1023 | Fixed Seat Height 450mm | • |
| ATE1025 | Fixed Seat Height 480mm | 0 |
| ATE1040 | Electrical Seat Riser (440mm - 680mm) including adapter (mandatory for X-plore) | £1,156 |
| SEAT TILT* | | |
| ATE1002 | Manual Seat Tilt by spindle | • |
| ATE1014 | Electrical Tilt from 0° to 25° | £540 |
| PREPARED FO | R ELECTRICAL ADJUSTMENTS | |
| ATE1436 | Prepared for electrical Legrest & electrical adjustments | 0 |
| LEGREST FIXA | TION POSITION* | |
| ATE0591 | Position for seat cushion over 70mm thick | • |
| FOOTREST HA | NGER TYPE (PAIR)* | |
| ATE0503 | Vari F : Angle adjustable with tools 0° - 70°, length 290mm - 460mm | * |
| ATE0533 | Vari A : Angle adjustable with hand wheel 0° - 70°, length 290mm - 460mm | £210 |
| ATE0531 | ADE Powered : Angle adjustable powered by joystick, 0° - 80° length 290mm - 460mm | £600 |
| FOOTPLATE TY | /PE* | |
| ATE0512 | Fixed Footplate | • |
| ATE0504 | Angle Adjustable Footplate | £66 |
| ATE0513 | Angle and depth adjustable Footplate (Adapt) | £106 |
| CONTROLS* | | |
| ATE2201 | REM110 Drive only | • |
| ATE2203 | REM211 Drive & Actuators | O |
| ATE2204 | REM216 Drive, Actuators & Lights | £137 |
| ATE2205 | REM400, touch-screen Interface, built in Bluetooth HID | £305 |
| ATE2206 | REM500, without joystick for alternative access, built in Bluetooth HID | £695 |

| CONTROL BRA | ACKETRY* | |
|--------------|---|--------|
| AFT1207 | Standard Bracket RH | O |
| ATE1208 | Standard Bracket LH | O |
| ATE1707 | Swing Away RH | £119 |
| ATE1708 | Swing Away LH | £119 |
| ATE2213 | Centre mount swing away to RH Nucleus Bracket | £446 |
| ATE2214 | Centre mount swing away to LH Nucleus Bracket | £446 |
| ATE2227 | Bracket RH mounted for Attendant | O |
| ATE2228 | Bracket LH mounted for Attendant | 0 |
| ATZ2239 | Individual mounting option per (special) - Requires additional information / specification | POA |
| ATB2209 | REM500 Swing away RH multi-adjustable Bracket | O |
| ATB2210 | REM500 Swing away LH multi-adjustable Bracket | 0 |
| REM400 TOGG | SLE OPTION | |
| ATB2270 | Assignable Toggle Switch Module for REM400, (as default set to left ON / OFF, right speed dial) | £284 |
| DUAL CONTRO | DL | |
| ATE2220 | REM050 Dual Control (Please select user control and bracket) (Please select dual control bracket below) | £355 |
| ATE2219 | Compact Dual Control (DLX-ACU200) (Please select user control and bracket) (Please select dual control bracket below) | £355 |
| DUAL CONTRO | DL BRACKET | |
| ATE1207 | Dual Control Standard Bracket RH | O |
| ATE1208 | Dual Control Standard Bracket LH | O |
| INVACARE IDO | DUAL CONTROL | |
| ATE1645 | IDC Dual control (Please select IDC dual control bracket below) | £673 |
| INVACARE IDO | DUAL CONTROL BRACKET | |
| ATE1221 | IDC Dual control Detachable Bracket RH | 0 |
| ATE1222 | IDC Dual control Detachable Bracket LH | O |
| LINX COMPAC | TREMOTE | |
| ATE2231 | Proportional Compact Remote DLX-CR400 (Please also select Proportional Bracket) | £740 |
| ATE2232 | Proportional Compact Remote Low Force DLX-CR400LF (Please select Proportional Bracketry) | £990 |
| LINX COMPAC | T REMOTE BRACKET | |
| ATE2207 | Proportional Compact RH Mount Bracket | 0 |
| ATE2208 | Proportional Compact LH Mount Bracket | O |
| ATE2213 | Proportional Compact Centre Mount swing away to RH (Nucleus) | £446 |
| ATE2214 | Proportional Compact Centre Mount swing away to LH (Nucleus) | £446 |
| ATE2215 | Individual mounting option per request (Special) Requires additional information / specification | POA |
| CHIN CONTRO | DL | |
| ATE2229 | Chin Control (Requires Primary Remote REM400 or REM500) (Only in combination with Headrest 2125) (Please select chin control bracket below) | £1,787 |

| CHIN CONTRO | L BRACKET | |
|---------------|---|--------|
| ATE1289 | Chin Control Swing Away Bracket RH Manual | О |
| ATE1288 | Chin Control Swing Away Bracket LH Manual | O |
| ATE1287 | Chin Control Swing Away Bracket RH Powered | £2,251 |
| ATE1286 | Chin Control Swing Away Bracket LH Powered | £2,251 |
| FOUR-SWITCH | PROXIMITY ARRAY REMOTE | |
| ATZ2257 | Four-Switch Proximity Array (ASL106) | £5,938 |
| FOUR-SWITCH | PROXIMITY ARRAY BRACKETRY | |
| ATZ2275 | Centre Mount, swing-away to RH, Nucleus (includes Eclipse Tray ASL619, 360mm x 180mm) | £446 |
| ATZ2276 | Centre Mount, swing-away to LH, Nucleus (includes Eclipse Tray ASL619, 360mm x 180mm) | £446 |
| ATZ2215 | Individual mounting option per request (Special) Requires additional information / specification | POA |
| WIRELESS AC | CESSORIES FOR ATOM | |
| ZTE2249 | Wireless Triple Switch Receiver (ASL557-3) (Sub D plug) | £305 |
| ATE2250 | Wireless Mouse Emulator (ASL558) | £733 |
| LINX HEAVY D | UTY REMOTE | |
| ATZ2240 | Proportional Heavy Duty Remote Joystick with mode switch (ASL133) (Please also select LiNX Heavy Duty Bracketry) | £2,076 |
| LINX HEAVY D | UTY REMOTE BRACKET | |
| ATZ2235 | Tray Mount RH, (ASL603, 100mm x 150mm) | O |
| ATZ2236 | Tray Mount LH, (ASL603, 100mm x 150mm) | O |
| ATZ2213 | Centre Mount, swing away to RH, Nucleus | £446 |
| ATZ2214 | Centre Mount, swing away to LH, Nucleus | £446 |
| ATZ2241 | Centre Mount, swing away to RH, Nucleus (Inc Tray ASL603, 100mm x 150mm) | £446 |
| ATZ2242 | Centre Mount, swing away to LH, Nucleus (Inc Tray ASL603, 100mm x 150mm) | £446 |
| ATZ2215 | Individual mounting option per request (Special) Requires additional information / specification | POA |
| LINX 10-WAY S | SWITCH | |
| ATE2251 | 10-Way Switch DLX-SW10-A for direct Powered Seating Access (included loom to connect + additional jack for mode switch) | £453 |
| LINX 10-WAY S | SWITCH BRACKET | |
| ATE2217 | 10-Way Switch Bracket RH, Mounted for User | O |
| ATZ2218 | 10-Way Switch Bracket LH, Mounted for User | O |
| ATZ2227 | 10-Way Switch Bracket RH, Mounted for Attendant | £57 |
| ATZ2228 | 10-Way Switch Bracket LH, Mounted for Attendant | £57 |
| LINX ACCESSO | DRY | |
| ATE2252 | Loom providing jack sockets for Drive and Mode (includes connection for 10-way switch) | £90 |
| FURTHER LINX | COMPONENTS / ACCESSORIES | |
| ATE2300 | To be enclosed only | 0 |
| ATZ2301 | To be connected and programmed (special) | POA |

| BUDDY BUTTO | DNS | |
|--------------|---|------|
| ATE1685 | Red Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected) | £79 |
| ATE1686 | Yellow Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected) | £79 |
| ATE1687 | Green Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected) | £79 |
| ATE1690 | Blue Buddy Button (Accessory loom 2252 required if no REM400 or REM500 is selected) | £79 |
| EGG SWITCH | | |
| ATE2254 | Egg Switch, black (to be enclosed only (Accessory loom 2252 required if no REM400 or REM500 is selected | £79 |
| PIKO BUTTON | S ' | |
| ATE1711 | Red Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected) | £142 |
| ATE1712 | Yellow Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected) | £142 |
| ATE1713 | Green Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected) | £142 |
| ATE1714 | Orange Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected) | £142 |
| ATE1715 | Blue Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected) | £142 |
| ATE1716 | Black Piko Button (Accessory loom 2252 required if no REM400 or REM500 is selected) | £142 |
| TOGGLES / BU | ITTONS | |
| ATZ2261 | Stereo Toggle - direct control for Tilt only | £242 |
| ATZ2262 | Stereo Button - direct control for Tilt only | £230 |
| ATZ2263 | Four-Way Toggle - direct control for Tilt & Recline | £300 |
| ATZ2264 | Four-Way Button - direct control for Tilt & Recline | £321 |
| ATZ2207 | Toggle / Button RH Mount | 0 |
| ATZ2208 | Toggle / Button LH Mount | O |
| ATZ2225 | Without Mounting | O |
| BODYPOINT JO | OYSTICK KNOBS | |
| ATE2721 | 3" U-Shaped, Joystick Handle, Bodypoint PC101A | £65 |
| ATE2722 | 4" U-Shaped, Joystick Handle, Bodypoint PC102A | £65 |
| ATE2723 | Domed Rubber, Joystick Handle, Bodypoint PC107A | £65 |
| ATE2724 | Mushroom Grooved, Joystick Handle, Bodypoint PC110A | £65 |
| REMOTE STOP | SWITCH | |
| ATZ2258 | Remote Stop Switch (ASL504) | £942 |
| SHROUD COLO | DUR* | |
| ATE0202 | Blue | 0 |
| ATE0228 | Black | 0 |
| ATE0220 | Champagne | 0 |
| ATE0204 | Transparent Cherry Red | 0 |
| ATE0299 | Special Shroud Colour (RAL code required) | POA |
| CASTORS* | | |
| ATE0851 | 3.00 - 6 Grey Pneumatic | 0 |
| ATE0853 | 3.00 - 6 Grey Puncture Proof sealed | 0 |
| ATE0855 | 3.00 - 6 Grey Puncture Proof (solid inlay) | £97 |
| | | |

| DRIVE WHEEL | * | |
|--------------|---|----------|
| ATE0771 | 3.00 - 8 Grey Pneumatic | O |
| ATE0773 | 3.00 - 8 Grey Puncture Proof(sealed) | 0 |
| ATE0750 | 3.00 - 8 Grey Puncture Proof (solid inlay) | £97 |
| MOTOR TYPE* | * | |
| ATE1277 | 6 km/h (4 mph) | O |
| ATE1908 | 10 km/h (6mph) (includes LED lights system with indicators) | £464 |
| ATE1909 | 12 km/h (8mph) (includes LED light system with indicators) (G-Trac recommended) | £464 |
| BATTERY* | | |
| ATE1364 | 73.5 Ah (GEL) | • |
| REAR SUSPEN | | |
| ATE1233 | Hitec spring X-plore | |
| FRONT SUSPE | | |
| ATE1238 | Front suspension (suggested for up to 100kg) | 0 |
| ATE1239 | Front suspension (suggested for above 100kg) | O |
| CHARGER* | 0.1101 01 01 01 01 01 01 | |
| ATE1343 | OptiCharge Charger 8A (200 - 250V) | • |
| AFT1313 | OptiCharge Charger 10A (200 - 250V) Charging time will be 20% faster | £137 |
| LIGHTS* | | |
| ATE1437 | LED Light system with indicators (included with 10 km/h & 12 km/h motor) | 0 |
| ATE1254 | Without Light system | O |
| ANTI-TIPPERS | * | |
| ATE1205 | Anti-tipper (standard version) | • |
| KERB-RIDER | | |
| ATE1244 | Kerb climber assembly | £190 |
| TRANSPORTA | TION KIT* | |
| ATE1450 | Preparation for DAHL-Docking station, (Adequate headrest is compulsory, see options below) | £366 |
| ATE1494 | 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory). | * |
| LAP BELT* | | |
| ATE1329 | Lapbelt (adjustable both sides) fitted to base of backrest | 0 |
| ATE1332 | H-Belt | £68 |
| REAR VIEW MI | IRROR | |
| ATE1415 | Rear view Mirror RH - Must be selected with 10 km/h & 12 km/h Motor | £38 |
| ATE1339 | Rear view Mirror LH - Must be selected with 10 km/h & 12 km/h Motor | £38 |
| CANE HOLDER | R | |
| ATE1312 | Cane holder RH (In combination with Attendant bracket or Dual control the cane holder has to be mounted on the opposite side of the remote) | £38 |
| ATE1363 | Cane holder LH (In combination with Attendant bracket or Dual control the cane holder has to be mounted on the opposite side of the remote) | £38 |
| FENDER | | |
| ATE1416 | Fender for front castors | £108 |
| ATE1417 | Fender for rear / drive wheels | £108 |
| | 1 | |

| TRAY | | |
|---------|--|------|
| ATE1404 | Swing away RH, Select opposite side to user remote | £315 |
| ATE1405 | Swing away LH ,Select opposite side to user remote | £315 |
| L | | |

Customer Ref:
Order Number:

TOTAL PRICE

Non Conforming Options:



For a more complex customer requirement please refer to our Invacare Unique special order form. email specialsuk@invacare.com or Fax: 01656 776220

| Special Instructions Please supply the following information: | |
|---|----------|
| Name: | Email: |
| Phone: | Fax: |
| Description of special request (please include relavent option code or part | number): |