

KRY01

KRYPTON F



Part No.	77 100 001		USER WEIGHT	ka
Reimburseme	nt code:		Max. user weight:	110 kg
□ Order □	Calculation □ Built 4 me (longer le	adtime)	• = Standard	□ = Cost option○ = No cost option
Purchase order: Number required:			Sunrise order no:	
Order date:			Marked for:	
Tel:	Fax:		Tel:	Fax:
E-Mail:			E-Mail:	
Town:	Postal code:		Town:	Postal code:
Street:			Street:	
Name:		\Box (ϵ	Name:	
Deliver to:			Deliver to:	

Base Price £3,995

KRYPTON F: STANDARD CONFIGURATION

KRYPTON F

Base specification includes:

- · Composite footplate
- · Aluminium backrest
- Composite side guards
- Exo back upholstery with option of colour binding tape
- · Colour option of carbotecture fork
- · Anodised rear wheels



Mandatory information to ensure correct configuration



CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - in mm; measured from outside frame tube to outside frame tube

320	340	360	380	400	420	440	460
0	0	0	0	0	0	0	0

SEAT DEPTH SELECTION - in mm

340	360	380	400	420	440	460	480
0	0	0	0	0	0	0	0

FRONT SEAT HEIGHT SELECTION - in dependance of front castors, forks and frame versions

The high frame is 40 mm higher than the low frame.

Front seat height in mm

r	Fauls (lawastla)	F.,,,,,,,	_	seat		_		400	400		-40			- 40	
\vdash	Fork (length)	Frame:	430	440	450	460	470	480	490	500	510	520	530	540	550
	111 mm	<u> </u>	0	0	0										
	123 mm	low			0	0	0								
	Frog Leg						0	0							
3"	One Arm		0	0	0										
ľ	111 mm						0	0	0						
	123 mm	high							0	0	0				
	Frog Leg	Illigii									0	0			
	One Arm	1					0	0	0						
	111 mm			0	0	0	0								
	123 mm				0	0	0	0							
4"	Frog Leg	low					0	0	0						
	One Arm	1		0	0	0	0								
	111 mm							0	0	0	0				
	123 mm	1							0	0	0	0			
	Frog Leg	high									0	0	0		
	One Arm	1						0	0	0	0				
	111 mm					0	0	0							
	123 mm	_					0	0	0						
	Frog Leg	low						0	0	0					
	One Arm	1				0	0	0							
5"	111 mm					_				0	0	0			
	123 mm	†									0	0	0		
-	Frog Leg	high										0	0	0	
	One Arm									0	0	0			
6"	123 mm	high								J		0	0	0	0
0	123 111111	ılığıı)))	U

REAR SEAT HEIGHT SELECTION - in dependance of rear wheel size

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

Rear seat height in mm

Rear Wheels	370	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	0	0	0	0	0	0	0	0	0	0	0	0	O ⁽¹⁾	
25"		0	0	0	0	0	0	0	0	0	0	0	0	O ⁽¹⁾

1): Only with lightweight COG adapter (KRF070701)

			£
		SEAT UPHOLSTERIES AND CUSHIONS	
Seat sling			
KRF020002	•	Seat sling, nylon, tension adjustable, 1 utility bag	
KRF020003		Seat sling, nylon, tension adjustable, 2 utility bags (from SW 340 mm)	131
KRF020004		Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (from SW 340 mm)	131
KRF020000	0	Without seat sling	
Seat cushi	on, c	over with zipper, black	
Foam (med	ium-s	soft) Thickness: <i>KRF020101</i> □ 30 mm <i>KRF020102</i> □ 50 mm	80
Latex (very	soft)	Thickness: KRF020103 □ 50 mm	80
Seat acces	sorie	es	
KRF090018		Lap belt with buckle, metal (only with Aluminium backrest)	51
KRF020050		Additional padding for seat upholstery, removable	34
JAY Cushi	ons -	for complete product range see Jay order forms	
JAY020002		JAY Basic	69
JAY020003		JAY Soft Combi P	98
JAY020001		JAY Easy Visco, Curved Base	167
JAY020004		JAY Lite	272
JAY020007		JAY Easy Fluid, Curved Base	389
		DACKDECT	
		BACKREST	
	ck he	Arest 250 - 300 300 - 350 350 - 400 400 - 450 450 - 475 ght factory setting (mm). O 250 O 300 O 350 O 400 O 450 ints of in total 50 mm possible. O 275 O 325 O 375 O 425 O 475 O 300 O 350 O 400 O 450	
		ckrest (1) (L) □ 250 □ 275 □ 300 □ 325 n height adjustable □ 350 □ 375 □ 400 □ 425	281
KRF030012	•	Backrest, angle-adjustable (75° to 103°)	
KRF030031		Backrest, fold-down (to the front) (2) (+) (from back height 325 mm, fixed back height, not adjustable)	131
Pushhandl	es		
KRF030200	0	Omit push handles (L)	
KRF030203		Push handles, fold-down (from back height 325 mm, 400mm upwards with angle adjustable)	131
KRF030201		Push handles long	131
KRF030205		Push handles, height-adj. for Jay backs (+) (from back height 325 mm, only with aluminium backrest)	262
KRF030204		Push handles, height-adjustable (+) (from back height 325 mm, only with aluminium backrest)	262
Backrest u	phol		
KRF030005	0	EXO superlight, backrest sling, synthetic fibre, padded, adjustable, black (Evo Exo Version) (L) Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	
KRF030316	0	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version)	
		Colour, binding tape: ● Black O Orange O Silver O Red O Blue	
KRF030317		EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (Evo Exo Version) Colour, binding tape: Black O Orange O Silver O Red O Blue	178
KRF030300	0	Without backrest upholstery	
Accessorie	s for	backrest	
KRF030402		Stabilising bar, automatic folding (+) (only available from SW 380mm; not with carbon fibre backrest)	171
(1):	Not	with Jay J3 backs	
(2):		with Aluminium backrest, not with height adj. push handles, not with JAY backs; in combination with	
		h handles fold-down only from backrest height 400 mm upwards; please see Folding Matrix on back pages	
	(L)=	lightest option (+)= adds 500 g or more to the wheelchair-weight	

			£
		JAY 3 BACKS AND ACCESSORIES - only with Aluminium Backrest (+)	
Jay 3 Back	- Sha	llow Contour	
Mid Thoracio	o:	□ JAY030010 Medium - 340 mm □ JAY030033 Tall - 380 mm	640
Upper Thora	acic:	□ JAY030012 Short - 420 mm □ JAY030019 Medium - 460 mm □ JAY030025 Tall - 500 mm	724
Jay 3 Back	- Mid	Contour	
Mid Thoracio	o:	☐ JAY030011 Medium - 340 mm ☐ JAY030018 Tall - 380 mm	640
Upper Thora	acic:	□ JAY030013 Short - 420 mm □ JAY030020 Medium - 460 mm □ JAY030026 Tall - 500 mm	724
-		ck - Shallow Contour	
Lower Thora	acic:	□ JAY060001 Short - 170 mm □ JAY060002 Tall - 240 mm	766
Mid Thoration	:	□ JAY060003 Short - 300 mm □ JAY060004 Tall - 380 mm	766
	_		
		JAY J3 backs	
WHT030415		Whitmyer Headrest, COBRA XTRA, flip back (only with Jay 3 backs)	322
WHT030416		Whitmyer Headrest, AXYS, Standard (only with Jay 3 backs)	175
JAY090058		JAY Accessory bag (only with Jay 3 Carbon backs)	64
		ADMPECTS AND SIDECHARDS	
Cidoquardo		ARMRESTS AND SIDEGUARDS	
Sideguards KRF040107		Sideguard, composite, removable, 21 cm high (31 cm long), black	
KRF040101	0		244
KRF040101		Sideguard, carbon fibre, slim, black Sideguard, carbon fibre, fender, cold weather protection, black	348
KRF040104 KRF040102		Sideguard, carbon libre, render, cold weather protection, black Sideguard, aluminium, cold weather protection (colour: black, matt)	194
KRF040102 KRF040103		Sideguard, aluminium, cold weather protection (colour: black, matt) Sideguard, aluminium, fender, cold weather protection (colour: black, matt)	266
		Sideguard, aluminidim, render, cold weather protection (colodi. black, matt)	
Armrests KRF040052		Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable (+)	223
KRF040032 KRF040117		Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable (+) Tubular armrest, Aluminium, swing away (sideways), padded, removable (not with carbon backrest) (+)	223
7010 040777		Tubulal affilest, Aluminium, swing away (Sideways), padded, femovable (not with carbon backlest) (*)	223
		FOOTBOARDS	
KRF050131	0	Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black	
KRF050059		Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap (1)	268
KRF050132		Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	370
		Footboard, auto-folding	
KRF050027		Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adj., calf strap, black (1)	370
KRF050028		Footboard, platform, lightweight, plastic, auto-folding, angle & depth-adjustable, calf strap, black (1)	304
		Accessories for footboards	
KRF050127		Adjustable side protection, to create a side-stop on the footboard (2)	25
		LOWER LEG LENGTH (LLL) Attention: LLL has to be 30 mm less than seat height front; all measurements in mm	ı
		· ·	
	0	360 O 370 O 380 O 390 O 400 O 410 O 420 O 430	
	0	440 0 450 0 460 0 470 0 480 0 490 0 500	
		FRAME VERSIONS	
		Frame angle	
KRF010012	•	Frame FF 100 ° (integrated footrest) (UK 80 °) Inset slight (10 mm)	
KRF010013		Frame FF 92 ° (integrated footrest), performance (UK 88 °) Inset slight (10 mm)	141
		Castor position (see explanation on back pages)	
KRF010301	•	Castor house position wide	
KRF010302	0	Castor house position narrow	
(1):		with SW 320 mm	
(2):	-	r for footboard, platform lightweight or Performance	
Í	(L)=	lightest option (+)= adds 500g or more to the wheelchair-weight	

			£
		CENTRE OF GRAVITY (COG) ADAPTER (4= very passive 13= very active)	
KRF070703	Ada	apter, standard O 2 O 3 O 4 O 5 O 6	
		0 7 0 8 0 9 0 10	
KRF070701	Ada	apter, lightweight <i>(1) (L)</i> O 5 O 6 O 7 O 9 O 10 O 11	
KRF010412		Axle plate, aluminium, shortened (max. adjustment 1 cm), colour: black, matt (L)	221
KRF010411	0	Axle plate, aluminium, long (full adjustment), colour: black, matt	
		FRAME ACCESSORIES (choose either tip assit or anti-tip tubes per side)	
KRF090016	•	Frame protection, black (textile, with velcro)	
KRF090577		Frame protection,Plastic, glued to the frame, black	65
		Anti-tip tubes, swing-away	
KRF090004	0	Left KRF090005 O Right (+)	
KRF090006		Pair (+) (not in combination with tip assist)	213
KRF090050		Anti-tip tubes, plug-in, pair (+)	88
		Thin up taboo, play iii, pair (-)	
		Tip assist	
KRF090001		Left KRF090002 □ Right	34
KRF090003			68
			81
KRF090009		Crutch holder, loop (only in combination with tip assist)	-
KRF090010		Transit wheels (+)	234
		FORKS	
WD5000040		FORKS	
KRF080013	0	Castor fork, Carbotecture ®, 111 mm (L)	
Colour:	•	Black O Silver O Orange O Red (2) O Blue (2)	
KRF080029	0	Castor fork, Aluminium, 123 mm	
Colour:	•	Black O Silver O Orange	
KRF080008		Castor fork, aluminium, one-arm (only with 4" & 5" Alu soft, Alu solid)	204
Colour:	•	Black ○ Silver ○ Orange ○ Red □ Blue	
KRF080007		Castor fork, aluminium, suspension (Frog Legs ®), black (+)	342
		CASTORS	
KRF080306	0	Castor, solid (soft), rim: aluminium (only 4" & 5")	
Colour:	•	Silver O Black O Orange O Red O Blue	
KRF080304	0	Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4" & 5")	
KRF080301		Castor, solid (hard), rim: composite, black (not with one-arm fork)	96
KRF080302		Castor, solid (soft), rim: composite, black (not with one-arm fork, only 5" & 6")	96
		REAR WHEELS	
KRF070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (std: black rim/hub, colour options on last page)	
KRF070004		Rear wheel, Proton, 24 spokes (black), straight spokes (L) (user weight limit 100 kg)	262
KRF070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	529
KRF070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	815
KRF070000	0	Without rear wheel	
		Axle	
KRF070150	•	Quick-release axle	
KRF070151		Quick-release axle, designed for quads (3)	65
		, , , , , , , , , , , , , , , , , , , ,	
		TYRES (choose only one tyre type)	
KRF070107	0	Tyre, pneumatic, slick, Schwalbe One (L)	
KRF070102	0	Tyre, puncture proof, tread (+)	
KRF070102 KRF070104			105
KRF070101		Tyre, pneumatic, fine profile, Schwalbe Right Run (not in 25") (2): Not with Spinorgy wheels	131
(1): (2):	-	with 0° wheel camber (3): Not with Spinergy wheels	
(2):		and blue only in combination with soft castors	
	(L)=	lightest option (+)= adds 500g or more to the wheelchair-weight	

				Γ	£
		HANDRIMS			
KRF070201	0	Handrims, aluminium, powder-coated, clear	(L)		
KRF070202	0	Handrims, aluminium, anodised, silver	(L)		
KRF070203		Handrims, aluminium, powder-coated, coloured	(L)	(select colour on back page, charged once)	
KRF070212		Handrims, Ellipse 3R, black	(+)	(ergonomic handrims with rubber-strip)	215
KRF070204		Handrims, stainless steel, silver	(+)		119
KRF070205		Handrims, titanium, untreated			224
KRF070206		Handrims, titanium, powder-coated, clear			224
KRF070207		Handrims, Supergrip ®	(+)		268
KRF070208		Handrims, Maxgrepp ®	(+)	(only 24")	268
KRF070250		Handrim cover, rubber		(only 24", not with Surge)	109
		Hand rim mounting			
KRF070317	•	Handrim mount, narrow (17 mm)			
KRF070307	0	Handrim mount, super narrow (7 mm)		(only with stainless steel and Surge)	
KRF070327	0	Handrim mount, wide (27 mm)			
		WHEEL CAMBER		(choose only one option)	
KRF070600	0	0°			
KRF070602	0	2°		(not with COG Adapter, lightweight)	
KRF070604	0	4°		(not with COG Adapter, lightweight)	
		WHEEL LOCKS		(choose on	ly one option)
KRF060003	0	Compact brake			
KRF060001	0	Standard brake			
KRF060004		Compact brake, lightweight (1)	(L)		174
KRF060002		Knee-lever brake			65
KRF060010		Brake lever extension, knee-lever brake, fold-down			46
		ACCESSORIES			
KRF090000	•	Tool kit			
KRF090024	•	High pressure pump (0 - 11 bar)			
KRF090025		Air pump			26
KRF090026		Mobile phone pocket			65
KRF090030		Back pack			92
(1):	not	available with 4° camber; not with seat depth 34 cm; adjustment of Co	G ±/, approv. 2.5 cm in the	field	
(1):		lightest option (+)= adds 500g or more to the wheelchair-weight	G +/- approx. 2.5 cm m the	neru	

	COLOURS FOR HANDRIMS		
	Handrim (2)	Handrim (2)	
	£73	£73	
02 Brilliant Silver		27 Graphite metallic □	
03 Silver Matt		29 Black □	
06 Sun Yellow		31 Matt Black □	
14 Blue		32 Signal White □	
15 Brilliant Marine	e 🗆	33 Pink □	
16 Matt Marine		34 Dark Chocolate Metallic □	
19 Brilliant Purple		35 Skyblue □	
21 Red Ruby		36 Cyan-Metallic □	
22 Brilliant Red		37 Marsred (Orange) □	
23 Matt Red		40 Kiwi □	
24 Tutti Frutti Ora	ange \square	41 Flamingo-Glitter □	
46 Mamba Green		42 Matt-Anthracite □	
	FRAME-COLOURS (Not including axle o	r backrest)	
KRF100139 O	······································		
KRF100137 O	1 ,3		
KRF100138 O	1 /		
KRF100122 O	(0)		
KRF100123 O	Matt black		
	EDAME CDADUICS "Elving Divol" (
KRF100590 □	FRAME-GRAPHICS "Flying Pixel" (scrate Frame graphics Flying Pixel, silver	ch resistant, non-removeable)	£65.00
KRF100590			£65.00
KRF100591			£65.00
KKF100592	Traine graphics r lying Fixer, blue		203.00
	COLOUR STICKERS "QUICKIE" and "k	Crypton" (3)	
KRF100550 O		ickie" on sideguard will be silver in combination with carbon sideg	uards)
	Silver		
	Orange		
	Red		
	Blue		
	_		J
	COLOURS FOR LIGHTWEIGHT WHEELS	S 24"	
KRF100336 O		(4)	
KRF100337 O	Rear wheel, lightweight anodized, blue	(4)	
KRF100338 O	Rear wheel, lightweight anodized, red	(4)	
			•
Comments fo	r special build - please apply for a quote; lead ti	ime conditions my change.	
		buil	t <mark>4</mark> me
Krypton F -	Base Price		£3,995
Option pric			
Total Price			
			I.
(2) Handrim: only	with handrim colour powder coated.		
1	sible when frame graphics "Flying Pixel" are chosen.		
1	ightweight wheel, Hub and rim anodized, black spokes		

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° knee angle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground .

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 130 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height

and it can therefore differ considerably


Back angle: Important: The back height depends on the degree of disability.

 0° is the angle 90° to the seat. Negative angles are < 90°

and positive angles are >90°.

Low Seat Frame vs. High Seat Frame:

The high frame is 40 mm higher than the low frame. So you can choose shorter and lighter forks to minimise the weight of your wheelchair.



Technical Data Overview:

24" rear wheel Max. overall width: 25" rear wheel Max. overall height: 950 mm camber Max. overall length: 930 mm For 0° camber: SW + 170 mm SW + 170 mm Max. turning circle: 700 mm For 2°camber: SW + 210 mm SW + 220 mm Max. safe slope: For 4° camber: SW + 260 mm SW + 270 mm

Wheelchair weight: from 8.3 kg
Dismantled weight: from 5.8 kg
Weight of heaviest part: 2.1 kg

All changes in the configuration might change the seat heights.

Manufacturing tolerances are +/- 10 mm for all measurements.

WEIGHT

We want to be very transparent on weight. The following information will be a guide to the lightest possible Krypton F: how to achieve a 8.3 kg folding-wheelchair, and how to order the lightest possible configuration for your Krypton F

Krypton F: 8.3 kg configuration (Transport weight: 5.8 kg)

Frame: high frame, 92°, 10mm inset, seat width: 360 mm, seat depth: 400mm. Seat height: front 470 mm, rear 420 mm.
Axle-stems cut-to-length (KRF010412), COG Adapter lightweight (KRF070701)

Wheel-lock: lightweight compact wheel-lock

Footrest: Footboard, platform, performance



Backrest: Carbon backrest, EXO superlight, without pushhandles

Sideguards: Carbon fibre, slimstyle

Rear wheels: 24" Proton wheels with Aluminium handrims (coated or anodized) and Schwalbe One tyres

Forks and casters: 111 mm carbotecture fork, 3" caster

performance

Please mind that there is a 5% tolerance on all weight specifications due to weight deviations on mounting parts (tyres, castor-wheels etc.)

LIGHTWEIGHT-GUIDE FOR ORDERING THE KRYPTON F

Sunrise Medical offers a wide variety of options for the Krypton F to suit every user's needs. However, most options add significant weight to the wheelchair. To make this more transparent when filling in the order-form, and to assist you in ordering the lightest possible wheelchair, we indicate the approximate weight-increase of the options on the order form:

- (L) indicates the lightest possible option within the range of options
- (+) indicates that this option adds more than 500 g to the wheelchair's weight compared to the lightest option within the range

LIGHTWEIGHT OPTIONS FOR THE KRYPTON F

We developed several options for the Krypton F to save weight on the chair without sacrificing daily-use suitability, comfort or durability



Carbon fibre backrest: carbon backrest tubes. Fixed height. (-160 g compared to aluminium backrest)



Axle-stems cut-to-length (KRF010412): specifically cut to your seat-height. Upwards adjustment limited (only +1 cm) (-200 g for rear seat height 430 mm compared to full-length axle-stem)



EXO superlight (KRF030005): lightweight version of the EXO backrest upholstery. EVA-foam padding, adjustable straps, wider cut of the upholstery to cover backrest tubes (-160 g compared to Std. EXO backrestupholstery)



CoG Adapter, lightweight (KRF070701): (only 0° camber) (-260 g compared to CoG Adapter Standard)

BACKREST

Folding-Matrix for KRF030031 Backrest, fold-down to the front.

Back height

Seat width



	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38	Х	✓	✓	✓	✓	✓	✓
40	Х	Х	✓	✓	✓	✓	✓
42	Х	Х	X	✓	✓	✓	✓
44	Х	X	X	✓	✓	✓	✓
46	Х	Х	Х	X	✓	✓	✓
48	х	Х	X	Х	X	✓	✓
50	Х	X	Х	X	X	X	✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can´t be folded full 90° to the front on folded chair



=can't be folded more than 45°



KRF030201 Push handles long



KRF030203 Push handles, fold-down



KRF030204 Push handles, height-adjustable



KRF030316 EXO backrest sling



KRF030317 EXO PRO backrest sling



KRF030005 EXO superlight backrest sling

FOOTBOARDS



KRF050132 Footboard platform, lightweight, carbon



KRF050059 Footboard platform, performance



KRF050027 Footboard platform, lightweight, carbon fibre, auto folding



KRF050127 Adjustable side protection

SIDEGUARD & ARMREST



KRF040101 Slim style sideguard



KRF040104 Carbon fibre, cold weather protection, fender



KRF040107 Sideguard, composite, removable (black)




KRF040117 Tubular armrest, swing away, removable, padded



KRF040052 Single-post sideguard, armpad (33 cm)

FRAME VERSIONS: CASTOR HOUSE POSITIONS


Position wide:






Further to the front and wider position of the castors for optimised rolling resistance and improved front-stability

Position narrow:





20 mm further rearwards and 20 mm per side more narrow position of the castors for a more narrow front-end and improved manoeuverability in tight spaces



KRF010301 Castor house position wide



KRF010302 Castor house position narrow



FRAME ACCESSORIES



KRF090001 Tip assist



KRF090004 Anti-tip tubes SA



KRF090010 Transit Wheels



Quickie style anti tip tubes pluggable



KRF090010 Frame protection,Plastic, glued to the frame, black



KRF070703 CoG Adapter, Standard



KRF070701 CoG Adapter, lightweight

FORKS



KRF080013 & KRF080306 Castor fork, Carbotecture & Castor solid (soft) aluminum



KRF080008 Castor fork, aluminum, one-arm, red

REAR WHEELS & HANDRIMS



KRF070001 Universal wheel



KRF070002 Design wheel



KRF070003 Lightweight wheel



KRF070004 Proton wheel



KRF070212 Handrims Ellipse 3R



KRF070208 Handrims Maxgrepp

TYRES



KRF070101 Schwalbe Right Run



KRF070107 Schwalbe One



KRF070104 Schwalbe Marathon Plus



KRF070102 Tyre, puncture proof

WHEEL LOCKS



KRF060001 Standard brake



KRF060002 Knee lever brake




KRF060003 Compact brake



KRF060004 LIghtweight Compact brake

FRAME COLOURS



- Transparent, gloss Transparent, matt Black, gloss Black, matt

FRAME GRAPHIC "FLYING PIXELS"



From left to right:

- Frame graphics Flying Pixel, red Frame graphics Flying Pixel, silver Frame graphics Flying Pixel, blue

24 " LIGHT WEIGHT WHEEL COLOURS



KRF100336 Lightweight wheel, anodized orange



KRF100337 Lightweight wheel, anodized blue



KRF100338 Lightweight wheel, anodized red