	JNRIS E DICA	Е L.									E
Deliver to: Name: Street: Town: E-Mail: Tel:		Posta Fax:	al code:		Invo Nam Strea Tow E-Ma Tel:	et: n:		Post Fax:	al code:		
Order date: Purchase order: Number require						ked for: rise order n	0:				
 Order Part no: 0 PQR01 CE 		ulation	- Built	4 me	○ = Nc	USER W Mandatory inf	er weight:	= Standard ure correct conf □ £1,0	iguration	= Cost op 140 kç	
SEA	T WIDTH S				FS (all mea e frame tube t			shion)			
30 cm ○	32 cm 0	34 cm ○	36 cm ○	38 cm 0	40 cm O	42 cm ○	44 cm O Includes opt User weight		48 cm ○ 0602:	50 cm O	
SEA	T DEPTH S 34 cm	ELECTION 36 cm	1 38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm]	
	0	0	0	0	0	0	0	0	0]	

(1) Max user weight 140kg only with option NSW010602 or with SW 44-50cl Standard maximum user weight: 120kg.

| rame
Std | Fork (length
111 mm
123 mm* (1) | 35

 | | | | | | m
 | | |
 | | | | | | | |
 | | | | | - |
|-------------|---------------------------------------
--
--
---|---|---|---|--|--
--|--|--
--
---|--|---|--|--|--|--|--|--
---|--|--|--|--|
| Std | |

 | | 37 | 38 | 39 | 40 |
 | 42 | 43 | 44
 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52
 | 53 | 54 | 55 | 56 | 57 |
| Std | 123 mm* (1) |

 | | | | | |
 | 0 | 0 | 0
 | 0 | 0 | | | | | |
 | | | | | |
| Std | (.) |

 | | | | | |
 | | | 0
 | 0 | 0 | 0 | | | | |
 | | | | | |
| | 138 mm (1) |

 | | | | | | | |
 | | |
 | 0 | 0 | 0 | 0 | | | |
 | | | | | |
| | 174 mm (1) |

 | | | | | |
 | | |
 | | | | 0 | 0 | 0 | 0 | 0
 | | | | | |
| | One Arm (1) |

 | | | | | |
 | 0 | 0 | 0
 | 0 | 0 | | | | | |
 | | | | | |
| | 111 mm* (1) | 0

 | 0 | 0 | | | | | |
 | | |
 | | | | | | | |
 | | | | | |
| lemi | 138 mm* (1) |

 | 0 | 0 | 0 | 0 | | | |
 | | |
 | | | | | | | |
 | | | | | |
| | |

 | | | | 0 | 0 | 0
 | 0 | | | | | | |
 | | | | | | | |
 | | | | | |
| | |

 | | | | | |
 | | 0 | 0
 | | | | | | | |
 | | | | | |
| | . , |

 | | | | | | | |
 | | |
 | 0 | | | | | | |
 | | | | | |
| Std | |

 | | | | | | | |
 | | |
 | | 0 | 0 | | | | - |
 | - | | | | |
| | . , |

 | | | | | |
 | | <u> </u> | ~
 | | | <u> </u> | 0 | 0 | 0 | 0 | 0
 | 0 | | | | |
| | () |

 | | ~ | ~ | | |
 | | 0 | 0
 | 0 | 0 | 0 | | | | |
 | | | | | |
| lars! | . , | 0

 | 0 | | | | | | |
 | | |
 | | | | | | | |
 | | | | | |
| iemi | . , |

 | | 0 | 0 | | |
 | | 0 | \sim
 | | | | | | | |
 | | | | | |
| | () |

 | | | | 0 | 0 | 0
 | 0 | 0 | 0
 | | \sim | 0 | 0 | \sim | | |
 | | | | | |
| | |

 | _ | | | | | | |
 | | |
 | _ | | | | | | |
 | | | | | |
| Std | |

 | | | _ | | | | |
 | | |
 | | 0 | | | | 0 | 0 |
 | | | | | |
| Siu | . , |

 | | | | | |
 | | |
 | | | 0 | 0 | | | | 0
 | 0 | 0 | _ | _ | |
| | |

 | | | | | | | |
 | | |
 | | 0 | 0 | 0 | | | 0 |
 | 0 | | _ | | |
| | |

 | | 0 | 0 | 0 | 0 | | |
 | | |
 | | 0 | 0 | 0 | 0 | | |
 | | | | | |
| lemi | . , |

 | | 0 | | | | 0
 | 0 | | | | | | |
 | | | | | | | |
 | | | | | |
| | . , |

 | | | <u> </u> | 0 | |
 | | 0 | 0
 | 0 | | | | | | |
 | | | | | |
| | ., |

 | | | | | - | -
 | _ | - | -
 | - | | | 0 | 0 | | |
 | | | | | |
| | |

 | | | | | | | |
 | | |
 | | | | | | 0 | |
 | | | | | |
| Std | . , |

 | | | | | |
 | | |
 | | | | 0 | 0 | 0 | 0 | 0
 | | | | | |
| | . , |

 | | | | | |
 | | |
 | | | | | | 0 | 0 | 0
 | 0 | 0 | 0 | | |
| | One Arm (1) |

 | | | | | | | |
 | | |
 | | | | 0 | 0 | | |
 | | | | | |
| | 111 mm* (1) |

 | | | | 0 | 0 | | |
 | | |
 | | | | | | | |
 | | | | | |
| lemi | 138 mm* (1) |

 | | | | 0 | 0 | 0
 | 0 | 0 | | | | | |
 | | | | | | | |
 | | | | | |
| | 174 mm* (1) |

 | | | | | | 0
 | 0 | 0 | 0
 | 0 | 0 | | | | | |
 | | | | | |
| | 123 mm* (1) |

 | | | | | | | |
 | | |
 | | | | | | 0 | 0 |
 | | | | | |
| | 138 mm (1) |

 | | | | | |
 | | |
 | | | | | | | 0 | 0
 | 0 | | | | |
| | 174 mm (1) |

 | | | | | |
 | | |
 | | | | | | | | 0
 | 0 | 0 | 0 | 0 | C |
| lemi | 174 mm* (1) |

 | | | | | |
 | | 0 | 0
 | 0 | 0 | 0 | 0 | | | | | | | | | | | | | | | | | | | | | |
 | | | | | |
| | emi
etd | 174 mm* (1) 111 mm 123 mm* (1) 138 mm (1) 174 mm (1) 0ne Arm (1) 174 mm* (1) 0ne Arm (1) 174 mm* (1) 138 mm* (1) 174 mm* (1) <t< th=""><th>174 mm* (1) 111 mm 123 mm* (1) 123 mm* (1) 138 mm (1) 174 mm (1) 174 mm (1) 138 mm (1) 174 mm (1) 0ne Arm (1) 174 mm* (1) 174 mm* (1) 0ne Arm (1) 138 mm* (1) 138 mm* (1) 174 mm* (1) 174 mm* (1) 173 mm* (1) 138 mm* (1) 1</th><th>174 mm* (1) 1 111 mm 1 123 mm* (1) 1 138 mm (1) 1 174 mm (1) 1 174 mm (1) 1 174 mm (1) 1 174 mm (1) 0 0ne Arm (1) 0 111 mm* (1) 0 138 mm* (1) 1 174 mm* (1) 1 138 mm* (1) 1 138 mm* (1) 1 174 mm* (1) 1 138 mm* (</th><th>174 mm* (1) Image: state of the symmetry of the</th><th>174 mm* (1) 1 1 111 mm 123 mm* (1) 1 123 mm* (1) 1 1 138 mm (1) 1 1 174 mm (1) 1 1 138 mm (1) 1 1 174 mm (1) 1 1 138 mm (1) 1 1 174 mm (1) 0 0 111 mm* (1) 0 0 138 mm* (1) 0 0 138 mm* (1) 1 1 123 mm* (1) 1 1 123 mm* (1) 1 1 138 mm (1) 1 1 138 mm (1) 1 0 138 mm* (1) 0 0 138 mm* (1) 0 0 138 mm* (1) 1 0 138 mm (1) 1 1 138 mm* (1) 1 1 138 mm* (1) 1 1 138 mm* (1)</th><th>174 mm* (1) Image: state of the system 111 mm 111 mm Image: state of the system 111 mm 123 mm* (1) Image: state of the system Image: state of the system 138 mm (1) Image: state of the system Image: state of the system 111 mm* (1) Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system</th><th>174 mm*(1) Image: sector s</th><th>174 mm* (1) 1 1 0 0 0 111 mm 1 1 1 1 1 1 123 mm* (1) 1 1 1 1 1 1 138 mm (1) 1 1 1 1 1 1 1 174 mm (1) 0 0 0 1</th><th>174 mm*(1) I</th><th>174 mm* (1) I <td< th=""><th>174 mm* (1) 1 1 0 0 0 0 0 0 111 mm 1 1 1 1 1 1 0 0 0 0 123 mm* (1) 1 1 1 1 1 1 1 1 0 <</th><th>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</th><th>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</th><th>174 mm*(1) 1 1 0</th><th>174 mm*(1) 1 1 0</th><th>174 mm*(1) 1 1 0</th><th>174 mm*(1) 1 1 0</th><th>174 mm*(1) 1 0</th><th>174 mm* (1) 1 0 <td< th=""><th>174 mm*(1) 0</th><th>174 mm*(1) 0</th><th>174 mm*(1) 0</th><th>174 mm*(1) 1 0</th></td<></th></td<></th></t<> | 174 mm* (1) 111 mm 123 mm* (1) 123 mm* (1) 138 mm (1) 174 mm (1) 174 mm (1) 138 mm (1) 174 mm (1) 0ne Arm (1) 174 mm* (1) 174 mm* (1) 0ne Arm (1) 138 mm* (1) 138 mm* (1) 174 mm* (1) 174 mm* (1) 173 mm* (1) 138 mm* (1) 1 | 174 mm* (1) 1 111 mm 1 123 mm* (1) 1 138 mm (1) 1 174 mm (1) 1 174 mm (1) 1 174 mm (1) 1 174 mm (1) 0 0ne Arm (1) 0 111 mm* (1) 0 138 mm* (1) 1 174 mm* (1) 1 138 mm* (1) 1 138 mm* (1) 1 174 mm* (1) 1 138 mm* (| 174 mm* (1) Image: state of the symmetry of the | 174 mm* (1) 1 1 111 mm 123 mm* (1) 1 123 mm* (1) 1 1 138 mm (1) 1 1 174 mm (1) 1 1 138 mm (1) 1 1 174 mm (1) 1 1 138 mm (1) 1 1 174 mm (1) 0 0 111 mm* (1) 0 0 138 mm* (1) 0 0 138 mm* (1) 1 1 123 mm* (1) 1 1 123 mm* (1) 1 1 138 mm (1) 1 1 138 mm (1) 1 0 138 mm* (1) 0 0 138 mm* (1) 0 0 138 mm* (1) 1 0 138 mm (1) 1 1 138 mm* (1) 1 1 138 mm* (1) 1 1 138 mm* (1) | 174 mm* (1) Image: state of the system 111 mm 111 mm Image: state of the system 111 mm 123 mm* (1) Image: state of the system Image: state of the system 138 mm (1) Image: state of the system Image: state of the system 111 mm* (1) Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system Intervention Image: state of the system Image: state of the system | 174 mm*(1) Image: sector s | 174 mm* (1) 1 1 0 0 0 111 mm 1 1 1 1 1 1 123 mm* (1) 1 1 1 1 1 1 138 mm (1) 1 1 1 1 1 1 1 174 mm (1) 0 0 0 1 | 174 mm*(1) I | 174 mm* (1) I <td< th=""><th>174 mm* (1) 1 1 0 0 0 0 0 0 111 mm 1 1 1 1 1 1 0 0 0 0 123 mm* (1) 1 1 1 1 1 1 1 1 0 <</th><th>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</th><th>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</th><th>174 mm*(1) 1 1 0</th><th>174 mm*(1) 1 1 0</th><th>174 mm*(1) 1 1 0</th><th>174 mm*(1) 1 1 0</th><th>174 mm*(1) 1 0</th><th>174 mm* (1) 1 0 <td< th=""><th>174 mm*(1) 0</th><th>174 mm*(1) 0</th><th>174 mm*(1) 0</th><th>174 mm*(1) 1 0</th></td<></th></td<> | 174 mm* (1) 1 1 0 0 0 0 0 0 111 mm 1 1 1 1 1 1 0 0 0 0 123 mm* (1) 1 1 1 1 1 1 1 1 0 < | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | 174 mm*(1) 1 1 0 | 174 mm*(1) 1 1 0 | 174 mm*(1) 1 1 0 | 174 mm*(1) 1 1 0 | 174 mm*(1) 1 0 | 174 mm* (1) 1 0 <td< th=""><th>174 mm*(1) 0</th><th>174 mm*(1) 0</th><th>174 mm*(1) 0</th><th>174 mm*(1) 1 0</th></td<> | 174 mm*(1) 0 | 174 mm*(1) 0 | 174 mm*(1) 0 | 174 mm*(1) 1 0 |

(1) Compatible with power add on devices. For 123mm fork, please also choose option NSW090093 "Fork for power add ons".

		SEAT	
		Seat sling	
SW020002	0	Seat sling, nylon, tension adjustable, 1 utility bag	
SW020003		Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 38 cm)	53
SW020004		Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (only from SW 34 cm)	116
SW020000	0	Without seat sling	
		Without boat onlig	
oat cushir	on co	over with zipper, black	
oam (medi	-		73
,			73
atex (very	son)	Thickness: <i>NSW020103</i>	73
	-	imatic membrane water-resistant, cover with zipper, black	
oam (medi			13
atex (very	soft)	Thickness: <i>NSW020107</i>	13
SW020150		Replacement cover for seat cushion, cover with zipper, black	48
		Seat accessories	
SW020050		Additional padding for seat upholstery, removable	3
SW090018		Lap belt with buckle, metal	4
		JAY Cushions - for complete product range see JAY order forms	
AY020002		JAY Basic	6
AY020003		JAY Soft Combi P	8
AY020001		JAY Easy Visco, Curved Base	15
AY020004		JAY Lite	24
11000007			0.5
AY020007		JAY Easy Fluid, Curved Base	35
Back heigh	it ran	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5	3:
	i t ran k heig	BACKREST	35
Back heigh Choose bac	i t ran k heig	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 ght factory setting. 0 25 0 30 0 35 0 40 0 45	30
Back heigh Choose bac	i t ran k heig	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 ght factory setting. 0 25 0 30 0 35 0 40 0 45 its of 5 cm in total are possible. 0 27.5 0 32.5 0 37.5 0 42.5 0 47.5	30
Back heigh Choose bac	i t ran k heig	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 ght factory setting. 0 25 0 30 0 35 0 40 0 45 its of 5 cm in total are possible. 0 27.5 0 32.5 0 37.5 0 42.5 0 47.5	35
3ack heigh Choose bac leight adjus	it ran sk heig	BACKREST ge (cm) $25 - 30$ $30 - 35$ $35 - 40$ $40 - 45$ $45 - 47.5$ 0 25 0 30 0 35 0 40 45 0 25 0 30 0 35 0 40 0 45 0 27.5 0 32.5 0 37.5 0 42.5 0 47.5 0 30 0 35 0 40 45 45	
Back heigh Choose bac Height adjus ISW030010 ISW030031	it ran sk heig	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 O 25 O 30 O 35 O 40 - 45 O 25 O 30 O 35 O 40 O 45 O 27.5 O 32.5 O 37.5 O 42.5 O 47.5 O 30 O 35 O 40 O 45 0 Backrest, fixed (90°) Image: Backrest, fold-down (to the front) (1) (1) (1)	
Back heigh Choose bac leight adjus ISW030010 ISW030012	o t ran ek heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 O 25 O 30 O 35 O 40 - 45 Its of 5 cm in total are possible. O 27.5 O 32.5 O 37.5 O 42.5 O 47.5 O 30 O 35 O 40 O 45 0 Backrest, fixed (90°) O Backrest, fold-down (to the front) (1) (75° to 103°) (75° to 103°)	7
Back heigh Choose bac leight adjus ISW030010 ISW030012	o t ran ek heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 O 25 O 30 O 35 O 40 - 45 O 25 O 30 O 35 O 40 O 45 O 27.5 O 32.5 O 37.5 O 42.5 O 47.5 O 30 O 35 O 40 O 45 0 Backrest, fixed (90°) Image: Backrest, fold-down (to the front) (1) (1) (1)	7
Back heigh Choose bac leight adjus ISW030010 ISW030012	o t ran ek heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 O 25 O 30 O 35 O 40 its of 5 cm in total are possible. 0 27.5 O 32.5 O 37.5 O 42.5 O 47.5 O 30 O 35 O 40 O 45 O 27.5 O 32.5 O 40 O 45 O O A5 O O A5 O O O A5 O A0 O 45 O O O A5 O O A5 O O A5 O O O A5 O O O	7
Back heigh Choose bac leight adjus /SW030010 /SW030012 /SW030012 /SW030031	ot ran sk heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 O 25 O 30 O 35 O 40 O 45 O 25 O 30 O 35 O 40 O 45 O 27.5 O 32.5 O 37.5 O 42.5 O 47.5 O 30 O 35 O 40 O 45 0 1 Backrest, fixed (90°) Image: Color of the first of t	70
Back heigh Choose bac leight adjus ISW030010 ISW030012 ISW030031	ot ran sk heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 O 25 O 30 O 35 O 40 0 45 O 27.5 O 32.5 O 37.5 O 42.5 O 47.5 O 30 O 35 O 40 O 45 Backrest, fixed (90°) Image: Colspan="2">Image: Colspan="2" Colspan="	70
Back heigh Choose bac leight adjus (SW030010 (SW030012 (SW030031 (SW030200 (SW030201	ot ran sk heig stmer 0 0	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 9 th factory setting. 0 25 0 30 0 35 0 40 0 45 9 th factory setting. 0 25 0 30 0 35 0 40 0 45 9 th factory setting. 0 27.5 0 32.5 0 37.5 0 42.5 0 47.5 0 30 0 35 0 40 0 45 45 Backrest, fixed (90°) (1) Backrest, fold-down (to the front) (1) (1) (75° to 103°) (75° to 103°) (75° to 103°) (75° to 103°) (1) Push handles Without push handles 0 40	70
Back heigh Choose bac Height adjus ISW030010 ISW030012 ISW030031	ot ran sk heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 9 gt factory setting. 25 - 0 30 0 35 0 40 45 10 25 0 30 0 35 0 40 0 45 10 27.5 0 32.5 0 37.5 0 42.5 0 47.5 10 30 0 35 0 40 0 45 17.5 17.5 10 30 0 35 0 40 0 45 17.5 17.5 10 30 0 35 0 40 0 45 17.5	7 7 14
Back heigh Choose bac leight adjus ISW030010 ISW030012 ISW030012 ISW030200 ISW030200 ISW030201	ot ran sk heig stmer 0 0	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 9 th factory setting. 0 25 0 30 0 35 0 40 0 45 9 th factory setting. 0 25 0 30 0 35 0 40 0 45 9 th factory setting. 0 27.5 0 32.5 0 37.5 0 42.5 0 47.5 0 30 0 35 0 40 0 45 45 Backrest, fixed (90°) (1) Backrest, fold-down (to the front) (1) (1) (75° to 103°) (75° to 103°) (75° to 103°) (75° to 103°) (1) Push handles Without push handles 0 40	7 7 14
Back heigh Choose bac leight adjus <i>ISW030010</i> <i>ISW030012</i> <i>ISW0300012</i> <i>ISW030200</i> <i>ISW030200</i> <i>ISW030203</i> <i>ISW030205</i>	ot ran k heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 9 gt factory setting. 25 - 0 30 0 35 0 40 45 10 25 0 30 0 35 0 40 0 45 10 27.5 0 32.5 0 37.5 0 42.5 0 47.5 10 30 0 35 0 40 0 45 17.5 17.5 10 30 0 35 0 40 0 45 17.5 17.5 10 30 0 35 0 40 0 45 17.5	7 7 14 18
Sack heigh Choose bac Height adjus ISW030010 ISW030012 ISW0300012 ISW030200 ISW030200 ISW030203 ISW030205	ot ran sk heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 9 th factory setting. 2 25 30 0 35 0 40 45 0 25 0 30 0 35 0 40 45 0 27.5 0 32.5 0 37.5 0 42.5 0 47.5 0 30 0 35 0 40 45 45 47.5 0 30 0 35 0 40 0 45 45 Backrest, fixed (90°) (1) Backrest, fold-down (to the front) (1) (1) (75° to 103°) (75° to 103°) (75° to 103°) (1) Push handles Without push handles (1) (75° to 103°) (1) (1) Push handles Push handles, long (available from back height 32,5 cm) (available from back height 32,5 cm) Push handles, fold-down (available from back height 32,5 cm) (available from back height 30 cm)	7 7 7 14 18
Back heigh Choose bac Height adjus	ot ran sk heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 9 th factory setting. 2 25 30 0 35 0 40 45 0 25 0 30 0 35 0 40 45 0 27.5 0 32.5 0 37.5 0 42.5 0 47.5 0 30 0 35 0 40 45 45 47.5 0 30 0 35 0 40 0 45 45 Backrest, fixed (90°) (1) Backrest, fold-down (to the front) (1) (1) (75° to 103°) (75° to 103°) (75° to 103°) (1) Push handles Without push handles (1) (75° to 103°) (1) (1) Push handles Push handles, long (available from back height 32,5 cm) (available from back height 32,5 cm) Push handles, fold-down (available from back height 32,5 cm) (available from back height 30 cm)	7 7 7 14 18
Sack heigh Choose bac leight adjus <i>ISW030010</i> <i>ISW030012</i> <i>ISW030012</i> <i>ISW030201</i> <i>ISW030201</i> <i>ISW030201</i> <i>ISW030205</i> <i>ISW030204</i>	ot ran sk heig stmer	BACKREST ge (cm) pht factory setting. its of 5 cm in total are possible. 25 30 35 40 45 27.5 32.5 37.5 42.5 47.5 30 35 40 45 Backrest, fixed (90°) 30 35 40 45 Backrest, fold-down (to the front) (1) (1) Backrest, angle-adjustable (75° to 103°) Backrest, fold-down (to the front) (1) Push handles (75° to 103°) Push handles, long (available from back height 32.5 cm) Push handles, height-adjustable for JAY backs (available from back height 30 cm) Push handles, height-adjustable (available from back height 30 cm) Push handles, height-adjustable (available from back height 30 cm)	7 7 14 18
Back heigh Choose bac leight adjus <i>ISW030010</i> <i>ISW030012</i> <i>ISW030012</i> <i>ISW030201</i> <i>ISW030201</i> <i>ISW030201</i> <i>ISW030203</i> <i>ISW030205</i> <i>ISW030204</i>	ot ran sk heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 O 25 O 30 O 35 0 40 bt factory setting. 0 25 O 30 0 35 0 40 45 O 27.5 O 32.5 O 37.5 0 42.5 0 47.5 Backrest, fixed (90°) 0 35 O 40 0 45 0 27.5 0 32.5 0 40 0 45 0 27.5 0 32.5 0 40 0 45 0 0 45 0 0 45 0 0 45 0 0 45 0 <td>70</td>	70
Back heigh Choose bac leight adjus (SW030010 (SW030011 (SW0300012 (SW0300012 (SW030200 (SW030200 (SW030200 (SW030205 (SW030204 (SW030204	ot ran k heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 O 25 O 30 O 35 O 40 0 45 O 25 O 30 O 35 O 40 0 45 O 27.5 O 32.5 O 37.5 O 42.5 O 47.5 Backrest, fixed (90°)	70 70 14 18 18
Back heigh Choose bac Leight adjust ISW030010 ISW030031 ISW030012 ISW0300012 ISW030200 ISW030200 ISW030200 ISW030200 ISW030200 ISW030201 ISW030203 ISW030204 ISW030316	ot ran sk heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 ght factory setting. 0 25 0 30 0 35 0 40 -45 45 - 47.5 ge (cm) 0 25 0 30 0 35 0 40 -45 45 ge (cm) 0 27.5 0 32.5 0 42.5 0 47.5 Backrest, fixed (90°) 0 35 0 40 -45 45 47.5 Backrest, fold-down (to the front) (1) 1 1 1 1 1 Backrest, fold-down (to the front) (1) (1) 1	70 70 14 18 18
Back heigh Choose bac leight adjus (SW030010 (SW030031 (SW030012 (SW0300012 (SW0300012 (SW030200 (SW030200 (SW030200 (SW030203 (SW030204 (SW030316 (SW030317	or ran k heig stmer 0 0 0 0 0 0 0 0 0 0 0 0 0	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 ght factory setting. 25 - 30 30 - 35 37.5 42.5 47.5 G 27.5 32.5 37.5 42.5 47.5 G 30 35 40 45 Backrest, fixed (90°) (1) 40 45 Backrest, fold-down (to the front) (1) 75° to 103°) Backrest, fold-down (to the front) (1) (75° to 103°) Backrest, fold-down (to the front) (1) (75° to 103°) Backrest, fold-down (to the front) (1) (1) Push handles Push handles, long (40 Push handles, fold-down (available for back height 32,5 cm) Push handles, height-adjustable for JAY backs (available from back height 30, cm) Push handles, height-adjustable (available from back height 30, cm) Push handles, height-adjustable (available from back height 30, cm) Push handles, height-adjustable (available from back height 30, cm) Push handles, height-adjustable (available from back height 30, cm)	7 7 7 14 18 18
Back heigh Choose bac leight adjus ISW030010 ISW030011 ISW030012 ISW0300012 ISW0300012 ISW0300012 ISW0300012 ISW030200 ISW030200 ISW030200 ISW030203 ISW030204 ISW030316 ISW030317	ot ran k heig stmer	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 ght factory setting. 0 25 0 30 0 35 0 40 -45 45 - 47.5 ge (cm) 0 25 0 30 0 35 0 40 -45 45 ge (cm) 0 27.5 0 32.5 0 42.5 0 47.5 Backrest, fixed (90°) 0 35 0 40 -45 45 47.5 Backrest, fold-down (to the front) (1) 1 1 1 1 1 Backrest, fold-down (to the front) (1) (1) 1	7 7 7 14 18 18
Back heigh Choose bac leight adjus ISW030010 ISW030011 ISW030012 ISW0300012 ISW0300012 ISW0300012 ISW0300012 ISW030200 ISW030200 ISW030200 ISW030203 ISW030204 ISW030316 ISW030317	or ran k heig stmer 0 0 0 0 0 0 0 0 0 0 0 0 0	BACKREST ge (cm) pht factory setting. its of 5 cm in total are possible. 25 - 30 30 - 35 35 - 40 45 - 47.5 0 O 25 O 30 O 35 0 42.5 0 0 47.5 0 Backrest, fixed (90°) O 0 35 0 40 0 45 Backrest, fold-down (to the front) (1) 0 45 0 0 0 Backrest, angle-adjustable (75* to 103*) 0 0 45 0 0 0 Without push handles 10 10 10 0	7 7 7 14 18 18
Back heigh Choose bac leight adjus (SW030010 (SW030031 (SW030012 (SW0300012 (SW0300012 (SW030200 (SW030200 (SW030200 (SW030203 (SW030204 (SW030316 (SW030317	or ran k heig stmer 0 0 0 0 0 0 0 0 0 0 0 0 0	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 ght factory setting. 25 - 30 30 - 35 37.5 42.5 47.5 G 27.5 32.5 37.5 42.5 47.5 G 30 35 40 45 Backrest, fixed (90°) (1) 40 45 Backrest, fold-down (to the front) (1) 75° to 103°) Backrest, fold-down (to the front) (1) (75° to 103°) Backrest, fold-down (to the front) (1) (75° to 103°) Backrest, fold-down (to the front) (1) (1) Push handles Push handles, long (40 Push handles, fold-down (available for back height 32,5 cm) Push handles, height-adjustable for JAY backs (available from back height 30, cm) Push handles, height-adjustable (available from back height 30, cm) Push handles, height-adjustable (available from back height 30, cm) Push handles, height-adjustable (available from back height 30, cm) Push handles, height-adjustable (available from back height 30, cm)	7 7 7 14 18 18
Back heigh Choose bac Leight adjust ISW030010 ISW030011 ISW030012 ISW030001 ISW030200 ISW030200 ISW030200 ISW030201 ISW030201 ISW030203 ISW030204 ISW030316 ISW030300	or ran k heig stmer 0 0 0 0 0 0 0 0 0 0 0 0 0	BACKREST ge (cm) pht factory setting. its of 5 cm in total are possible. 25 - 30 30 - 35 35 - 40 45 - 47.5 0 O 25 O 30 O 35 0 42.5 0 0 47.5 0 Backrest, fixed (90°) O 0 35 0 40 0 45 Backrest, fold-down (to the front) (1) 0 45 0 0 0 Backrest, angle-adjustable (75* to 103*) 0 0 45 0 0 0 Without push handles 10 10 10 0	70 70 14 18 18 16
Back heigh Choose bac Height adjust ISW030010 ISW030011 ISW030012 ISW030012 ISW030200 ISW030201 ISW030200 ISW030201 ISW030203 ISW030204 ISW030316 ISW030300 ISW030300 ISW030402	or ran ck heig stmer 0 0 0 0 0 0 0 0 0 0 0 0 0	BACKREST ge (cm) pht factory setting. ts of 5 cm in total are possible. 25 - 30 30 - 35 35 - 40 45 - 47.5 0 25 0 30 0 35 40 0 45 0 27.5 0 32.5 0 37.5 0 42.5 0 47.5 0 30 0 35 0 40 45 0 0 45 Backrest, fixed (90°) (1) (1) (1) (75* to 103*) 0 0 45 Backrest, fold-down (to the front) (1) (1) (75* to 103*) 0	70 70 14 18 18 16
Sack heigh Choose bac Height adjus ISW030010 ISW030012 ISW0300012 ISW030200 ISW030200 ISW030203 ISW030205	It ran It ran <td< td=""><td>BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 ght factory setting, 25 0 30 35 0 40 45 ge (cm) 25 0 30 35 0 40 0 45 ge (cm) 25 0 30 35 0 40 0 45 ge (cm) 27.5 32.5 37.5 0 42.5 0 47.5 ge (cm) 30 35 0 40 0 45 45 Backrest, fold-down (to the front) (1) 1 1 1 1 1 Backrest, fold-down (to the front) (1) 1<</td><td>35 70 70 70 14 18 18 18 18 16 16 15 99 22</td></td<>	BACKREST ge (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5 ght factory setting, 25 0 30 35 0 40 45 ge (cm) 25 0 30 35 0 40 0 45 ge (cm) 25 0 30 35 0 40 0 45 ge (cm) 27.5 32.5 37.5 0 42.5 0 47.5 ge (cm) 30 35 0 40 0 45 45 Backrest, fold-down (to the front) (1) 1 1 1 1 1 Backrest, fold-down (to the front) (1) 1<	35 70 70 70 14 18 18 18 18 16 16 15 99 22
Back heigh Choose bac Height adjus ISW030010 ISW030011 ISW030012 ISW030001 ISW030001 ISW030001 ISW030200 ISW030200 ISW030203 ISW030204 ISW030316 ISW030317 ISW030300 ISW030402 ISW030402	It ran It ran <td< td=""><td>BACKREST ge (cm) pht factory setting. 0 25 0 30 0 35 0 40 45 45 -47.5 0 25 0 30 0 35 0 40 0 45 0 27.5 0 32.5 0 37.5 0 42.5 0 47.5 0 30 0 35 0 40 45 45 47.5 0 30 0 35 0 40 45 45 47.5 0 30 0 35 0 40 45 45 47.5 0 30 0 35 0 40 45 45 47.5 0 30 0 35 0 40 45 45 47.5 10 Backrest, fold-down (to the front) (1) 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10<</td><td>7(7(14 18 18 16 16</td></td<>	BACKREST ge (cm) pht factory setting. 0 25 0 30 0 35 0 40 45 45 -47.5 0 25 0 30 0 35 0 40 0 45 0 27.5 0 32.5 0 37.5 0 42.5 0 47.5 0 30 0 35 0 40 45 45 47.5 0 30 0 35 0 40 45 45 47.5 0 30 0 35 0 40 45 45 47.5 0 30 0 35 0 40 45 45 47.5 0 30 0 35 0 40 45 45 47.5 10 Backrest, fold-down (to the front) (1) 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10<	7(7(14 18 18 16 16

if push handles fold-down are chosen, only back heights 35 cm and above are available

	<u> </u>	= Standard O = No cost option \Box = Cost option	£
		JAY J3 BACKS	
AY J3 Bac /lid Thoracio		hallow Contour	582
Jpper Thora		$\Box JAY030012 \text{ Short} - 42 \text{ cm} \qquad \Box JAY030019 \text{ Medium} - 34 \text{ cm} \qquad \Box JAY030025 \text{ Tall} - 50 \text{ cm}$	658
Shoulder He		$\Box JAY030012 \text{ Short - 42 cm} \qquad \Box JAY030029 \text{ Medium - 48 cm} \qquad \Box JAY030029 \text{ Tail - 50 cm} $	658
	-	id Contour	000
Mid Thoracio		□ JAY030011 Medium - 34 cm □ JAY030018 Tall - 38 cm	582
Jpper Thora		$\Box JAY030013 \text{ Short} - 42 \text{ cm} \qquad \Box JAY030020 \text{ Medium} - 34 \text{ cm} \qquad \Box JAY030026 \text{ Tall} - 30 \text{ cm}$	658
Shoulder He		$\Box JAY030016 \text{ Short} - 42 \text{ cm} \qquad \Box JAY030023 \text{ Medium} - 40 \text{ cm} \qquad \Box JAY030029 \text{ Tall} - 50 \text{ cm} $	658
	<u> </u>	Back - Shallow Contour	000
ower Thora		$\Box JAY060001 \text{ Short - 17 cm} \Box JAY060002 \text{ Tall - 24 cm}$	696
Mid Thoratic		□ JAY060003 Short - 30 cm □ JAY060004 Tall - 38 cm	696
	•		000
Accessories	s for	JAY J3 backs	
AY030004		JAY Flip Back Headrest (J3EUHDFH & J3EUHDLSP) (only with JAY J3 backs)	281
AY030006		JAY Std. Headrest (J3EUHDXH & J3EUHDLSP) (only with JAY J3 backs)	200
		JAY Accessory bag (only with JAY J3 Carbon backs)	53
		ARMREST AND SIDEGUARDS	
		Armrest	
SW040052	0	Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable (1)	
ISW040117	0	Tubular armrest, Aluminium, swing away (sideways), padded, removable (only with backrest, angle adj.)	
ISW040050		Single-post sideguard, armpad (25 cm), height-adjustable, removable (1)	187
ISW040051		Single-post sideguard, armpad (36 cm), height-adjustable, removable (1)	187
ISW040005		Desk sideguard, flip-up, removable	177
ISW040001		Desk sideguard, armpad (25 cm), fixed, flip-up, removable	177
ISW040002		Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable	177
ISW040003		Desk sideguard, armpad (31 cm), fixed, flip-up, removable	177
ISW040004		Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable	177
		Accessories and options for desk sideguards	
NSW040020		Release assistance for tetraplegics (only with desk sideguard)	
		Release assistance for tetraplegics(only with desk sideguard)Tray, swing-away (to the side), SW 34 - 50 cm, left-mount(only with desk sideguard)	154
NSW090012		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount(only with desk sideguard)Tray, swing-away (to the side), SW 34 - 50 cm, right-mount(only with desk sideguard)	154 154
NSW090012 NSW090013		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard)	154 154
NSW090012 NSW090013		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount(only with desk sideguard)Tray, swing-away (to the side), SW 34 - 50 cm, right-mount(only with desk sideguard)Tray, push-fit, SW 38 - 48 cm(only with desk sideguard)	154 154
NSW090012 NSW090013 NSW090011		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount(only with desk sideguard)Tray, swing-away (to the side), SW 34 - 50 cm, right-mount(only with desk sideguard)Tray, push-fit, SW 38 - 48 cm(only with desk sideguard)SideguardsSideguards	154 154
ISW090012 ISW090013 ISW090011 ISW040107		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount(only with desk sideguard)Tray, swing-away (to the side), SW 34 - 50 cm, right-mount(only with desk sideguard)Tray, push-fit, SW 38 - 48 cm(only with desk sideguard)SideguardsSideguardsSideguard, composite, removable, 21 cm high (31 cm long), blackSideguard	154 154 154
ISW090012 ISW090013 ISW090011 ISW040107		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards Sideguard, composite, removable, 21 cm high (31 cm long), black Sideguard, aluminium, cold weather protection (in frame colour) Sideguard	154 154 154 293
ISW090012 ISW090013 ISW090011 ISW040107 ISW040102		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount(only with desk sideguard)Tray, swing-away (to the side), SW 34 - 50 cm, right-mount(only with desk sideguard)Tray, push-fit, SW 38 - 48 cm(only with desk sideguard)SideguardsSideguardsSideguard, composite, removable, 21 cm high (31 cm long), blackSideguard, aluminium, cold weather protection (in frame colour)Sideguard, aluminium, fender, cold weather protection (in frame colour)Sideguard, aluminium, fender, cold weather protection (in frame colour)	154 154 154 293 266
ISW090012 ISW090013 ISW090011 ISW040107 ISW040102 ISW040103		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards Sideguard, composite, removable, 21 cm high (31 cm long), black Sideguard, aluminium, cold weather protection (in frame colour) Sideguard	154 154 154 293 266
ISW090012 ISW090013 ISW090011 ISW040107 ISW040102 ISW040103		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards Sideguard, composite, removable, 21 cm high (31 cm long), black Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black) Sideguard, carbon fibre, fender, cold weather protection (black)	154 154 154 293 266
NSW090012 NSW090013 NSW090011 NSW040107 NSW040102 NSW040103 NSW040104		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards Sideguards Sideguard, composite, removable, 21 cm high (31 cm long), black Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black)	154 154 154 293 266
ISW090012 ISW090013 ISW090011 ISW040107 ISW040102 ISW040104 ISW040104		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards Sideguard, composite, removable, 21 cm high (31 cm long), black Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black) (Not available with Hemi Frame NSW010024)	154 154 154 293 266
ISW090012 ISW090013 ISW090011 ISW040107 ISW040102 ISW040104 ISW040104		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards Sideguards Sideguard, composite, removable, 21 cm high (31 cm long), black Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black)	154 154 154 293 266
ISW090012 ISW090013 ISW090011 ISW040107 ISW040102 ISW040104 ISW040104		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards (only with desk sideguard) Sideguard, composite, removable, 21 cm high (31 cm long), black (only with desk sideguard) Sideguard, aluminium, cold weather protection (in frame colour) (only with desk sideguard) Sideguard, aluminium, fender, cold weather protection (in frame colour) (only with desk sideguard) Sideguard, carbon fibre, fender, cold weather protection (black) (Not available with Hemi Frame NSW010024) Hanger angle 80° (Not available with Hemi Frame NSW010024)	154 154 154 293 266
NSW090012 NSW090013 NSW090011 NSW040107 NSW040102 NSW040104 NSW050001 NSW050002		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards (only with desk sideguard) Sideguard, composite, removable, 21 cm high (31 cm long), black (only with desk sideguard) Sideguard, aluminium, cold weather protection (in frame colour) (only with desk sideguard) Sideguard, aluminium, fender, cold weather protection (in frame colour) (only with desk sideguard) Sideguard, carbon fibre, fender, cold weather protection (black) (Not available with Hemi Frame NSW010024) Hanger angle 80° (Not available with Hemi Frame NSW010024) Hanger, aluminium, swing-away (aluminium, swing-away	154 154 154 293 266
ISW090012 ISW090013 ISW090011 ISW040107 ISW040102 ISW040103 ISW040104 ISW050001 ISW050002		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards (only with desk sideguard) Sideguard, composite, removable, 21 cm high (31 cm long), black (only with desk sideguard) Sideguard, aluminium, cold weather protection (in frame colour) (only with desk sideguard) Sideguard, aluminium, fender, cold weather protection (in frame colour) (Not available with Hemi Frame NSW010024) Hanger angle 80° (Not available with Hemi Frame NSW010024) Hanger, aluminium, swing-away, LH Hanger, aluminium, swing-away, LH	154 154 154 293 266
NSW040020 NSW090012 NSW090013 NSW090011 NSW040107 NSW040102 NSW040103 NSW040104 NSW050001 NSW050001 NSW050002		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards (only with desk sideguard) Sideguard, composite, removable, 21 cm high (31 cm long), black (only with desk sideguard) Sideguard, aluminium, cold weather protection (in frame colour) (only with desk sideguard) Sideguard, aluminium, fender, cold weather protection (in frame colour) (Not available with Hemi Frame NSW010024) Hanger angle 80° (Not available with Hemi Frame NSW010024) Hanger, aluminium, swing-away, LH Hanger, aluminium, swing-away, LH Hanger, aluminium, swing-away, RH (Not available with Hemi Frame NSW010024)	33 154 154 154 293 266 340
NSW090012 NSW090013 NSW090011 NSW040107 NSW040102 NSW040103 NSW040104 NSW050001 NSW050002		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards (only with desk sideguard) Sideguard, composite, removable, 21 cm high (31 cm long), black (only with desk sideguard) Sideguard, aluminium, cold weather protection (in frame colour) (only with desk sideguard) Sideguard, aluminium, fender, cold weather protection (in frame colour) (Not available with Hemi Frame NSW010024) Hanger angle 80° (Not available with Hemi Frame NSW010024) Hanger, aluminium, swing-away, LH Hanger, aluminium, swing-away, LH	154 154 154 293 266
NSW090012 NSW090013 NSW090011 NSW040107 NSW040102 NSW040103 NSW040104 NSW050001 NSW050002		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards Sideguard, composite, removable, 21 cm high (31 cm long), black Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black) (Not available with Hemi Frame NSW010024) Hanger angle 80° (Not available with Hemi Frame NSW010024) Hanger, aluminium, swing-away, LH Hanger, aluminium, swing-away, RH Hanger, aluminium, swing-away, pair Hanger, aluminium, swing-away, pair	154 154 154 293 266
NSW090012 NSW090013 NSW090011 NSW040107 NSW040102 NSW040104 NSW050001 NSW050002 NSW050006 NSW050007 NSW050008		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards (only with desk sideguard) Sideguard, composite, removable, 21 cm high (31 cm long), black (only with desk sideguard) Sideguard, aluminium, cold weather protection (in frame colour) (only with desk sideguard, aluminium, fender, cold weather protection (black) HANGER (Not available with Hemi Frame NSW010024) Hanger angle 80° (Not available with Hemi Frame NSW010024) Hanger, aluminium, swing-away, LH (Anger, aluminium, swing-away, RH Hanger, aluminium, swing-away, pair (Hanger, ELR (aluminium, flip-up (0-90°)), swing-away	154 154 154 293 266 340
NSW090012 NSW090013 NSW090011 NSW040107 NSW040102 NSW040103 NSW040104 NSW050001 NSW050002		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard) Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard) Tray, push-fit, SW 38 - 48 cm (only with desk sideguard) Sideguards Sideguard, composite, removable, 21 cm high (31 cm long), black Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black) (Not available with Hemi Frame NSW010024) Hanger angle 80° (Not available with Hemi Frame NSW010024) Hanger, aluminium, swing-away, LH Hanger, aluminium, swing-away, RH Hanger, aluminium, swing-away, pair Hanger, aluminium, swing-away, pair	154 154 154 293 266

(1) Only with COG Adapter Standard

(2) In combination with NSW010024 "Frame, Hemi" only 70° hangers available

		FOOTPLATES AND	FOOTBOA	RDS							
SW050104	0	Footplates, divided, comp	osite, flip-up,	heel loop,	black					(from SW 38 cm)	
SW050020	0	Footplates, divided, comp	osite, angle-a	adjustable,	flip-up, heel lo	op, black				(from SW 38 cm)	
SW050022		Footplates, divided, alumi	inium, angle-a	adjustable,	, flip-up, heel lo	op, frame c	olour				15
SW050051		Footplates, divided, alumi	inium, angle-a	adjustable,	, flip-up, high-m	nount, heel l	oop, frame o	colour (1)			15
SW050023		Footboard, platform, alum	ninium, angle-	adjustable	e, flip-up, heel lo	oop, frame	colour				16
ISW050126		O Swing-away mecha	inism for platf	orm footbo	bard						
ISW050059		Footboard, platform, Perfe	ormance, alui	minium, an	ngle-adjustable,	, flip-up, cal	f strap			(from SW 32 cm)	24
NSW050131		Footboard, platform, light	weight, plasti	c, angle &	depth-adjustab	le flip up, ca	alf strap, bla	ck			15
VSW050132		Footboard, platform, light	weight, carbo	n fibre, ang	gle & depth-adj	ustable, flip	up, calf stra	ap, black (1)			33
		Accessories for footboa	irds					(0)			
VSW050127		Foot positioning plate						(2)			2′
	_									<i>, , ,</i> , ,	_
				0.05	0.00				-	surements in cm)	
	0	22 0 23	O 24	O 25	O 26	O 27	O 28	O 29	O 30	O 31	
	0	$\begin{array}{ccc} 32 & \bigcirc 33 \\ 42 & \bigcirc 43 \end{array}$	O 34	O 35	O 36	O 37	O 38	O 39	O 40	O 41	
	0		O 44	O 45	O 46	O 47	O 48	O 49	O 50	O 51	
	LLL De		nign-mount rootb	oards- depen		n, please chec	k configurator i	or details			
ISW010015	0	FRAME VERSIONS	<u> </u>								
ISW010015	0	Standard swing away fran			+ 140 kg		(Sizes 22 42	only. HD option	standard on all	other sizes)	
VSW010002	0	Reinforced heavy duty fra Low seat frame option (He		user weign	it 140 kg		(31283 32-42			on the first page)	
1311010024	0	EMPULSE F55 BUN	,					(compare w		on the mst page)	
				a a lab a in				(Diagon un)	o concrete OF (a arder the FFF)	
EMO000101	0	With F55 order, not moun						·	,	o order the F55.)	
EMO000102	0	With F55 order, mounted		chair				•	,	o order the F55.)	
		CENTRE OF GRAVI								cm= very active)	
VSW070703		Adapter standard	02	03	O 4 (Std)		06	07	08		
			09	0 10	0 11	0 12		-			
NSW070701		Adapter lightweight	O 5 (Std)	06	07	08	09	O 10	O 11		
			O 12								
_								(choose either tir	a appliet or opti	tin tubo nor oido)	
NSW/090016		FRAME ACCESSOR	IES					(choose either tip	o assist or anti-	tip tube per side)	7/
		Frame protection, black		ation				(choose either tip	o assist or anti-	tip tube per side)	
VSW090100	•	Frame protection, black Transportation brackets -		otion							Sto
VSW090100		Frame protection, black		otion						tip tube per side) Ibes or tip assist)	Sto
VSW090100	•	Frame protection, black Transportation brackets - Transit wheels	Crash test op	otion							74 Sto 21
NSW090100 NSW090010	•	Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw	Crash test op		□ Right						Sto
NSW090100 NSW090010 NSW090004		Frame protection, black Transportation brackets - Transit wheels	Crash test op		□ Right			not in combination	n with anti-tip tu		Sto 21 96
NSW090100 NSW090010 NSW090004		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left	Crash test op		□ Right			not in combination	n with anti-tip tu	ibes or tip assist)	Sto 21 96
NSW090100 NSW090010 NSW090004		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left	Crash test op		□ Right			not in combination	n with anti-tip tu	ibes or tip assist)	Sto 21 96
NSW090100 NSW090010 NSW090004 NSW090006		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair	Crash test op	005	□ Right			not in combination	n with anti-tip tu	ibes or tip assist)	Sto 21 96 19
NSW090100 NSW090010 NSW090004 NSW090006		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist	Crash test op /ay <i>NSW0900</i>	005				not in combinatio	n with anti-tip tu (no additional tij	ibes or tip assist)	Sto 21 96 19 31
ISW090100 ISW090010 ISW090004 ISW090006 ISW090001 ISW090003		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left	Crash test op /ay <i>NSW0900</i>	005				not in combination	n with anti-tip tu (no additional tip additional anti-	bes or tip assist)	Sta 21 96 19 31 55
ISW090100 ISW090010 ISW090004 ISW090006 ISW090001 ISW090003		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair	Crash test op /ay <i>NSW0900</i>	005				not in combination	n with anti-tip tu (no additional tip additional anti-	ibes or tip assist) o assist possible) tip tube possible)	Sto 21
NSW090100 NSW090010 NSW090004 NSW090006 NSW090001 NSW090003		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS	Crash test op /ay NSW0900	005				not in combination (no (no	n with anti-tip tu (no additional tip additional anti- nly in combinatio	ibes or tip assist) o assist possible) tip tube possible)	Sta 21 96 19 31 55
NSW090100 NSW090010 NSW090004 NSW090006 NSW090001 NSW090003 NSW090009		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop	Crash test op /ay NSW0900 NSW0900	005	□ Right Black		()	not in combination (no (or (compare w (on	n with anti-tip tu (no additional tip additional anti- nly in combinational ith your choice	tip tube possible)	Sta 21 96 19 37 59 72
NSW090100 NSW090010 NSW090004 NSW090006 NSW090003 NSW090009 NSW080013		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour:	Crash test op /ay NSW0900	005 002 0	□ Right Black Orange		()	not in combination (no (or (compare w (on Blue (3)	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice aly for 111mm a	tip tube possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks)	Sta 21 96 19 3 ² 59 7 ²
NSW090100 NSW090010 NSW090004 NSW090006 NSW090003 NSW090009 NSW080013		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium	Crash test op /ay //ay //SW0900 //SW0900 //SW0900	005	□ Right Black Orange Black		()	not in combination (no (or (compare w (on Blue (3)	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice aly for 111mm a	tip tube possible) tip tube possible) on with tip assist)	Sta 21 96 19 3 ⁷ 55 7 ² 55
NSW090016 NSW090100 NSW090010 NSW090004 NSW090006 NSW090003 NSW090009 NSW080013 NSW080029		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour:	Crash test op /ay //ay ///////////////////////////	005	□ Right Black Orange Black Orange		()	not in combination (no (or (compare w (on Blue (3)	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice aly for 111mm a	tip tube possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks)	Stu 21 90 19 3° 74 50 74 50 50
NSW090100 NSW090010 NSW090004 NSW090006 NSW090003 NSW090009 NSW080013		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour: Castor fork, aluminium, or	Crash test op /ay //ay //SW0900 //////////////////////////////////		□ Right Black Orange Black Orange Black Orange Black		(/ 	not in combination (no (no (or (compare w (on Blue (3) (only for 123	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice aly for 111mm a	tip tube possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks)	Sta 21 96 19 37 55 72 55 55 55 18
ISW090100 ISW090010 ISW090004 ISW090006 ISW090003 ISW090009 ISW080013 ISW080029		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour:	Crash test op /ay //ay ///////////////////////////	005	□ Right Black Orange Black Orange		(/ 	not in combination (no (or (compare w (on Blue (3) (only for 12:	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice aly for 111mm a	tip tube possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks)	Sta 21 96 19 37 55 77 55 55 55 18
ISW090100 ISW090010 ISW090004 ISW090006 ISW090003 ISW090009 ISW090009 ISW080013 ISW080029		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour: Castor fork, aluminium, or Colour:	Crash test op /ay /////////////////////////////////		□ Right Black Orange Black Orange Black Orange Black		(/ 	not in combination (no (no (or (compare w (on Blue (3) (only for 12: Blue	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice nly for 111mm a 3mm, 138mm a	tip tube possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks) nd 174mm forks)	Sta 21 96 19 32 55 53
ISW090100 ISW090010 ISW090004 ISW090006 ISW090003 ISW090009 ISW080013 ISW080029 ISW080008		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour: Castor fork, aluminium, or Colour: STANDARD CASTO	Crash test op /ay //ay //SW09000 //SW0900 //SW09000 //SW09000 //SW09000 //SW0900		□ Right Black Orange Black Orange Black Orange Black		(/ 	not in combination (no (no (or (compare w (on Blue (3) (only for 12: Blue	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice nly for 111mm a 3mm, 138mm a	tip tube possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks)	Sta 21 96 19 37 55 77 55 55 55 18
ISW090100 ISW090010 ISW090004 ISW090006 ISW090003 ISW090009 ISW080013 ISW080029 ISW080029 ISW080008		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour: Castor fork, aluminium, or Colour: STANDARD CASTO Castor, solid (hard), rim: c	Crash test op /ay //ay ///////////////////////////	005	□ Right Black Orange Black Orange Black Orange Black		(/ 	not in combination (no (no (or (compare w (on Blue (3) (only for 12: Blue	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice nly for 111mm a 3mm, 138mm a	ibes or tip assist) bes or tip assist) b assist possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks) nd 174mm forks) on the first page) on the first page)	Stu 21 90 19 3 3 55 74 55 55 55 55
VSW090100 VSW090010 VSW090004 VSW090006 VSW090003 VSW090003 VSW090009 VSW080013 VSW080013 VSW080029 VSW080008		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour: Castor fork, aluminium, or Colour: STANDARD CASTO Castor, solid (hard), rim: or Castor, solid (soft), rim: or	Crash test op /ay //ay //SW0900 //////////////////////////////////	005	□ Right Black Orange Black Orange Black Orange		(/ 	not in combination (no (no (or (compare w (on Blue (3) (only for 12: Blue	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice nly for 111mm a 3mm, 138mm a	ibes or tip assist) bes or tip assist) b assist possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks) nd 174mm forks) on the first page) on the first page) (only 5" & 6")	Stu 21 90 19 33 74 50 74 50 74 50 50 50 50 50
VSW090100 VSW090010 VSW090004 VSW090006 VSW090001 VSW090009 VSW090009 VSW080013 VSW080013 VSW080029 VSW080008		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour: Castor fork, aluminium, or Colour: STANDARD CASTO Castor, solid (hard), rim: cr Castor, solid (hard), light-	Crash test op /ay //ay //SW0900 //////////////////////////////////	005	□ Right Black Orange Black Orange Black Orange	Red	(/ 	not in combination (no (no (or (compare w (on Blue (3) (only for 12: Blue	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice nly for 111mm a 3mm, 138mm a	tip tube possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks) nd 174mm forks) nd 174mm forks) (on the first page) (only 5" & 6") (in 3", 4" and 5")	Stu 21 90 19 33 55 74 55 55 55 55 55 55 55 55 55 55 55 74 74 74
VSW090100 VSW090010 VSW090004 VSW090006 VSW090003 VSW090009 VSW090009 VSW080013 VSW080013 VSW080029 VSW080008		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour: Castor fork, aluminium, or Colour: Castor fork, aluminium, or Colour: Castor fork, aluminium, or Colour: Castor, solid (hard), rim: or Castor, solid (hard), light- Castor, solid (hard), rim: a	Crash test op /ay //ay ///////////////////////////	005 002 002 002 002 002 00 0 0 0 0 0 0 0	□ Right Black Orange Black Orange Black Orange	Red	(/ 	not in combination (no (no (or (compare w (on Blue (3) (only for 12: Blue	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice nly for 111mm a 3mm, 138mm a	ibes or tip assist) bes or tip assist) b assist possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks) nd 174mm forks) on the first page) (only 5" & 6") y in 3", 4" and 5") (only 4" & 5")	Sta 21 96 19 3 ³ 55 72 55 55 55 55 55 18 55 55 18 55 72
ISW090100 ISW090010 ISW090004 ISW090004 ISW090001 ISW090003 ISW090003 ISW080013 ISW080013 ISW080013 ISW080013 ISW080008 ISW080008 ISW080301 ISW080301 ISW080302 ISW080304 ISW080304		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour: Castor fork, aluminium, ou Colour: Castor fork, aluminium, ou Colour: Castor fork, aluminium, ou Colour: Castor fork, aluminium, ou Colour: Castor, solid (hard), rim: ou Castor, solid (hard), light- Castor, solid (hard), rim: a Castor, solid (hard), rim: a	Crash test op /ay /////////////////////////////////	005	□ Right Black Orange Black Orange Black Orange Sk Colour, rim: \$	Red	(/ 	not in combination (no (no (or (compare w (on Blue (3) (only for 12: Blue	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice nly for 111mm a 3mm, 138mm a	ibes or tip assist) ibes or tip assist) p assist possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks) nd 174mm forks) nd 174mm forks) on the first page) (only 5" & 6") (only 5" & 5") (only 4" & 5") (only 7")	Stu 21 90 19 33 74 55 74 55 55 55 55 55 55 55 55 55 55 55 55 55
VSW090100 VSW090010 VSW090004 VSW090006 VSW090001 VSW090009 VSW080013 VSW080013 VSW080029 VSW080008 VSW080008		Frame protection, black Transportation brackets - Transit wheels Anti-tip tubes, swing-aw Left Pair Tip assist Left Tip assist, pair Crutch holder, loop FORKS Castor fork, Carbotecture Colour: Castor fork, Aluminium Colour: Castor fork, aluminium, or Colour: Castor fork, aluminium, or Colour: Castor fork, aluminium, or Colour: Castor, solid (hard), rim: or Castor, solid (hard), light- Castor, solid (hard), rim: a	Crash test op /ay /////////////////////////////////	005 002 002 002 002 002 00 0 0 0 0 0 0 0	□ Right Black Orange Black Orange Black Orange	Red	(i) (i) (i) (i) (i) (i) (i) (i) (i) (i)	not in combination (no (no (or (compare w (on Blue (3) (only for 12: Blue	n with anti-tip tu (no additional tip additional anti- nly in combinational with your choice nly for 111mm a 3mm, 138mm a	ibes or tip assist) bes or tip assist) b assist possible) tip tube possible) on with tip assist) on the first page) nd 123mm forks) nd 174mm forks) on the first page) (only 5" & 6") y in 3", 4" and 5") (only 4" & 5")	Sta 21 96 19 37 55 72 55 55 55 18

(3) Only available in combination with castor, soft (NSW080302 or NSW08036)

	•	= Standard O = No cost option \Box = Cost option	£
		REAR WHEELS (compare with your choice on the first page)	
NSW070000	0	Without rear wheel	
NSW070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (not in 25")	
NSW070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24" and 26")	
NSW070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (not in 26"; see colour options on last page)	
NSW070004		Rear wheel, Proton, 24 spokes (black), straight spokes (not in 26"; user weight limit 100kg)	531
NSW070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver (not in 22")	481
NSW070006		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub: silver (only 24" & 25")	741
NSW070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black (only 24" & 25")	741
NSW070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (1) (only 22" & 24")	388
NSW070009		Rear wheel, Mountain bike, 36 spokes (silver), straight spokes (only 24")	327
NSW070010		Mountain bike wheel, replacement kit incl. tyre (extra coarse profile) (only 24")	498
1014/070450		Axle	
NSW070150		Quick-release axle	110
NSW070151		Quick-release axle, designed for quads(2)	112
		TYRES	
NSW070102	0	Tyre, puncture proof, tread (not in 26")	
NSW070102 NSW070107		Tyre, pneumatic, slick, Schwalbe One (only 24" and 25")	99
NSW070101	0	Tyre, pneumatic, sick, Schwalbe Right Run (not in 25")	33
NSW070101 NSW070106		Tyre, pneumatic, tread, Schwalbe Downtown Two Grip (<i>intel in 25</i>)	99
NSW070108 NSW070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	99
11311070704			33
		HANDRIMS	
NSW070202	0	Handrims, aluminium, anodised, silver	
NSW070201	0	Handrims, aluminium, powder-coated, clear	
NSW070204	0	Handrims, stainless steel, silver	
NSW070203		Handrims, aluminium, powder-coated, coloured (select colour on last page, upcharge charged once)	66
NSW070205		Handrims, titanium, untreated (not in 22")	204
NSW070206		Handrims, titanium, powder-coated, clear (not in 22")	204
NSW070207		Handrims, Supergrip ®	244
NSW070208		Handrims, Maxgrepp ® (only 22" & 24")	244
NSW070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25" only)	195
		Handrim accessories	
NSW070250		Handrim cover, rubber(not with 25" and 26")	99
		Handrim mounting	
NSW070307	0	Handrim mount, super narrow (7 mm) (only with stainless steel)	
NSW070307	•	Handrim mount, super harrow (17 mm)	
NSW070327	0	Handrim mount, wide (27 mm)	
	0		
		WHEEL CAMBER	
NSW070600	0	0°	
NSW070602	0	2° (3)	
NSW070604	0	4° (3)	
	_	SPOKE GUARDS (coloured: only 22 & 24"; transparent: only 22", 24" & 26")	40.1
NSW070831		Transparent	134
NSW070826		Rotation NSW070815 Graphik NSW070804 Bibbo	134
NSW070810		Fantasy NSW070813 Glaktica NSW070805 Cheese	134
NSW070823		Princess NSW070808 Dancing Bear NSW070818 Jungle Fever	134
NSW070816		Happy Lions NSW070832 Water World NSW070825 Randolf	134
NSW070819		Monkeys NSW070821 Pirates NSW070811 Feather	134
NSW070820		Oriental NSW070824 Racing NSW070809 Dirt Race	134
NSW070829		Superhero NSW070814 Graffiti NSW070806 Chrome	134
NSW070817		Hot Wheels NSW070802 Basketball NSW070803 Basketball 2	134
NSW070822		Pool NSW070812 Flying Water NSW070828 Space	134
NSW070827		Silk NSW070801 Abstract NSW070807 Creative	134
NSW070830		Tiger NSW070833 Zebra	134
(1)	Not w	rith fold down push handles & not without push handles	

only with adapter, standard and only with 0° and 4° wheel camber

(2) Not with rear wheels Spinergy / mountain bike/ drum brakes

(3) Not with lightweight COG axle

NSW80010 Brake lever extension, knee-lever brake, fold-down I NSW802015 Push to lock brake, one-arm, left actuation I NSW802016 Push to lock brake, one-arm, right actuation I NSW802010 Compact brake I NSW802010 Compact brake I NSW802020 Compact brake I NSW802021 Air pump I NSW802022 Air pump I NSW802023 Back pack Interview pump (0 - 11 bar) NSW802023 Back pack Interview pump (0 - 11 bar) NSW802023 Back pack Interview pump (0 - 11 bar) NSW802023 Mobile phone pocket Interview pum colour catelogue to review pum colour catelogue to rev	•) = No cos	t option		= Cost option				£		
Winterverbrake Interverbrake				CKS					(choose only	one option)			
SN9405010 Bake lever extension, knee-lever frake, fold-down I SN950510 Push to lock hrake, one-aim, fight actuation I SN950510 Push to lock hrake, one-aim, fight actuation I SN950510 Push to lock hrake, one-aim, fight actuation I SN950500 Foot kit I SN950500 Tool kit I SN950500 Not bag I <t< td=""><td>NSW060001</td><td></td><td>Standard brake</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	NSW060001		Standard brake										
954999016 Push to lock brake, one-arm, fight actuation	NSW060002 [Knee-lever brake								56		
WSY09007 Push to lock brake, one-arm, right actuation SW090007 Compact brake ACCESSORIES NSW090000 Tool kit SW0900000 Tool kit SW0900000 Net bag NSW0900000 Net bag NSW0900000 Net bag SW09000000 Net bag NSW0900000 Net bag NSW0900000 Dack pack SW09000000 Net bag NSW0900000000 Reade pack SW090000000 Caddy, flip-up bracket for bags NSW0900000000000000000000000000000000000	NSW060010		Brake lever ext	ension, kne	e-lever brake,	fold-do	wn				38		
Maccesson Accesson Name Accesson Name	NSW060015 [Push to lock brake, o	one-arm, lef	t actuation						158		
NSWV90000 AccEssoRies Note bat NSWV90000 A trip pump (0 - 11 bar) NSVV90002 A trip pump (0 - 11 bar) NSVV90002 May pump (0 - 11 bar) NSVV90002 NSVV90002 Col CulVR (Presse consult our colour stategets for news your colour obloce) State pump (0 - 11 bar) NSVV90002 Col CulVR (Presse consult our colour stategets for news your colour obloce) State colspan="2">State colspan="2" <th <="" colspan="2" state="" td=""><td>NSW060016 [</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>158</td></th>	<td>NSW060016 [</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>158</td>		NSW060016 [158
ACCESSORIES Streme of the text of t	NSW060003 C			/ U							58		
VSW02002 • Tool kit NSW02022 • Ar pump NSW02022 • Net bag NSW02023 • Net bag NSW02024 • Net bag NSW02025 • Mobile phone pocket • Ot White RAL 9010 • ES6 • Silver Mat • ES6		_	•										
NSW00022 Ar pump NSW00022 High pressure pump (0 - 11 bar) NSW00022 Back pack. NSW00020 Back pack. NSW00020 Back pack. NSW00020 Back pack. NSW00020 Caddy, lip-up bracket for bags NSW00020 Mobile phone pocket (Please consult our oblur catalogue to review your colour chicle) Frame Handrim UNDERS (Please consult our oblur catalogue to review your colour chicle) 02 Brilliant Silver 0 03 Silver Texture 0 04 Silver 22 Black 05 Silver Texture 0 04 Silver 22 Black 05 Silver Texture 0 06 Silver Texture 0 07 Brillian Lime 12 3 Signal White 08 Matt Lime 12 3 Silver Texture 09 Brillian Lime 13 3 Matt Black 01 Brillian Lime 13 3 Silver Texture 02 Brillian Lime 13 3 Matt Black 03 Silver Texture 13 3 Matt Black 14 Blaue 13 3 Matt Black													
NSW09022 High pressure pump (0 - 11 bar) NSW09022 Back pack NSW09022 Back pack NSW09022 Caddy, lip-up bracket for bags NSW09022 Mobile phone pocket (not with platform footplates high-mount) NSW09022 (Not with platform footplates high-mount) NSW09022 (not with platform footplates high-mount) NSW09022 (Not with pack for bags (not with platform footplates high-mount) NSW09022 (Not with platform footplates high-mount) Stiver Mat 2 (Polyphile metallic Coll colspan="2" <		_									1 -		
NSW090020 Net bag Image: constraint of the co											15		
NSW090030 Back pack (not with platform footplates high-mount) NSW090079 Caddy, flip-up bracket for bags (not with platform footplates high-mount) NSW090028 Mobile phone pocket (not with platform footplates high-mount) NSW090029 Mobile phone pocket (not with platform footplates high-mount) NSW090029 Mobile phone pocket (not with platform footplates high-mount) NSW090029 Mobile phone pocket (not with platform footplates high-mount) NSW090029 Frame Handrim Hub/film (1) £66 £188 £66 £188 01 White RAL 9010 28 Filantum metallic 0 20 02 Brilliant Silver 0 28 Silver Matt Black 0 20 04 Silver 0 23 Signal White 0 20 20 05 Sun Yellow 0 31 Matt Black 0 20 20 05 Brilliant Marine 0 33 Pink 0 20 20 20 16 Matt Marine 0 33 Mars Red (Orage) 0 20 20 20	NSW090024			(0 - 11 bar)							73		
NSW09019 Caddy, flip-up bracket for bags (not with platform hoopblates high-mount) NSW09025 Mobile phone pocket (Please consult our colour catalogue to review your colour choice) Frame Handrim Hub/rim (1) Frame Edit 02 Silver 0 <td< td=""><td>NSW090020 E</td><td></td><td><u> </u></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>22</td></td<>	NSW090020 E		<u> </u>								22		
NSW990226 Mobile phone pocket COLOURS Frame Handrim Hub/rim (1) Frame Frame Handrim Hub/rim (1) E66 £188 £66 £188 £66 £188 £66 £188 £66 £188 £66 £188 £66 £188 £66 £188 £66 £188 £66 £188 £188 £66 £188 £66 £188 £66 £188	NSW090030 E										59		
COLOURS (Please consult our colour datalogue to review your colour choice) Frame Handrim Hub/rim (1) Frame Handrim Hub/rim (1) E66 £188 01 White RAL 9010 0 0 26 £188 26 £108 0	NSW090019 [Caddy, flip-up brack	et for bags				(not with platfo	orm footplates	high-mount)	59		
Frame Handrim Hub/rim (1) £66 Frame Handrim Hub/rim (1) £66 £188 01 White RAL 9010 0 26 Silver Texture 0 1 26 Silver Texture 1 1 66 £188 0 1 1 66 £188 0 1 1 66 £188 0 1 0	NSW090026 [Mobile phone pocke	t							44		
Frame Handrim Hub/rim (1) £66 Frame Handrim Hub/rim (1) £66 £188 01 White RAL 9010													
£66 £188 £66 £188 01 White RAL 9010 0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>(Please consult our co</td><td>-</td><td>-</td><td></td><td></td></t<>							(Please consult our co	-	-				
01 White RAL 9010 0			Frame		• •			Frame			(1)		
02 Brilliant Silver 0				£66	£188				£66	£188			
03 Silver Matt 0	01 White RAL 9	901	0 0				26 Silver Texture	0					
03 Silver Matt 0	02 Brilliant Silve	ər	0				27 Graphite metallic	0					
04 Silver 0 <td0< td=""><td></td><td></td><td>0</td><td></td><td></td><td></td><td>-</td><td>0</td><td>_</td><td></td><td></td></td0<>			0				-	0	_				
06 Sun Yellow 0								0					
07 Brilliant Lime 0			_										
08 Matt Lime 0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td>_</td><td>_</td><td></td></t<>								_	_	_			
14 Blue 0 1 34 Dark Chocolate Metallic 0 1 15 Brilliant Marine 0 1 35 Sky blue 0 1 16 Matt Marine 0 1 35 Sky blue 0 1 1 16 Matt Marine 0 1 36 Cyan-Metallic 1 1 1 19 Brilliant Purple 0 1 37 Mars Red (Orange) 1 1 20 Matt Purple 0 1 40 Kiwi 0 1 1 21 Red Ruby 0 1 40 Kiwi 0 1 1 23 Matt Red 0 1 41 Flamingo-Gilitter 1 1 23 Matt Red 0 1 43 Azure Blue 1 1 24 Tutti Fruti Orange 1 43 Azure Blue 1 1 1 (1) only with rear wheel, Universal 1 (hub and rim andized, black spokes) 1		Э	_				-	0					
15 Brilliant Marine 0 1 35 Sky blue 0 1 16 Matt Marine 0 1 36 Cyan-Metallic 0 1 19 Brilliant Purple 0 1 37 Mars Red (Orange) 0 1 20 Matt Purple 0 1 37 Mars Red (Orange) 0 1 21 Red Ruby 0 1 40 Kiwi 1 1 22 Brilliant Red 0 1 41 Flamingo-Glitter 0 1 23 Matt Red 0 1 43 Azure Blue 1 1 24 Tuti Frutti Frutt			0					0					
16 Matt Marine 0	14 Blue		0				34 Dark Chocolate Metallic	0					
19 Brilliant Purple 0	15 Brilliant Mari	ine	0				35 Sky blue	0					
19 Brilliant Purple 0	16 Matt Marine		0				36 Cyan-Metallic	0					
20 Matt Purple 0 1 39 Cappuccino 0 1 21 Red Ruby 0 1 40 Kiwi 0 1 21 Red Ruby 0 1 40 Kiwi 0 1 21 Red Ruby 0 1 40 Kiwi 0 1 21 Red Ruby 0 1 41 Flamingo-Glitter 0 1 23 Matt Red 0 1 42 Matt Anthracite 0 1 1 23 Matt Red 0 1 43 Azure Blue 0 1 1 24 Tuti Fruti Orange 0 1 43 Azure Blue 0 1 1 (1) only with rear wheel, Universal COLOURS FOR REAR WHEEL, LIGHTWEIGHT, 24" (hub and rim anodized, black spokes) 1 NSW100336 Anodised, orange (only with Rear wheel, lightweight in 24") 1 NSW100337 Anodised, Ired (only with Rear wheel, lightweight in 24") 1 NSW100350 black 1 1 1 NSW100552 orange 1 1 1 NSW100553 red NSW100554 blue <t< td=""><td>19 Brilliant Purp</td><td>ble</td><td>0</td><td></td><td></td><td></td><td>2</td><td>0</td><td></td><td></td><td></td></t<>	19 Brilliant Purp	ble	0				2	0					
21 Red Ruby 0 <td< td=""><td></td><td></td><td>0</td><td></td><td></td><td></td><td>· · · ·</td><td>_</td><td></td><td></td><td></td></td<>			0				· · · ·	_					
22 Brilliant Red 0 1 41 Flamingo-Glitter 0 1 23 Matt Red 0 1 42 Matt Anthracite 0 1 24 Tutti Frutti Orange 0 43 Azure Blue 0 1 24 Tutti Frutti Orange 0 43 Azure Blue 0 1 (1) only with rear wheel, Universal (only with rear wheel, Universal 1 (1) only with rear wheel, Universal (only with Rear wheel, Universal 1 NSW100337 Anodised, orange (only with Rear wheel, Universit in 247) 1 NSW100337 Anodised, red (only with Rear wheel, Universit in 247) 1 NSW100338 Anodised, red (only with Rear wheel, Universit in 247) 1 NSW100338 Anodised, red (only with Rear wheel, Universit in 247) 1 NSW100350 black (only with Rear wheel, Universit in 247) 1 NSW100552 o range 1 1 NSW100553 red 1 1 1 NSW100554 blue 1 1 1 Comments for special build - please apply for a quote; lead time conditions may chan	•							_					
23 Matt Red 0 1 42 Matt Anthracite 0 1 24 Tutti Frutti Orange 0 1 43 Azure Blue 0 1 (1) only with rear wheel, Universal 0 1 1 (1) only with rear wheel, Universal 0 1 1 (1) only with rear wheel, Universal 0 1 1 (1) only with rear wheel, Universal 0 1 1 (1) only with rear wheel, Universal 0 1 1 (1) only with rear wheel, Universal 0 1 1 (1) only with rear wheel, Universal 0 1 1 (1) only with rear wheel, Universal 0 1 1 1 (1) only with rear wheel, Universal 0 1 <t< td=""><td></td><td></td><td>_</td><td>_</td><td></td><td></td><td></td><td>-</td><td>_</td><td></td><td></td></t<>			_	_				-	_				
24 Tutti Frutti Orange 0 <td></td> <td></td> <td>0</td> <td></td> <td></td> <td></td> <td>Ū.</td> <td>0</td> <td></td> <td></td> <td></td>			0				Ū.	0					
(1) only with rear wheel, Universal COLOURS FOR REAR WHEEL, LIGHTWEIGHT, 24" NSW100336 Anodised, orange NSW100337 Anodised, orange NSW100337 Anodised, blue (n) (only with Rear wheel, lightweight in 24") NSW100337 Anodised, blue (only with Rear wheel, lightweight in 24") NSW100338 Anodised, red (only with Rear wheel, lightweight in 24") NSW100338 Anodised, red (only with Rear wheel, lightweight in 24") NSW100338 Anodised, red (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") (start Rear Wheel, lightweight in 24") </td <td></td> <td></td> <td>•</td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td></td> <td></td> <td></td>			•					0					
COLOURS FOR REAR WHEEL, LIGHTWEIGHT, 24" (hub and rim anodized, black spokes) NSW100336 Anodised, orange (only with Rear wheel, lightweight in 24") (only wit	24 Tutti Frutti O)rar	nge O				43 Azure Blue	0					
NSW100336 Anodised, orange (only with Rear wheel, lightweight in 24") NSW100337 Anodised, blue (only with Rear wheel, lightweight in 24") NSW100338 Anodised, red (only with Rear wheel, lightweight in 24") NSW100338 Anodised, red (only with Rear wheel, lightweight in 24") NSW100338 Anodised, red (only with Rear wheel, lightweight in 24") NSW100550 black (only with Rear wheel, lightweight in 24") NSW100551 silver [NSW100552] NSW100552 orange [NSW100553] NSW100553 red [NSW100554] NSW100554 blue [NSW100554] Comments for special build - please apply for a quote; lead time conditions may change. [Lightweight in 24"] Quickie Neon ² - Base Price £1,605 Option price £	(1) onl	ly v				-							
NSW100337 Anodised, blue (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") NSW100338 Anodised, red (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") NSW100338 Anodised, red (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") NSW100350 black (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") NSW100550 black (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") NSW100550 black (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") NSW100550 black (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") NSW100551 silver (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") NSW100552 orange (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") NSW100553 red (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24") Option price E (only with Rear wheel, lightweight in 24") (only with Rear wheel, lightweight in 24")				FOR REA	R WHEEL, I	LIGH ⁻	FWEIGHT, 24"	•					
NSW100338 Anodised, red (only with Rear wheel, lightweight in 24") Image: Collours - for stickers ("Neon2" on the frame and "Quickie" on sideguard) NSW100550 black Image: Collours - for stickers ("Neon2" on the frame and "Quickie" on sideguard) Image: Collours - for stickers ("Neon2" on the frame and "Quickie" on sideguard) Image: Collours - for stickers ("Neon2" on the frame and "Quickie" on sideguard) Image: Collours - for stickers ("Neon2" on the frame and "Quickie" on sideguard) Image: Collours - for stickers ("Neon2" on the frame and "Quickie" on sideguard) Image: Collours - for stickers - for stickers - for stickers - for stickers - for special build - please apply for a quote; lead time conditions may change. Image: Collours - for stickers - for sti									-	÷ ,	100		
COLOURS - for stickers ("Neon ² " on the frame and "Quickie" on sideguard) NSW100550 black NSW100551 silver NSW100552 orange NSW100553 red NSW100554 blue Comments for special build - please apply for a quote; lead time conditions may change. built 4 m Quickie Neon ² - Base Price £1,605 Option price £			,						÷	- ,	100		
NSW100550 ○ black Image: Stress of the stress of th	NSW100338		Anodised, red					(only with Rea	ar wheel, lightw	eight in 24")	100		
NSW100550 ○ black Image: Stress of Stre			COLOURS - for st	tickers ("Ne	on²" on the fram	ne and	"Quickie" on sidequard)						
NSW100551 o silver Image: Constance of the second sec	NSW100550 C	С											
NSW100552 o range Image: Common constraints for special build - please apply for a quote; lead time conditions may change. Image: Common constraints for special build - please apply for a quote; lead time conditions may change. Quickie Neon ² - Base Price £1,605 Option price £		-											
NSW100553 • red NSW100554 • blue Comments for special build - please apply for a quote; lead time conditions may change. • built4 Quickie Neon ² - Base Price £1,605 Option price £													
NSW100554 O blue Comments for special build - please apply for a quote; lead time conditions may change. Duiltair Quickie Neon ² - Base Price £1,605 Option price £			•										
Comments for special build - please apply for a quote; lead time conditions may change. builtan Quickie Neon ² - Base Price £1,605 Option price £													
Quickie Neon ² - Base Price £1,605 Option price £					for a quater la	ad time-	anditions may shares						
Quickie Neon ² - Base Price £1,605 Option price £	Comments i		special build - p	lease apply	ior a quote; lea	ad time	conduions may change.						
Option price £									Ы	uilt <mark>4</mark> ı	me		
Option price £	Quickie Ne	eo	n ² - Base Pric	9					£	1,605			
									r				
		7											
Total Price	Iotal Price								£	N			

The following met	hod is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.
Seat width (SW):	
a) For the user:	Allow space between sideguard and hip on each side of the chair
	(approx. 1 - 2 cm altogether).
b) On the wheelchair:	From outside frame tube to outside frame tube.
Seat depth (SD):	
a) For the user:	When sitting upright: leave space for 2 - 3 fingers between
	front edge of the seat upholstery and back of knee.
	(approx. 3 - 6 cm). Care must be taken with adj. upholstery.
b) On the wheelchair:	From back tube to front of seat upholstery.
Front seat height:	
a) For the user:	When sitting with 90° knee angle:
	From back of knee to bottom of shoe sole.
b) On the wheelchair:	From front of seat tube to the ground.
	(min. 3cm longer than user measurement).
	Remember to include the cushion height.
Rear seat height:	
b) On the wheelchair:	From back of seat tube to the ground.
	Note: Max. seat height difference rear to front is 11 cm .
Back height:	
a) For the user:	From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.
b) On the wheelchair:	From back of seat tube to upper edge of backrest upholstery.
	Note: The user's ability to sit upright has a major influence on the
	back height and it can therefore differ considerably.
Back angle:	Important: The back height depends on the degree of disability.
	0° is the angle 90° to the ground. Negative angles are <90°
	and positive angles are >90°.

Technical Data Overview:

Max. overall height:	102 cm	
Max. overall length:	115 cm	
Max. pivot width:	70 cm	
Max. safe slope:	7° (for use of parking brakes)	
Wheelchair weight:	from 11,5 kg	
Dismantled weight:	from 9,1 kg	
Mass of heaviest part:	2,1 kg	
Max. overall width:	Camber	
	For 0° camber:	SW + 16 cm
	For 2° camber:	SW + 22 cm
	For 4° camber:	SW + 27 cm

Intended use and environment - for people with limited mobility; self-propelling or being pushed by an assistant, indoor and outdoor use.

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle in combination with option "Tie down brackets for transportation". For transport without a user, fix the chair safely in the vehicle (e.g. car or plane).

All changes in the configuration might change the seat heights. Manufacturing tolerances of +/- 1 cm.



NSW020002 Seat sling with 1 utility bag



NSW020003 Seat sling with 2 utility bags



NSW090018 Lap belt with buckle, metal



NSW030012 Backrest, angle adjustable



NSW030201 Push handles, long



NSW030203 Push handles, fold-down



NSW030204 Push handles, height-adjustable



NSW030316 EXO backrest sling



NSW030317 EXO PRO backrest sling



NSW030412 Headrest, medium

Folding-Matrix for NSW030031 Backrest, fold-down to the front.

Seat width



NSW030031 Backrest, fold-down

	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	 ✓ 	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38		✓	✓	✓	√	✓	✓
40			✓	✓	√	✓	✓
42				✓	✓	✓	✓
44				✓	✓	✓	✓
46					✓	✓	✓
48						✓	1
50							✓





=can't be folded full 90° to the front on folded chair in combination with fold-down push handles



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

OF_QUICKIE_NEON²_RETAIL_28-09-2021 REV1



JAY 3 Back

Shallow Contour

8 cm



JAY 3 Back Mid Contour



JAY 3 Carbon Back Shallow Contour



NSW050011 Hanger, aluminium, flip-up (0-90°, Swing-away



NSW04000x Desk sideguard, armpad, flip-up, removable



NSW040050 Single-post sideguard



NSW040052 Single-post sideguard, armpad (33 cm)



NSW040117 Tubular armrest, swing away, removable, padded



NSW040107 Sideguard, composite, removable (black)



NSW040103 Aluminium, cold weather protection, fender



NSW040104 Carbon fibre, cold weather protection, fender

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

				Seat Depth			
COG	380	400	420	440	460	480	500
40	×	×	×	~	~	~	~
60	×	×	×	×	~	~	~
70	×	×	×	×	~	~	~
80	×	×	×	×	×	~	~
90	×	×	×	×	×	~	~
100	×	×	×	×	×	×	~
110	×	×	×	×	×	×	~
120	×	×	×	×	×	×	×
130	×	×	×	×	×	×	×





NSW050022 Footboard divided, aluminium, frame colour

NSW050059 Footboard platform, Performance



NSW050132 Footboard platform, lightweight, carbon fibre



NSW050127 Adjustable side protection



NSW090010 Transit wheels



NSW090006 Anti-tip tubes, swing away



NSW090001 Tip assist



NSW080013 & NSW080306 Castor fork, Carbotecture & Castor solid (soft) aluminium



NSW080008 Castor fork, aluminium, one-arm, red



NSW070001 Universal wheel

NSW070002 Design wheel



NSW070003 Lightweight wheel



NSW070004 Proton wheel

NSW070010 Mountain bike wheel



NSW070101 Schwalbe Right Run



NSW070106 Schwalbe Down Town



NSW070107 Schwalbe One



NSW070104 Schwalbe Marathon Plus Evolution



NSW070102 Tyre, puncture proof



NSW070208 Handrims Maxgrepp



NSW070212 Handrims Ellipse 3R



NSW060001 Standard brake



NSW060002 Knee lever brake



NSW060003 Compact brake



NSW090000 Tool kit



NSW090024 High pressure pump



NSW090025 Air pump



NSW090030 Back pack



NSW090019 Caddy, flip-up bracket for bags



NSW090026 Mobile phone pocket



NSW100336 Lightweight wheel, anodized orange



NSW100337 Lightweight wheel, anodized blue



NSW100338 Lightweight wheel, anodized red