

PUMA 40

RETAIL

(With Sedeo Pro)



Valid from	28/09/2021	Version	1
Dealer	Date		
Reference No.			
Delivery address	Quantity		
	UNIT-ID 0220		



The picture shown may deviate from the standard configuration



7176/19 crash tested.
Final configuration may differ from tested configuration.

Basic configuration exclusive VAT £7,500

- Sedeo Pro Seat Frame
- Platinum white metallic chassis colour
- Aluminium silver accent colour
- 10" outdoor / indoor castors with 14" outdoor / indoor drive wheels
- Aluminium / aluminium rims with grey tyres
- 41.5 cm seat height (exc cushion)
- Rear wheel drive
- Speed 6 km/h / 4 mp/h
- Puma 40 motor, 4-Pole High Torque
- Air castors and drive wheels
- Full Track Suspension System (FTSS)
- LED lights and indicators
- Shark lights controller, on right
- Fixed controller bracket
- 46 cm width Padded seat cushion, 7 cm thickness
- 46 cm width Padded backrest
- Folding backrest, tool operated
- Sedeo Original standard legrests, with calf strap
- Flip up armrests, 40 cm padded
- Side supports PU
- Lap strap
- Approx. 60 Ah GEL batteries
- 8 Ah charger

The standard configuration below is indicated with 'basic'. If an alternative option is required please mark clearly by ticking the associated box.

THE CODES WHICH ARE MENTIONED BEHIND THE OPTIONS, ARE NOT ARTICLE NUMBERS. ALWAYS USE THESE CODES IN COMBINATION WITH THE PRICE LIST-ID NUMBER MENTIONED ABOVE.

BASE FRAME



- 1
- 2
- 3
-
-
-
-
-
-
-

SEDEO PRO SEAT FRAME

Sedeo Pro seat frame

Backrest frame for third-party backrests, frame only, no backrest cushion will be supplied

Anthracite grey metallic chassis colour

Platinum white metallic chassis colour

4 different accent colours (aluminium silver, lime green, sky blue and fresh orange) (Chair will be built with aluminium silver, three remaining choices provided in presentation box)

9" indoor/outdoor castor wheels (only i.c.w. 12.5" indoor/outdoor drive wheels)

10" outdoor/indoor castor wheels (only i.c.w. 14" outdoor/indoor drive wheels)

12.5" indoor/outdoor drive wheels

14" outdoor/indoor drive wheels

Aluminium/Aluminium rim

Grey tyres

Black tyres (only i.c.w. 10" outdoor/indoor castor & 14" outdoor/indoor drive wheels)

option ID

Excl

Y01117 Basic

Y01124 339

Y01299 0

Y01300 Basic

Y01301 Basic

Y01284 0

Y01285 Basic

Y01286 0

Y01287 Basic

Y01289 Basic

Y01370 Basic

Y01376-A 123

SEAT HEIGHT EXCL. STANDARD CUSHION USER WEIGHT INCL.

<input type="checkbox"/>	Seat height i.c.w. 12.5" drive wheels		
<input type="checkbox"/>	40.5 cm / 15.9", seat angle 0° (not i.c.w. SD 560 mm)	Y01291	0
<input type="checkbox"/>	43 cm / 16.9", seat angle 0°	Y01292	0
<input type="checkbox"/>	45.5 cm / 17.9", seat angle 0°	Y01293	0
<input type="checkbox"/>	48 cm / 18.9", seat angle 0°	Y01294	0
<input type="checkbox"/>	50.5 cm / 19.9", seat angle 0°	Y01295	0
<input type="checkbox"/>	Seat height i.c.w. 14" drive wheels		
<input type="checkbox"/>	41.5 cm / 16.3", seat angle 0° (not i.c.w. SD 560 mm)	Y01322	Basic
<input type="checkbox"/>	44 cm / 17.3", seat angle 0°	Y01323	0
<input type="checkbox"/>	46.5 cm / 18.3", seat angle 0°	Y01324	0
<input type="checkbox"/>	49 cm / 19.3", seat angle 0°	Y01325	0
<input type="checkbox"/>	51.5 cm / 20.3", seat angle 0°	Y01326	0
<input type="checkbox"/>	Front wheel drive	Y00105	0
<input type="checkbox"/>	Rear wheel drive	Y00106	Basic
<input type="checkbox"/>	Speed 6 km/h / 4 mph	Y00211	Basic
<input type="checkbox"/>	Speed 10 km/h / 6 mph	Y00215	504
<input type="checkbox"/>	Speed 12.5 km/h < 136 kg (only i.c.w. DX2 or R-net controller, 10" (air) & 14" wheels) (i.c.w. FWD only with Gyro tracking control system)	Y01537	718
<input type="checkbox"/>	Gyro tracking control system (only i.c.w. DX2 or R-net controller)	Y01496	360
<input type="checkbox"/>	Puma 40 motor	Y01297	Basic
<input type="checkbox"/>	Castor wheels air	Y00097	Basic
<input type="checkbox"/>	Castor wheels puncture proof with solid inner tube	Y00098	0
<input type="checkbox"/>	Drive wheels air	Y00107	Basic
<input type="checkbox"/>	Drive wheels puncture proof with solid inner tube	Y00108	0
<input type="checkbox"/>	Full Track Suspension System (FTSS)	Y01303	Basic

ADJUSTMENTS & LIGHTING



<input type="checkbox"/>	1	Manually reclining backrest, operated by the user, right (not i.c.w. same joystick side or same entry side worktop, only as adaptation)	option ID	Excl
<input type="checkbox"/>	1	Manually reclining backrest, operated by the user, left (not i.c.w. same joystick side or same entry side worktop, only as adaptation)	Y01121	152
<input type="checkbox"/>	2	Electrically reclining backrest	Y01128	612
<input type="checkbox"/>	3	Electrical tilt adjustment 0 - 45°	Y01305	1043
<input type="checkbox"/>	4	Electrical high/low adjustment 30 cm / 12"	Y00391	1187
<input type="checkbox"/>	5	LED lights and indicators (i.c.w. removable armrests, lights will be mounted on the seat frame; i.c.w. SW 54 cm lights may shine to the legrest holder)	Y01129	Basic

CONTROLLERS

		VR2 lights: lighting, no electrical adjustments possible	option ID	Excl
		VR2 seats & lights: lighting and two electrical adjustments possible		
		R-net entry level: lighting and five electrical adjustments possible		
		R-net with LCD display: lighting and five electrical adjustments possible		
		PGDT CONTROLLERS		
<input type="checkbox"/>	5	VR2 lights, right	Y00257	0
<input type="checkbox"/>	5	VR2 lights, left	Y00256	0
<input type="checkbox"/>	6	VR2 seats & lights, right	Y00259	0
<input type="checkbox"/>	6	VR2 seats & lights, left	Y00258	0
<input type="checkbox"/>	7	R-net entry level, right	Y01317-A	353
<input type="checkbox"/>	7	R-net entry level, left	Y01318	353
<input type="checkbox"/>	8	R-net with LCD display, right	Y00261-B	288
<input type="checkbox"/>	8	R-net with LCD display, left	Y00260-A	288
<input type="checkbox"/>	10	Direct access on joystick side (only i.c.w. R-net with LCD display)	Y01588	288
<input type="checkbox"/>	10	Direct access not joystick side (only i.c.w. R-net with LCD display)	Y01589	288
<input type="checkbox"/>	11	Attendant control on push bar, additional, choose also controller (not i.c.w. shark drive only and VR2 drive only), right	Y01132	604
<input type="checkbox"/>	12	Fixed controller bracket	Y01130-A	Basic
<input type="checkbox"/>	13	Swing away controller bracket	Y01131	116


SEAT CUSHIONS

		option ID	Excl
<input type="checkbox"/>	COMFORT SEAT CUSHION WIDTH (SW) X DEPTH (SD)		
<input type="checkbox"/>	420 x 500 mm (SW 400 - 420 mm, SD 440 - 520 mm)	Y01139	0
<input type="checkbox"/>	420 x 560 mm (SW 400 - 420 mm, SD 500 - 590 mm)	Y02644	0
<input type="checkbox"/>	460 x 500 mm (SW 420 - 460 mm, SD 440 - 520 mm)	Y01142	0
<input type="checkbox"/>	460 x 560 mm (SW 420 - 460 mm, SD 500 - 590 mm)	Y02645	0
<input type="checkbox"/>	500 x 500 mm (SW 460 - 500 mm, SD 440 - 520 mm)	Y01145	0
<input type="checkbox"/>	500 x 560 mm (SW 460 - 500 mm, SD 500 - 590 mm)	Y02646	0
<input type="checkbox"/>	540 x 500 mm (SW 500 - 540 mm, SD 440 - 520 mm)	Y01148	0
<input type="checkbox"/>	540 x 560 mm (SW 500 - 540 mm, SD 500 - 590 mm)	Y02647	0.
<input type="checkbox"/>	CHOOSE ALSO SEAT CUSHION COVER		
<input type="checkbox"/>	1 Profiled seat, 70 mm thick	Y01152	Basic
<input type="checkbox"/>	3 Support seat, 100 mm thick	Y01154	244
<input type="checkbox"/>	3 Stabilizer seat, 90 mm thick	Y01156	274
<input type="checkbox"/>	6 Pan seat with front (50 mm) and depth adjustable rear lip (only i.c.w. incontinence cover)	Y01159	0
<input type="checkbox"/>	Board seat with rear pan (only i.c.w. incontinence cover)	Y01160	0
<input type="checkbox"/>	7 Incontinence cover	Y01164	Basic
<input type="checkbox"/>	8 Comfort cover	Y01165	58







BACKRESTS





		option ID	Excl
<input type="checkbox"/>	COMFORT BACKREST CUSHION WIDTH (BW) X HEIGHT (BH)		
<input type="checkbox"/>	(not i.c.w. third party)		
<input type="checkbox"/>	420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm)	Y01173	0
<input type="checkbox"/>	420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm)	Y01174	0
<input type="checkbox"/>	460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm)	Y01176	0
<input type="checkbox"/>	460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm)	Y01177	0
<input type="checkbox"/>	500 x 500 mm (BW 460 - 500 mm, BH 500 - 580 mm)	Y01179	0
<input type="checkbox"/>	500 x 560 mm (BW 460 - 500 mm, BH 560 - 640 mm)	Y01180	0
<input type="checkbox"/>	540 x 500 mm (BW 500 - 540 mm, BH 500 - 580 mm)	Y01182	0
<input type="checkbox"/>	540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm)	Y01183	0
<input type="checkbox"/>	CHOOSE ALSO BACKREST CUSHION COVER		
<input type="checkbox"/>	(not i.c.w. third party)		
<input type="checkbox"/>	1 Padded backrest	Y01185	Basic
<input type="checkbox"/>	2 Deep contour, passive backrest	Y01187	301
<input type="checkbox"/>	4 Backrest Flexible, deep contour, passive, adjustable straps (note: not removable) (not i.c.w. thoracic supports)	Y01190	382
<input type="checkbox"/>	5 Backrest Flexible, deep contour, active, adjustable straps (note: not removable) (not i.c.w. thoracic supports)	Y01191	388
<input type="checkbox"/>	6 Backrest flexible, extra deep contour, active, adjustable straps (note: not removable) (not i.c.w. thoracic supports)	Y01520	425
<input type="checkbox"/>	Adaptive or other back, choose desired deviations with adaptations	Y01264	0
<input type="checkbox"/>	7 Removable incontinence cover (not i.c.w. third party backrest frame)	Y01193	Basic
<input type="checkbox"/>	8 Removable comfort cover (not i.c.w. third party backrest frame)	Y01194	58
<input type="checkbox"/>	9 Thoracic support (not i.c.w. third party backrest frame), set	Y01195	425
<input type="checkbox"/>	10 Flip down backrest	Y01122	Basic
<input type="checkbox"/>	11 Flip down backrest, operated by user	Y01123	29








LEGRESTS















		option ID	Excl
<input type="checkbox"/>	LEGRESTS SET		
<input type="checkbox"/>	Standard legrests	Y01198	Basic
<input type="checkbox"/>	2 Manually elevating legrests (only i.c.w. option Y01204 Calf support, set)	Y01199	353
<input type="checkbox"/>	3 Electrically elevating legrests (only i.c.w. option Y01204 Calf support, set) (only i.c.w. DX or R-net controller)	Y01200	1043
<input type="checkbox"/>	4 Standard heavy duty legrests with heel straps	Y01265-A	382
<input type="checkbox"/>	LEGREST ACCESSORIES (not i.c.w. heavy duty legrests)		
<input type="checkbox"/>	Calf strap (only i.c.w. standard legrests)	Y01202-A	Basic
<input type="checkbox"/>	6 Depth adjustable calf support, PU, set	Y01204	116
<input type="checkbox"/>	7 Depth adjustable calf support, upholstered, set	Y01658	124
<input type="checkbox"/>	8 Knee pads (not i.c.w. padded side support, wedge-shape)	Y01205	72
<input type="checkbox"/>	9 Amputation support, right	Y01208	186
<input type="checkbox"/>	9 Amputation support, left	Y01207	186
<input type="checkbox"/>	CENTRAL LEGRESTS (not i.c.w. legrest set or legrest accessories)		
<input type="checkbox"/>	10 Central legrest (i.c.w. electrical adjustments choose calf support, limitations in knee angle i.c.w. RWD)	Y01209	0
<input type="checkbox"/>	11 Electrical central legrest with length compensation (limitations in knee angle i.c.w. RWD) (only i.c.w. R-Net controller and calf plates)	Y01598	3090
<input type="checkbox"/>	CENTRAL LEGREST ACCESSORIES		
<input type="checkbox"/>	12 Central calf support	Y01212	0
<input type="checkbox"/>	13 Calfplates for electrical central legrest with length compensation	Y01600	95
<input type="checkbox"/>	Calfplates with side support for electrical central legrest with length compensation	Y01601	116

ARMRESTS		option ID	Excl
	1	Removable armrests with quick-lock	Y01216 0
	2	Flip-up armrests	Y01217 Basic 0
	3	Armrest pad 30 cm / 11.8", right	Y01223 0
	3	Armrest pad 30 cm / 11.8", left	Y01222 0
	4	Armrest pad 40 cm / 15.7", right	Y01221 Basic 0
	4	Armrest pad 40 cm / 15.7", left	Y01220 Basic 0
	5	Armrest pad wide, 45 cm (i.c.w. flip-up armrest SW +2 cm, not i.c.w. SW 54 cm), right	Y01548 0
	5	Armrest pad wide, 45 cm (i.c.w. flip-up armrest SW +2 cm, not i.c.w. SW 54 cm), left	Y01547 0
	6	Hemiplegia armrest (not i.c.w. same joystick side or same entry side worktop, only as adaptation), right	Y01227 116
	6	Hemiplegia armrest (not i.c.w. same joystick side or same entry side worktop, only as adaptation), left	Y01226 116

SIDE CUSHIONS		option ID	Excl
	1	Side supports synthetic	Y01230 0
	2	Side supports PU (SW -2cm)	Y01231-A Basic 0
	3	Padded side supports, wedge-shape (SW -8cm) (not i.c.w. flip up armrest)	Y01232 239
	4	Thigh supports	Y01234 425
	4		

HEADRESTS		option ID	Excl
	1	Headrest PU, small, choose also headrest socket	Y01235-A 173
	2	Headrest flexible, choose also headrest socket	Y01236 195
	3	Headrest large, choose also headrest socket	Y01237 209
	4	Headrest socket on backrest frame (not i.c.w. third party backrest frame)	Y01239-A 95
	5	Headrest socket on backrest frame (only i.c.w. third party backrest frame)	Y00333 36
	6	Width adjustable headrest bracket (only i.c.w. headrest) (not i.c.w. headrest bracket with quick-lock)	Y01240-A 123
	7	Headrest bracket with quick-lock (not i.c.w. attendant control on push bar or width adjustable headrest bracket)	Y01241 80
			
	7		

WORKTOPS		option ID	Excl
	1	ENTRY TUBE SIDE NOT I.C.W. REMOTE SIDE	
	1	Folding worktop acrylic, joystick recess on the side, abdominal recess 11 cm / 4.3", entry tube right	Y01244 360
	1	Folding worktop acrylic, joystick recess on the side, abdominal recess 11 cm / 4.3", entry tube left	Y01243 360
	2	Folding worktop half, acrylic, entry tube right	Y01248 345
	2	Folding worktop half, acrylic, entry tube left	Y01247 345
	3	WORKTOP TOGETHER WITH	
	3	Partial padding (not i.c.w. elbow pads)	Y01252 130
	4	Raised edges acrylic	Y01253 144
	5	Elbow pads (not i.c.w. partial padding), set	Y01254 130

ACCESSORIES		option ID	Excl
	1	Lap strap	Y01255 Basic 0
	1	Lap strap longer	Y01256 100
	2	Lap strap bracket for SW 50 - 54 cm	Y01546 51
	3	Mirror on joystick side	Y00023 Basic 72
	3	Mirror not on joystick side (not i.c.w. same entry side worktop)	Y00024 72
	4	Cane/crutch holder for 2 walking canes	Y00012 72
	5	Mudguards for castor wheels (design based on 10"), set	Y00027 100
	6	Mudguards for drive wheels (design based on 14"), set	Y00028 130
	7	Kerb climber detachable (not i.c.w. lowest SH and not i.c.w. front wheel drive)	Y00506 252
	7	Brackets for bag on backrest frame (not i.c.w. third party backrest frame)	Y01258 29
	7		

BATTERIES & CHARGERS		option ID	Excl
		Batteries approx. 40 Ah (C20) GEL, set (not i.c.w. speed 12,5 km/h)	Y00045-A 0
		Batteries approx. 60 Ah (C20) GEL, set	Y00046 Basic 0
		Batteries approx. 74 Ah (C20) GEL, i.c.w. 12,5" drive wheels lowest SH 43 cm / 16.9" and i.c.w. 14" drive wheels lowest SH 44 cm / 17.3", seat angle 0°, set	Y00047 403
		Charger 24V - 8A	Y00050-B Basic 0

REMARKS	

Sunrise Medical can tailor solutions to meet your requirements. Please contact your Sunrise Medical contact person for all additional wishes that are not described above.