

Invoice to:
 Name:
 Street:
 Town: Postal code:
 Country:
 Tel: Fax:
 Order date:
 Purchase order:

Deliver to:
 Name:
 Street:
 Town: Postal code:
 Country:
 Tel: Fax:
 Marked for:

Base Price £6,400



Email: orders@sunmed.co.uk

Fax number: +44 (0)845 605 66 89

Part No. 21200000-000 QPA01

Maximum user weight limit 140kg (22 Stone)

Standard Features (Salsa R ²)	Seating Standard Options
<ul style="list-style-type: none"> ● Rear wheel drive base ● 12.5" drive wheels ● Drive wheel suspension ● 60Ah batteries ● 60cm overall width (with 12" wheels) 	<ul style="list-style-type: none"> ● Tension adj. backrest sling ● 70° swing-away legrests ● Angle & depth adjustable footplates ● Adjustable lap strap ● Height and angle adjustable backrest
<ul style="list-style-type: none"> ● Red, Blue or White Shroud ● Motor/wheel disengagement ● Transportation approved ● Width, height & depth adjustable seat ● Flip back, angle, height & depth adj. arms 	

STANDARD SEAT: FRAME / SEAT SIZE			
Width Setting		Depth setting	
SW41	<input type="radio"/> 41cm (16")	SD41	<input type="radio"/> 41cm (16")
SW43	<input type="radio"/> 43cm (17")	SD43	<input type="radio"/> 43cm (17")
SW46	<input type="radio"/> 46cm (18")	SD46	<input type="radio"/> 46cm (18")
SW48	<input type="radio"/> 48cm (19")	SD48	<input type="radio"/> 48cm (19")
SW51	<input type="radio"/> 51cm (20")	SD51	<input type="radio"/> 51cm (20")
STR020114 : Adjustable Seating System			
<i>Seat frame is fully adjustable from 41cm to 51cm (16" - 20") in width and depth. Independently adjustable in 2.5cm (1") increments</i>			
			£

STANDARD SEAT: CUSHION		
STR020109	● Firm seat board	<i>(standard with standard seat)</i>
STR020111	<input type="radio"/> 5cm (2") standard foam cushion 41cm (16") wide	<i>(used for seat width 41 - 46cm)</i>
STR020112	<input type="radio"/> 5cm (2") standard foam cushion 48cm (19") wide	<i>(used for seat width 48 - 51cm)</i>
STR020110	<input type="radio"/> Omit seat cushion	

JAY SEAT DIMENSION																																							
<table border="1"> <thead> <tr> <th colspan="5">Width</th> </tr> <tr> <th>41</th> <th>43</th> <th>46</th> <th>48</th> <th>51</th> </tr> </thead> <tbody> <tr> <th rowspan="5">Depth</th> <td>41</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>43</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>46</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>48</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>51</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Width					41	43	46	48	51	Depth	41	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	43	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	46	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	48	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	51	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	JAY020006	<input type="checkbox"/> JAY Easy Visco, Flat Base	£167
	Width																																						
	41	43	46	48	51																																		
	Depth	41	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																	
		43	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																	
		46	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																	
48		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																		
51		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																		
JAY020005	<input type="checkbox"/> JAY Easy Fluid, Flat Base	£389																																					
JAY020010/12	<input type="checkbox"/> JAY Balance Air	<i>(single valve, microclimatic cover)</i>	£636																																				
JAY020011/13	<input type="checkbox"/> JAY Balance Fluid	<i>(microclimatic cover)</i>	£592																																				
JAY020014/16	<input type="checkbox"/> JAY Balance Air, Positioning	<i>(single valve, microclimatic cover)</i>	£718																																				
JAY020015/17	<input type="checkbox"/> JAY Balance Fluid, Positioning	<i>(microclimatic cover)</i>	£674																																				
JAY020019	<input type="checkbox"/> JAY J2	£623																																					
JAY020020	<input type="checkbox"/> JAY J2 Deep Contour	£664																																					

JAY COMFORT SEAT			
			
   			
JCL020011	<input type="checkbox"/> Comfort seat pan, without threshold	<i>(thickness 2cm)</i>	£62
JCL020012	<input type="checkbox"/> Comfort seat pan, with 5cm (2") threshold	<i>(thickness 2cm)</i>	£101
JCL020003	<input type="checkbox"/> Standard cushion - stretched rubber upholstery	<i>(thickness 8cm)</i>	£188
JCL020007	<input type="checkbox"/> Optimum comfort - stretched rubber upholstery	<i>(anatomically formed - thickness 9cm)</i>	£237

● = Standard ○ = No cost option □ = Cost option

£

SEATING OPTION - SELECT SEAT POSITIONING OPTION WITH ASSOCIATED SEAT HEIGHT

SEAT POSITIONING OPTION	12.5" Drive Wheels		14" Drive Wheels		Option Price
	Low Seat Height	Tall Seat Height	Low Seat Height	Tall Seat Height	
	<i>(No Extension Kit)</i>	<i>(Inc Extension Kit - SAL090022)</i>	<i>(No Extension Kit)</i>	<i>(Inc Extension Kit - SAL090022)</i>	
SAL130001 Manual adjustable single pivot tilt (3° preset)	○ 42cm (16.5")	N/A	○ 43cm (17")	N/A	
SAL130002 Manually adjustable C.O.G Tilt (3° preset)	○ 44cm (17.3")	○ 47cm (18.5")	○ 45cm (17.7")	○ 48cm (19")	
SAL130003 Powered single pivot tilt 3° to 20°	□ 42cm (16.5")	N/A	□ 43cm (17")	N/A	556
SAL130004 Powered C.O.G Tilt: 0° to 30°	□ 46cm (18")	□ 49cm (19.5")	□ 47cm (18.5")	□ 50cm (20")	831
SAL130005 Powered negative C.O.G tilt: -5° to 25°	□ 46cm (18")	□ 49cm (19.5")	□ 47cm (18.5")	□ 50cm (20")	1026
SAL130006 Powered lift & tilt: 30cm lift, 30° tilt	□ 47cm (18.5")	□ 50cm (20")	□ 48cm (19")	□ 51cm (20.5")	2222

BACKREST RECLINE

STR030018	○ Mechanical fixed recline back	<i>(-4° to 16°)</i>	
STR030025	□ Manual adjustable recline back	<i>(Attendant operation only - gas strut, -5° to 30°, 41 to 46 cm or 48 to 51 cm depth adjustment range)</i>	276
STR030026	□ Powered recline back	<i>(-5° - 30°, 41 to 46 cm or 48 to 51 cm depth adjustment range)</i>	551

STANDARD BACKREST

STR030300	○ Omit Backrest Upholstery	<i>(Chair supplied with NO back upholstery option)</i>	
STR030301	○ Tension adj. sling backrest (48cm /19" height)	<i>(2.5cm up and down adjustment, with std foam cushion only)</i>	
Backrest Height Setting	BH46* ○ 46cm (18")	BH485 ○ 48.5cm (19")	BH51 ○ 51cm (20")
* Not available with manual or power reclining back			
SB43886	□ Solid covered backrest	<i>(Available via B4me department)</i>	POA
Backrest Height Setting	○ 50cm (19.5")	○ 57cm (22.5")	

JAY SHAPE BACKREST - MAX USER WGT 135KG

(Premium tension adjustable backrest upholstery - Not available on SW 51cm)

B4ME	□ JAY SHAPE Backrest	<i>(Not available in 51cm Seat Width)</i>	244
B4ME	□ JAY SHAPE Backrest - Oversized (Supplied 1" larger than seat width to allow greater immersion)	<i>(N/A in 48 or 51cm Seat Width)</i>	244
Back Height Setting	BH46 ○ 46cm (18")	BH485 ○ 48.5cm (19")	BH51 ○ 51cm (20")
	BH535 ○ 53.5cm (21")	BH56 ○ 56cm (22")	BH585 ○ 58.5cm (23")
BH61 ○ 61cm (24")			
B4ME	□ JAY SHAPE Lateral Thoracic supports (Pair) - Support 15 x 15 cm (Pair)		244
B4ME	□ JAY SHAPE Lateral Thoracic supports (Pair) - Support 10 x 12 cm (Pair)		244

JAY COMFORT BACKRESTS

JCL030004	□ Shallow contour (standard velour) - 50cm back height	<i>(hard back)</i>	194	
JCL030008	□ Shallow contour (standard velour) - 57cm back height	<i>(vertical elastic straps)</i>	280	
JCL030006	□ Shallow contour (standard velour) - 57cm back height	<i>(horizontal tension adjustable straps)</i>	280	
JCL030012	□ Deep contour - passive - 57cm back height	<i>(horizontal tension adjustable straps)</i>	<i>(4" Integrated lateral support)</i>	326
JCL030010	□ Deep contour - active - 57cm back height	<i>(horizontal tension adjustable straps)</i>	<i>(4" integrated lumbar lateral support)</i>	303

LATERAL SUPPORTS

STR030601	□ Lateral supports short (pair)	<i>(Recommended for TA backrests)</i>	358
STR030602	□ Lateral supports long (pair)	<i>(Recommended for JAY Comfort backrests)</i>	358

JAY3 BACKRESTS

J3 Back - Shallow Contour

Upper Thoracic:	□ JAY030012 Short - 42 cm	□ JAY030019 Medium - 46 cm	□ JAY030025 Tall - 50 cm	724
Shoulder Height:	□ JAY030015 Short - 53 cm	□ JAY030022 Medium - 57 cm	□ JAY030028 Tall - 61 cm	724

J3 Back - Mid Contour

Upper Thoracic:	□ JAY030013 Short - 42 cm	□ JAY030020 Medium - 46 cm	□ JAY030026 Tall - 50 cm	724
Shoulder Height:	□ JAY030016 Short - 53 cm	□ JAY030023 Medium - 57 cm	□ JAY030029 Tall - 61 cm	724

J3 Back - Deep Contour

Upper Thoracic:	□ JAY030014 Short - 42 cm	□ JAY030021 Medium - 46 cm	□ JAY030027 Tall - 50 cm	793
Shoulder Height:	□ JAY030017 Short - 53 cm	□ JAY030024 Medium - 57 cm	□ JAY030030 Tall - 61 cm	793

JAY3 HEADRESTS

WHT030415	□ Whitmyer Headrest, COBRA XTRA, Flip Back, Plush 250 mm	<i>(only with J3 backs)</i>	322
WHT030416	□ Whitmyer Headrest, AXYS, Standard, Plush 250 mm	<i>(only with J3 backs)</i>	175

● = Standard ○ = No cost option □ = Cost option

				£
STANDARD HEADRESTS				
STR030416	<input type="checkbox"/>	Comfort headrest (Winged style with adj. side pads)	(Mounted via push handles)	228
STR030417	<input type="checkbox"/>	Curved headrest (23 x 11cm / 9" x 4.5" pad)	(Mounted via push handles)	228
JCL040001	<input type="checkbox"/>	Jay Comfort: standard comfort seating headrest	(Mounted via Comfort backrest)	231
JCL040002	<input type="checkbox"/>	Jay Comfort: flexible comfort seating headrest (winged style)	(Mounted via Comfort backrest)	279
ARMRESTS				
STR040122	<input type="checkbox"/>	Flip-up armrest (height, angle adjustable)	(Height Angle and depth adjustable via outside of armrest)	
STR040127	<input type="checkbox"/>	Reclining flip-back armrest	(Armrest stays level when backrest Reclines)	224
STR040126	<input type="checkbox"/>	Single post armrest	(2" inward width adjustment via sideguard and armpad / 4" depth adjustment via sideguard)	282
ARMPADS				
STR040112	<input type="checkbox"/>	Standard Armpad - 385 x 60mm pad		
STR040113	<input type="checkbox"/>	Contoured Armpads 41cm (16")		75
STR040114	<input type="checkbox"/>	Jay Comfort Padded Armpad 41cm (16")		147
STR040118	<input type="checkbox"/>	Jay Comfort P-Shaped Padded Armpad 45 cm (18")	(Only available with Single Post Armrest)	207
STR040119	<input type="checkbox"/>	Hemi Armpad (Medium forearm pad & Small hand Pad) 28cm (11")	Pad 11 x 18cm (4.5" x 7")	534
POSITIONING ITEMS				
STR030604	<input type="checkbox"/>	Lateral Thigh Guide/Support	(4" Depth adjustment / 2" inward width adjustment) (Not available with Single post Armrest)	207
STR030605	<input type="checkbox"/>	Pommel	(Height / depth adj. / Quick release removable) (Not available with centre mount legrests)	252
LEGRESTS & FOOTPLATES				
STR050040	<input type="checkbox"/>	Standard hanger receivers	(Comes standard, with 70 degree s/a hangers, not with Uni style)	
STR050041	<input type="checkbox"/>	Offset hanger receivers	(20mm outwards offset each side, comes std with all ELR and ALR hangers, not with Uni style)	
STR050015	<input type="checkbox"/>	70° swing-away legrests		
XL0025	<input type="checkbox"/>	Uni style hangers and footplates	(Available via B4M - (LLL 32-47cm (12.5"-18.5"). Not available with 0° tilt options)	
STR050016	<input type="checkbox"/>	Manual elevating legrest		354
STR050017	<input type="checkbox"/>	Powered elevating legrest		651
STR050018	<input type="checkbox"/>	Powered articulating legrest		928
STR050036	<input checked="" type="checkbox"/>	Extension Tube - (Lower leg length: 34cm - 48cm / 13" - 19")	(measured from seat pan to footplate)	
OPTIONS FOR MANUAL AND POWER ELEVATING LEGRESTS				
STR050038	<input type="checkbox"/>	Comfort calf pads	(Not available with centre mount or 70° legrests)	133
STR050039	<input type="checkbox"/>	Auto connector hanger receivers		158
FOOTPLATES (FOR SWING AWAY LEGRESTS)				
STR050022	<input type="checkbox"/>	Aluminium angle and depth adjustable		
STR050023	<input type="checkbox"/>	Footboard (flip-up)	(Only available with 70° swing-away legrests)	158
VR2 CONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered options choose R-net)				
SAL030050/1	<input type="checkbox"/>	VR2 remote	(Remote type selected according to options chosen)	
STR110020	<input type="checkbox"/>	VR2 attendant only	(For attendant only VR2 controls option above must be selected also)	135
STR110021	<input type="checkbox"/>	VR2 dual control (mounted RH)	(For dual control VR2 remote must be selected also)	638
R-NET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5)				
STR110015/16	<input type="checkbox"/>	R-net LED remote	(Remote type selected according to options chosen)	608
STR110017	<input type="checkbox"/>	R-net colour LCD remote	(Integrated colour display with 2 stereo jack inputs for single switches)	855
STR110020	<input type="checkbox"/>	R-net attendant only (mounted RH)	(For attendant only R-net LED/LCD remote must be selected also)	135
STR110021	<input type="checkbox"/>	R-net dual control (mounted RH)	(For dual control R-net LED/LCD remote must be selected also)	638
SAL090062	<input type="checkbox"/>	Swing-away tray mounted centre control	(R-Net LED as standard , VR2 via B4M)	616
STR110009	<input type="checkbox"/>	Gyro Control		388
CONTROL MOUNTING OPTIONS				
Parallel swing-away controller mount STR110052 RH ○ ○ LH STR110053				
SAL090062	<input type="checkbox"/>	Swing-away tray mounted centre control R-NET LED	(Mounted RH Flip Away)	616
SAL110143	<input type="checkbox"/>	Swing-away tray mounted centre control R-NET LCD	(Mounted RH Flip Away)	2266
B4M	<input type="checkbox"/>	Centre Bar flip-up controller mount	(B4M Option / (Mounted RH Flip away)	POA

● = Standard

○ = No cost option

□ = Cost option

£

LIGHTS & INDICATORS			£
SAL110201	<input type="checkbox"/>	LED lights & indicators (STVZO APPROVED)	545
SAL020001	<input type="checkbox"/>	LED lights & indicators - Standard	545
KERB CLIMBER			
SAL090038	<input type="checkbox"/>	Kerb climber	213
WHEELS & CASTORS			
STANDARD CASTORS			
SAL080307	<input type="radio"/>	9" solid castors	
SAL080308	<input type="radio"/>	10" solid castors	
SAL080309	<input type="radio"/>	10" pneumatic castors	
STANDARD REAR WHEELS			
SAL070029	<input type="radio"/>	12.5" solid drive wheels	(60cm / 24" overall chair width - Use only with 9" castors)
SAL070030	<input type="radio"/>	12.5" pneumatic drive wheels	(60cm / 24" overall chair width - Use only with 9" castors)
SAL070031	<input type="radio"/>	14" solid V-type drive wheels	(61cm / 24.5" overall chair width)
SAL070032	<input type="radio"/>	14" pneumatic V-type drive wheels	(61cm / 24.5" overall chair width)
SAL070033	<input type="checkbox"/>	14" solid knobby drive wheels	(62cm / 25" overall chair width) 111
SAL070034	<input type="checkbox"/>	14" pneumatic knobby drive wheels	(62cm / 25" overall chair width) 111
MOTOR SPEED			
SAL100602	<input type="radio"/>	3.2kph (2mph indoor setting)	(6kph motor with reduced speed via programming)
SAL100601	<input type="radio"/>	6kph (4mph) 2 Pole Motors	
SAL100603	<input type="checkbox"/>	10kph (6mph) 2 Pole Motors	(Lights and rear review mirror required by law) 374
SAL100604	<input type="checkbox"/>	10kph (6mph) 4-pole High Torque Motors	(Lights and rear review mirror required by law) (Requires 120Amp Power Module) 472
COLOUR			
SAL140001	<input type="radio"/>	White	
SAL140003	<input type="radio"/>	Blue	
SAL140002	<input type="radio"/>	Red	
BATTERIES			
SAL160001	<input type="radio"/>	60Ah gel batteries	SAL160002 <input type="checkbox"/> 70Ah gel batteries 147
CHARGER			
SAL160100	<input checked="" type="radio"/>	8A Charger	
ACCESSORIES			
SAL090000	<input checked="" type="radio"/>	Transportation tie down points	
SAL090005	<input checked="" type="radio"/>	Adjustable lap strap	
SAL090040	<input type="checkbox"/>	Swing-away tray table 41- 48cm	228
SAL090041	<input type="checkbox"/>	Swing-away tray table 46 - 51cm	228
SAL090069	<input type="checkbox"/>	Bluetooth USB mouse receiver	(if there is no Bluetooth function on the computer) 87
SAL090067	<input type="checkbox"/>	Rear view mirror	50
SAL090003	<input type="checkbox"/>	Crutch holder	80
TRANSPORTATION OPTIONS			
SAL090039	<input checked="" type="radio"/>	Prepared for Dahl docking station option	
QUICKIE SALSA R ² BASE PRICE			£6,400
Option Price			£
VAT			£
Total Price			£

- = Standard
- = No cost option
- = Cost option



						£	
R-NET SPECIAL CONTROLS						<i>(R-NET OMNI required; 2 Single Switches recom.)</i>	
STR110101	<input type="checkbox"/>	R-Net OMNI colour display & special control input module					1145
STR110102	<input type="checkbox"/>	OMNI in scanning mode				<i>(c/w 10 assignable functions through DB9 interface)</i>	1145
Front control mountings							
STR110110	●	R-NET OMNI Flexi mount only					
		Left		Right			
		STR110121	○	○	STR110122		
SPECIAL JOYSTICKS AS HAND CONTROL						<i>(R-NET OMNI required; 2 Single Switches recom.)</i>	
STR110130	<input type="checkbox"/>	Switch-It Versaguide proportional joystick as hand control					2212
STR110131	<input type="checkbox"/>	Switch-It Micro Guide as hand control					2974
STR110132	<input type="checkbox"/>	Switch-It Micro Pilot (0 way) joystick as hand control					3279
Mounting							
STR110150	<input type="checkbox"/>	Fixed front mount					
STR110151	<input type="checkbox"/>	Swing-away front mount					77
		Left		Right			
		STR110161	○	○	STR110162		
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>STR110101</p> </div> <div style="text-align: center;">  <p>STR110131</p> </div> <div style="text-align: center;">  <p>STR110130</p> </div> <div style="text-align: center;">  <p>STR110132</p> </div> </div>							
SPECIAL HEAD RELATED INPUT DEVICES							
STR110134	<input type="checkbox"/>	Switch-It Micro Pilot (0 way) joystick as chin control				<i>(OMNI required, 2 Single Switches recommended)</i>	3279
STR110135	<input type="checkbox"/>	Proportional chin control				<i>(proportional joystick; OMNI required; 2 Single Switches recommended)</i>	1145
STR110136	<input type="checkbox"/>	Sip & Puff control				<i>(tube and mouthpiece; OMNI required; 2 Single Switches recommended)</i>	383
STR110137	<input type="checkbox"/>	Switch-It Micro Guide as chin control				<i>(OMNI required, 2 Single Switches recommended)</i>	2974
STR110139	<input type="checkbox"/>	Switch-It Versaguide proportional joystick as chin control				<i>(OMNI required, flex switch kit incl.)</i>	2366
<div style="display: flex; justify-content: center; align-items: center;">  <p style="margin-left: 20px;">STR110139</p> </div>							
CHIN CONTROL / SIP AND PUFF SWING-AWAY MOUNTING OPTIONS							
STR110152	<input type="checkbox"/>	Manual s/a option					298
	<input type="checkbox"/>	Powered s/a option (select type below)				<i>(not available with forus attendant control; s/a operation through separate switch)</i>	
		Left		Right			
		STR110161	○	○	STR110162		
STR110700	<input type="checkbox"/>	Operated with Single Switch, ø 30 mm				<i>(operated via one Single Switch - select colour below)</i>	2212
STR110154	<input type="checkbox"/>	Operated with ribbon switch					2366
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>Powered swing-away chin option</p> </div> <div style="text-align: center;">  <p>Single Switch, ø 30 mm</p> </div> </div>							
Single Switches (ø 30 mm)						per switch	
STR110702	<input type="checkbox"/>	Red	x 1	STR110722	STR110192	<input type="checkbox"/> Red x 2	113
STR110703	<input type="checkbox"/>	Green	x 1	STR110723	STR110194	<input type="checkbox"/> Green x 2	113
STR110705	<input type="checkbox"/>	Yellow	x 1	STR110725	STR110196	<input type="checkbox"/> Yellow x 2	113
STR110704	<input type="checkbox"/>	Blue	x 1	STR110724	STR110198	<input type="checkbox"/> Blue x 2	113

JAY COMFORT SEAT OPTIONS & ACCESSORIES

JAY COMFORT

Seat pan, with 5cm (2") threshold



Upholstered wooden seat board complete with 5cm (2") front and rear threshold. Ideal for supporting air filled cushions.

Standard comfort cushion



This cushion has a 12mm (1/2") beech wood base with a slightly contoured foam cushion, featuring a 2cm (3/4") seat angle designed to aid client in front transfers.

Optimum comfort cushion



The Optimum comfort cushion provides additional contouring and support for increased user positioning. A built-inommel, thigh guides and a seat well for optimum comfort and positioning.

Shallow contour backrest

Hard back, vertical strap or tension
adj. straps



Anatomically shaped with a shallow contour and padded for extra comfort. Available as a solid wooden backrest, vertical strap option or with tension adjustable straps for posture management. Solid back height 50cm, vertical strap back and tension adjustable height 57cm.

Deep contour backrest - active



This back features tension adjustable straps for posture management and a 4" deep contour providing integrated lateral support around the lower back, tapering away at the shoulders so as not to restrict active users. - 57cm back height.

Deep contour backrest - passive



Similar to the Deep Contour active backrest, this features tension adjustable straps and a 4" deep contour continuing up the whole of the backrest, ideal for clients with restricted movement. - 57cm back height.