

Fax number: +44 (0)845 605 66 89 Email: orders@sunmed.co.uk **Part no:** 76 800 001

CE Mandatory information to ensure correct configuration

= Cost option

FRAME TYPE - Please choose required Frame option (Illustrated on back pages)

Open frame (max. user weight 110kg) (Page 12) Hybrid frame (max user weight 140kg) (Page 13)

CLIENT MEASUREMENT - All measurements in cm without cushion

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube

32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
0	0	0	0	0	0	0	0	0	0

SEAT DEPTH SELECTION

34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
0	0	0	0	0	0	0	0	0

FRONT SEAT HEIGHT SELECTION: independent of front castors, forks and frame versions

	Fork (length)	Frame:	43	44	45	46	47	48	49	50	51	52	53	54	55
	111 mm		0	0	0										
	123 mm <i>(1)</i>	low			0	0	0								
	Frog Leg (1)	IOW													
3"	One Arm <i>(1)</i>														
ľ	111 mm						0	0	0						
	123 mm <i>(1)</i>	high							0	0	0				
	Frog Leg <i>(1)</i>	Illgii													
	One Arm <i>(1)</i>		low												
	111 mm			0	0	0	0								
	123 mm <i>(1)</i>	low			0	0	0	0							
4"	Frog Leg <i>(1)</i>	IOW													
	One Arm <i>(1)</i>														
	111 mm							0	0	0	0				
	123 mm <i>(1)</i>	high							0	0	0	0			
	Frog Leg <i>(1)</i>	Illgii													
	One Arm <i>(1)</i>														
	111 mm					0	0	0							
	123 mm <i>(1)</i>	low					0	0	0						
	Frog Leg (1)	1000													
	One Arm <i>(1)</i>														
5"	111 mm									0	0	0			
	123 mm <i>(1)</i>	high									0	0	0		
	Frog Leg <i>(1)</i>	Illgii													
	One Arm <i>(1)</i>														
	123 mm <i>(1)</i>	low						0	0	0					
6"	123 mm <i>(1)</i>	high										0	0	0	
	Frog Leg <i>(1)</i>	iligii													

(1) compatible with power add on devices. For 123mm fork, please choose option XFF090093 "Fork for power add ons" additionally.

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

Rear seat height in cm

					•									
Rear Wheels	37	38	39	40	41	42	43	44	45	46	47	48	49	50
24"	0	0	0	0	0	0	0	0	0	0	0	0	O ⁽²⁾	
25"		0	0	0	0	0	0	0	0	0	0	0	0	O ⁽²⁾

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

1																£
		SEA	Т												ļ	Ĺ
Seat sling		OLA	.■													
XFF020002	0	Seat	sling, nylon, tension a	adiustable	1 utility b	ad								(Stand	ard option)	
XFF020003			sling, nylon, tension a											(only from S		62
XFF020004			sling, nylon, tension a				atheter l	oad						(only from S		98
XFF020000	0		out seat sling			٠.9, . د		- -						(-) -	,	
Seat cushi	on, c		ith zipper, black													
Foam (med	ium-s	oft)	Thickness:	XFF020	0101	3 c	m	XFF02010	2	□ 5	cm					80
Latex (very	soft)		Thickness:	XFF020	0103		m									80
Seat acces	sorie	s	-													
XFF090018		Lap b	elt with buckle, metal													51
XFF020050		Addit	ional padding for seat	t upholster	y, remova	able										34
JAY Cushi	ons -	for co	mplete product rang	je see JA\	order fo	rms										
JAY020002		JAY E														69
JAY020003		JAY S	Soft Combi P													98
JAY020001		JAY F	Easy Visco, Curved B	ase												167
JAY020004		JAY L	ite													272
JAY020007		JAY F	Easy Fluid, Curved Ba	ase												389
Back heigh		_			25 - 30	_	0 - 35	35 - 4	_	40 - 4	-		47,5			
Book boigt	at ran				25 - 30		n - 35	35 - 4	n	40 - 4	5	45	47.5	1		
Choose bad	ck hei	ght fac	tory setting (cm).		O 25		30	0 35	5	0 4	0	0	45			
Height adju	stmer	nts of ir	total 5 cm possible		0 27.			0 30								
			i total o citi possible.		0 21.	.5 0	32.5			0 4	2.5	0	47.5			
			i total 5 cm possible.		0 30	.5 C			'.5	O 4		0	47.5			
			r total 3 cm possible.			_		0 37	'.5			0	47.5			
Backrest h	eight	, carbo	on fibre tubes (3)			_	35	0 37	7.5	0 4		0	47.5		[245
	•	•	on fibre tubes (3)		0 30	C	35	0 37	7.5	O 4	5	0	47.5		[245 245
	•	•	on fibre tubes (3)		○ 30 □ 25		27.5	O 37 O 40	7.5	O 4	2.5	0	47.5		[
Fixed heigh	•	heigh	on fibre tubes (3)		○ 30 □ 25		27.5	O 37 O 40	7.5	O 4	2.5	0	47.5		[
Fixed heigh	nt, non	heigh	on fibre tubes (3) t adjustable	paration fo	○ 30 □ 25 □ 35		27.5 37.5	O 37 O 40	7.5	O 4	2.5	0	47.5		[
Fixed heigh XFF030010 XFF030029	nt, non	Backi	on fibre tubes (3) t adjustable rest, fixed (90°) Desk sideguard prep	(to the fro	○ 30 □ 25 □ 35		27.5 37.5	□ 30 □ 40 (4)	7.5	O 4: □ 3: □ 4:	2.5			height, not a	adjustable)	
Fixed heigh XFF030010 XFF030029 XFF030031	nt, non	Backi	on fibre tubes (3) t adjustable rest, fixed (90°) Desk sideguard prep	(to the fro	○ 30 □ 25 □ 35		27.5 37.5	□ 30 □ 40 (4)	7.5	O 4: □ 3: □ 4:	2.5				adjustable) 5° to 103°)	245
Fixed heigh XFF030010 XFF030029 XFF030031 XFF030012	ot, non	Backi	on fibre tubes (3) t adjustable rest, fixed (90°) Desk sideguard prep	(to the from	○ 30 □ 25 □ 35 □ 14er report) (6)	C	27.5 37.5 ent	□ 30 □ 40 (4)	7.5	O 4: □ 3: □ 4:	2.5					245
Fixed heigh XFF030010 XFF030029 XFF030031 XFF030012 XFF030029	ot, non	Backi	on fibre tubes (3) t adjustable rest, fixed (90°) Desk sideguard preparations and preparations and preparations and prest, angle-adjustable	(to the from	○ 30 □ 25 □ 35 □ 1ater report) (6)	C	27.5 37.5 ent	○ 37 ○ 40 □ 30 □ 40 (4)	7.5)))))))))))))))))))))))))))))))	○ 4:□ 3:□ 4:k height	2.5 2.5 2.5	cm, fixe	ed back		5° to 103°)	245
Fixed heigh XFF030010 XFF030029 XFF030031 XFF030012 XFF030029 XFF030031	ot, non	Backi O Backi O	on fibre tubes (3) t adjustable rest, fixed (90°) Desk sideguard preparet, fold-down rest, angle-adjustable Desk sideguard preparet	(to the from	○ 30 □ 25 □ 35 □ 1ater report) (6)	C	27.5 37.5 ent	○ 37 ○ 40 □ 30 □ 40 (4)	7.5)))))))))))))))))))))))))))))))	○ 4:□ 3:□ 4:k height	2.5 2.5 2.5	cm, fixe	ed back	(7	5° to 103°)	245
Fixed heigh XFF030010 XFF030029 XFF030031 XFF030012 XFF030029 XFF030031 Push hand	ot, non	Backi O Backi	on fibre tubes (3) t adjustable rest, fixed (90°) Desk sideguard preparet, fold-down rest, angle-adjustable Desk sideguard preparet	(to the from	○ 30 □ 25 □ 35 □ 1ater report) (6)	C	27.5 37.5 ent	○ 37 ○ 40 □ 30 □ 40 (4)	7.5)))))))))))))))))))))))))))))))	○ 4:□ 3:□ 4:k height	2.5 2.5 32.5 d	cm, fixe	ed back ed back	(7	5° to 103°) adjustable)	245
Fixed heigh XFF030010 XFF030029 XFF030031 XFF030012 XFF030029 XFF030031 Push hand	o lles	Back O Back O D	on fibre tubes (3) t adjustable rest, fixed (90°) Desk sideguard prep Backrest, fold-down rest, angle-adjustable Desk sideguard prep Backrest, fold-down	(to the from	○ 30 □ 25 □ 35 □ 1ater report) (6)	C	27.5 37.5 ent	○ 37 ○ 40 □ 30 □ 40 (4)	7.5)))))))))))))))))))))))))))))))	○ 4:□ 3:□ 4:k height	2.5 2.5 32.5 d	cm, fixe	ed back ed back	(7 height, not a	5° to 103°) adjustable)	245
Fixed heigh XFF030010 XFF030029 XFF030031 XFF030029 XFF030031 Push hand XFF030200 XFF030201	olt, non	Backl O Backl O Omit	on fibre tubes (3) t adjustable rest, fixed (90°) Desk sideguard prepackrest, fold-down rest, angle-adjustable Desk sideguard prepackrest, fold-down	(to the from	○ 30 □ 25 □ 35 □ 1ater report) (6)	C	27.5 37.5 ent	○ 37 ○ 40 □ 30 □ 40 (4)	7.5	O 4:	32.5 c	cm, fixo cm, fixo dlot ava	ed back ed back ilable wi	(7 height, not a	5° to 103°) adjustable)	245
Fixed heigh XFF030010 XFF030029 XFF030031 XFF030029 XFF030031 Push hand XFF030200	olt, non	Backi O Backi O D Backi O D D Omit Push	on fibre tubes (3) t adjustable rest, fixed (90°) Desk sideguard prepackrest, fold-down rest, angle-adjustable Desk sideguard prepackrest, fold-down push handles handles long	(to the from	O 30	laceme	27.5 37.5 ent	○ 37 ○ 40 □ 30 □ 40 (4)	7.5	O 4:	2.5 2.5 32.5 c	em, fixe em, fixe olot ava	ed back ed back ilable wi back he	(7 height, not a	5° to 103°) adjustable) n backrest) n upwards)	219

- (2) only with lightweight adapter
- (3) not with Jay J3 backs, not with Desk sideguard, not for use with add on bikes
- (4) necessary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90°
- (5) necessary for retrofitting Desk sideguard
- (6) not with height adj. push handles, not with JAY backs; in combination with push handles fold-down only from backrest height 40cm upwards; please see Folding Matrix on Page 8

Backrest up	hols	tery	£
XFF030316	0	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version)	
		Colour, binding tape: O Black (Std) O Orange O Silver O Red O Blue	
XFF030317		EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (Evo Exo Version)	
		Colour, binding tape: ○ Black (Std) □ Orange □ Silver □ Red □ Blue	178
XFF030300	0	Without backrest upholstery	
Accessories	s for	backrest	
XFF030402		Stabilising bar, automatic folding (only available from SW 38cm; not with fixed height backrest)	171
JAY 3 Back Mid Thoracio		Illow Contour ☐ JAY030010 Medium - 34 cm ☐ JAY030033 Tall - 38 cm	640
Upper Thora		□ JAY030012 Short - 42 cm □ JAY030019 Medium - 46 cm □ JAY030025 Tall - 50 cm	724
JAY 3 Back			724
			640
Mid Thoracio			
Upper Thora		□ JAY030013 Short - 42 cm □ JAY030020 Medium - 46 cm □ JAY030026 Tall - 50 cm	724
		nck - Shallow Contour	766
Lower Thora		□ JAY060001 Short - 17 cm □ JAY060002 Tall - 24 cm	766
Mid Thoracio	D:	□ JAY060003 Short - 30 cm □ JAY060004 Tall - 38 cm	766
Accessories	a far	JAY J3 backs	
WHT030415	5 101	□ Whitmyer Headrest, COBRA XTRA, flip back (only with JAY J3 backs)	322
WHT030416		☐ Whitmyer Headrest, AXYS, Standard (only with JAY J3 backs)	220
JAY090058		☐ JAY Accessory bag (only with JAY J3 Carbon backs)	58
JA 1090038		JAT Accessory bag	36
		ARMREST AND SIDEGUARDS	
Armrest		ANIMICEST AND SIDESCANDS	
XFF040005	0	Desk sideguard, flip-up, removable	
XFF040001	0	Desk sideguard, armpad (25 cm), fixed, flip-up, removable	
XFF040003	0	Desk sideguard, armpad (31 cm), fixed, flip-up, removable	
XFF040002		Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable	229
XFF040004		Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable	229
XFF040052		Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable	244
XFF040117	_	Tubular armrest, Aluminium, swing away (sideways), padded, removable	245
Accessories			243
XFF040020	0	Release assistance for tetraplegics (only with desk sideguard)	
Sideguards		There as a solistation for tetraphegics	
XFF040107	0	Sideguard, composite, removable, 21 cm high (31 cm long), black	
XFF040101		Sideguard, carbon fibre, cold weather protection, slim (black)	245
XFF040102		Sideguard, aluminium, cold weather protection (in frame colour)	273
			293
XFF040103		Sideguard, aluminium, fender, cold weather protection (in frame colour)	
XFF040104		Sideguard, carbon fibre, fender, cold weather protection (black)	374
		FOOTBOARDS	
XFF050131	0	Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black	
XFF050061		Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), high-mount black (LLL 22-34cm)	268
XFF050023		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour	178
XFF050126		□ Swing-away mechanism for platform footboard (minimum LLL 3cm longer)	123
XFF050059		Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap (7)	268
XFF050132		Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	370
		Footboard, auto-folding	
XFF050027		Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adjustable, calf strap, black	370
XFF050028		Footboard, platform, lightweight, plastic, auto-folding, angle and depth-adjustable, calf strap, black	304
		, , , , , , , , , , , , , , , , , , ,	
		Accessories for footboards	
		Foot positioning plate (Adjustable side protection, to create a side-stop on the footboard) (8)	25

⁽⁷⁾ not in SW32 with 1 cm inset

⁽⁸⁾ only for footboard, platform lightweight or Performance

			£
		LOWER LEG LENGTH (LLL): LLL has to be 2,5 cm less than front seat height; all measurements are in cm	
	0	22	
	0	32 0 33 0 34 0 35 0 36 0 37 0 38 0 39 0 40 0 41	
	0	42 0 43 0 44 0 45 0 46 0 47 0 48 0 49 0 50	
		FRAME VERSIONS	
		Open frame (max. user weight 110kg)	
XFF010012	0	Frame FF 80 ° (integrated footrest) (100 ° EU)	
		XFF010101	141
XFF010013		Frame FF 88 ° (integrated footrest), performance (92 ° EU)	141
		XFF010101	141
		Habel Comment (1997)	
XFF010020	0	Hybrid frame (max user weight 140kg) Frame FF 80 ° (integrated footrest), hybrid (100 ° EU)	
XFF010020	0		
XFF010021		Frame FF 66 (integrated lootlest), hybrid (92 EO)	
		CENTRE OF GRAVITY (COG) (4= very passive 13= very active)	
XFF070703	Ada	pter, standard 0 2 0 3 0 4 0 5 0 6	
		0 7 0 8 0 9 0 10	
XFF070701	Ada	pter, lightweight (9) 0 5 0 6 0 7 0 9 0 10 0 11	
XFF010411	0	Axle plate, aluminium, long (full adjustment)	
XFF010412		Axle plate, aluminium, shorted (max. adjustment 1 cm)	221
		FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side)	
XFF090016		Frame protection, black	81
XFF090100		Transportation brackets - Crash test option	224
XFF090010		Transit wheels	234
XFF090014		Frame reinforcement kit for add on bike	418
XFF090050		Anti-tip tubes, plug-in, pair	88
XFF090050		Anti-tip tubes, plug-in, pail	00
		Anti-tip tubes, swing-away	
XFF090004		Left XFF090005 □ Right	106
XFF090006		Pair	211
		Tip assist	
XFF090001		Left XFF090002 □ Right	34
XFF090003		Pair	68
XFF090009		Crutch holder, loop (only in combination with tip assist)	81
		EMPULSE F55 BUNDLING	
EMO000101	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.)	
EMO000102	0	With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.)	
		Preparation for ATTITUDE Add-On bike	
XFF090211		without ATTITUDE order (docking pins assembled)	118
XFF090212	0		
		FORKS (compare with your choice on the first page)	
XFF080013	0	Castor fork, Carbotecture ® Colour: Black (Std)	- C
\/====================================		Colour: Silver Orange Red (10) Blue (10)	56
XFF080029	0	Castor fork, Aluminium, 123mm Colour: Black	Std. 56
XFF080008		Colour: Silver Orange Castor fork, aluminium, one-arm Colour: Black	204
, 5555000	ш	Colour:	56
XFF080007		Castor fork, aluminium, suspension (Frog Legs ®), black	342
		CASTORS (compare with your choice on the first page)	
XFF080301	0	Castor, solid (hard), rim: composite, black	
XFF080302	0	Castor, solid (soft), rim: composite, black (only 5" & 6")	
XFF080304		Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4" & 5")	96
XFF080306		Castor, solid (soft), rim: aluminium Colour, rim: Silver (only 4" & 5")	96
		Colour, rim: □ Black □ Orange □ Red □ Blue	56

(9) only with 0° wheel camber

(10) only in combination with castor, soft (XFF080302 and XFF080306)

			£
		REAR WHEELS (compare with your choice on the first page; choose only one wheel type	
XFF070000	0	Without rear wheel	
XFF070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (only 24")	
XFF070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24"	
XFF070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (please see colour options on last page	
XFF070004		Rear wheel, Proton, 24 spokes (black), straight spokes (user weight limit 100kg	584
XFF070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	529
XFF070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	815
XFF070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (11) (only 24*)	427
XFF070009		Rear wheel, Mountainbike, 36 spokes (silver), straight spokes (only 24")	360
XFF070010		Mountainbike wheel, replacement kit incl. tyre (extra coarse profile) (only 24*)	548
		Axle	
XFF070150	0	Quick-release axle (Standard option	
XFF070151		Quick-release axle, designed for quads (12)	123
		7 3 1 (7	
		TYRES (choose only one tyre type	
XFF070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run (only 24")	
XFF070102	0	Tyre, puncture proof, tread	
XFF070107		Tyre, pneumatic, slick, Schwalbe One	109
XFF070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	109
		HANDRIMO	
		HANDRIMS	
XFF070204	0	Handrims, stainless steel, silver	
XFF070202	0	Handrims, aluminium, anodised, silver	
XFF070201 XFF070203	0	Handrims, aluminium, powder-coated, clear Handrims, aluminium, powder-coated, coloured (select colour on last page, charged once	
XFF070205		Handrims, aluminium, powder-coated, coloured (select colour on last page, charged once Handrims, titanium, untreated	224
XFF070206		Handrims, titanium, powder-coated, clear	224
XFF070207		Handrims, Supergrip ®	268
XFF070208		Handrims, Maxgrepp ® (only 24"	
XFF070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip	
			1
		Hand rim mounting	
XFF070307	0	Handrim mount, super narrow (7 mm) (only with stainless steel	
XFF070317	0	Handrim mount, narrow (17 mm) (Standard option	
XFF070327	0	Handrim mount, wide (27 mm)	
XFF070250		Handrim accessories	100
XFF070250		Handrim cover, rubber (only 24"	109
		WHEEL CAMBER (choose only one option	
XFF070600	0	0°	
XFF070602	0	2° (not with Centre of Gravity Adapter, lightweight	
XFF070604	0	4° (not with Centre of Gravity Adapter, lightweight	
			•
		SPOKE GUARDS (only 24"	
XFF070831		Transparent XFF070813 □ Galactica XFF070828 □ Space	147
XFF070823		Princess XFF070821 Pirates	147
XFF070816		Happy Lions XFF070814 □ Graffiti	147
XFF070819		Monkeys XFF070802 □ Basketball	147
XFF070820		Oriental XFF070812 Flying Water	147
XFF070829		Superhero XFF070833 Zebra	147
XFF070817		Hot Wheels XFF070818 □ Jungle Fever	147
XFF070822 XFF070827		Pool XFF070811 □ Feather Silk XFF070806 □ Chrome	147 147
XFF070827 XFF070830		Silk XFF070806 □ Chrome Tiger XFF070803 □ Basketball 2	147
XI I 0/0030	Ц	ildei vitataaa 🗖 pasvernali S	14/

⁽¹¹⁾ only with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles.

⁽¹²⁾ not with Rear wheels Spinergy/ Mountainbike/ drum brakes

										£
		WHEEL LOCK	KS						only one op	tion)
	0	Standard brake						(Standa	ard option)	
XFF060002		Knee-lever brake	!							68
XFF060010		□ Brake leve	r extension	, knee-lever	brake, fold-	down				46
XFF060023		Compact brake								70
XFF060004		Compact brake, I	ightweight		(13)					174
		ACCESSORIE	ES						-	
	•	Tool kit								
		Air pump								19
		High pressure pu	mp (0 - 11	bar)						88
	<u></u>	Back pack	-14							72
XFF090026		Mobile phone poo	скет							53
		COLOURS (14)	Disease			4				
		COLOURS	Please	consult our	colour catalo	ogue to review your colour choi	ce			
		Frame I	Handrim	Hub/rim	X-brace		Frame	Handrim	Hub/rim	X-brace
			£73	£207	£207			£73	£207	£207
02 Brilliant Silver		0				27 Graphitemetallic	0			
03 Silver Matt		0				29 Black	0			
06 Sun Yellow		0				31 Matt Black	0			
14 Blue		0				32 Signal White	0			
15 Brilliant Marine		0				33 Pink	0			
16 Matt Marine		0				34 Dark Chocolate Metallic	0			
19 Brilliant Purple		0				35 Skyblue	0			
21 Red Ruby		0				36 Cyan-Metallic	0			
22 Brilliant Red		0				37 Mars Red (Orange)	0			
23 Matt Red		0				40 Kiwi	0			
24 Tutti Frutti Oranç	ge	0				41 Flamingo-Glitter	0			
	-					42 Matt-Anthracite	0			
						46 Mamba Green	0			
						Rear wheel, lightweight anod	dised, oran	ge		(15)
						Rear wheel, lightweight anod	dised, blue			(15)
						Rear wheel, lightweight another	dised, red			(15)
C	OL	OURS - for stick	ers ("Xeno	n²" on the fr	ame and "Qเ	uickie" on sideguard)				
<i>XFF100550</i> ○ bl	ack				(S	ticker "Quickie" on sideguard will be s	ilver in combi	nation with carl	bon sidegua	rds) -
<i>XFF100551</i> O si	lver									-
XFF100552 ○ OI	rang	е								-
<i>XFF100553</i> ○ re	ed									-
<i>XFF100554</i> ○ bl	ue									-
				•		se with add on bikes; adjustment of C	oG +/- approx	c. 2,5cm in the	field	
		ndrim colour powder c		-	ersal wheel					
(15) only with 24" Ligh	itweig	ght wheel, Hub and rim	n anodized, bi	аск ѕрокеѕ						
Comments for	cno	cial build sla	ooo opply f	or a guata. I	land time con	editions may shange				
Comments for a	spe	ciai bullu - pie	ase apply i	or a quote, i	lead time cor	nditions may change.				
							ŀ	ouilt	: <mark>4</mark> r	ne
							ľ			
QUICKIE XEN	ON	² base price					£2,995			
Option price	•						£			
Total Price							£			

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 1 - 2 cm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

b) On the wheelchair:

a) For the user: When sitting with 90° knee angle:

From back of knee to bottom of shoe sole. From front of seat tube to the ground.

(min. 3cm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 11 cm

Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower

shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

0° is the angle 90° to the ground. Negative angles are <90°

and positive angles are >90°.

Technical Data Overview:

Max. overall height:102 cmMax. overall length:105 cmMax. turning circle:70 cmMax. safe slope:10°Wheelchair weight:from 8,8 km

Wheelchair weight: from 8,8 kg
Dismantled weight: from 6,3 kg
Weight of heaviest part: 2.1 kg

Max. overall width: Camber 24" rear wheel 25" rear wheel

For 0° camber: SW + 16 cm SW + 16 cm For 2° camber: SW + 21 cm SW + 22 cm For 4° camber: SW + 26 cm SW + 27 cm

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle.

In combination with XFF090100 (Tie down brackets for transportation).

For transport without a user the chair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm



XFF 020002 Seat sling with 1 utility bag



XFF 020003 Seat sling with utility bags



XFF 030316 EXO backrest sling



XFF 030317 EXO PRO backrest sling



XFF 030201 Push handles long



XFF 030203 Push handles, fold-down



XFF 030204 Push handles , height-adjustable



XFF 090018 Lap belt with buckle, metal

Folding-Matrix for XFF 030031 Backrest, fold-down to the front.

Seat width

Back height



	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38		✓	✓	✓	✓	✓	✓
40			✓	✓	✓	✓	✓
42				✓	✓	✓	✓
44				✓	✓	✓	✓
46					✓	✓	✓
48						✓	✓
50							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down push handles



=can't be folded full 90° to the front on folded chair




=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

JAY J3 backs





Shallow Contour



Mid Contour



XFF040107 Composite sideguard detachable



XFF040101 carbon fibre, cold weather protection, slim



XFF040102 Aluminium, cold weather protection



XFF040103 Aluminium, cold weather protection, fender



XFF04000x Desk sideguard, armpad, flip-up, removable



XFF040104 Carbon fibre, cold weather protection, fender



XFF050132 Footboard platform, lightweight, carbon fibre



XFF050059 Footboard platform, performance



XFF050027 Footboard platform, lightweight, carbon fibre, auto folding



XFF050127 Adjustable side protection



XFF090001 Tip assist



XFF090004 Anti-tip tubes, swing away



XFF090050 Anti-tip tubes, plug in, pair



XFF090010 Transit wheels



XFF070001 Universal wheel



XFF070002 Design wheel



XFF070003 Lightweight wheel



XFF07000 Proton wheel



XFF07010 Mountainbike wheel



XFF070101 Schwalbe Right Run



XFF070107 Schwalbe One



XFF070104 Schwalbe Marathon Plus Evolution



XFF070102 Tyre, puncture proof



XFF070202 Handrims aluminum, anodized



XFF070203 Handrims aluminum, powder coated, coloured



XFF070208 Handrims Maxgrepp



XFF070212 Handrims Ellipse 3R

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

				Seat Depth			
COG	380	400	420	440	460	480	500
40	×	×	×	V	~	~	~
60	×	×	×	×	V	~	~
70	×	×	×	×	~	~	~
80	×	×	×	×	×	V	~
90	×	×	×	×	×	V	~
100	×	×	×	×	×	×	~
110	×	×	×	×	×	×	~
120	×	×	×	×	×	×	×
130	×	×	×	×	×	×	×



XFF060001 Standard brake



XFF060002 Knee lever brake



XFF060003 Compact brake



XFF060004 Lightweight compact brake



XFF090000 Tool kit



XFF090024 High pressure pump



XFF090025 Air pump



XFF090030 Back pack



XFF090026 Mobile phone pocket



