

ORDER FORM

Quickie® All Court



Failure to use an order form for a Quickie chair order may result in delay or wrong shipment

Please send all orders to:

Fax: +44 (0)845 605 66 89

Email: orders@sunmed.co.uk

Sunrise Medical Ltd


Thorns Road, Brierley Hill, West Midlands, DY5 2LD

www.SunriseMedical.co.uk

Standard features:


- ◆ Base frame single integral anti-tip
- ◆ Choice of 28 frame colours
- ◆ Choice of 4 frame lengths
- ◆ Choice of seat widths ranging from 12" to 20"
- ◆ Fully adjustable frame
- ◆ Patented centre of mass adjustment
- ◆ Choice of seat depths ranging from 10" to 20"
- ◆ 24" spoked rear wheels
- ◆ Choice of folding and non-folding back
- ◆ 3" Micro castors
- ◆ Quick release axles
- ◆ Choice of 16° or 20° camber
- ◆ Maximum user weight limit 112kg (18st)

How to measure:




Seat Depth

From front of seat sling to back of seat sling




Seat Width

From outside seat rail tube to outside seat rail tube



Frame Length

From outside rear frame to outside front frame



Back Height

From seat sling to top of backrest sling

Prices:

All prices are in Pounds Sterling/Euros, exclude VAT. No responsibility held for technical changes or printing failures. Please consult Sunrise Medical with any queries you may have.

ORDER FORM

Quickie® All Court



Failure to use an order form for a Quickie chair order may result in delay or wrong shipment

Please send all orders to:
Fax: +44 (0)845 605 66 89
Email: orders@sunmed.co.uk

Invoice to:
 Name:
 Street:
 Town:
 Postal Code:
 Country:
 Telephone: _____ Fax: _____

Ship to:
 Name:
 Street:
 Town:
 Postal Code:
 Country:
 Telephone: _____ Fax: _____

Order Date:
 Purchase Order (Repeat on all pages):
 Number Required:

Marked for:
 Sunrise Order No:

Please fill boxes, do not tick = Standard = Option N/C = No Cost Option Std = Standard

		£			£	TOTAL
MODEL (Standard)						
155WM14	<input type="checkbox"/> All Court Aluminium (QPEISP1)	3,191				
BASE FRAME (Standard)						
155BF01	<input type="radio"/> Base frame standard	N/C	155BF03	<input type="checkbox"/> Base frame dual integral anti-tip	116	
155BF02	<input type="radio"/> Base frame single integral anti-tip	N/C				
FRAME COLOUR (Option)						
155C140	<input type="radio"/> Aztec Gold	Std	155C114	<input type="radio"/> Sparkle Silver	Std	
155C2	<input type="radio"/> Black (not available as base with Zebra)	Std	155C145	<input type="radio"/> Sunrise Orange	Std	
155C141	<input type="radio"/> Black Cherry	Std	155C113	<input type="radio"/> Titanium	Std	
155C10	<input type="radio"/> Black Opal	Std	155C8	<input type="radio"/> Yellow	Std	
155C38	<input type="radio"/> Blue Opal	Std	155C116	<input type="radio"/> Matt Black	Std	
155C36	<input type="radio"/> Candy Blue	Std	155C151	<input type="radio"/> Matt Black Cherry	Std	
155C14	<input type="radio"/> Candy Purple	Std	155C150	<input type="radio"/> Matt Electric Blue	Std	
155C35	<input type="radio"/> Candy Red	Std	155C149	<input type="radio"/> Matt Evergreen	Std	
155C142	<input type="radio"/> Electric Blue	Std	155C152	<input type="radio"/> Matt Purple	Std	
155C143	<input type="radio"/> Evergreen	Std	Custom Colours			
155C126	<input type="radio"/> Glow	Std	155C112	<input type="checkbox"/> Desert Camouflage	286	
155C144	<input type="radio"/> Green Apple	Std	155C43	<input type="checkbox"/> Mossy Oak Camouflage	286	
155C147	<input type="radio"/> Hot Sparkle Pink	Std	155C42	<input type="checkbox"/> Stars & Stripes	286	
155C148	<input type="radio"/> Mauve Pink	Std	155C108	<input type="checkbox"/> Zebra (Choose base colour above)	286	
155C103	<input type="radio"/> Rootbeer	Std				
FRAME TYPE (Mark one box)						
155FT6	<input type="radio"/> Basketball single wing	N/C	155FT57	<input type="checkbox"/> Basketball single wing with stand up	35	
FRAME LENGTH (Mark one box)						
155FL50	<input type="radio"/> Frame length short 15" (38cm) (3)	Std	155FL52	<input type="radio"/> Frame length long 19" (43cm)	Std	
155FL51	<input type="radio"/> Frame length regular 17" (43cm) (2 & 4)	Std	155FL53	<input type="radio"/> Frame extra length long 21" (43cm)	Std	
SEAT WIDTH (See seat matrix) (Mark one box)						
155S3	<input type="radio"/> Seat width 12" (30.5cm)	Std	155S9	<input type="radio"/> Seat width 18" (45.5cm)	Std	
155S4	<input type="radio"/> Seat width 13" (33cm)	Std	155S10	<input type="radio"/> Seat width 19" (48cm)	Std	
155S5	<input type="radio"/> Seat width 14" (35.5cm)	Std	155S47	<input type="radio"/> Seat width 20" (51cm)	Std	
155S6	<input type="radio"/> Seat width 15" (38cm)	Std	Optional Seat Width:			
155S7	<input type="radio"/> Seat width 16" (40.5cm)	Std	155OW1	<input type="radio"/> Additional 1/2" seat width (1)	N/C	
155S8	<input type="radio"/> Seat width 17" (43cm)	Std				
SEAT DEPTH (See seat matrix) (Mark one box)						
155SD3	<input type="radio"/> Seat depth 10" (25.5cm)	Std	155SD9	<input type="radio"/> Seat depth 16" (40.5cm)	Std	
155SD4	<input type="radio"/> Seat depth 11" (28cm)	Std	155SD10	<input type="radio"/> Seat depth 17" (43cm)	Std	
155SD5	<input type="radio"/> Seat depth 12" (30.5cm)	Std	155SD11	<input type="radio"/> Seat depth 18" (45.5cm)	Std	
155SD6	<input type="radio"/> Seat depth 13" (33cm)	Std	155SD12	<input type="radio"/> Seat depth 19" (48cm)	Std	
155SD7	<input type="radio"/> Seat depth 14" (35.5cm)	Std	155SD73	<input type="radio"/> Seat depth 20" (51cm)	Std	
155SD8	<input type="radio"/> Seat depth 15" (38cm)	Std				
SEAT SLING						
Seat Sling:			Seat Pan:			
155SL1	<input type="radio"/> Standard seat sling	Std	155PN5	<input type="checkbox"/> Seat pan half deep (2)	81	
SEAT CUSHION (Option)						
155CU1	<input type="checkbox"/> Cushion 2"	60			N/C	
REAR SEAT HEIGHT (Mark one box)						
155RH11	<input type="radio"/> Seat height 13" (33cm)	Std	155RH20	<input type="radio"/> Seat height 18" (45.5cm)	Std	
155RH13	<input type="radio"/> Seat height 14" (35.5cm)	Std	155RH21	<input type="radio"/> Seat height 19" (48cm)	Std	
155RH15	<input type="radio"/> Seat height 15" (38cm)	Std	155RH22	<input type="radio"/> Seat height 20" (51cm)	Std	
155RH17	<input type="radio"/> Seat height 16" (40.5cm)	Std	155RH23	<input type="radio"/> Seat height 21" (53.5cm)	Std	
155RH19	<input type="radio"/> Seat height 17" (43cm)	Std				

All prices are in Pounds Sterling/Euros, exclude VAT. No responsibility held for technical changes or printing failures. Please consult Sunrise Medical with any queries you may have.

Quickie® All Court

Purchase Order (Repeat on all pages):

		£			£	TOTAL
FRONT SEAT HEIGHT (Mark one box)						
155SH14	<input type="radio"/> Seat height 16" (40.5cm)	Std	155SH21	<input type="radio"/> Seat height 19" (48cm)	Std	
155SH16	<input type="radio"/> Seat height 17" (43cm)	Std	155SH24	<input type="radio"/> Seat height 20" (51cm)	Std	
155SH18	<input type="radio"/> Seat height 18" (45.5cm)	Std	155SH27	<input type="radio"/> Seat height 21" (53.5cm)	Std	
BACKREST (Mark one type and choices underneath)						
Type:			Back Rest Upholstery:			
155BT1	<input type="radio"/> Folding backrest	N/C	155BU1	<input type="radio"/> Standard upholstery	N/C	
155BT3	<input type="radio"/> Non-folding backrest	N/C	155BU13	<input type="checkbox"/> Adjustable sports upholstery	173	
Back Height:			155BU14	<input type="radio"/> Omit back upholstery	N/C	
155B128	<input type="radio"/> 9" (23cm)	N/C				
155B133	<input type="radio"/> 10" (25.5cm) - 13" (33cm)	N/C				
156B83	<input type="radio"/> 12" (30.5cm) - 16" (40.5cm)	N/C				
155B134	<input type="radio"/> 15" (38cm) - 18" (45.5cm)	N/C				
155B135	<input type="radio"/> 17" (43cm) - 20" (51cm)	N/C				
FOOTRESTS (Mark one box)						
155F234	<input type="radio"/> Platform	N/C	155F39	<input type="radio"/> High mount platform	N/C	
155IG20	<input type="radio"/> Impact Guard Neoprene	N/C				
ADAPTIVE PLATFORM SPACER (Mark one box)						
155AD1	<input type="checkbox"/> 2" Spacer (5)	108	155AD3	<input type="checkbox"/> 6" Spacer (5)	108	
155AD2	<input type="checkbox"/> 4" Spacer (5)	108				
CASTORS (Mark one box)						
155CW1	<input type="radio"/> 3" Micro	N/C				
REAR WHEEL SIZE (Mark one box)						
155RW53	<input type="radio"/> 24" X/S Spoke wheel (540)	N/C	155RW59	<input type="checkbox"/> 24" Spinergy Sport Wheel (559) Black	673	
155RW69	<input type="checkbox"/> 24" X/S QP Heat treated tennis wheel (559)	355	155RW61	<input type="checkbox"/> 26" Spinergy Sport Wheel (590) Black	673	
155RW70	<input type="checkbox"/> 24" X/S QP Heat treated basketball wheel (559)	355				
155RW66	<input type="checkbox"/> 26" X/S QP Heat treated basketball wheel (590)	355				
155RW72	<input type="checkbox"/> 26" X/S QP Heat treated basketball wheel (700C)	355	155RW63	<input type="radio"/> Omit rear wheel and axle (540)	N/C	
155RW57	<input type="checkbox"/> 24" Spinergy Sport Wheel (540) Black	672	155RW64	<input type="radio"/> Omit rear wheel and axle (559)	N/C	
			155RW65	<input type="radio"/> Omit rear wheel and axle (590)	N/C	
			155RW71	<input type="radio"/> Omit rear wheel and axle (700C)	N/C	
REAR WHEEL TYRES (Mark one box)						
155RT31	<input type="radio"/> High pressure clincher	N/C				
155RT5	<input type="radio"/> Turbo tread	N/C				
HANDRIMS (Mark one box)						
155HR1	<input type="radio"/> Aluminium anodised	Std	155HR7	<input type="checkbox"/> Omit handrims	0	
155HR4	<input type="checkbox"/> Plastic coated	92	Handrim Tabs:			
			155TB1	<input type="radio"/> Regular tab	N/C	
AXLES (Mark one box)						
155AX4	<input type="radio"/> Quick-release axles	N/C				
155AX11	<input type="checkbox"/> Quad quick-release axles	106				
CAMBER (Mark one box)						
155C110	<input type="radio"/> 16°	N/C	155C111	<input type="radio"/> 20°	N/C	
REAR ANTI-TIP (Mark one box)						
155AT39	<input type="radio"/> Rear anti-tip integral	N/C				
155AT40	<input type="checkbox"/> Rear anti-tip quick release	80				
ACCESSORIES (Optional)						
Back Pack:			Positioning Belt:			
155A1	<input type="checkbox"/> Back pack adult	63	155A17	<input type="checkbox"/> Hook and loop closure	44	
155A2	<input type="checkbox"/> Back pack kids	63	155A18	<input type="checkbox"/> Nylon buckle closure	44	
Seat Pouch:			155A190	<input type="checkbox"/> Ratchet positioning belt (Large)	87	
155A8	<input type="checkbox"/> Seat pouch	63	155A191	<input type="checkbox"/> Ratchet positioning belt (Extra large)	87	
Spoke Guard:			Miscellaneous:			
155A24	<input type="checkbox"/> Spoke guard (Clear)	118	155A103	<input type="checkbox"/> Chest strap 2" (length 48")	38	
155A23	<input type="checkbox"/> Spoke guard (Black)	118	155A106	<input type="checkbox"/> Chest strap 4" (length 48")	24	
155A25	<input type="checkbox"/> Spoke guard sport (High profile) (11)	138	155A90	<input type="checkbox"/> Pads for backrest crossbar (10)	24	
155A26	<input type="checkbox"/> Spoke guard (Low profile) (11)	138	155A98	<input type="checkbox"/> Tyre pump	92	
Side Guard:			155A180	<input type="checkbox"/> Toe clips	39	
155SG3	<input type="checkbox"/> Plastic (Regular)	174	155A181	<input type="checkbox"/> 5th Wheel support (8)	87	
155SG4	<input type="checkbox"/> Plastic (Kids)	174				
155SG5	<input type="checkbox"/> Aluminium (Regular) (7)	240				
				Base Price:	£ 3,191	
				Options:	£	
				Total Price:	£	

All prices are in Pounds Sterling/Euros, exclude VAT. No responsibility held for technical changes or printing failures. Please consult Sunrise Medical with any queries you may have.

Quickie All Court

FOOTNOTES:

- 1 1/2" seat width is built by selecting the Aluminium side guards
- 2 Not available with 10" to 11" seat depths
- 3 Not available with 17" to 20" seat depths
- 4 Not available with 19" to 20" seat depths
- 5 Not available with high mount platform footrest
- 6 Not available with Spinergy wheels
- 7 Aluminium side guards required for 1/2" seat width option
- 8 Only available with base frame single integral anti-tip
- 9 Not available on Spinergy, 700C rear wheels
- 10 Required for tournament play
- 11 Black only

Seat Matrix:

	DEPTH	10"	11"	12"	13"	14"	15"	16"	17"	18"	19"	20"
WIDTH												
12"		X	X	X	X	X	X	X				
13"			X	X	X	X	X	X	X			
14"				X	X	X	X	X	X			
15"					X	X	X	X	X	X		
16"					X	X	X	X	X	X		
17"						X	X	X	X	X	X	X
18"						X	X	X	X	X	X	X
19"						X	X	X	X	X	X	X
20"						X	X	X	X	X	X	X

All prices are in Pounds Sterling/Euros, exclude VAT. No responsibility held for technical changes or printing failures. Please consult Sunrise Medical with any queries you may have.