

RETAIL



Life RT

Deliver to:				Invoice to:	
Name:			CE	Name:	
Street:			l IK	Street:	
Town:	Postal cod	de:	UK	Town:	Postal code:
E-Mail:				E-Mail:	
Tel:	Fax:			Tel:	Fax:
Order date:			7	Marked for:	
Purchase order:					
Number required:				Sunrise order no:	
			_	= Standard	□ = Cost option
				○ = No cost option	
				Max. user weight:	125 kg
В	ase Price			USER WEIGHT	kg
	£2,195	0 9 - 9		Mandatory information to ensure correct co	nfiguration
				Part. no. : 84700001	QPP01

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (cm)											
28	30	32	34	36	38	40	42	44	46	48	
0	0	0	0	0	0	0	0	0	0	0	

SEAT DEPTH SELECTION - measured in cm

32*	34*	36	38	40	42	44	46
0	0	0	0	0	0	0	0
		Short Fram	е		Mediun	n Frame	Long Frame

- * not available with frame widths 34cm or greater
- * not available with swing-away frame

FRONT SEAT HEIGHT SELECTION: in dependance of front castors and frame versions

Front seat height in cm

		Tront seat neight in em															
		Fork Type (mm)	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
		Hemi Version		0	0	0											
		Carbotecture (111 mm)	0	0	0	0	0	0									
	4"	Aluminium (123 mm) (1)		0	0	0	0	0	0								
		Aluminium (143 mm) (1)				0	0	0	0	0	0						
		Aluminium (168 mm) (1)							0	0	0	0	0	0			
		Hemi Version		0	0	0	0										
to		Carbotecture (111 mm)			0	0	0	0	0								
castor	5"	Aluminium (123 mm) (1)			0	0	0	0	0	0							
ţ		Aluminium (143 mm) (1)				0	0	0	0	0	0	0					
Front		Aluminium (168 mm) (1)								0	0	0	0	0	0		
		Hemi Version			0	0	0	0	0								
		Carbotecture (111 mm)						0	0	0							
	6"	Aluminium (123 mm) (1)						0	0	0		0					
		Aluminium (143 mm) (1)					0	0	0	0	0	0	0				
		Aluminium (168 mm) (1)						0	0	0	0	0	0	0	0	0	
	7"	Aluminium (168 mm) (1)								0	0	0	0	0	0	0	0

Hemi version only with SA frame

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in cm

Rear wheels	36	37	38	39	40	41	42	43	44	45
22"	0	0	0	0	0		0	0		
24"			0	0		0	0	0	0	0

The rear seat height can only be between 0 and 11cm below the selected front seat height.

(1) compatible with power add on devices

													£
	SE	AT UPHOLSTERY	AND CU	SHI	ONS								
Seat sling													
LRT020008	0	Seat sling, nylon, tens	ion- denth	adiu	stable								
LRT020009	0	Seat sling, nylon, adju			otabio								
LRT020000	0	Without seat sling	,	<u> </u>									
Seat cushic	on. co	ver with zipper, black											
LRT020101		Seat cushion, foam (n	nedium-sof	t) co	ver wit	h zinr	ner hi	lack	3cm				£90
LRT020101 LRT020102		Seat cushion, foam (n											£90
LRT020102 LRT020103		Seat cushion, Latex (v											£90
		complete Jay produc	, ,.					, 501	11				
JAY020002		Jay Basic			7 01 010								£75
JAY020001		Jay Easy Visco											£180
JAY020007		JAY Easy Fluid											£415
JAY020004		JAY Lite											£345
Seat acces													2040
LRT090018	0	Lap belt with buckle, n	netal										
LIN 1090010		Lap belt with buckle, i	IICiai										
	DΛ	CKREST											
Backrest I			25-30	30	-35	35-	40	40)-45				
Back height	_	- h	O 25	0	30	0	35	0	40	•			
Dack Height	Settini	g at (CIII)	0 27.5	0	32.5	0	37.5	0	42.5				
			O 30	0	35	0	40	0	45				
LRT030001	•	Backrest tube, alumin	ium									(Not for 250 mm backrest height)	
LRT030015	0	Backrest, angle-adjus		down								(Not for 200 mm back out neight)	
2777000070	Ŭ		° (78 EU)	JOVVII	0	-8°	(82 E	=/ /)		0	-4° (86 EU)		
			(70 EU)		0		(94 E	,		0	8° (98 EU)		
LRT030102		Backrest, angle-adjus		whon			(372	0)			0 (00 20)		£90
LIV1030102	ш		° (78 EU)	WIICII	O		(82 E	=/ /\		0	-4° (86 EU)		£90
			(70 EU)		0		(02 L (94 E			0	8° (98 EU)		
		Push handles	(30) 20)				(37 L	0)			0 (30 20)		
LRT030201	•	Push handles long											
LRT030201		Push handles, fold-do	wn								(anly from book boight	20am: from 25 with angle adi book)	£170
		*									(Only Holli back neight	30cm; from 35 with angle adj back)	
LRT030204 LRT030205		Push handles, height- Push handles, height-		for le	b.a.al	lea.						(only from back height 30cm) (only from back height 30cm)	£230 £230
LRT030208		, ,			,		otoble					(only from SW 28cm to 38cm)	£230
		Push bar, height-adjus		II allo	angle	-auju	Stable	,				(Only Hom Sw 26cm to 36cm)	£230
LRT030200	0	Without push handles											
/ DT000046		Backrest upholstery	· · ·		مامامما	مطانية	tabla	1 -		wy bog blook i	(Eve Eve Version)		
LRT030316	0	EXO Backrest sling, s	•	•		•					(Evo Exo version)		
/ DT000047		Colour, binding tape:							O Red			(For For Months)	0405
LRT030317		EXO PRO Backr. sling			•		-				ccessory bag, black ((Evo Exo Version)	£195
/ DT0000-		Colour, binding tape:		U	Orang	e C	Silve	er	O Red	d O Blue			
LRT030300	0	Without backrest upho											
		Backrest accessorie										,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
LRT030411		Headrest, small heigh										vith height adjustable push handles)	£270
LRT030410		Headrest, tall height, or	depth and a	angle-	-adjust	table,	23 x ′	11cm	1		(only w	vith height adjustable push handles)	£270

			£
	J	AY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms	
JAY 3 Back - D	еер (Contour	
Upper Thoracic:		☐ JAY030021 Medium 46cm	£870
JAY030004		□ Jay Flip Back Headrest (J3EUHDFH & J3EUHDLSP) (only with JAY 3 backs)	£290
JAY030006		□ Jay Std. Headrest (J3EUHDXH & J3EUHDLSP) (only with JAY 3 backs)	£235
JAY J3 Carbon	Bacl	k - Shallow Contour (with fixed hardware)	
Low Thoracic:		□ JAY060001 Short - 17cm □ JAY060002 Tall - 24cm	£820
Mid Thoracic:		□ JAY060003 Short - 30cm □ JAY060004 Tall - 38cm	£820
JAY Zip Back			
M (20 cm)		□ JAY070004 SW 28cm	£725
M (20 cm)		□ JAY070005 SW 30-34cm	£745
T (25cm)		□ JAY070007 SW 28cm	£750
T (25cm)		□ JAY070008 SW 30-34cm	£765
X (30cm)		□ JAY070010 SW 28cm	£780
X (30cm)		□ JAY070011 SW 30-34cm	£795
	Δ	RMREST AND SIDEGUARDS	
	Α	rmrest (choose only one option, not in combination with sideguards; only with 0° and 1° camber)	
LRT040050		O Single post height adjustable armrest armpad short (25cm)	£195
LRT040051		O Single post height adjustable armrest Armpad long (36cm)	£195
LRT040052	0 S	ingle-post sideguard, armpad (33cm), height-adjustable, remove (Not with abducted frame and COG 83)	
	S	ideguards (not in combination with armrests)	
LRT040103	0 A	luminium sideguard, fender, wet weatherprotection (in frame colour) (1) (available with safari brake)	
LRT040107		composite sideguard, removable (black) (not with safari brake)	
		luminium sideguard, wet weatherprotection (in frame colour) (1) (not with safari brake)	£215
		rmpad, height-adjustable, short (not with safari brake)	£215
LRT040104	□ C	arbon fibre sideguard, fender, wet weatherprotection (black) (1) (not with safari brake)	£410
	_	DAVO	
/ DT000444		RAYS	0405
		ray, wood, elevated frame, push-fit, SW 22 - 36cm only with LRT040055	£185
		ray, plastic, swing-away, left-mount (only with height adj. armrests with pad)	£185 £185
LRT090113		ray, plastic, swing-away, right-mount (only with height adj. armrests with pad)	£100
		RAME	
LRT010010		rame FF 75 ° (integrated footrest)	
LRT010011		rame FF 85 ° (integrated footrest)	
		rame FF 75° (integrated footrest), abducted (2.5cm on each side) (not for SW 48cm, Max User Weight 100kg)	
		rame FF 85 ° (integrated footrest), inset (2cm on each side), active (from SW 34cm)	£195
LRT010015		rame SA (removable footrest) (not for SD 32/34cm)	
LRT090100		ie down brackets for transportation	
		<u> </u>	
	C	ENTRE OF GRAVITY (COG) measured from front of back post; choose only one option	
COG23		entre of gravity 2.3cm	
COG43	O C	entre of gravity 4.3cm	
COG63	O C	entre of gravity 6.3cm	
COG83	0 0	entre of gravity 8.3cm	
(1) Effective sea	at wid	th (measured between the sideguards) is seat width + 2cm	

			£
		FRAME ACCESSORIES	
LRT010500		Wheelbase extension for add-on bike (not with drumbrake, crutch holder, tip assist, anti tip, wheel drive)	290
LRT090010		Transit wheels (not with crutch holder, tip assist and anti tip)	255
		Tip assist (step tube) & Crutch holder	
LRT090001		Tip assist, left LRT090002 □ Tip assist, right	35
LRT090003		Tip assist, pair (choose either tip assist or anti- tip tubes, not both)	105
LRT090009		Crutch holder, loop (only in combination with tip assist)	145
		Anti-tip tubes, swing-away	
LRT090036	0	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair (not with tip assist)	
LRT090004		Anti-tip tubes, swing-away, left LRT090005 Anti-tip tubes, swing-away, right	115
LRT090006		Anti-tip tubes, swing-away, pair (choose either tip assist or anti- tip tubes, not both)	235
		·	
		PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames	
LRT090211		without ATTITUDE order (docking pins assembled)	130
LRT090212	0	with ATTITUDE order (docking pins assembled; ATTITUDE order separatley)	
		HANGERS & FOOTPLATES	
		Aluminium hanger	
LRT050002	0	Hanger angle 70°	
LRT050001	0	Hanger angle 80°	
LRT050041	0	Hanger angle 90° (not with 6" & 7")	
LRT050006	0	Hanger, aluminium, swing-away, LH LRT050007 O Hanger, aluminium, swing-away, RH	
pick both	0	Hanger, aluminium, swing-away, pair	
		Composite hanger	
LRT050002	0	Hanger angle 70°	
LRT050001	0	Hanger angle 80°	
LRT050003	0	Hanger, composite, swing-away, LH LRT050004 O Hanger, composite, swing-away, RH	
pick both	0	Hanger, composite, swing-away, pair	
		Elevating Legrest (ELR) (not with footboards, platform; only SA frame)	
LRT050009		Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	170
LRT050010		Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	170
pick both		Hanger, aluminium, flip-up (0° - 90°), swing-away, pair (1)	340
		Footboard (when SA front selected)	
LRT050020	•	Footplates, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/5)	
LRT050050		Footplates, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (6)	145
LRT050102		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	195
		LRT050126 □ Swing-away mechanism for platform footboard (from LLL 34cm)	135
		LRT050062 ☐ Locking system, platform footplate, aluminium	70
LRT050131	0	Footboard, platform, lightweight, composite, angle & depth-adjustable flip up (sideways), calf strap (2)	
LRT050132		Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (7)	405
LRT050127		Adjustable side protection, to create a side-stop on the footboard	25
		Footboard (only with fixed front frame)	
LRT050025	0	Footboard, platform, lightweight, composite, angle and depth-adjustable, calf strap, black (3)	
LRT050056		Footboard, platform, lightweight, aluminium, angle and depth-adjustable, calf strap, black (3)	200
LRT050026		Footboard, platform, lightweight, carbon fibre, angle and depth-adjustable, calf strap, black (3)	405
LRT050127		Adjustable side protection, to create a side-stop on the footboard	25
		LOWER LEG LENGTH (LLL) - LLL has to be 2.5cm lower than front seat height; measurements in cm	
		O 22 O 23 O 24 O 25 O 26 O 27 O 28 O 29 O 30	
		O 31 O 32 O 33 O 34 O 35 O 36 O 37 O 38 O 39	
		O 40 O 41 O 42 O 43 O 44 O 45 O 46 O 47	
LLL 22-29 fro	om SW	34 (SW30 with abduction) with divided footboard / from SW32 (SW28 with abduction) with platform footboard	
(1) not in co	mbinat	ion with footboard platform; not with SW 28-36cm (2) from LLL 30cm	
(3) from LLL	_ 28cm;	with FF frame 85°/75° from SW 30cm (4) not with SA frame	
(5) from SW	/ 36; wi	th inset from SW 40; with abduction from SW 32cm (6) with SA frame and FF frame 85°/75° from SW 30cm	
(7) from SW	/ 32cm;	with inset from SW 36cm	
			

			£
		FORK (compare with your choice on the first page)	
LRT080041	0	Castor fork, Aluminium, Black	
		LRT080042 O Colour Cast. Fork Silver	
		LRT080043 O Colour Cast. Fork Orange	
LRT080013	0	Castor fork, Carbotecture ® (only 111 mm)	
		● Black O Orange O Silver O Red O Blue	
LRT080101		Expansion kit, designed for hemiplegic users (not with 7" castors, Carbotecture fork; SA frame only)	£145
		CASTOR (compare with your choice on the first page)	
LRT080301	0	Castor, solid (hard), rim: composite	
LRT080302	0	Castor, solid (soft), rim: composite (only for 5" and 6")	
LRT080305	0	Castor, pneumatic, rim: composite (only for 4" and 5")	
LRT080304		Castor, solid (hard), rim: aluminium (only for 4" and 5")	£100
LRT080306		Castor, solid (soft), rim: aluminium, silver (only for 4" and 5")	£100
		Colour, rim: LRT080311 O Black LRT080315 O Blue	
		LRT080313 O Orange LRT080314 O Red	
		REAR WHEELS (compare with your choice on the first page; choose only one wheel type)	
LRT070001	0	Rear wheel, Universal, 36 spokes, cross-wise spokes	
LRT070002	0	Rear wheel, Design, 36 spokes, straight spokes (only 24")	
LRT070003	0	Rear wheel, Lightweight, 24 spokes, straight spokes	
LRT070004		Rear wheel, Proton, 24 spokes, straight spokes (Max User Weight 100kg)	£625
LRT070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver (24" only)	£580
LRT070008		Rear wheel, drum brakes, 36 cross-wise spokes (2) (not with COG 23 mm, only with height adj push handles)	£470
LRT070401		Rear wheel, one-hand operation,36 spokes,cross-spoked,left actuation (not with camber; axle plate silver)	£870
LRT070402		Rear wheel, one-hand operation,36 spokes,cross-spoked,right actuation (not with camber; axle plate silver)	£870
LRT070000	0	Without rear wheel	
		<u> </u>	
		TYRES (choose only one tyre type)	
LRT070107	•	Tyre, pneumatic, slick, Schwalbe One (only 24")	
LRT070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run	
LRT070102	0	Tyre, puncture proof, tread (not with lightweight wheels)	
LRT070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution (only 24")	£120
		HANDRIM	
LRT070204	0	Handrims, stainless steel, silver	
LRT070202	0	Handrims, aluminium, anodised, silver	
LRT070201	0	Handrims, aluminium, powder-coated, clear	
LRT070203		Handrims, aluminium, powder-coated, coloured	£80
LRT070207		Handrims, Supergrip ® (22" only with universal and drum brake wheels)	£295
LRT070208		Handrims, Maxgrepp ®	£295
LRT070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25" only)	£235
LRT070200	0	Without handrims	
		HAND RIM MOUNTING	
LRT070317	0	Handrim mount, narrow (17 mm) (1) (not with Maxgrepp)	
LRT070327	0	Handrim mount, wide (27 mm)	
LRT070307	0	Handrim mount, super narrow (7 mm) (1) (Only with 24" stainless steel)	
		WHEEL CAMBER (choose only one option)	
LRT070600	0	Camber 0° (no camber brackets provided)	
LRT070601	0	Camber 1° LRT070603 O Camber 3° LRT070605 O Camber 5°	
LRT070602	•	Camber 2° LRT070604 O Camber 4° LRT070606 O Camber 6°	
(1) only with st	tainless	steel handrim; not with lightweight & drumbrake wheel and 22" wheel	
(2) only with 0-	4° cam	ber	

										ſ	£
		SPOKE G	UARDS						(not with spi	nergy wheels)	
LRT070831		Transparent		LRT070813		Glaktica L	RT070828	□ S	pace		£160
LRT070823		Princess		LRT070821		Pirates					£160
LRT070816		Happy Lions	3	LRT070814		Graffiti					£160
LRT070819		Monkeys		LRT070802		Basketball					£160
LRT070820		Oriental		LRT070812		Flying Water					£160
LRT070829		Superhero		LRT070833		Zebra					£160
LRT070817		Hot Wheels		LRT070818		Jungle Fever					£160
LRT070822		Pool		LRT070811		Feather					£160
LRT070827		Silk		LRT070806		Chrome					£160
LRT070830		Tiger		LRT070803		Basketball 2					£160
		WHEEL L	OCKS						(choose on	ly one option)	
LRT060001	0	Standard br	ake			(in combination with S	A frame shor	t and 24	" wheel -> only	vith COG 2.3)	
LRT060003	0	Compact bra	ake						(not with abo	luction frame)	
LRT060013	0	Push to lock	brake, integra	ted in sideguard, \$	Safari						
LRT060002	0	Knee-lever l	orake								
LRT060010		□ Brake	lever extension	ı, knee-lever brak	e, fold	l-down					£50
		ACCESS	ORIES								
LRT090000	•	Tool kit									
LRT090025		Air pump									£20
LRT090024			re pump (0 - 14	l bar)							£95
LRT090030		Back pack									£80
LRT090026		Mobile phon	e pocket								£60
			- (1)								
		COLOUR				logue to review your colour c					
		Frame	Handrim	Hub/rim	Fork		F	rame	Handrim	Hub/rim	Fork
				£230	£75					£230	£75
02 Brilliant Si	ilver	0				29 Black		0			
03 Silver Mat		0				31 Matt Black		0			
06 Sun Yello		0				32 Signal White		0		Ц	
14 Blue	vv	0				33 Pink		0			
15 Brilliant M	arina	0				34 Dark Chocolate		0			
16 Matt Marin		0				35 Skyblue		0			
19 Brilliant P		0				36 Cyan-Metallic		0			
21 Red Ruby		0				37 Marsred (Orange)		0			
22 Brilliant R		0				40 Kiwi		0			
23 Matt Red	eu	0				41 Flamingo-Glitter		0			
24 Tutti Frutt	i Orar					42 Matt-Anthracite		0			
27 Graphite r		-				46 Mamba Green		0			
				ited: Hub/rim: only f		rersal wheel; Fork: not with Carb	otecture				
() Handilli	. Orny	Handinii C	Jisai povidei eda	.ca, masmin. only it	, ann	C.CG. WIICCI, I CIR. HOL WILLI CAID	J.Colai C				

			£
		STICKER COLOURS	
LRT100550	•	Sticker colour - black	
LRT100551	0	Sticker colour - silver	
		ANODISED COLOUR AXLE PLATE (not in combination with one hand operation)	
LRT100580	0	Axle plate anodised, black	
LRT100581	0	Axle plate anodised, silver	
LRT100582	0	Axle plate anodised, orange	
		, , , , , , , , , , , , , , , , , , ,	
		24 " LIGHT WEIGHT WHEEL COLOURS	
	•	Black	
LRT100336		Anodised, orange	£120
LRT100337		Anodised, blue	£120
LRT100338		Anodised, red	£120
		Allouiseu, leu	~:=0
Comments	s for	special build - please apply for a quote; lead time conditions my change.	
Outobia	:6-	DT Davis Dries	
		RT - Basic Price £2,195	
Option pric			
Packaging		transport	
Exclusive \	/AT		
VAT.			
Total Price)		

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground.

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 130 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

 0° is the angle 90° to the ground. Negative angles are < 90°

and positive angles are > 90°.

Technical Data Overview - Life RT:

Max. overall height:950 mmMax. overall length:1075 mmMax. turning circle:700 mmMax. safe slope:10°

Wheelchair weight: from 10 kg
Dismantled weight: from 8 kg
Weight of heaviest part: 2,1 kg

Max. overall width: Camber 22" rear wheel 24" rear wheel

For 0° camber: SW + 200 mm SW + 200 mm For 3° camber: SW + 230 mm SW + 240 mm For 6° camber: SW + 250 mm SW + 260 mm

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle

For transport without a user the chair must be safe clamped in the vehicle

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

BACKREST



Backrest tube, aluminium Austauschen Life T



Backrest, angle adjustable



Push handles long



Push handles, fold-down



Push handles, height-adjustable



Without push handles,



Push bar, heightadjustable, width and angleadjustable



Headrest, height, depth and angle adjustable



EXO backrest sling



EXO PRO backrest sling

JAY BACKS



Jay 3 Back Deep



Jay Zip Back

ARMREST AND SIDEGUARDS



Single post height adjustable



Single-post sideguard, armpad, height-adjustable, remove



Composite sideguard, removable (black)



Aluminium sideguard, wet weatherprotection (in frame colour)



Aluminium sideguard, fender, wet weatherprotection (in frame colour)



Carbon fibre sideguard, fender, wet weatherprotection (black)

FRAME



Frame FF 105 ° (integrated footrest)



Frame FF 95 ° (integrated footrest)



Frame FF 105° (integrated footrest), abducted (20 mm on each side)



Frame FF 95 ° (integrated footrest), 20 mm inset, active



Frame SA (removable footrest)

FRAME ACCESSORIES



Wheelbase extension for add-on bike



Transit wheels



Tip assist



Crutch holder, loop



Anti-tip tubes, swing-away, left

HANGERS AND FOOTPLATES



Aluminium hanger, 90°



Composite hanger 110°/100°



Elevating legrest (ELR)



Footboard, divided, composite, angleadjustable, flip-up (sideways), heel loop, black



Footboard, divided, aluminium, angleadjustable, flip-up (sideways), heel loop, black



Footboard, platform, aluminium, angleadjustable, flip-up (sideways), heel loop, black



Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap



Footboard, platform, lightweight, plastic, angle and depthadjustable, calf strap, black



Footboard, angle and depth adjustable;flip up, aluminium with locking system

FORKS





Expansion kit, designed for hemiplegic users

REAR WHEELS



Rear wheel, Universal, 36 spokes, cross-wise



Rear wheel, Design, 36 spokes, straight spokes



Rear wheel, Lightweight, 24 spokes, straight spokes



Rear wheel, Proton, 24 spokes, straight spokes



Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver



Rear wheel, drum brakes, 36 spokes, crosswise spokes

TYRES



Tyre, puncture proof, tread



Tyre, pneumatic, fine profile, Schwalbe Right Run



Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution



Tyre, pneumatic, slick, Schwalbe One


HANDRIMS



Supergrip



Max Grepp



Ellipse 3R Handrim

WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake, integrated in sideguard, Safari



Push to lock brake, onearm, right actuation



Brake lever extension, knee-lever brake, folddown

ACCESSORIES



Back pack




High pressure pump



Air pump



Mobile phone pocket





Axle plate anodized, orange



Axle plate anodized, silver



Axle plate anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red