



Deliver to:	Invoice to:
Name:	Name:
Street:	Street:
Town: Postal code:	Town: Postal code:
E-Mail:	E-Mail:
Tel: Fax:	Tel: Fax:
Order date:	Marked for:
Purchase order:	
Number required:	Sunrise order no:
□ Order □ Calculation □ Built 4 me	○ = No cost option • = Standard □ = Cost option
Part no: 05300001	Max. user weight: 140 kg <sup>(1)</sup>
PQR01	USER WEIGHT
	Mandatory information to ensure correct configuration
CER	Base Price □ £2,050
	2400 : 1.00 = 12,000

## **CLIENT MEASUREMENTS** (all measurements without cushion)

**SEAT WIDTH SELECTION** - measured from outside frame tube to outside frame tube

30 cm	32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
0	0	0	0	0	0	0	0	0	0	0
				Includes opt	ion NSW010	602:				

User weight 140 kg

### **SEAT DEPTH SELECTION**

34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
0	0	0	0	0	0	0	0	0

<sup>(1)</sup> Max user weight 140kg only with option NSW010602 or with SW 44-50cm; Standard maximum user weight: 120kg.

•	= Standard	O = No cost option	= Cost option

## FRONT SEAT HEIGHT SELECTION: independent of front castors, forks and frame versions

Front seat height in cm

					Froi	nt se	at he	eight	in cı	m																
		Frame	Fork (length)	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57
			111 mm								0	0	0	0	0											
			123 mm* (1)										0	0	0	0										
		Std	138 mm (1)											0	0	0	0									
١,			174 mm (1)														0	0	0	0	0					
ľ	`		One Arm (1)								0	0	0	0	0											
			111 mm* (1)	0	0	0																				
		Hemi	138 mm* (1)		0	0	0	0																		
			174 mm* (1)					0	0	0	0	0														
			111 mm									0	0	0	0	0										
			123 mm* (1)											0	0	0	0									
		Std	138 mm (1)												0	0	0	0	0							
١,			174 mm (1)														0	0	0	0	0	0				
4			One Arm (1)									0	0	0	0	0										
			111 mm* (1)	0	0	0	0																			
		Hemi	138 mm* (1)			0	0	0	0	0																
			174 mm* (1)					0	0	0	0	0	0													
ַלַ			111 mm												0	0	0	0								
g		Std	123 mm* (1)												0	0	0	0								
Front castor			138 mm (1)													0	0	0	0	0						
ᅙᅵᇎ			174 mm (1)															0	0	0	0	0	0			
-   °	1		One Arm (1)												0	0	0	0								
			111 mm* (1)			0	0	0	0																	
		Hemi	138 mm* (1)				0	0	0	0	0															
			174 mm* (1)						0	0	0	0	0	0												
			111 mm														0	0								
			123 mm* (1)														0	0	0							
		Std	138 mm (1)														0	0	0	0	0					
			174 mm (1)																0	0	0	0	0	0		
I °	1		One Arm (1)														0	0								
			111 mm* (1)					0	0																	
	I	Hemi	138 mm* (1)					0	0	0	0	0														
			174 mm* (1)							0	0	0	0	0	0											
	Ī		123 mm* (1)																0	0						
	I		138 mm (1)																	0	0	0				
	I		174 mm (1)																		0	0	0	0	0	0
	Ī	Hemi	174 mm* (1)									0	0	0	0	0	0									
_			* only ove																							

<sup>\*</sup> only available in black

## **REAR SEAT HEIGHT SELECTION:** independent of rear wheel size

Rear seat height in cm

Rear wheels	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53
22"	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
24"				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
25"					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
26"						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

<sup>(1)</sup> Compatible with power add on devices. For 123mm fork, please also choose option NSW090093 "Fork for power add ons".

	•	= Standard O = No cost option	£
		SEAT	
		Seat sling	
NSW020002	0	Seat sling, nylon, tension adjustable, 1 utility bag	
NSW020003		Seat sling, nylon, tension adjustable, 2 utility bags (only from SW 38 cm)	60
NSW020004		Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag (only from SW 34 cm)	135
NSW020000	0	Without seat sling	
Seat cushi	on, co	ver with zipper, black	
Foam (med	lium-so	oft) Thickness: NSW020101	85
Latex (very	soft)	Thickness: NSW020103	85
ì	,	Seat accessories	
NSW020050		Additional padding for seat upholstery, removable	35
NSW090018		Lap belt with buckle, metal	50
		JAY Cushions - for complete product range see JAY order forms	
JAY020002		JAY Basic	75
JAY020001		JAY Easy Visco, Curved Base	180
JAY020004		JAY Lite	290
JAY020007		JAY Easy Fluid, Curved Base	415
JA 1020001		SAT Lasy Fluid, Curved base	710
		BACKREST	
		BACKET	
Book boigh		ue (cm) 25 - 30 30 - 35 35 - 40 40 - 45 45 - 47.5	
Back heigh		()	
		ht factory setting. O 25 O 30 O 35 O 40 O 45	
Height adju	stmen	ts of 5 cm in total are possible. O 27.5 O 32.5 O 37.5 O 42.5 O 47.5	
		0 30 0 35 0 40 0 45	
NSW030010	0	Backrest, fixed (90°)	
NSW030031		□ Backrest, fold-down (to the front) (1)	90
NSW030012	0	Backrest, angle-adjustable (75° to 103°)	
NSW030031		□ Backrest, fold-down (to the front) (1)	90
		Push handles	
NSW030200	0	Without push handles	
NSW030201	0	Push handles, long	
NSW030203		Push handles, fold-down (available from back height 32,5 cm)	165
NSW030205		Push handles, height-adjustable for JAY backs (available from back height 30 cm)	220
NSW030204		Push handles, height-adjustable (available from back height 30 cm)	220
		Backrest upholstery	
NSW030316	0	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version)	
		Colour, binding tape: O Black O Orange O Silver O Red O Blue	
NSW030317		EXO PRO Backrest, synthetic fibre, padded, adj., breathable spacer fabric, 1 accessory bag, black (Evo Exo Version)	190
		Colour, binding tape: O Black O Orange O Silver O Red O Blue	
NSW030300	0	Without backrest upholstery	
		Accessories for backrest	
NSW030402		Stabilising bar, automatic folding (only available from SW 36- 48 cm)	185
NSW030401		Stabilising bar, swing-away	110
NSW030412		☐ Headrest, medium, height, depth and angle-adjustable	260
NSW030410		☐ Headrest tall height death and angle adjustable 20v11 cm	260

(1) Not with height adjustable push handles, JAY backs, stabilising bar or headrest. Please note

folding-Matrix on next page. If push handles long are chosen, only back heights 30 cm and above are available;

if push handles fold-down are chosen, only back heights 35 cm and above are available

	•	= Standard O = No cost option	£
		JAY J3 BACKS	
JAY J3 Ca	rbon l	Back - Shallow Contour	
Lower Tho	racic:	□ JAY060001 Short - 17 cm □ JAY060002 Tall - 24 cm	820
Mid Thorat	ic:	□ JAY060003 Short - 30 cm □ JAY060004 Tall - 38 cm	820
Accessori		JAY J3 backs	T
JAY030004		JAY Flip Back Headrest (J3EUHDFH & J3EUHDLSP) (only with JAY J3 backs)	345
JAY030006		JAY Std. Headrest (J3EUHDXH & J3EUHDLSP) (only with JAY J3 backs)	235
JAY090058		JAY Accessory bag (only with JAY J3 Carbon backs)	60
		ARMREST AND SIDEGUARDS	
		Armrest	
NSW040052	0	Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable (1)	
NSW040117	0	Tubular armrest, Aluminium, swing away (sideways), padded, removable (only with backrest, angle adj.)	
NSW040050		Single-post sideguard, armpad (25 cm), height-adjustable, removable (1)	220
NSW040051		Single-post sideguard, armpad (36 cm), height-adjustable, removable (1)	220
NSW040005		Desk sideguard, flip-up, removable	210
NSW040001		Desk sideguard, armpad (25 cm), fixed, flip-up, removable	210
NSW040002		Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable	210
NSW040003		Desk sideguard, armpad (31 cm), fixed, flip-up, removable	210
NSW040004		Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable	210
		Book sladgadra, arripad (o'r orr), riolgirt ddjastablo, mp dp, romorablo	
		Accessories and options for desk sideguards	
NSW040020		Release assistance for tetraplegics (only with desk sideguard)	40
NSW090012		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard)	260
NSW090013		Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard)	260
NSW090011		Tray, push-fit, SW 38 - 48 cm (only with desk sideguard)	180
		Sideguards	
NSW040107	0		
	0	Sideguard, composite, removable, 21 cm high (31 cm long), black	
NSW040102		Sideguard, composite, removable, 21 cm high (31 cm long), black Sideguard, aluminium, cold weather protection (in frame colour)	345
NSW040102 NSW040103		Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour)	345 315
		Sideguard, aluminium, cold weather protection (in frame colour)	
NSW040103		Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black)	315
NSW040103 NSW040104		Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black)  HANGER	315
NSW040103		Sideguard, aluminium, cold weather protection (in frame colour)  Sideguard, aluminium, fender, cold weather protection (in frame colour)  Sideguard, carbon fibre, fender, cold weather protection (black)  HANGER  Hanger angle 80° (Not available with Hemi Frame NSW010024)	315
NSW040103 NSW040104 NSW050001	0	Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black)  HANGER	315
NSW040103 NSW040104 NSW050001 NSW050002	0	Sideguard, aluminium, cold weather protection (in frame colour)  Sideguard, aluminium, fender, cold weather protection (in frame colour)  Sideguard, carbon fibre, fender, cold weather protection (black)  HANGER  Hanger angle 80° (Not available with Hemi Frame NSW010024)  Hanger, aluminium, swing-away	315
NSW040103 NSW040104 NSW050001	0	Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black)  HANGER Hanger angle 80° (Not available with Hemi Frame NSW010024) Hanger angle 70° (2)  Hanger, aluminium, swing-away Hanger, aluminium, swing-away, LH	315
NSW040103 NSW040104 NSW050001 NSW050002	0 0	Sideguard, aluminium, cold weather protection (in frame colour)  Sideguard, aluminium, fender, cold weather protection (in frame colour)  Sideguard, carbon fibre, fender, cold weather protection (black)  HANGER  Hanger angle 80° (Not available with Hemi Frame NSW010024)  Hanger angle 70° (2)  Hanger, aluminium, swing-away  Hanger, aluminium, swing-away, LH  Hanger, aluminium, swing-away, RH	315
NSW040103 NSW040104 NSW050001 NSW050002 NSW050006	0 0	Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black)  HANGER Hanger angle 80° (Not available with Hemi Frame NSW010024) Hanger angle 70° (2)  Hanger, aluminium, swing-away Hanger, aluminium, swing-away, LH	315
NSW040103 NSW040104 NSW050001 NSW050002 NSW050006 NSW050007	0 0	Sideguard, aluminium, cold weather protection (in frame colour)  Sideguard, aluminium, fender, cold weather protection (in frame colour)  Sideguard, carbon fibre, fender, cold weather protection (black)  HANGER  Hanger angle 80° (Not available with Hemi Frame NSW010024)  Hanger angle 70° (2)  Hanger, aluminium, swing-away  Hanger, aluminium, swing-away, LH  Hanger, aluminium, swing-away, Pair	315
NSW040103 NSW040104 NSW050001 NSW050002 NSW050006 NSW050007 NSW050008	0 0	Sideguard, aluminium, cold weather protection (in frame colour)  Sideguard, aluminium, fender, cold weather protection (in frame colour)  Sideguard, carbon fibre, fender, cold weather protection (black)  HANGER  Hanger angle 80° (Not available with Hemi Frame NSW010024)  Hanger angle 70° (2)  Hanger, aluminium, swing-away  Hanger, aluminium, swing-away, LH  Hanger, aluminium, swing-away, RH  Hanger, aluminium, swing-away, pair  Hanger, ELR (aluminium, flip-up (0-90°)), swing-away	315
NSW040103 NSW040104 NSW050001 NSW050002 NSW050006 NSW050007	0 0	Sideguard, aluminium, cold weather protection (in frame colour)  Sideguard, aluminium, fender, cold weather protection (in frame colour)  Sideguard, carbon fibre, fender, cold weather protection (black)  HANGER  Hanger angle 80° (Not available with Hemi Frame NSW010024)  Hanger angle 70° (2)  Hanger, aluminium, swing-away  Hanger, aluminium, swing-away, LH  Hanger, aluminium, swing-away, Pair	315 400

<sup>(1)</sup> Only with COG Adapter Standard

<sup>(2)</sup> In combination with NSW010024 "Frame, Hemi" only 70° hangers available

	•	= Standard O = No cost option	£
		FOOTPLATES AND FOOTBOARDS	
NSW050104	0	Footplates, divided, composite, flip-up, heel loop, black (from SW 38 cm)	
NSW050020	0	Footplates, divided, composite, angle-adjustable, flip-up, heel loop, black (from SW 38 cm)	
NSW050022		Footplates, divided, aluminium, angle-adjustable, flip-up, heel loop, frame colour	185
NSW050051		Footplates, divided, aluminium, angle-adjustable, flip-up, high-mount, heel loop, frame colour (1)	185
NSW050023		Footboard, platform, aluminium, angle-adjustable, flip-up, heel loop, frame colour	190
NSW050126		O Swing-away mechanism for platform footboard	
NSW050059		Footboard, platform, Performance, aluminium, angle-adjustable, flip-up, calf strap (from SW 32 cm)	285
NSW050131		Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up, calf strap, black	185
NSW050132		Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable, flip up, calf strap, black (1)	395
		Accessories for footboards	
NSW050127		Foot positioning plate (2)	25
		LOWER LEG LENGTH (LLL) (LLL has to be 2,5 cm less than front seat height; measurements in cm)	
	0	22	
	0	32	
	0	42 0 43 0 44 0 45 0 46 0 47 0 48 0 49 0 50 0 51	
	LLL be	elow approximately 32cm require high-mount footboards- depends on configuration, please check configurator for details	
		FRAME VERSIONS	
NSW010015	0	Standard swing away frame	
NSW010602	0	Reinforced heavy duty frame for max. user weight 140 kg (Sizes 32-42 only. HD option standard on all other sizes)	
NSW010024	0	Low seat frame option (Hemi) (compare with your choice on the first page)	
		EMPULSE F55 BUNDLING	
EMO000101	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.)	
EMO000102	0	With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.)	
		CENTRE OF GRAVITY (COG) (2 cm= very passive; 12 cm= very active)	
NSW070703		Adapter standard	
		0 9 0 10 0 11 0 12	
NSW070701		Adapter lightweight	
		O 12	
		FRAME ACCESSORIES (choose either tip assist or anti- tip tube per side)	
NSW090016		Frame protection, black	85
NSW090100	•	Transportation brackets - Crash test option	Std.
NSW090010		Transit wheels (not in combination with anti-tip tubes or tip assist)	250
		· · · · · · · · · · · · · · · · · · ·	
		Anti-tip tubes, swing-away	
NSW090004		Left NSW090005  Right	115
NSW090006		Pair (no additional tip assist possible)	230
		Tip assist	
NSW090001		Left NSW090002 □ Right	35
NSW090003		Tip assist, pair (no additional anti-tip tube possible)	70
NSW090009		Crutch holder, loop (only in combination with tip assist)	85
		FORKS (compare with your choice on the first page)	
NSW080013	•	Castor fork, Carbotecture ®, 111mm O Black (only for 111mm and 123mm forks)	
		Colour: □ Silver □ Orange □ Red (3) □ Blue (3)	60
NSW080029	0	Castor fork, Aluminium  O Black (only for 123mm, 138mm and 174mm forks)	
		Colour:   Silver   Orange	60
NSW080008		Castor fork, aluminium, one-arm	220
		Colour: □ Silver □ Orange □ Red □ Blue	60
		STANDARD CASTORS (compare with your choice on the first page)	
NSW080301	0	Castor, solid (hard), rim: composite, black	
NSW080302	0	Castor, solid (soft), rim: composite, black (only 5" & 6")	
NSW080304		Castor, solid (hard), rim: aluminium  Colour, rim: Silver  (only 4" & 5")	105
NSW080305	0	Castor, pneumatic, rim: composite, black (only 7")	
NSW080306		Castor, solid (soft), rim: aluminium	105
	_	Colour, rim:	60
(1)	Erom	SW 34 cm available (3) Only with 111x45mm Carbotecture fork	

<sup>(2)</sup> Only for footboard, platform lightweight or Performance

<sup>(3)</sup> Only available in combination with castor, soft (NSW080302 or NSW08036)

	•	= Standard	£
		REAR WHEELS (compare with your choice on the first page)	
NSW070000	0	Without rear wheel	
NSW070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (not in 25")	
NSW070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24" and 26")	
NSW070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (not in 26"; see colour options on last page)	
NSW070004		Rear wheel, Proton, 24 spokes (black), straight spokes (not in 26"; user weight limit 100kg)	625
NSW070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver (not in 22")	565
NSW070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black (only 24" & 25")	870
NSW070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (1) (only 22" & 24")	455
NSW070009		Rear wheel, Mountain bike, 36 spokes (silver), straight spokes (only 24")	385
NSW070010		Mountain bike wheel, replacement kit incl. tyre (extra coarse profile) (only 24")	585
		· .	
		Axle	
NSW070150	•	Quick-release axle	
NSW070151		Quick-release axle, designed for quads (2)	130
		TYRES	
NCM/070400			
NSW070102	0	Tyre, puncture proof, tread (not in 26")	115
NSW070107		Tyre, pneumatic, slick, Schwalbe One (only 24" and 25")	115
NSW070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run  (not in 25")	445
NSW070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	115
		HANDRIMS	
NSW070202	0	Handrims, aluminium, anodised, silver	
		· · · · ·	
NSW070201	0	Handrims, aluminium, powder-coated, clear	
NSW070204	0	Handrims, stainless steel, silver	
NSW070203		Handrims, aluminium, powder-coated, coloured (select colour on last page, upcharge charged once)	240
NSW070205		Handrims, titanium, untreated (not in 22")	
NSW070206		Handrims, titanium, powder-coated, clear (not in 22")	240
NSW070207		Handrims, Supergrip ®	285
NSW070208		Handrims, Maxgrepp ® (only 22" & 24")	285
NSW070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25" only)	230
		Handrim accessories	
NSW070250		Handrim cover, rubber (not with 25" and 26")	115
		( in the second of the second	
		Handrim mounting	
NSW070307	0	Handrim mount, super narrow (7 mm) (only with stainless steel)	
NSW070317	•	Handrim mount, narrow (17 mm)	
NSW070327	0	Handrim mount, wide (27 mm)	
		WHEEL CAMBER	
NSWOZOGOO		0°	
NSW070600 NSW070602	0		
	0	2° (3) 4° (3)	
NSW070604	0	4° (3)	
		SPOKE GUARDS (coloured: only 22 & 24"; transparent: only 22", 24" & 26")	
NSW070831		Transparent NSW070815  Graphik NSW070803  Basketball 2	155
NSW070823		Princess NSW070813  Glaktica NSW070828  Space	155
NSW070816		Happy Lions NSW070821 □ Pirates	155
NSW070819		Monkeys NSW070814 □ Graffiti	155
NSW070820		Oriental NSW070802  Basketball	155
NSW070829		Superhero NSW070812	155
NSW070829 NSW070817		Hot Wheels NSW070833 □ Zebra	155
NSW070822		Pool NSW070818  U Jungle Fever	155
NSW070827		Silk NSW070811    Feather	155
NSW070827 NSW070830			155
14344010830		Tiger NSW070806 □ Chrome	100

<sup>(1)</sup> Not with fold down push handles & not without push handles only with adapter, standard and only with 0° and 4° wheel camber

- (2) Not with rear wheels Spinergy / mountain bike/ drum brakes
- (3) Not with lightweight COG axle

	•	= Standard	O = No co	ost option		= Cost option			£
		WHEEL L	OCKS	·				(choose only one opti	ion)
NSW060001	•	Standard brake							
NSW060002		Knee-lever brake	-						65
NSW060010		□ Brake lever	extension, kn	ee-lever brake,	, fold-dc	own			45
NSW060015		Push to lock brake	e, one-arm, le	eft actuation					185
NSW060016		Push to lock brake	e, one-arm, ri	ght actuation					185
NSW060003		Compact brake							70
		ACCEDOODIE	-0						
NSW090000	•	Tool kit	.5						<u> </u>
NSW090000 NSW090025		Air pump							20
NSW090024		High pressure pur	mp (0 - 11 bs	r)					85
NSW090024 NSW090030		Back pack	пр (0 - 11 ва	1)	-				70
NSW090026		Mobile phone poo							50
		Mobile priorie pec	NO.						
		COLOUR	S			(Please consult our co	lour catalogue to	review your colour cho	ice)
		Frame		n Hub/rim (1)			Frame	Handrim Hub/ı	rim (1)
			£80	£220				£80 £2	220
02 Brilliant S	ilver	0				29 Black	0		
03 Silver Ma	tt	0				31 Matt Black	0		
06 Sun Yello	w	0				32 Signal White	0		
14 Blue		0				33 Pink	0		
15 Brilliant M	1arine	. 0				34 Dark Chocolate Metallic	0		
16 Matt Mari	ne	0				35 Sky blue	0		
19 Brilliant P	urple	0				36 Cyan-Metallic	0		
21 Red Ruby	· /	0				37 Mars Red (Orange)	0		
22 Brilliant R		0				40 Kiwi	0		
23 Matt Red		0				41 Flamingo-Glitter	0		
24 Tutti Frutt	ti Orai	nge O				42 Matt Anthracite	0		
27 Graphite	Metal	lic O				46 Mamba Green	0		
(1)		with rear wheel, Un	niversal			•			
		COLOUR	S FOR RE	AR WHEEL,	LIGH <sup>*</sup>	TWEIGHT, 24"	(hub and r	im anodized, black spok	res)
NSW100336		Anodised, orange	;			·	(only with Re	ar wheel, lightweight in 2	24") 120
NSW100337		Anodised, blue					(only with Re	ar wheel, lightweight in 2	24") 120
NSW100338		Anodised, red					(only with Re	ar wheel, lightweight in 2	24") 120
	_		r stickers ("N	eon²" on the fra	me and	l "Quickie" on sideguard)			
NSW100550	0	black							
NSW100551	0	silver							
NSW100552	0	orange							_
NSW100553 NSW100554	0	red blue							_
			places appl	u for a guata: la	ad tima	conditions may change.			
Comment	5 101	Special bullu -	· piease apply	/ for a quote, les	au ume	conditions may change.			
								built	4me
		<del></del>						100.050	SSERIMBLE HAVIV.
Quickie	Neo	on <sup>2</sup> - Base Pri	ce					£2,050	
Option pri	ice							£	
VAT.									
<b>Total Pric</b>	е							£	

#### Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 1 - 2 cm altogether).

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

b) On the wheelchair:

a) For the user: When sitting with 90° knee angle:

From back of knee to bottom of shoe sole. From front of seat tube to the ground.

(min. 3cm longer than user measurement). Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 11 cm.

Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably.

Back angle: Important: The back height depends on the degree of disability.

 $0^{\circ}$  is the angle  $90^{\circ}$  to the ground. Negative angles are  ${<}90^{\circ}$ 

and positive angles are >90°.

#### **Technical Data Overview:**

Max. overall height:102 cmMax. overall length:115 cmMax. pivot width:70 cm

Max. safe slope: 7° (for use of parking brakes)

Wheelchair weight: from 11,5 kg
Dismantled weight: from 9,1 kg
Mass of heaviest part: 2,1 kg
Max. overall width: Camber

For 0° camber: SW + 16 cm For 2° camber: SW + 22 cm For 4° camber: SW + 27 cm

Intended use and environment - for people with limited mobility; self-propelling or being pushed by an assistant, indoor and outdoor use.

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle in combination with option "Tie down brackets for transportation". For transport without a user, fix the chair safely in the vehicle (e.g. car or plane).

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm.



NSW020002 Seat sling with 1 utility bag



NSW020003 Seat sling with 2 utility bags



NSW090018 Lap belt with buckle, metal



NSW030012 Backrest, angle adjustable



NSW030201 Push handles, long



NSW030203 Push handles, fold-down



NSW030204 Push handles, height-adjustable



NSW030316 EXO backrest sling



NSW030317 EXO PRO backrest sling



NSW030412 Headrest, medium

## Folding-Matrix for NSW030031 Backrest, fold-down to the front.

# Back height

Seat width



NSW030031 Backrest, fold-down

	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38		✓	✓	✓	✓	✓	✓
40			✓	✓	✓	✓	✓
42				✓	✓	✓	✓
44				✓	✓	✓	✓
46					✓	✓	✓
48						✓	✓
50							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down push handles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded



JAY 3 Carbon Back Shallow Contour



NSW050011 Hanger, aluminium, flip-up (0-90°, Swing-away



NSW04000x Desk sideguard, armpad, flip-up, removable



NSW040050 Single-post sideguard



NSW040052 Single-post sideguard, armpad (33 cm)



NSW040117 Tubular armrest, swing away, removable, padded



NSW040107 Sideguard, composite, removable (black)



NSW040103 Aluminium, cold weather protection, fender



NSW040104 Carbon fibre, cold weather protection, fender

# F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

	Seat Depth						
COG	380	400	420	440	460	480	500
40	×	×	×	v	~	<b>&gt;</b>	<b>~</b>
60	×	×	×	×	~	<b>&gt;</b>	~
70	×	×	×	×	<b>Y</b>	<b>&gt;</b>	~
80	×	×	×	×	×	<b>&gt;</b>	~
90	×	×	×	×	×	<b>&gt;</b>	~
100	×	×	×	×	×	×	<b>~</b>
110	×	×	×	×	×	×	<b>~</b>
120	×	X	×	×	×	×	×
130	×	×	×	×	×	×	×



NSW050022 Footboard divided, aluminium, frame colour



NSW050059 Footboard platform, Performance



NSW050132 Footboard platform, lightweight, carbon fibre



NSW050127 Adjustable side protection



NSW090010 Transit wheels



NSW090006 Anti-tip tubes, swing away



NSW090001 Tip assist



NSW080013 & NSW080306 Castor fork, Carbotecture & Castor solid (soft) aluminium



NSW080008 Castor fork, aluminium, one-arm, red



NSW070001 Universal wheel



NSW070002 Design wheel



NSW070003 Lightweight wheel



NSW070004 Proton wheel



NSW070010 Mountain bike wheel



NSW070101 Schwalbe Right Run



NSW070107 Schwalbe One



NSW070104 Schwalbe Marathon Plus Evolution



NSW070102 Tyre, puncture proof



NSW070208 Handrims Maxgrepp



NSW070212 Handrims Ellipse 3R



NSW060001 Standard brake



NSW060002 Knee lever brake



NSW060003 Compact brake



NSW090000 Tool kit



NSW090024 High pressure pump



NSW090025 Air pump



NSW090030 Back pack



NSW090026 Mobile phone pocket



NSW100336 Lightweight wheel, anodized orange



NSW100337 Lightweight wheel, anodized blue



NSW100338 Lightweight wheel, anodized red