

Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:



Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

Fax number: +44 (0)845 605 66 89

Base Price
£1,695

Email: orders@sunmed.co.uk

Max. user weight: 140kg

USER WEIGHT kg

Part No. 07200101 QMA01

CLIENT MEASUREMENTS

Seat width in cm

		36	38	40	42	44	46	48	50	52	54
Seat depth in cm	36	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	38	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	40	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	42	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	44	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	46	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	48	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	50	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please note the method of measurement is from the back. All measurements are in cm and without a cushion

Front seat height in cm

			40	42	43	44	45	46	47	48	49	50	51	52	53	54
Front castor	Fork Type															
	Hemi Version	4"	<input type="radio"/>	<input type="radio"/>												
	Short narrow		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
	Long narrow		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
	Hemi Version	5"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
	Short narrow		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
	Long narrow		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
	Hemi Version	6"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
	Long narrow		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
Long wide	7"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Hemi version only with SA frame

7" not in combination with seat depth: 36-40cm

6" soft only with fork long wide; other 6" versions with small forks only

Max difference front/rear seat height; 11cm

Rear seat height in cm

		40	41	42	43	44	45	46	47	48	49	50	51
Rear wheel	Wheels												
	22"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	24"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	25"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height CANNOT be above front seat height

						£	
SEAT UPHOLSTERY AND CUSHIONS							
Seat Slings							
LFE020014	● Seat sling, nylon, 1 utility bag						
LFE020000	○ Without seat sling						
Seat cushion, cover with zipper, black							
LFE020101	□ Seat cushion, foam (medium-soft), cover with zipper, black, 3cm						£85
LFE020102	□ Seat cushion, foam (medium-soft), cover with zipper, black, 5cm						£85
LFE020103	□ Seat cushion, Latex (very soft), cover with zipper, black, 5cm						£85
Jay Cushion - for complete Jay product range see Jay order forms							
JAY020002	□ JAY Basic						£75
JAY020001	□ JAY Easy Visco C						£180
JAY020007	□ JAY Easy Fluid						£415
JAY020004	□ JAY LITE						£345
Seat accessories							
LFE090018	□ Lap belt with buckle, metal						£75
BACKREST							
Backrest height range	25-30	30-35	35-40	40-45	45-50		
Back height set at (cm)	○ 25	○ 30	○ 35	○ 40	○ 45		
	○ 27.5	○ 32.5	○ 37.5	○ 42.5	○ 47.5		
	○ 30	○ 35	○ 40	○ 45	○ 50		
LFE030010	● Backrest, fixed (90°)						
LFE030101	□ Backrest, half-folding (to the back)					(from back height 45cm-47.5cm)	£90
LFE030031	□ Backrest, fold-down (to the front)					(from back height 30cm-47.5cm)	£90
LFE030012	□ Backrest, angle-adjustable					(not with BH 50cm)	£70
	○ -12° (78 EU)	○ -8° (82 EU)	○ -4° (86 EU)	○ 0° (90 EU)	○ 4° (94 EU)	○ 8° (98 EU)	○ 12° (102 EU)
Push handles							
LFE030201	● Push handles long						
LFE030203	□ Push handles, fold-down (1)					(only from back height 30cm; from 35cm with angle adj back)	£165
LFE030204	□ Push handles, height-adjustable (1) (2)					(only from back height 30cm)	£220
LFE030205	□ Push handles, height-adjustable for Jay backs (1) (2)					(only from back height 30cm)	£220
LFE030200	○ Without push handles (1)						
FMG3217	FMG Pushhandles long (+3cm) for attendee (not with height adj pushhandles)					(B4M option)	
Backrest upholstery (black)							
LFE030316	○ EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (EVO Exo Version)						
	Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue						
LFE030317	□ EXO PRO Backrest sling, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black (EVO Exo Version)						£90
	Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue						
LFE030000	○ Without backrest upholstery						
Jay Shape							
JAY080001	□ JAY SHAPE Back					(SW 36-50cm, from BH 37.5cm, from RSH 44cm, not with fold down PH)	£270
JAY080011	□ JAY SHAPE Lateral supports 10x12 (Pair)						£270
JAY080010	□ JAY SHAPE Lateral supports 15x15 (Pair)						£270
Backrest accessories							
LFE030402	□ Stabilising bar, automatic folding (1)						£185
LFE030410	□ Headrest, tall height, depth and angle-adjustable, 23 x 11cm					(1) (2) (3)	£245
LFE030411	□ Headrest, medium height, depth&angle-adjustable, 20 x 11cm					(1) (2) (3)	£245
(1):	Not in combination with backrest, half-folding (to the back)						
(2):	Not in combination backrest, fold-down (to the front)						
(3):	Only available with height adjustable push handles						

			£
JAY BACKS plus ACCESSORIES (max . user weight 136 kg)			
Jay 3 Back - Mid Deep Contour			
Mid Thoracic:	<input type="checkbox"/> JAY030040	Short 30cm	870
Upper Thoracic:	<input type="checkbox"/> JAY030042	Medium 460mm	850
Jay 3 Back - Deep Contour			
Upper Thoracic:	<input type="checkbox"/> JAY030021	Medium 46cm	870
Jay Easy Back - Posterior Deep Contour			
Mid Thoracic:	<input type="checkbox"/> JAY050037	Tall 38cm	735
Upper Thoracic:	<input type="checkbox"/> JAY050031	Medium 46cm	735
Shoulder Height:	<input type="checkbox"/> JAY050032	Short 53cm	735
JAY030004	<input type="checkbox"/> Jay Headrest S/A	(only with Jay 3 backs)	345
JAY030006	<input type="checkbox"/> Standard Jay headrest	(only with Jay 3 backs)	235
ARMREST AND SIDEGUARDS			
Armrest			
LFE040052	<input type="radio"/> Single-post sideguard, armpad (33cm), depth adjustable, tool height-adjustable, removable		180
LFE040050	<input type="checkbox"/> Single-post sideguard, armpad (25cm), height-adjustable, removable	(not in combination with sideguards; only with 0° and 1° camber)	180
LFE040051	<input type="checkbox"/> Single-post sideguard, armpad (36cm), height-adjustable, removable	(not in combination with sideguards; only with 0° and 1° camber)	180
Desk armrest with long and short pad (1)			
LFE040005	<input type="radio"/> Desk sideguard, button height adjustable, flip-up, removable		
LFE040145	<input type="checkbox"/> Armpad for hemiplegic XL (length: 54cm, width: 13.5cm), left		210
LFE040144	<input type="checkbox"/> Armpad for hemiplegic XL (length: 54cm, width: 13.5cm), right		210
LFE040147	<input type="checkbox"/> Armpad for hemiplegic (length: 46cm, width: 10.5cm), left		210
LFE040146	<input type="checkbox"/> Armpad for hemiplegic (length: 46cm, width: 10.5cm), right		210
LFE040001	<input type="checkbox"/> Desk sideguard, armpad (25cm), fixed, flip-up, removable		210
LFE040003	<input type="checkbox"/> Desk sideguard, armpad (31cm), fixed, flip-up, removable		210
LFE040002	<input type="checkbox"/> Desk sideguard, armpad (25cm), height-adjustable, flip-up, removable		260
LFE040004	<input type="checkbox"/> Desk sideguard, armpad (31cm), height-adjustable, flip-up, removable		260
LFE040020	<input type="checkbox"/> Release assistance for tetraplegics		40
Sideguards (not in combination with armrest)			
LFE040107	<input type="radio"/> Sideguard, composite, removable, 21cm high (31cm long), black		
LFE040102	<input type="checkbox"/> Sideguard, aluminium, cold weather protection (in frame colour)	(effective seat width is sw +2cm)	230
LFE040103	<input type="checkbox"/> Sideguard, aluminium, fender, cold weather protection (in frame colour)	(effective seat width is sw +2cm)	315
LFE040104	<input type="checkbox"/> Sideguard, carbon fibre, fender, cold weather protection (black)	(effective seat width is sw +2cm)	400
TRAYS			
Slide on tray			
LFE090011	<input type="checkbox"/> Tray, push-fit	(SW 38cm to 48cm)	180
Swing away tray			
LFE090012	<input type="checkbox"/> Tray, swing-away (to the side), SW 34 - 60cm, left-mount	(only with desk armrest height adjustable)	180
LFE090013	<input type="checkbox"/> Tray, swing-away (to the side), SW 34 - 60cm, right-mount	(only with desk armrest height adjustable)	180
FRAME			
LFE010010	<input type="radio"/> Frame FF 75 ° (integrated footrest)		
LFE010011	<input type="radio"/> Frame FF 85 ° (integrated footrest)		
LFE010016	<input type="checkbox"/> Frame FF 85 ° (integrated footrest), inset (20 mm on each side), active		
LFE010015	<input type="radio"/> Frame SA (removable footrest)		
LFE090100	<input checked="" type="radio"/> Tie down brackets for transportation		
(1):	Not in combination with Half folding back < BH 40cm.		
	Only in combination with 0° & 1° wheel camber; Fold down backrest only from BH 40cm		

			£
CENTRE OF GRAVITY (COG) measured from front of back post; choose only one option			
COG23	<input type="radio"/>	Centre of gravity 2.3cm	
COG43	<input type="radio"/>	Centre of gravity 4.3cm	
COG63	<input type="radio"/>	Centre of gravity 6.3cm	
COG83	<input type="radio"/>	Centre of gravity 8.3cm	
FRAME ACCESSORIES			
LFE090010	<input type="checkbox"/>	Transit wheels	235
			<i>(Not with crutch holder, tip assist and anti tip)</i>
Tip assist (step tube) & Crutch holder			<i>(choose either tip assist or anti- tip tubes, not both)</i>
LFE090001	<input type="checkbox"/>	Tip assist, left	35
LFE090002	<input type="checkbox"/>	Tip assist, right	35
LFE090003	<input type="checkbox"/>	Tip assist, pair	70
LFE090009	<input type="checkbox"/>	Crutch holder, loop	80
			<i>(only in combination with tip assist)</i>
Anti-tip tubes, swing-away			<i>(choose either tip assist or anti- tip tubes, not both)</i>
LFE090036	<input type="radio"/>	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair	95
			<i>(not with tip assist)</i>
LFE090004	<input type="checkbox"/>	Anti-tip tubes, swing-away, left	125
LFE090005	<input type="checkbox"/>	Anti-tip tubes, swing-away, right	125
LFE090006	<input type="checkbox"/>	Anti-tip tubes, swing-away, pair	195
EMPULSE F55 BUNDLING			
EMO000101	<input type="radio"/>	With F55 order, not mounted to the wheelchair	
			<i>(Please use separate OF to order the F55.)</i>
EMO000102	<input type="radio"/>	With F55 order, mounted to the wheelchair	
			<i>(Please use separate OF to order the F55.)</i>
PREPARATION FOR ATTITUDE ADD-ON BIKE - ONLY WITH FF-FRAME			
LFE090211	<input type="checkbox"/>	Preparation for ATTITUDE, w/o ATTITUDE order	125
			<i>(docking pins assembled)</i>
LFE090212	<input type="checkbox"/>	Preparation for ATTITUDE, with ATTITUDE order	
			<i>(docking pins assembled; ATTITUDE order seperately)</i>
HANGERS & FOOTPLATES			
Aluminium hanger			
LFE050002	<input type="radio"/>	Hanger angle 70°	
LFE050001	<input type="radio"/>	Hanger angle 80°	
LFE050041	<input type="radio"/>	Hanger angle 90°	
			<i>(not with 6", 7" castor)</i>
LFE050006	<input type="radio"/>	Hanger, aluminium, swing-away, LH	
		LFE050007	<input type="radio"/>
		Hanger, aluminium, swing-away, RH	
pick both	<input type="radio"/>	Hanger, aluminium, swing-away, Pair	
Composite hanger			
LFE050002	<input type="radio"/>	Hanger angle 70°	
LFE050001	<input type="radio"/>	Hanger angle 80°	
LFE050003	<input type="radio"/>	Hanger, composite, swing-away, LH	
		LFE050004	<input type="radio"/>
		Hanger, composite, swing-away, RH	
pick both	<input type="radio"/>	Hanger, composite, swing-away, Pair	
Elevating Legrest (ELR)			
LFE050009	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	155
		(1)	
LFE050010	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	155
		(1)	
pick both	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, Pair	
		(1)	<i>(only from SW 38cm)</i>
Amputee Support Pad			
LFE050014	<input type="checkbox"/>	Amputee support, left	155
LFE050013	<input type="checkbox"/>	Amputee support, right	155
LFE050012	<input type="checkbox"/>	Amputee support, pair	310
Footplate			
LFE050020	<input type="radio"/>	Footplate, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black	
			<i>(pair)</i>
LFE050050	<input type="checkbox"/>	Footplate, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	150
			<i>(from LLL 36cm)</i>
LFE050102	<input type="checkbox"/>	Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	150
		(2)	
LFE050126	<input type="checkbox"/>	Swing-away mechanism for platform footboard	100
			<i>(from LLL 38cm)</i>
LFE050062	<input type="checkbox"/>	Locking system, platform footplate, aluminium	75
Platform footrest, angle adjustable			<i>(only up to seat width 50cm)</i>
LFE050131	<input type="checkbox"/>	Footboard, platform, lightweight, composite, angle & depth-adj. flip up (sideways), calf strap, black	195
LFE050132	<input type="checkbox"/>	Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	395
LFE050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard	30
			<i>(only in combination with Platform)</i>
Autofolding			<i>(only up to seat width 50cm)</i>
LFE050028	<input type="checkbox"/>	Footboard, platform, lightweight, composite, auto-folding, angle & depth-adj., calf strap, black (2)	300
LFE050027	<input type="checkbox"/>	Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adj., calf strap, black (2)	460
(1): Not in combination with platform & autofolding footplate			
(2): Not in combination with ELR and SA frame			

LOWER LEG LENGTH - LLL in cm

(Attention: LLL has to be 2.5cm lower than seat height front)

35 36 37 38 39 40 41 42
 # 43 44 45 46 47 48 49 50

FORK

(compare with your choice on the first page)

LFE080041	<input checked="" type="radio"/>	Castor fork, Aluminium, Black	
		LFE080042 <input type="radio"/> Colour Cast. Fork Silver	
		LFE080043 <input type="radio"/> Colour Cast. Fork Orange	
LFE080101	<input type="checkbox"/>	Expansion kit, designed for hemiplegic users (outrigger castor)	(Not in combination with 7" castors; SA frame only) 140

CASTOR

(compare with your choice on the first page)

LFE080301	<input type="radio"/>	Castor, solid (hard), rim: composite, black	
LFE080302	<input type="radio"/>	Castor, solid (soft), rim: composite, black	(only for 5" & 6" castors; max SH 52cm)
LFE080305	<input type="radio"/>	Castor, pneumatic, rim: composite, black	(only for 6" & 7" castors)
Castor with aluminium rim			
LFE080304	<input type="checkbox"/>	Castor, solid (hard), rim: aluminium	(Only for 4" and 5") 105
LFE080306	<input type="checkbox"/>	Castor, solid (soft), rim: aluminium, silver	(Only for 4" and 5") 105
		Colour, rim: LFE080311 <input type="radio"/> Black LFE080315 <input type="radio"/> Blue	
		LFE080313 <input type="radio"/> Orange LFE080314 <input type="radio"/> Red	

REAR WHEELS

(compare with your choice on the first page; choose only one wheel type)

LFE070000	<input type="radio"/>	Without rear wheel	
LFE070001	<input type="radio"/>	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes	(only 22"/24")
LFE070002	<input type="radio"/>	Rear wheel, Design, 36 spokes (silver), straight spokes	(only 24")
LFE070003	<input type="checkbox"/>	Rear wheel, Lightweight, 24 spokes (silver), straight spokes	(max. user weight: 125 kg) 90
LFE070004	<input type="checkbox"/>	Rear wheel, Proton, 24 spokes (black), straight spokes	(max. user weight: 100 kg) 250
LFE070005	<input type="checkbox"/>	Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver	(only 22"/25") 495
LFE070008	<input type="checkbox"/>	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes	(only 22"/24") 425
LFE070009	<input type="checkbox"/>	Rear wheel, Mountainbike, 36 spokes (silver), straight spokes	(only 24") 360
LFE070010	<input type="checkbox"/>	Mountainbike wheel, replacement kit incl. tyre (extra coarse profile)	(only 24") 585
One-arm drive (22" & 24"; only with stainless steel handrim, COG 4.3cm; 0° camber) (1)			
LFE070401	<input type="checkbox"/>	Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation	845
LFE070402	<input type="checkbox"/>	Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation	845

TYRES

(choose only one tyre type)

LFE070107	<input checked="" type="radio"/>	Tyre, pneumatic, slick, Schwalbe One	(only 24"/25") 115
LFE070101	<input type="radio"/>	Tyre, pneumatic, fine profile, Schwalbe Right Run	(only 22"/24")
LFE070102	<input type="radio"/>	Tyre, puncture proof, tread	(25" only with Proton, lightweight wheel)
LFE070104	<input type="checkbox"/>	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	(only 24"/25") 95

HANDRIM

LFE070202	<input type="radio"/>	Handrims, aluminium, anodised, silver	
LFE070201	<input type="radio"/>	Handrims, aluminium, powder-coated, clear	
LFE070204	<input type="checkbox"/>	Handrims, stainless steel, silver	100
LFE070203	<input type="checkbox"/>	Handrims, aluminium, powder-coated, coloured	
LFE070207	<input type="checkbox"/>	Handrims, Supergrip®	(22" only with universal and drum brake wheels) 250
LFE070208	<input type="checkbox"/>	Handrims, Maxgrepp®	(only 22"/24", only handrim mounting wide) 350
LFE070212	<input type="checkbox"/>	Handrims, Ellipse 3R, black	(ergonomic handrims with rubber-strip, 24" and 25" only) 125
LFE070200	<input type="radio"/>	Without handrims	

Handrim Mounting

LFE070307	<input type="radio"/>	Handrim mount, super narrow (7 mm)	(Only with 24" stainless steel)
LFE070317	<input type="radio"/>	Handrim mount, narrow (17 mm)	(not with Maxgrepp)
LFE070327	<input type="radio"/>	Handrim mount, wide (27 mm)	

Handrim Cover

LFE070250	<input type="checkbox"/>	Handrim cover, Silicon	(not with 25", Supergrip, Maxgrepp) 110
-----------	--------------------------	------------------------	---

WHEEL CAMBER

(choose only one option; Armrests only with 0° & 1°)

LFE070600	<input type="radio"/>	Camber 0°	(no camber brackets provided)
LFE070601	<input checked="" type="radio"/>	Camber 1° LFE070603 <input type="radio"/> Camber 3°	
LFE070602	<input type="radio"/>	Camber 2° LFE070604 <input type="radio"/> Camber 4°	

(1) RSH for 22": 40-45cm; for 24": 42-47cm; axle plate silver

										£
SPOKE GUARDS										
<i>(not with spinergy wheels, not with 25", not with mountainbike wheel)</i>										
LFE070831	<input type="checkbox"/>	Transparent	LFE070820	<input type="checkbox"/>	Oriental	LFE070827	<input type="checkbox"/>	Silk		150
LFE070822	<input type="checkbox"/>	Pool	LFE070817	<input type="checkbox"/>	Hot Wheels	LFE070803	<input type="checkbox"/>	Basketball 2		150
LFE070811	<input type="checkbox"/>	Feather	LFE070812	<input type="checkbox"/>	Flying Water					150
LFE070814	<input type="checkbox"/>	Graffiti	LFE070806	<input type="checkbox"/>	Chrome					150
LFE070828	<input type="checkbox"/>	Space	LFE070802	<input type="checkbox"/>	Basketball					150
WHEEL LOCKS										
<i>(choose only one option)</i>										
LFE060001	<input type="radio"/>	Standard brake								
LFE060002	<input type="checkbox"/>	Knee-lever brake								95
LFE060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down								50
LFE060003	<input type="checkbox"/>	Compact brake								75
LFE060015	<input type="checkbox"/>	Push to lock brake, one-arm, left actuation								200
LFE060016	<input type="checkbox"/>	Push to lock brake, one-arm, right actuation								200
ACCESSORIES										
LFE090000	<input type="radio"/>	Tool kit								
LFE090025	<input type="checkbox"/>	Air pump								20
LFE090024	<input type="checkbox"/>	High pressure pump (0 - 11 bar)								90
LFE090030	<input type="checkbox"/>	Back pack								75
LFE090026	<input type="checkbox"/>	Mobile phone pocket								55
COLOURS ⁽¹⁾ Please consult our colour catalogue to review your colour choice										
		Frame	Handrim	Hub/rim	Fork		Frame	Handrim	Hub/rim	Fork
			£75	£220				£75	£220	
02 Brilliant Silver	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	29 Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
03 Silver Matt	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	31 Matt Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
06 Sun Yellow	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	32 Signal White	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14 Blue	<input type="radio"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33 Pink	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15 Brilliant Marine	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	34 Dark Chocolate Metallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16 Matt Marine	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	35 Skyblue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19 Brilliant Purple	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	36 Cyan-Metallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21 Red Ruby	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	37 Marsred (Orange)	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22 Brilliant Red	<input type="radio"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	40 Kiwi	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23 Matt Red	<input type="radio"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	41 Flamingo-Glitter	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24 Tutti Frutti Orange	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	42 Matt-Anthracite	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27 Graphite metallic	<input type="radio"/>		<input type="checkbox"/>		<input type="checkbox"/>	46 Mamba Green	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
STICKER COLOURS										
LFE100550	<input checked="" type="radio"/>	Sticker colour - black								
LFE100551	<input type="radio"/>	Sticker colour - silver								
ANODISED COLOUR AXLE PLATE										
<i>(not with one-hand operation)</i>										
LFE100580	<input checked="" type="radio"/>	Axle plate anodised, black								
LFE100581	<input type="radio"/>	Axle plate anodised, silver								
LFE100582	<input type="radio"/>	Axle plate anodised, orange								
24 " LIGHT WEIGHT WHEEL COLOURS										
	<input checked="" type="radio"/>	Black								
LFE100336	<input type="checkbox"/>	Anodised, orange								
LFE100337	<input type="checkbox"/>	Anodised, blue								
LFE100338	<input type="checkbox"/>	Anodised, red								
(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel										

COMMENTS FOR SPECIAL BUILD



Quickie Life - Basic Price	£1,695
Option price	
Packaging and transport	
Exclusive VAT	
VAT.	
Total Price	

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° knee angle: From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground. (min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 130 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are < 90° and positive angles are > 90°.

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS							
COG	Seat Depth						
	380	400	420	440	460	480	500
40	X	X	X	✓	✓	✓	✓
60	X	X	X	X	✓	✓	✓
70	X	X	X	X	✓	✓	✓
80	X	X	X	X	X	✓	✓
90	X	X	X	X	X	✓	✓
100	X	X	X	X	X	X	✓
110	X	X	X	X	X	X	✓
120	X	X	X	X	X	X	X
130	X	X	X	X	X	X	X

SEAT UPHOLSTERY AND CUSHIONS



Seat cushion, cover with zipper, black



Seat cushion, climate membrane water-resistant, cover with zipper, black



Lap belt with buckle, metal



Jay Basic
(picture shown without upholstery)



Jay Easy Visco
(picture shown without upholstery)



Jay Easy Fluid
(picture shown without upholstery)



Jay Lite

BACKREST



Angle adjustable back
-12° to 12°



Backrest, Half Folding



Backrest, fold down (to the front)



Push handles long



Fold down push



Height adjustable push handles



EXO backrest sling



EXO PRO backrest sling



Autofolding

ARMREST AND SIDEGUARDS



Single post height adjustable armrest



Single-post sideguard, depth adjustable, tool height-adjustable



Sideguard composite detachable



Sideguard carbon with fender



Sideguard alu with fender



Desk armrest, height adjustable, short armpad(25cm)



Desk armrest, fixed height, short armpad(25cm)



Desk armrest without armpad

Frame



Life SA



Life FF 85°



Life FF 75°



Frame FF 85° (integrated footrest), inset (20 mm on each side), active

FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder



Anti-tip swing away

FRAME ACCESSORIES



Aluminium hanger, 90°



Composite hanger 70°/80°



Elevating legrest



Amputee Support Pad



Platform footplate lightweight angle & depth adjustable composite flip up



Footboard platform, lightweight, carbon fibre, auto folding



Divided footplate composite



Divided footplate aluminum



Platform, angle and depth adjustable; flip up, aluminium with locking system

FORKS



Fork Aluminium,
black, orange & silver



Expansion kit, designed for
hemiplegic users

REAR WHEELS



Universal cross spoked



Design wheel



Lightweight wheel



Spinergy wheel, 18 spokes



Drum brake wheel

TYRES



Right Run Tyre



Solid Tyre




Marathon Plus
Evolution



Supergrip



Max Grepp




Ellipse 3R Handrim

WHEEL LOCKS



Knee lever wheel lock



Brake lever extension



Compact wheel lock



One arm wheel lock



Standard brake

ACCESSORIES



Back pack



High pressure pump



Air pump



Mobile phone pocket

ANODIZED COLOUR AXLE PLATE



Axle plate
anodized, orange



Axle plate
anodized, silver



Axle plate
anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red