



# Zippie Salsa M<sup>2</sup> & Salsa R<sup>2</sup>

Deliver to:	
Name:	
Street:	
Town:	Postal code:
E-Mail:	
Tel:	Fax:
Order date:	
Purchase order:	

	Invoice to:	
CE	Name:	
	Street:	
	Town:	Postal code:
	E-Mail:	
	Tel:	Fax:
	Marked for:	

 Base Price

 Salsa M²
 £6,382
 F

 Salsa R²
 £5,319
 P

Part No. 22000000-500 Part No. 22000000-200 Max. user weight: 75kg
User Weight kg
Fax: +44 (0)845 605 66 89

#### QPP01

## DRIVE BASE SELECTION

O SALSA R<sup>2</sup>



O SALSA M<sup>2</sup> SLM010000



Email: orders@sunmed.co.uk

#### SEAT DIMENSION (width & depth)

	Width Setting
SW30	30 cm (12")
SW32	32 cm (13")
SW34	34 cm (13,5")
SW36	36 cm (14")
SW38	38 cm (15")
SW40	40 cm (16")

	Depth setting
SD30	30 cm (12")
SD32	32 cm (13")
SD34	34 cm (13,5")
SD36	36 cm (14")
SD38	38 cm (15")
SD40	40 cm (16")
SD34 SD36 SD38	34 cm (13,5") 36 cm (14") 38 cm (15")

# Adjustable Seating System Seat frame is fully adjustable from 30cm to 40 cm (12" - 16") in width and depth. Independently adjustable in 2 cm (7/8") increments

#### **SEAT HEIGHT FACTORY SETTINGS**

Seat Heig	ht: No Module
41.5 cm	Salsa R <sup>2</sup>
40 cm	Salsa M <sup>2</sup>

45.5 cm Salea P <sup>2</sup>	Seat Heig	ht: Tilt Module
Jaisa IX	45.5 cm	Salsa R <sup>2</sup>
44 cm Salsa M <sup>2</sup>	44 cm	Salsa M <sup>2</sup>

Seat Heig	ht: Lift & Tilt Module
47 cm	Salsa R <sup>2</sup>
45.5 cm	Salsa M <sup>2</sup>

	,		
		SEAT & STANDARD CUSHIONS	
ZIP020109	•	Firm Seat Board	
ZIP020110	0	Omit Seat Cushion	
ZIP020120	0	5 cm Standard Foam Cushion (used for seat width 30 - 40 cm)	
		Pro Seating Comfort Seat and Back (seat frame adjusted to cushion size selection)	342
ZIP020013		O 30 and 32cm ZIP020015 O 34 and 36 cm ZIP020016 O 38 and 40cm	342
		SEAT OPTIONS	
SAL130008	0	Manual tilt (6° preset tilt) (0°, 3°, 6° and 9° adjustable)	
SAL130004		Powered tilt 0° to 30° (0° - 30° cog tilt)	765
SAL130005		Powered tilt -5° to 25° (Not available with R2) (STF height increases by 30mm, not available with powered lift)	950
SAL130006		Powered lift/tilt combi Module (0° - 30° tilt and 30 cm lift)	2060
		BACKREST RECLINE	
ZIP030018	0	Mechanical fixed recline Back (-4° - 16°; in 4° steps)	
ZIP030020		Powered recline Back (0° - 30°, 30 to 40 cm depth adjustment range)	509
		BACKREST UPOLSTERY	
ZIP030301	•	Tension adjustable Sling Backrest (41 cm (16") height) (2.5 cm up and down adjustment, c/w Std. foam cushion only)	
ZIP030000	0	Omit Sling back	
		JAY SHAPE BACKREST - MAX USER WGT 135KG Premium tension adjustable backrest upholstery - Ava	ilable on M2 (
IAY080001		JAY SHAPE Backrest (Not available in 51cm Seat Width)	212
JAY080002		JAY SHAPE Backrest - Oversized (Supplied 1* larger than seat width to allow greater immersion) (N/A in 48 or 51cm Seat Width)	212
Back Height	Setting	BH38 O 38cm (15") BH41 O 41cm (16") BH435 O 43.5cm (17")	
		BH46 O 46cm (18") BH48.5 O 48.5cm (19")	
IAY080011		JAY SHAPE Lateral Thoracic supports (Pair) - Support 10 x 12 cm (Pair)	212
		HEADREST	
ZIP030416		Headrest 8" x 4.5" Pad (mounted on rail)	205
		ARMREST TYPE	
ZIP040122	•	Flip up, height and angle adjustable with 285 x 60mm pad	
ZIP040142		Lift-off skirt guards (26 cm skirt guard)	85
		USER POSITIONING ITEMS	
ZIP030004		Straight Lateral Supports (Pair) Swing Away (only available with JAY Comfort seat system)	301
ZIP030006		Inset (2") Lateral Supports (Pair) Swing Away (inset 1" either side - only available with JAY Comfort seat system)	301
ZIP030005		Seat shell back attachment brackets (Jay 3 standard assembly brackets)	146

		<u> </u>	= Standard O = No cost option □ = Cost option	£
		LEGRESTS		
ZIP050035	0	90° Kids swing-away legrest & flip up footplates	(lower leg length 16 - 26cm)	
ZIP050000	0	Omit Hangers and receivers		
ZIP050038	0	Centre mount legrest (with calf pads & flip-up footpla		
ZIP050016		Elevating legrest & flip up footplates)	(c/w aluminium footplates and calf pads, lower leg length 16 - 26 cm)	328
		rest extension for Kids swing-away legrests		
ZIP050036		Extension tubes for 90° s/a legrests	(Extends lower leg length to 30, 32.5 and 35cm)	69
ZIP050037		Extension tubes for Manual Elevating Legrest	(Extends lower leg length to 30, 32.5 and 35cm)	69
			powered options- for more than 2 powered options choose R-Net)	
ZIP110001		VR2 70A motor controller	(2 actuator control output channels) (Not available with 4 pole motors)	004
ZIP110002		VR2 90A Heavy duty motor controller	(Recommended with 10kph 2 pole motors) (Not available with 4 pole motors)	231
STR110012	0	VR2 remote  Swing away controller ZIP110052 O	(c/w actuator control keys)	
ZIP110021		Swing away controller ZIP110052 O F VR2 dual control (mounted RH)	RH ZIP110053 O LH (RH supplied if no option selected)  (For dual control, VR2 remote must be selected also)	547
ZIF 1 1002 1		R-Net CONTROLS	(Por dual control, VR2 remote must be selected also)	547
ZIP110003	0	R-Net 90A Controller		
ZIP110003 ZIP110004		R-Net 120A Controller	(Must be selectd with 10kph 4 pole motors)	113
ZIP110004 ZIP110009		R-Net Gyro	(Iviust de Selectu With Tokph 4 pole motors)	333
STR110018		R-Net LED remote		564
ZIP110017		R-Net LCD remote L&I	(c/w light & actuator control keys)	734
ZIP110101		R-Net OMNI (1)	(input device and switches to be ordered via B4Me)	135
ZIP110021		R-Net remote Dual (mounted RH)	(Dual Module always RH mount)	547
		,	RH ZIP110053 O LH	<u> </u>
		January Commonton Zir 110002 O T	<u>L 110000</u> 0 <u>L</u> 11	
		LIGHTS & INDICATORS		
SAL110209	•	Omit Lights & Indicators		
SAL110201		LED Lights & Indicators (STVZO APPROVED)		479
	_	KERB CLIMBER		
SAL090037	•	Omit Kerb Climber		
SAL090038		Kerb climber (SALSA R <sup>2</sup> only)	(not available with CML (SAZ050005)	197
		SALSA R <sup>2</sup> WHEEL SIZES	(	
SAL070013	0	9" solid castor, 12,5" pneumatic Drive wheels		
SAL070017	0	9" solid castor, 12,5" solid Drive wheels		
SAL070018	0	9" solid castor, 14" pneumatic V-Typ Drive wheels		
SAL070019	0	9" solid castor, 14" solid V-Typ Drive wheels		
SAL070021		9" solid castor, 14" solid Knobbly Drive wheels		103
SAL070023		9" solid castor, 14" pneumatic Knobbly Drive wheels		103
		SALSA M <sup>2</sup> WHEEL SIZES		
SAL070035	0	7" solid front and rear castor wheels, 13" pneumatic	Drive wheels	
SAL070036	0	7" solid front and rear castor wheels, 13" solid Drive	wheels	
		MOTOR SPEED		
SAL180004	0	6 kph Performance Motor		
SAL180006		10kph (6mph) 2 Pole Motors	(Lights and rear review mirror required by law)	328
SAL180007		10kph (6mph) 4-pole High Torque Motors	(Must select R-Net 120amp control) (Lights and rear review mirror required by law)	404
		SHROUD COLOUR		
		•	SALSA M <sup>2</sup> (black legrest and chassis)	
SAL140002	0		SAL140002 O Red	
SAL140003	0		SAL140003 O Blue	
SAL140001	0		SAL140001 O White	
			SAL140004 O Matt Black	
CAL 160001		BATTERIES  CO. Ab. Col. Potterios		
SAL160001	0	60 Ah Gel Batteries		400
		70 Ah Gel Batteries (Salsa R <sup>2</sup> only)		136
	0	Omit Batteries		
		CHARGED		
SAL160009	_	CHARGER	T	
SAL160009 SAL160100	•	220 V / 8 A UK Charger		
SAL160009 SAL160100	•	220 V / 8 A UK Charger Omit Charger		
SAL160009 SAL160100 SAL160109	0	220 V / 8 A UK Charger Omit Charger ACCESSORIES		
SAL160009 SAL160100 SAL160109 SAL090100	•	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points		
SAL160009  SAL160100  SAL160109  SAL090100  SAL090047	•	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points Adjustable lap strap		204
SAL160009  SAL160100  SAL160109  SAL090100  SAL090047  SAL090040	•	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points Adjustable lap strap Swing- away tray table	(mirror mounts always opposite to remote modula)	
SAL160009  SAL160100  SAL160109  SAL090100  SAL090047  SAL090040  SAL090067	•	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points Adjustable lap strap Swing- away tray table Rear view mirror	(mirror mounts always opposite to remote module)	47
SAL160009  SAL160100  SAL160109  SAL090100  SAL090047  SAL090040  SAL090067  SAL160012	•	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points Adjustable lap strap Swing- away tray table Rear view mirror 24V Auxillary battery supply		47 48
SAL160009  SAL160100  SAL160109  SAL090100  SAL090047  SAL090040  SAL090067  SAL160012  ZIP090068	•	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points Adjustable lap strap Swing- away tray table Rear view mirror 24V Auxillary battery supply R-Net Bluetooth control module	(Android and Windows system control)	47 48 766
SAL160009  SAL160100  SAL160109  SAL090100  SAL090047  SAL090040  SAL090067  SAL160012  ZIP090068  ZIP090141	• • •	220 V / 8 A UK Charger Omit Charger  ACCESSORIES Transportation tie down points Adjustable lap strap Swing- away tray table Rear view mirror 24V Auxillary battery supply R-Net Bluetooth control module R-Net 2nd Bluetooth control module		47 48 766 466
SAL160009  SAL160100  SAL160109  SAL090100  SAL090047  SAL090040  SAL090067  SAL160012  ZIP090068  ZIP090141  ZIP090142	• • • • • • • • • • • • • • • • • • •	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points Adjustable lap strap Swing- away tray table Rear view mirror 24V Auxillary battery supply R-Net Bluetooth control module	(Android and Windows system control) (Android and Windows system control)	205 47 48 766 466 466 81
SAL160009  SAL160100  SAL160109  SAL090100  SAL090047  SAL090040  SAL090067  SAL160012  ZIP090068  ZIP090141  ZIP090142  SAL090069	• • • • •	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points Adjustable lap strap Swing- away tray table Rear view mirror 24V Auxillary battery supply R-Net Bluetooth control module R-Net 2nd Bluetooth control module R-Net IOS Bluetooth control module	(Android and Windows system control)  (Android and Windows system control)  (IOS tablet an phone mouse control)  (if there is no Bluetooth function on the computer)	47 48 766 466 466
SAL160009  SAL160100  SAL160109  SAL090100  SAL090047  SAL090040  SAL090067  SAL160012  ZIP090068  ZIP090141  ZIP090142  SAL090069  Base Pri	• • • • • • • • • • • • • • • • • • •	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points Adjustable lap strap Swing- away tray table Rear view mirror 24V Auxillary battery supply R-Net Bluetooth control module R-Net 2nd Bluetooth control module R-Net IOS Bluetooth control module	(Android and Windows system control)  (Android and Windows system control)  (IOS tablet an phone mouse control)  (if there is no Bluetooth function on the computer)	47 48 766 466 466
SAL160002 SAL160009  SAL160100 SAL160109  SAL090100 SAL090047 SAL090040 SAL090067 SAL160012 ZIP090068 ZIP090141 ZIP090142 SAL090069  Base Pri Option Price	• • • • • • • • • • • • • • • • • • •	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points Adjustable lap strap Swing- away tray table Rear view mirror 24V Auxillary battery supply R-Net Bluetooth control module R-Net 2nd Bluetooth control module R-Net IOS Bluetooth control module	(Android and Windows system control)  (Android and Windows system control)  (IOS tablet an phone mouse control)  (if there is no Bluetooth function on the computer)  £ £	47 48 766 466 466
SAL160009  SAL160100  SAL160109  SAL090100  SAL090047  SAL090040  SAL090067  SAL160012  ZIP090068  ZIP090141  ZIP090142  SAL090069  Base Pri	• • • • • • • • • • • • • • • • • • •	220 V / 8 A UK Charger Omit Charger ACCESSORIES Transportation tie down points Adjustable lap strap Swing- away tray table Rear view mirror 24V Auxillary battery supply R-Net Bluetooth control module R-Net 2nd Bluetooth control module R-Net IOS Bluetooth control module	(Android and Windows system control)  (Android and Windows system control)  (IOS tablet an phone mouse control)  (if there is no Bluetooth function on the computer)	47 48 766 466 466

## **SEAT HEIGHT INFORMATION**

	Wheel Size	No module	Tilt module	Lift/Tilt module				
ole Seat ghts	Salsa R <sup>2</sup>	41.5 cm	44,5 cm	n/a	n/a	n/a	45.5 cm	47 cm
Available Seat Heights	Salsa M <sup>2</sup>	40 cm	42.5 cm	44.5 cm	46.5 cm	48.5 cm	44 cm	45.5 cm

Tilt and Lift/Tilt module settings show lowest possible seat height