

Date UK (English)

User Company stamp

End user weight (kg)

Language user manual Responsible

Folding tilting frame wheelchair

£ 4250,00
Retail price - VAT not included

Information on end user

End user pathology :

Presence of dystonia or important spasms : YES NO End user weight (kg):.....Kg

Wheelchair measures - The tolerance on all the dimensions indicated and/or required is ± 10 mm

MODEL ADULT				MODEL JUNIOR							
<input type="checkbox"/> 33	<input type="checkbox"/> 36	<input type="checkbox"/> 39	<input type="checkbox"/> 42	<input type="checkbox"/> 45	<input type="checkbox"/> 48	<input type="checkbox"/> 27	<input type="checkbox"/> 30	<input type="checkbox"/> 33	<input type="checkbox"/> 36	<input type="checkbox"/> 39	
○ kit to increase seat width (LS + 3cm)				09876	98,00	○ kit to increase seat width (LS + 3cm)				11476	98,00
☆ Not mounted						☆ Not mounted					
<input type="checkbox"/> Mounted						<input type="checkbox"/> Mounted					

Seat depth (PS) - adjustable!

Short frame	Medium frame	Long frame
<input type="checkbox"/> 35 <input type="checkbox"/> 37,5 <input type="checkbox"/> 40	<input type="checkbox"/> 40 <input type="checkbox"/> 42,5 <input type="checkbox"/> 45	<input type="checkbox"/> 45 <input type="checkbox"/> 47,5 <input type="checkbox"/> 50
(PS 40)	(PS 45)	(PS 50)

Backrest tube position

Footplate distance (DP) - (Real distance between seat and footplate)

IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)

Minimum footplate distance ~22cm

.....(cm) ±0.5cm - adjustment steps 1.5cm

Seat height (parallel to the ground)

CASTERS 6"	Rear wheels				CASTERS 7"	Rear wheels			
	12"	16"	22"	24"		12"	16"	22"	24"
<input type="checkbox"/> 42			<input type="checkbox"/> 42					<input type="checkbox"/> 44,5	<input type="checkbox"/> 44,5
☆ 43,3			<input type="checkbox"/> 43,3	<input type="checkbox"/> 43,3				<input type="checkbox"/> 45,8	<input type="checkbox"/> 45,8
<input type="checkbox"/> 44,5			<input type="checkbox"/> 44,5	<input type="checkbox"/> 44,5		<input type="checkbox"/> 44,5		<input type="checkbox"/> 47	<input type="checkbox"/> 47
<input type="checkbox"/> 45,8			<input type="checkbox"/> 45,8	<input type="checkbox"/> 45,8		<input type="checkbox"/> 45,8		<input type="checkbox"/> 47	<input type="checkbox"/> 47
<input type="checkbox"/> 47		<input type="checkbox"/> 47		<input type="checkbox"/> 47		<input type="checkbox"/> 47		<input type="checkbox"/> 48,3	<input type="checkbox"/> 48,3
		<input type="checkbox"/> 48,3		<input type="checkbox"/> 48,3		<input type="checkbox"/> 48,3		<input type="checkbox"/> 48,3	<input type="checkbox"/> 48,3

<p>Front frame</p> <p>☆ Straight frame (not available for seat width 27)</p>	<p>Front frame, swing away, and removable</p> <p>☆ 110° <input type="checkbox"/> 120° <input type="checkbox"/> 95° (Exclude the installation of casters 7")</p>
<p><input type="checkbox"/> Frame with abduction 6cm not available for seat width 42 - 45 - 48 Maximum footplate distance 42</p>	<p>Front frame, swing away, and removable</p> <p>☆ 95° (Not available casters 7")</p>
<p><input type="checkbox"/> Elevating front frame, swing away and removable not available for seat width 27 - 30 - 33 Minimum footplate distance 25cm.</p>	<p>Include calf supports and plastic footrest with heel band</p> <p>09730 270,00</p>

Date Order User Address

Frame colour (without extra charge)

- Opaque black
 AVIO blue
 POLAR white
 Matt orange
 Tekno anthracite
 Matt grey
 Matt red

Frame colour on request

- Bright red
 Bright fuchsia
 Bright lime
 Bright blue china

09729 **270,00**


One piece Push handle for companion

One piece Push handle with tilting control -
REMOVABLE

adjustable angle

With fixed back(non-folding back)
adjustable distance 30÷70cm
(to the seat)

With folding back backrest
adjustable distance 20÷60cm
(to the seat)



Backrest

☆ Fixed back(non-folding back)
adjustable angle from -4° to +12°


Folding back backrest
adjustable angle from -4° to +12°

09728 **294,00**

Reclining backrest (Non-folding back)
dynamic reclining with gas spring

10090 **337,00**

The real seat depth, from the front part of the
seat cloth to the backrest tube will be 1,5 cm
more than the declared one.



Backrest upholstery

☆ WITH NO backrest upholstery, NOR tension adjustment straps

Backrest Height (TS) (std 42cm)

WITH backrest upholstery and tension adjustment straps. Complete with backrest-seat connection cloth.

04693 **135,00**

With fixed back(non-folding back)->minimum height 39cm

Backrest Height (TS) (std 42cm)

Casters

- 6" Soft
 6" Pneumatic
 7" Soft

Not available with: Front frame 95°

Rear wheels

☆ 12" transit rear wheels - Anti-puncture

- 12" transit rear wheels - Pneumatic
 16" transit rear wheels - Pneumatic
 24" Ultra-light Progeo - Standard! 04696 **135,00**
 22" Ultra-light Progeo - Standard! 04696 **135,00**
 24" Ultra-light "Spinergy LX" 04691 **695,00**
 24" Ultra-light "Spinergy LXL" Black hub and white spokes Hub and spokes black 07848 **695,00**
 24" Ultra-light "Spinergy Flex rim" Integrated aluminium/rubber handrim 02270 **1.150,00**
 24" Off-road (aluminium handrim black - Wheel distance 4cm) 04690 **337,00**
 12" with brake handles for companion (drum brake) Anti-puncture Pneumatic 04105 **349,00**
 16" with brake handles for companion (drum brake) - Pneumatic 04107 **349,00**

24" with brake handles for companion (drum brake) (aluminium handrim - Wheel distance 3cm) 03384 **386,00**

Colour rear wheels

Only standard Progeo 22"/24" wheels have coloured hubs and rims

- Black 22" 24" 00833 **135,00**
 Bright silver 22" 24" 00833 **135,00**
 Bright lime 22" 24" 00833 **135,00**
 Bright blue 22" 24" 00833 **135,00**
 Bright red 22" 24" 00833 **135,00**
 Bright fuchsia 22" 24" 00833 **135,00**
 POLAR white 22" 24" 00833 **135,00**
 Tekno anthracite 22" 24" 00833 **135,00**
 Matt Midnight blue 22" 24" 00833 **135,00**
 Matt grey 22" 24" 00833 **135,00**
 Matt red 22" 24" 00833 **135,00**

Handrim

Wheel distance ☆ 3 cm 4 cm

- Aluminium (22-24") 09170 **160,00**
 Aluminium black SOFT-TOUCH (24") 01684 **160,00**
 Chromed Steel (24") 00016 **290,00**
 Titanium (24") 00017 **290,00**
 Ultra Grepp (24") 11023 **290,00**
 TOP FRICTION (24") 11025 **290,00**
 NOVA H (24") 11026 **290,00**
 NOVA D (24") 11026 **290,00**
 Silicon cover for standard aluminium handrim 04050 **172,00**


Date Order User Address

Rear wheel tyre

- High pressure tyre (22-24")
 - High pressure profile tyre (24")
 - Marathon Plus (24") with anti-puncture protection 01669 **95,00**
 - Anti-puncture - Colour Grey (22") 04181 **105,00**
 - Anti-puncture - Colour Black (24") 11083 **95,00**
- Not available with Rear wheels : 24" Ultra-light "Spinergy LXL"**


Wheel locks

- Bent lever push to lock
- Straight lever push to lock
- Straight lever pull to lock
- Brake with extension lever push to lock 01949 **68,00**
- Brake with extension lever pull to lock 03372 **68,00**




Footplate (Not available with Elevating front frame, swing away and removable)

- Plastic footrest, rake adjustable
Minimum footplate distance ~22cm
Not available with: Front frame with levating footrest, swing away and removable 11525
 - One piece aluminium footplate - Flip-up! rake and depth adjustable
Not available for seat width 27-30 with straight front frame
Minimum footplate distance ~21cm
Not available with: Front frame with levating footrest, swing away and removable 09727 **135,00**
- Internal 2/3 Internal 2/3 External External



Removable armrest with integrated mudguard

- Desk armrests PROGEO (Removable and height adjustable)
- Removable armrest with ABS straight sideguard (Removable and height adjustable)
Real distance between seat and armrest pads (cm) 21 23 25 27 29



SAFETY

- 4 points tie-down system rings (installation must be carried out by the manufacturer) 08654 **203,00**
A head restraint suitable for transportation must be available and fitted accordingly during transportation.



Accessories

- Pad for front frame protectors 07058 **56,00**
- Removable storage bag (with quick coupling) 09811 **135,00**

Optional 1

- Anti-tipper with rapid hookup (inside rotation to reduce the encumbrance)
INCLUDED ON THE BASIC PRICE
- Super Head rest (Folding with the wheelchair) 11477 **488,00**
- Transit wheels 00836 **158,00**
- Tipping aid Right 00025 **79,00**
 Left 01046 **79,00**
- Crutches support Right 00838 **79,00**
 Left 00837 **79,00**

Optional 2

- Harness 04103 **145,00**
- Safety pelvic belt 03972 **68,00**
- Tray table (removable) 00508 **294,00**
- Lumbar support (to insert in the backrest upholstery) 00013 **43,00**
- Spoke guards Black (22-24") 01043 **158,00**
- Spoke guards Transparent (22-24") 00835 **158,00**
- Spoke guards Progeo design (22-24") 00019 **189,00**

Date Order User Address


PHYSIO - Std. Backrest upholstery not provided

Removable with quick release
 Suitable for tubes with diameter 18÷26mm
 Depth adjustment (4cm)
 Angle adjustment ($\pm 18^\circ$)

Posture backrest KID JUNIOR VERSION

- KID** Aluminum shell


WARNING: with this backrest the seat depth is reduced by 5 cm approx.

BACKREST HEIGHT	29	34	40
Shell's shape 	Lateral retaining wing R=regular		
	R	R	R
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

1.085,00


Posture backrest ADULT VERSION

- AIR** Carbon shell
not available for seat width 27 - 30

BACKREST HEIGHT	28	34	40
Shell's shape 	Lateral retaining wing A=high - R=regular		
	A	R	A
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

1.121,00

- POSTURE** Aluminum shell
not available for seat width 27 - 30

BACKREST HEIGHT	34	40	52
Shell's shape 	Lateral retaining wing R=regular		
	R	R	R
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

1.085,00

Configuration DEEP with side support PAD (height adjustable)

Alluminum lateral with padded, breathable upholstery.



Small (h 13cm)



Right 10272

49,00

Left 10273

49,00

Large (h 20cm)



Right 10273

49,00

Left 10273


49,00

Date Order User Address

Accessories

KID AIR POSTURE

SWING AWAY - Lateral support
 Not available for backrest Physio AIR carbon shell
 Fixing and adjustment hardware complete with protection sleeve
 Alluminum lateral with padded, breathable upholstery.



Large (18x12) 05647 **196,00**

Small (14x9) 05643 **196,00**

Lateral support extension Quantity (number pcs).....
10271 **74,00**

Lateral support extension Quantity (number pcs).....

Small (14x9) 05642 **196,00**

Large (18x12) 05646 **196,00**

Headrest adjustable - Double ball mounting system
Available only with backrest Physio Posture and Kid

Large (35x12,5) 05648 **385,00**
 Small (25x12,5)



Permobil Limited Unit 7, Polaris Centre, 41 Brownfields, Welwyn Garden City, Herts, AL7 1AN United Kingdom - Phone: +44 1484 722888

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

00064

Wheelchair : Progeo TEKNA TILT 2.0 - Rev. 2026.0

Prices - VAT excluded
to be added to the price list

Send this page only if any optional have been chosen

- standard** (supplied if no requests are indicated)
- on request** (without extra charge)
- optional** (cost to be added at the basic price)