



TiLite TR - Order Form



Company name

Account number

Address/ Postcode / City

Phone number

Email

Contact person

Rep name

Order number

Quote number

Customer reference

User weight

* Required field

Special considerations to be noted (e.g., medical diagnosis, specific requirements):

FRAME STYLE

TRFS1	TR Titanium Frame Full adjustability. 265lb (120kg) weight limit.	£ 3,858.00
TRRFR1	Reinforced Frame	

FRAME FINISHES

TRFF1	Satin Finish	
TRSCBT1	Buffing Pads for Satin Frame	£ 15.00
TRFF3	TATTOOS Tattoos on front frame tubes. Titanium frame finished in satin. Tattoos will be trimmed and adjusted to fit your frame.	
	TRFF45 Need for Speed TRFF44 Flower Garden TRFF43 Mosaic	£ 323.00



Need for Speed



Flower Garden



Mosaic

FRAME COLOR | Powder coated frame

Frame Color:	High Gloss Black	Red Pepper	Neon Pink	Ocean Blue Metallic	Tangerine Metallic
	Acid Green Metallic	Midnight Blue Pearl	White Pearl	Black Lava	Titanium Grey
	Pomegranate Red	Blue Mist	Indigo Purple	Hyper Blue	Flame Orange
	OD Green	Silver Streak	Lavendar Dusk	Black Galaxy	Seafoam Green
	Daffodil Yellow				

ANODIZED COLOR PACKAGE | Includes caster mount, caster fork and caster caps. If no anodize colour is selected, default will be black.

Standard: Black

Anodized Package: Gold Green Purple Orange Blue Red £ 51.00

TiFit: TAILORED INDIVIDUALIZED FRAME

Measurements shown below are our most popular selections. Not seeing what you want? Contact customer service or view our Creative Mobility Division (CMD) catalog [here](#) to view additional options. Please refer to Reference Diagrams at end of form for more information.

REAR SEAT WIDTH 'A' | Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.

TRRSW1-X	12" (30.5 cm)	13" (33.0 cm)	14" (35.6 cm)	15" (38.1 cm)	16" (40.6 cm)	17" (43.2 cm)
	18" (45.7 cm)	19" (48.3 cm)				
TRSW2	20" (50.8 cm)					
	>20" sizes available through CMD.					
						£ 461.00

FRONT SEAT WIDTH (SEAT TAPER) 'T' | Measure from inside of front frame tube to inside of opposite front frame tube. Required with V-front end, not with standard front end.

TRFSW1	No Taper			
TRFSW2	1" (2.5 cm) Taper	3" (7.6 cm) narrower than Rear Seat Width 'A'. Includes tension adjustable by straps seat upholstery. Bolt on adjustable sling available through CMD #20.		£ 262.00
TRFSW4	2" (5.1 cm) Taper	4" (10.2 cm) narrower than Rear Seat Width 'A'. Includes tension adjustable by straps seat upholstery. Bolt on adjustable sling available through CMD #20.		£ 262.00

SEAT DEPTH 'B' | Measure from front of back post to the front edge of seat sling. Frame bend will start 0.5" (1.27 cm) in front of seat sling unless Custom Frame Depth is specified or the combination of specifications affect the rolling dynamics of the chair.

TRSD1-X	12" (30.5 cm) 17" (43.2 cm)	13" (33.0 cm) 18" (45.7 cm)	14" (35.6 cm) 19" (48.3 cm)	15" (38.1 cm)	16" (40.6 cm)	
TRSD2	20" (50.8 cm)					£ 486.00
TRSD3-X Custom Frame Depth:	Specify: Measure from front of seat sling to beginning of frame bend. Ranges from 0.5" (1.27 cm)-2" (5.08 cm) and can be given as specific as 0.25" (0.64 cm) increments. A custom frame depth outside the specified range may be available through our Creative Mobility Division. A custom frame depth of 20" (50.8 cm) will have an additional charge.					

ERGONOMIC SEAT 'U' | Measure from front of back post to beginning of upward bend of seat tube.

TRERG1-X:	Ergonomic Seat Not with V-front or seat taper, seat back that locks when folded, desk armrests, depth adjustable backrests, fold down rigid sideguards, fendered adjustable sideguards or Curve cushion. Bolt on adjustable sling available through CMD #20. Solid seat available through CMD #16. Minimum seat depth 12" (30.5 cm) for 6" (15.2 cm)-7" (17.8 cm). Minimum seat depth 13" (33.0 cm) for 8" (20.3 cm).					
	5" (12.7 cm)	6" (15.2 cm)	7" (17.8 cm)	8" (20.3 cm)	9" (22.9 cm)	£ 384.00

FRONT SEAT HEIGHT 'C' | Measure from floor to top of seat tube at front edge of seat sling.

TRFSH1-X	15" (38.1 cm) 18" (45.7 cm) 21" (53.3 cm)	15.5" (39.4 cm) 18.5" (47.0 cm)	16" (40.6 cm) 19" (48.3 cm)	16.5" (41.9 cm) 19.5" (49.5 cm)	17" (43.2 cm) 20" (50.8 cm)	17.5" (44.5 cm) 20.5" (52.1 cm)
----------	---	------------------------------------	--------------------------------	------------------------------------	--------------------------------	------------------------------------

REAR SEAT HEIGHT 'D' | Measure from floor to top of seat tube at back post.

TRRSH1-X	12.5" (31.8 cm) 15.5" (39.4 cm) 18.5" (47.0 cm)	13" (33.0 cm) 16" (40.6 cm) 19" (48.3 cm)	13.5" (34.3 cm) 16.5" (41.9 cm) 19.5" (49.5 cm)	14" (35.6 cm) 17" (43.2 cm) 20" (50.8 cm)	14.5" (36.8 cm) 17.5" (44.5 cm)	15" (38.1 cm) 18" (45.7 cm)
		Rear Wheel	26" 25" 24" 22" 20"	15.5"-20" (39.37-50.8 cm) 15"-20" (38.1-50.8 cm) 15"-20" (38.1-50.8 cm) 13.5"-20" (34.29-50.8 cm) 12.5" -20" (31.75-50.8 cm)		
				Rear Seat Height Range		

FRONT ANGLE OR OVERALL FRAME LENGHT | Select one. If Overall Frame Length is selected, front angle will be bent to achieve requested length.

TRFA1-X	Frame Angle 'L' Measure from frame front to floor. 85° not with 6" (15.2 cm) front wheels. 90° not with 5" (12.7 cm) or 6" (15.2 cm) front wheels.				
	70°	75°	80°	85°	90°
TRFA2	Overall Frame Length 'M' Measure from front of backrest to front edge of footrest.				
	Specify:				

CENTRE OF GRAVITY 'H' | Measure from front of back post at the seat tube to the centre of the rear axle. If no centre of gravity is selected the chair will ship with the centre of gravity in the most rearward position. Ergo seat selection may limit available centre of gravity.

TRCOG1-X	1" (2.5 cm) 2.5" (6.4 cm) 4" (10.2 cm)	1.25" (3.2 cm) 2.75" (7.0 cm) 4.25" (10.8 cm)	1.5" (3.8 cm) 3" (7.6 cm) 4.5" (11.4 cm)	1.75" (4.5 cm) 3.25" (8.3 cm) 4.75" (12.1 cm)	2" (5.1 cm) 3.5" (8.9 cm) 5" (12.7 cm)	2.25" (5.7 cm) 3.75" (9.5 cm)
----------	--	---	--	---	--	----------------------------------

REAR WHEEL SPACING 'J' | Measure from outside of back post to inside of rear tire.

TRRWS1-X	Fixed Rear Wheel Spacing		
	0.75" (1.9 cm)	1" (2.5 cm)	1.25" (3.2 cm)
TRCBR12	Adjustable Rear Wheel Spacing Camber Plugs		
TRCBR9	Additional Spacers to Increase Rear Wheel Spacing		
TRCBR11	Zero Play Aluminum Camber Plugs Not with power adaptable frame or more than 6° camber.		

CAMBER 'K'

TRCBR1-X	0°	2°	4°	6°
	8° camber may be available through our Creative Mobility Division			

TRCBB15	Aluminum Camber Tube	
TRCBB3	Titanium Camber Tube	Not with power adaptable frame. £ 182.00

ERGONOMIC SEAT ‘U’ | Measure from front of back post to beginning of upward bend of seat tube.

TRERG1-X:	Ergonomic Seat	5" (12.7 cm)	6" (15.2 cm)	7" (17.8 cm)	8" (20.3 cm)	9" (22.9 cm)
-----------	----------------	--------------	--------------	--------------	--------------	--------------

FOOTREST

FOOTREST WIDTH | Select standard front end ‘I’ if no seat taper ‘T’ has been selected. Select V-front end ‘V’ if a seat taper ‘T’ has been selected.

TRFE1-X	Standard Front End ‘I’	Find your rear seat width ‘A’ in the chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube.					
		No Taper	2" (5.1 cm) Taper	4" (10.2 cm) Taper			
	Rear Seat Width ‘A’	12" (30.48 cm)	10" (25.4 cm)	8" (20.32 cm)			
		13" (33.02 cm)	11" (27.94 cm)	9" (22.86 cm)			
		14" (35.56 cm)	12" (30.48 cm)	10" (25.4 cm)	8" (20.32 cm)		
		15" (38.1 cm)	13" (33.02 cm)	11" (27.94 cm)	9" (22.86 cm)		
		16" (40.64 cm)	14" (35.56 cm)	12" (30.48 cm)	10" (25.4 cm)		
		17" (43.18 cm)	15" (38.1 cm)	13" (33.02 cm)	11" (27.94 cm)		
		18" (45.72 cm)	16" (40.64 cm)	14" (35.56 cm)	12" (30.48 cm)		
		19" (48.26 cm)	17" (43.18 cm)	15" (38.1 cm)	13" (33.02 cm)		
		20" (50.8 cm)	18" (45.72 cm)	16" (40.64 cm)	14" (35.56 cm)		
		No Taper 2" (5.08 cm) Taper 4" (10.16 cm) Taper					
		Footrest Width ‘I’					
TRFE2-X	V-Front Taper ‘V’	Measure from inside of front frame tube to inside of opposite front frame tube 2.5" (6.4 cm) above footrest. Titanium footrests have 1" (2.5 cm) of adjustment up and down. Not with ergonomic seat frames.					
		9" (22.9 cm)	10" (25.4 cm)	11" (27.9 cm)	12" (30.5 cm)	13" (33.0 cm)	14" (35.6 cm) 15" (38.1 cm) £ 108.00

STANDARD FOOTRESTS

Seat to Footrest ‘E’:	13.5" (34.3 cm)	14" (35.6 cm)	14.5" (36.8 cm)	15" (38.1 cm)	15.5" (39.4 cm)	16" (40.6 cm)
	16.5" (41.9 cm)	17" (43.2 cm)	17.5" (44.5 cm)	18" (45.7 cm)	18.5" (47.0 cm)	19" (48.3 cm)
TRFTR3	Angle Adjustable Footrest					
TRFTR1	Titanium Footrest w/Flat ABS Cover					
TRFTR2	Titanium Open Loop Footrest					
TRFTR12	Angle Adjustable Flip-Back Footrest	Not with 10" (25.4 cm) or 11" (27.9 cm) rear seat width ‘A’, heavy duty frame or ABS cover with 2" (5.1 cm) sides.				£ 200.00

HIGH MOUNT FOOTREST

Seat to Footrest 'E':		7"-9" (17.8-23.0 cm)
		Measure from front edge of seat sling to top rear of footrest.
TRFTR4	Angle Adjustable High Mount Footrest	£ 95.00

CALF STRAPS

TRCLF2-S	Velcro Adjustable		£ 33.00
	Small 9"-12" (22.9-30.5 cm) footrest widths	Medium 11"-15" (27.9-38.1 cm) footrest widths	
	Large 14"-17" (35.6-43.2 cm) footrest widths	Xtra Large 16"-19" (40.6-48.3 cm) footrest widths	
TRCLF3-S	BodyPoint Padded Velcro Adjustable S	Recommended for 8" - 11" footrest widths	£ 98.00
TRCLF3-M	BodyPoint Padded Velcro Adjustable M	Recommended for 11" - 15" footrest widths	£ 98.00
TRCLF1	Buckle Adjustable, Black Nylon Webbing		£ 23.00

BACKREST

BACK TYPE

TRSB1	Folding Aluminum Adjustable Height Back	Required for heavy duty frame.	
TRSB2	Folding Titanium Adjustable Height Back, Rounded Rigidizer Bar	Titanium back will match frame finish.	£ 182.00
TRSB15	Non-Folding Fixed Height Titanium Back, Rounded Rigidizer Bar	Titanium back will match frame finish.	£ 262.00

BACK OPTIONS

TRSB11	Backrest Locks When Folded	Available on all backs. Not with ergonomic seat.	
TRSB19	4" (10.2 cm) Deep Backrest Rigidizer Bar	Not a rounded style rigidizer bar. Not with non-folding, fixed height titanium back type.	
TRSB3	TiShaft™ Back Release Bar, Aluminum	Not with non-folding or fixed height titanium backs.	
TRSB5	TiShaft™ Back Release Bar, 2x2 Twill Weave Carbon Fiber	Not with non-folding or fixed height titanium backs	£ 65.00

PUSH HANDLES

TRSB6	Integrated Push Handles		
TRSB7	Integrated Fold-Down Push Handles	Requires tension adjustable by straps back upholstery.	£ 108.00
TRSB8	Bolt-On Push Handles	Includes 4" (10.2 cm) deep backrest rigidizer bar.	£ 182.00
TRSB9	Bolt-On Height-Adjustable Push Handles	Includes 4" (10.2 cm) deep backrest rigidizer bar.	£ 313.00

FOLDING BACK HEIGHT 'F' | TRSB1/TRSB2. Set at 0.5" (1.27 cm) increments.

Push Handles	None / Bolt-On	8.5"-11.5" (21.59-29.21 cm)	12"-16.5" (30.48-41.91 cm)	16"-20.5" (40.64-52.07 cm)	Set at:
	Integrated	10.5"-12.5" (26.67-31.75 cm)	13.5"-16.5" (34.29-41.91 cm)	17.5"-20.5" (44.45-52.07 cm)	Set at:
	Fold-Down	13"-15.5" (33.02-39.37 cm)	14"-18.5" (35.56-46.99 cm)	18.5"-21" (46.99-53.34 cm)	Set at:
		Short	Medium	Tall	Specify
Folding Back Height					

FIXED BACK HEIGHT 'F' | TRSB15

Select height:	5" (12.7 cm)	5.5" (14.0 cm)	6" (15.2 cm)	6.5" (16.5 cm)	7" (17.8 cm)	7.5" (19.1 cm)
	8" (20.3 cm)	8.5" (21.6 cm)	9" (22.9 cm)	9.5" (24.1 cm)	10" (25.4 cm)	10.5" (26.7 cm)
	11" (27.9 cm)	11.5" (29.2 cm)	12" (30.5 cm)	12.5" (31.8 cm)	13" (33.0 cm)	13.5" (34.3 cm)
	14" (35.6 cm)	14.5" (36.8 cm)	15" (38.1 cm)	15.5" (39.4 cm)	16" (40.6 cm)	16.5" (41.9 cm)
	17" (43.2 cm)	17.5" (44.5 cm)	18" (45.7 cm)	18.5" (47.0 cm)	19" (48.3 cm)	19.5" (49.5 cm)
	20" (50.8 cm)					

Required for fixed side guards. Not with swing-away tubular or swing-away flip-back tubular armrests, integrated push handles, integrated fold-down push handles or bolt-on height adjustable push handles.

BACK ANGLE 'G' | Measure angle from front of back post to floor.

Folding Back:	80°	83°	86°	89°	92°	95°	98°	101°				
Fixed Back:	80°	81°	82°	83°	84°	85°	86°	87°	88°	89°	90°	91°
	93°	94°	95°	96°	97°	98°	99°	100°	101°			92°

BACK SUPPORTS

BACK UPHOLSTERY

TRBUP2	Velcro Adjustable	Not with fold-down push handles.	
TRBUP3	Tension Adjustable By Straps, Padded Nylon	Required for fold-down push handles.	£ 103.00
TRBUP5	Tension Adjustable By Straps, AIR Breathable	Required for fold-down push handles.	£ 182.00
TRUPC3-BL	Ultrasuede Backrest Stripe, Black	Not with AIR breathable upholstery.	£ 98.00
TRBUP0	Omit Back Upholstery		

SEAT OPTIONS

SEAT UPHOLSTERY

TRSUP1	Tension Adjustable Bolt-On Upholstery, Black	Not with ergonomic seat or tapered seat.	
TRSUP2	Tension Adjustable By Straps, Black	Standard with ergonomic seat and seat taper of 1" (2.5 cm)-3" (7.6 cm).	£ 158.00
TRSUP8	Aluminum Solid Seat	Ergonomic seat requires CMD016. Not with 10" (25.4 cm) or 11" (27.9 cm) rear seat width.	£ 262.00
TRSUP0	Omit Seat Upholstery		

PRECISION LOCK FRONT FORKS

TRFK1	TiLite Standard Fork		
TRFK2	TiLite Slipstream Single-Sided Fork	Not with power adaptable frame.	£ 182.00
TRGL1	Glide™ Suspension Fork	Black anodize only. Select rider weight.	
	125 lbs (57 kg)	125-180 lbs (57 -82 kg)	180-265 lbs (82 -120 kg)
TRTS1	Titanium Fork Stem		£ 449.00

FRONT WHEELS

TRFW24	3"x1.4" (7.6x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire		
	Silver Hub	Black Hub	
TRFW14	4"x0.75" (10.2 x 1.9 cm) Plastic Wheel w/Poly Tire <i>Not with Slipstream fork or power adaptable frame.</i>		
TRFW3	4"x0.75" (10.2 x1.9 cm) Light-Up Micro Caster <i>Not with Slipstream fork or power adaptable frame.</i>		£ 77.00
TRFW26	4"x1.4" (10.2 x 3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire <i>Not with power assist, power add-on system or heavy duty frame.</i>		£ 98.00
TRFW27	4"x1.4" (10.2 x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire		
	Silver Hub	Black Hub	£ 170.00
TRFW6	5"x1" (12.7x2.5 cm) Plastic Wheel w/Poly Tire <i>Not with 90° front angle, Slipstream fork or power adaptable frame.</i>		
TRFW28	5"x1.4" (12.7x3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire <i>Not with 90° front angle or power adaptable frame.</i>		£ 98.00
TRFW30	5"x1.4" (12.7x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire <i>Not with 90° front angle.</i>		
	Silver Hub	Black Hub	£ 170.00
TRFW9	6"x1" (15.2x2.5 cm) Plastic Wheel w/Poly Tire <i>Not with 85° or 90° front angle, Slipstream fork or power adaptable frame.</i>		
TRFW32	6"x1.4" (15.2x3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire <i>Not with 85° or 90° front angle, Slipstream fork or power adaptable frame.</i>		£ 98.00
TRFW33	6"x1.4" (15.2 x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire <i>Not with 85° or 90° front angle or Slipstream fork.</i>		
	Silver Hub	Black Hub	£ 170.00

REAR WHEELS

See rear seat height ranges chart for rear seat height 'D' limitations.

TRRW14-X	TiLite SHADOW™ 25" and 26" wheels require 15" (38.1 cm) minimum seat depth.								£ 510.00
Wheel Size:	20"(451)	22" (501)	24" (540)	25" (559)	26" (590)				
TRRW7-X	Spinergy SPOX 25" and 26" wheels require 15" (38.1 cm) minimum seat depth. Orange, pink, purple and green spokes only available in 20"size.								£ 510.00
Wheel Size:	20"(451)	22" (501)	24" (540)	25" (559)	26" (590)				
Spoke Color:	Black	Red	Blue	White	Orange	Pink	Purple	Green	
TRRW8-X	Spinergy LX 25" and 26" wheels require 15" (38.1 cm) minimum seat depth.								£ 716.00
Wheel Size:	22" (501)	24" (540)	25" (559)	26" (590)					
Spoke Color:	Black	Red	Blue	White	Orange	Pink	Purple	Green	
	Spinergy Design Lab LX Wheels Black spokes only. If same color is selected, anodized hubs and rims match colour anodized package. 25" and 26" wheels require 15" (38.1 cm) minimum seat depth.								£ 716.00
Wheel Size:	22" (501)	24" (540)	25" (559)	26" (590)					
Anodize Color:	Gold	Green	Blue	Red	Purple	Orange			
TRRW16-X	Spinergy Carbon Blade 2x2 Twill Weave Carbon Fiber. Not with heavy duty frame. 25" wheels require 15" (38.1 cm) minimum seat depth.								£ 1,185.00
Wheel Size:	24" (540)	25" (559)							
TRRW17-X	X-Core Mag Not with heavy duty frame, short tabs, quad release axles, spoke guards or omit handrims options. Requires aluminum silver anodized handrims.								£ 103.00
Wheel Size:	20"(451)	22" (501)	24" (540)						

AXLES

TRAXL1	Stainless Quick Release		
TRAXL2	Titanium Quick Release		£ 233.00
TRAXL3	Quad Release <i>Not with Mag or 26" (590) Spinergy Spox or LX rear wheels.</i>		£ 144.00

PNEUMATIC REAR TIRES

TRRTR1	Treaded 22"(501), 24"(540), 26"(590)		
TRRTR2	Airless Inserts <i>Not with Spinergy Carbon Blade rear wheels.</i>		£ 88.00
TRRTR31	MBL SpeedLite 20" (451), 22"(501), 24"(540), 25"(559), 26"(590)		
TRRTR30	Primo Sentinel 24"(540), 25"(559), 26"(590)		£ 98.00
TRRTR8	Schwalbe® Marathon Plus Evolution 24"(540), 25"(559), 26"(590)		£ 98.00

SOLID REAR TIRES

TRRTR22	Primo Orion 20"(451), 22"(501), 24"(540), 25"(559) <i>Not with Spinergy Carbon Blade rear wheels.</i>		£ 98.00
TRRTR23	Primo Active 24"(540), 25"(559) <i>Not with Spinergy Carbon Blade rear wheels.</i>		£ 98.00

HANDRIMS

TRRIM1	Aluminum, Silver Anodized	
TRRIM21	Aluminum, Black Anodized	£ 51.00
TRRIM12	Titanium, Satin Finish <i>Not with 20"(451) or 22"(501) rear wheels or 24"(540) knobby tires.</i>	£ 299.00
TRRIM20	Q-Grip <i>Exclusive high-friction, anti-slip coating. Not with 20"(451) rear wheels.</i>	£ 299.00
TRRIM5	Plastic Coated, Black	£ 121.00
TRRIM10	The Surge <i>Large profile. All-In-One oval with Gription™ strip.</i>	£ 299.00
TRRIM11	The Surge LT <i>Small profile. All-In-One oval with Gription™ strip.</i>	£ 299.00
TRRIM14	The Natural-Fit®, Standard Grip <i>Original, large profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>	£ 299.00
TRRIM15	The Natural-Fit®, Super Grip <i>Original, large profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>	£ 299.00
TRRIM16	The Natural-Fit®, Without Thumb Grip <i>Original, large profile.</i>	£ 299.00
TRRIM17	The Natural-Fit® LT, Standard Grip <i>Reduced weight, small profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>	£ 299.00
TRRIM18	The Natural-Fit® LT, Super Grip <i>Reduced weight, small profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>	£ 299.00
TRRIM19	The Natural-Fit® LT, Without Thumb Grip <i>Reduced weight, small profile.</i>	£ 299.00

HANDRIM TAB LENGTH

TRRIM7	Long Tabs	
TRRIM8	Short Tabs <i>Not with Mag rear wheels or The Natural-Fit® handrims with thumb grip.</i>	£ 20.00

WHEEL LOCKS

TRWLK7	Compact Composite Push to Lock <i>Available with 0.75" (1.9 cm)-1.5" (3.8 cm) rear wheel spacing only.</i>	
TRWLK8	Compact Composite Pull to Lock <i>Available with 0.75" (1.9 cm)-1.5" (3.8 cm) rear wheel spacing only.</i>	
TRWLK10	Extension Handles for Compact Composite Push/Pull to Lock	£ 83.00
TRWLK11	MBL Composite Scissor Lock	£ 136.00
TRWLK3	Uni-Lock	
	Push Pull	£ 153.00
TRWLK4	Extension Handles for Uni-Lock	£ 83.00
TRWLK15	Grade Aids Push to Lock <i>Not with solid rear tires.</i>	£ 169.00

SIDE GUARDS

Aluminum Rigid Removable

TASDG2-S: Small TASDG2-N: Standard

Aluminum Quad Removable, with Hole

TASDG3-S: Small TASDG3-N: Standard

Aluminum Fold Down Rigid *Not with ergonomic seats.*

TASDG4-S: Small TASDG4-N: Standard

Carbon Rigid Removable

TASDG7-S: Small TASDG7-N: Standard

Carbon Quad Removable, with Hole

TASDG8-S: Small TASDG8-N: Standard

Carbon Fold Down Rigid *Not with ergonomic seats.*

TASDG9-S: Small TASDG9-N: Standard

TRSDG6	Aluminum Fendered Adjustable <i>Available with 24"-25" rear wheels. Requires rear seat height 14.5" (36.8 cm)-18.5" (47.0 cm)</i>	£ 313.00
TRSDG12	Carbon Fendered Removable	£ 421.00
TRSDG13	Side Guards Custom Cut to Profile of Rear Wheels	£ 289.00

ARMRESTS

Swing Away Tubular	<i>Not with non-folding, fixed height titanium seat back or height adjustable push handles.</i>		£ 200.00
Range:	6.5"-9.5" (16.5-24.1 cm)	9.5"-12.5" (24.1-31.8 cm)	
TRARM4-9	Swing Away Flip Back Tubular 8.5"-11.5" (21.6-29.2 cm) <i>Not with non-folding, fixed height titanium seat back.</i>		£ 289.00
TRARM2-X	Removable Height Adjustable Desk Arm with Rigid Side Guard <i>Requires 14" (35.6 cm) minimum seat depth. Not with ergonomic seat.</i>		£ 313.00
Range:	9"-12" (22.9-30.5 cm)	12"-15" (30.5-38.1 cm)	
Pad Size:	Desk Length 10" (25.4 cm)	Full Length 14" (35.6 cm)	
TRARM3-X	Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop <i>Requires 15" (38.1 cm) minimum seat depth. Not with ergonomic seat.</i>		£ 341.00
Range:	9"-12" (22.9-30.5 cm)	12"-15" (30.5-38.1 cm)	
Pad Size:	Desk Length 10" (25.4 cm)	Full Length 14" (35.6 cm)	
TRARM5	Armrests Covered in Black Ultrasuede <i>Not with desk arms.</i>		£ 103.00

POSITIONING BELTS

TRBLT1	Velcro Adjustable, Black Nylon Webbing	£ 42.00
TRBLT10	BodyPoint Optional Band C <i>Lamp Mounting Hardware</i>	£ 20.00
TRBLT2	BodyPoint Auto-Style <i>Release Buckle</i>	£ 95.00
TRBLT4	BodyPoint 1" Push Button <i>Padded Buckle</i>	£ 173.00
TRBLT5	BodyPoint 1.5" Push Button <i>Padded Buckle</i>	£ 173.00
TRBLT15	BodyPoint 1" Wide Evoflex	£ 178.00
	Swivel Buckle Push Button Buckle Rehab Latch Buckle	

ANTI-TIPS

TRTIP1	Rear Aluminum, Black	£ 150.00
TRTIP2	User Friendly Flip-Up	£ 307.00

ACCESSORIES








TRGRD1	Clear Lexan Spoke Guards with TiMotion Logo <i>Not with Mag rear wheels.</i>	£ 121.00
TRBCK3	Permobil Medical Necessities Backpack	£ 88.00
TRPCH3	Permobil Medical Necessities Seat Pouch	£ 51.00
TRUEST1	Upper Extremity Support Tray <i>Requires armrests.</i>	
	12"-14" (30.5-35.6 cm) seat widths 13"-15" (33.0-38.1 cm) seat widths	
TRLUG1	Luggage Carriers	£ 136.00
TRMPCT2-BL	Black Neoprene Impact Guards with Ultrasuede Stripe	£ 98.00
TRCH1	Crutch Holder	£ 136.00

GENERAL



Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and the advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. Prices, standard features, options and accessories are subject to change without notice. All rights reserved.

NOTES

TiFit REFERENCE DIAGRAMS



Aero T and TRA
will always have
a rounded rear
frame.



TR rear frame
will be square
when the center
of gravity
measurement is
less than 3.5"

