



TiLite TRA - Order Form



Company name

Account number

Address/ Postcode / City

Phone number

Email

Contact person

Rep name

Order number

Quote number

Customer reference

User weight

* Required field

Special considerations to be noted (e.g., medical diagnosis, specific requirements):

FRAME STYLE

TAFS1

TRA Titanium Frame Full adjustability. 265lb (120kg) weight limit.

£ 3,616.00

FRAME OPTIONS

TAHDR1

Heavy Duty Frame 350lb (158kg) weight limit. Includes tension adjustable by straps back upholstery. Requires folding aluminum adjustable height backrest, billet aluminum front wheels, Shadow or Spinergy SPOX rear wheels. LX rear wheels only with 0° or 2° camber. Not with Slipstream fork, velcro adjustable upholstery or Glide™ forks.

TARFR1

Reinforced Frame

FRAME FINISHES

TAFF1

Satin Finish

TASCBT1

Buffing Pads for Satin Frame

£ 15.00

TATTOOS Tattoos on front frame tubes. Titanium frame finished in satin. Tattoos will be trimmed and adjusted to fit your frame.

TAFF45 Need for Speed

TAFF44 Flower Garden

TAFF43 Mosaic



Need for Speed



Flower Garden



Mosaic

FRAME COLOR | Powder coated frame

Frame Color:

High Gloss Black

Red Pepper

Neon Pink

Ocean Blue Metallic

Tangerine Metallic

Acid Green Metallic

Midnight Blue Pearl

White Pearl

Black Lava

Titanium Grey

Pomegranate Red

Blue Mist

Indigo Purple

Hyper Blue

Flame Orange

OD Green

Silver Streak

Lavendar Dusk

Black Galaxy

Seafoam Green

Daffodil Yellow

ANODIZED COLOR PACKAGE | Includes caster mount, caster fork and caster caps. If no anodize colour is selected, default will be black.

Standard:

Black

Anodized Package:

Gold

Green

Purple

Orange

Blue

Red

£ 51.00

TiFit: TAILORED INDIVIDUALIZED FRAME

Measurements shown below are our most popular selections. Not seeing what you want? Contact customer service or view our Creative Mobility Division (CMD) catalog [here](#) to view additional options. Please refer to Reference Diagrams at end of form for more information.**REAR SEAT WIDTH 'A'** | Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.

TARSW1-X

12" (30.5 cm)

13" (33.0 cm)

14" (35.6 cm)

15" (38.1 cm)

16" (40.6 cm)

17" (43.2 cm)

18" (45.7 cm)

19" (48.3 cm)

TARSW2

20" (50.8 cm)

£ 461.00

>20" sizes available through CMD.

FRONT SEAT WIDTH (SEAT TAPER) 'T' | Measure from inside of front frame tube to inside of opposite front frame tube. Required with V-front end, not with standard front end.

TAFSW1	No Taper		
TAFSW2	1" (2.5 cm) Taper	3" (7.6 cm) narrower than Rear Seat Width 'A'. Includes tension adjustable by straps seat upholstery. Bolt on adjustable sling available through CMD #20.	£ 262.00
TAFSW4	2" (5.1 cm) Taper	4" (10.2 cm) narrower than Rear Seat Width 'A'. Includes tension adjustable by straps seat upholstery. Bolt on adjustable sling available through CMD #20.	£ 262.00

SEAT DEPTH 'B' | Measure from front of back post to the front edge of seat sling. Frame bend will start 0.5" (1.27 cm) in front of seat sling unless Custom Frame Depth is specified or the combination of specifications affect the rolling dynamics of the chair.

TASD1-X	12" (30.5 cm) 17" (43.2 cm)	13" (33.0 cm) 18" (45.7 cm)	14" (35.6 cm) 19" (48.3 cm)	15" (38.1 cm)	16" (40.6 cm)	
TASD2	20" (50.8 cm)					£ 486.00
TASD3-X Custom Frame Depth:	Specify: Measure from front of seat sling to beginning of frame bend. Ranges from 0.5" (1.27 cm)-2" (5.08 cm) and can be given as specific as 0.25" (0.64 cm) increments. A custom frame depth outside the specified range may be available through our Creative Mobility Division. A custom frame depth of 20" (50.8 cm) will have an additional charge.					

ERGONOMIC SEAT 'U' | Measure from front of back post to beginning of upward bend of seat tube.

TAERG2-X:	Ergonomic Seat Not with V-front or seat taper, seat back that locks when folded, desk armrests, depth adjustable backrests, fold down rigid sideguards, fendered adjustable sideguards or Curve cushion. Bolt on adjustable sling available through CMD #20. Solid seat available through CMD #16. Minimum seat depth 12" (30.5 cm) for 6" (15.2 cm)-7" (17.8 cm). Minimum seat depth 13" (33.0 cm) for 8" (20.3 cm).					
	6" (15.2 cm)	7" (17.8 cm)	8" (20.3 cm)			£ 384.00

FRONT SEAT HEIGHT 'C' | Measure from floor to top of seat tube at front edge of seat sling.

TAFSH1-X	15" (38.1 cm) 18" (45.7 cm) 21" (53.3 cm)	15.5" (39.4 cm) 18.5" (47.0 cm)	16" (40.6 cm) 19" (48.3 cm)	16.5" (41.9 cm) 19.5" (49.5 cm)	17" (43.2 cm) 20" (50.8 cm)	17.5" (44.5 cm) 20.5" (52.1 cm)
-----------------	---	------------------------------------	--------------------------------	------------------------------------	--------------------------------	------------------------------------

REAR SEAT HEIGHT 'D' | Measure from floor to top of seat tube at back post.

TARSH1-X	12.5" (31.8 cm)	13" (33.0 cm)	13.5" (34.3 cm)	14" (35.6 cm)	14.5" (36.8 cm)	15" (38.1 cm)
	15.5" (39.4 cm)	16" (40.6 cm)	16.5" (41.9 cm)	17" (43.2 cm)	17.5" (44.5 cm)	18" (45.7 cm)
	18.5" (47.0 cm)	19" (48.3 cm)	19.5" (49.5 cm)	20" (50.8 cm)		
	Rear Wheel	26"	15.5"-20" (39.37-50.8 cm)			
		25"	15"-20" (38.1-50.8 cm)			
		24"	15"-20" (38.1-50.8 cm)			
		22"	13.5"-20" (34.29-50.8 cm)			
		20"	12.5" -20" (31.75-50.8 cm)			
			Rear Seat Height Range			

FRONT ANGLE OR OVERALL FRAME LENGHT | Select one. If Overall Frame Length is selected, front angle will be bent to achieve requested length.

TAF1A1-X	Frame Angle 'L' Measure from frame front to floor. 85° not with 6" (15.2 cm) front wheels. 90° not with 5" (12.7 cm) or 6" (15.2 cm) front wheels.				
	70°	75°	80°	85°	90°
TAF1A2	Overall Frame Length 'M' Measure from front of backrest to front edge of footrest.				
	Specify:				

CENTRE OF GRAVITY 'H' | Measure from front of back post at the seat tube to the centre of the rear axle. If no centre of gravity is selected the chair will ship with the centre of gravity in the most rearward position. Ergo seat selection may limit available centre of gravity.

TACOG1-X	1" (2.5 cm) 2.5" (6.4 cm) 4" (10.2 cm)	1.25" (3.2 cm) 2.75" (7.0 cm) 4.25" (10.8 cm)	1.5" (3.8 cm) 3" (7.6 cm) 4.5" (11.4 cm)	1.75" (4.5 cm) 3.25" (8.3 cm) 4.75" (12.1 cm)	2" (5.1 cm) 3.5" (8.9 cm) 5" (12.7 cm)	2.25" (5.7 cm) 3.75" (9.5 cm)
-----------------	--	---	--	---	--	----------------------------------

REAR WHEEL SPACING 'J' | Measure from outside of back post to inside of rear tire. TRA 0.75" (1.91 cm) rear wheel spacing not with 0° or 2° camber.

TARWS1-X	Fixed Rear Wheel Spacing		
	0.75" (1.9 cm)	1" (2.5 cm)	1.25" (3.2 cm)
TACBR12	Adjustable Rear Wheel Spacing Camber Plugs		
TACBR9	Additional Spacers to Increase Rear Wheel Spacing		
TACBR11	Zero Play Aluminum Camber Plugs Not with power adaptable frame or more than 6° camber.		

CAMBER 'K'

TACBR1-X	0°	2°	4°	6°
	8° camber may be available through our Creative Mobility Division			

TACBR15	Aluminum Camber Tube	
TACBR3	Titanium Camber Tube	Not with power adaptable frame. £ 182.00

FOOTREST

FOOTREST WIDTH | Select standard front end 'I' if no seat taper 'T' has been selected. Select V-front end 'V' if a seat taper 'T' has been selected.

TAFE1-X	Standard Front End 'I' Find your rear seat width 'A' in the chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube.						
	No Taper	2" (5.1 cm) Taper	4" (10.2 cm) Taper				
Rear Seat Width 'A'	12" (30.48 cm)	10" (25.4 cm)	8" (20.32 cm)				
	13" (33.02 cm)	11" (27.94 cm)	9" (22.86 cm)				
	14" (35.56 cm)	12" (30.48 cm)	10" (25.4 cm)	8" (20.32 cm)			
	15" (38.1 cm)	13" (33.02 cm)	11" (27.94 cm)	9" (22.86 cm)			
	16" (40.64 cm)	14" (35.56 cm)	12" (30.48 cm)	10" (25.4 cm)			
	17" (43.18 cm)	15" (38.1 cm)	13" (33.02 cm)	11" (27.94 cm)			
	18" (45.72 cm)	16" (40.64 cm)	14" (35.56 cm)	12" (30.48 cm)			
	19" (48.26 cm)	17" (43.18 cm)	15" (38.1 cm)	13" (33.02 cm)			
	20" (50.8 cm)	18" (45.72 cm)	16" (40.64 cm)	14" (35.56 cm)			
	No Taper	2" (5.08 cm) Taper	4" (10.16 cm) Taper				
	Footrest Width 'I'						
TAFE2-X	V-Front Taper 'V' Measure from inside of front frame tube to inside of opposite front frame tube 2.5" (6.4 cm) above footrest. Titanium footrests have 1" (2.5 cm) of adjustment up and down. Not with ergonomic seat frames.						
	9" (22.9 cm)	10" (25.4 cm)	11" (27.9 cm)	12" (30.5 cm)	13" (33.0 cm)	14" (35.6 cm)	15" (38.1 cm) £ 108.00

STANDARD FOOTRESTS

Seat to Footrest 'E':	13.5" (34.3 cm)	14" (35.6 cm)	14.5" (36.8 cm)	15" (38.1 cm)	15.5" (39.4 cm)	16" (40.6 cm)
	16.5" (41.9 cm)	17" (43.2 cm)	17.5" (44.5 cm)	18" (45.7 cm)	18.5" (47.0 cm)	19" (48.3 cm)
TAFTR3	Angle Adjustable Footrest					
TAFTR1	Titanium Footrest w/Flat ABS Cover					
TAFTR2	Titanium Open Loop Footrest					
TAFTR12	Angle Adjustable Flip-Back Footrest Not with 10" (25.4 cm) or 11" (27.9 cm) rear seat width 'A', heavy duty frame or ABS cover with 2" (5.1 cm) sides.					

HIGH MOUNT FOOTREST

Seat to Footrest 'E':	7"-9" (17.8-23.0 cm)
	Measure from front edge of seat sling to top rear of footrest.
TAFTR4	Angle Adjustable High Mount Footrest £ 95.00

CALF STRAPS

TACLF2-S	Velcro Adjustable		£ 33.00
	Small 9"-12" (22.9-30.5 cm) footrest widths	Medium 11"-15" (27.9-38.1 cm) footrest widths	
	Large 14"-17" (35.6-43.2 cm) footrest widths	Xtra Large 16"-19" (40.6-48.3 cm) footrest widths	
TACLF3-S	BodyPoint Padded Velcro Adjustable S	Recommended for 8" - 11" footrest widths	£ 98.00
TACLF3-M	BodyPoint Padded Velcro Adjustable M	Recommended for 11" - 15" footrest widths	£ 98.00
TACLF1	Buckle Adjustable, Black Nylon Webbing		£ 23.00

BACKREST

BACK TYPE

TASB1	Folding Aluminum Adjustable Height Back	Required for heavy duty frame.	
TASB2	Folding Titanium Adjustable Height Back, Rounded Rigidizer Bar	Titanium back will match frame finish.	£ 182.00

BACK OPTIONS

TASB11	Backrest Locks When Folded	Available on all backs. Not with ergonomic seat.	
TASB19	4" (10.2 cm) Deep Backrest Rigidizer Bar	Not a rounded style rigidizer bar.	
TASB3	TiShaft™ Back Release Bar, Aluminum		
TASB5	TiShaft™ Back Release Bar, 2x2 Twill Weave Carbon Fiber		£ 65.00

PUSH HANDLES

TASB6	Integrated Push Handles		
TASB7	Integrated Fold-Down Push Handles	Requires tension adjustable by straps back upholstery.	£ 108.00

TASB8	Bolt-On Push Handles Includes 4" (10.2 cm) deep backrest rigidizer bar.	£ 182.00
TASB9	Bolt-On Height-Adjustable Push Handles Includes 4" (10.2 cm) deep backrest rigidizer bar.	£ 313.00

FOLDING BACK HEIGHT ‘F’ | TSB1/TSB2. Set at 0.5” (1.27 cm) increments.

Push Handles	None / Bolt-On	8.5"-11.5" (21.59-29.21 cm)	12"-16.5" (30.48-41.91 cm)	16"-20.5" (40.64-52.07 cm)	Set at:
	Integrated	10.5"-12.5" (26.67-31.75 cm)	13.5"-16.5" (34.29-41.91 cm)	17.5"-20.5" (44.45-52.07 cm)	Set at:
	Fold-Down	13"-15.5" (33.02-39.37 cm)	14"-18.5" (35.56-46.99 cm)	18.5"-21" (46.99-53.34 cm)	Set at:
		Short	Medium	Tall	Specify
Folding Back Height					

BACK ANGLE ‘G’ | TSBA1 Measure angle from front of back post to floor.

Folding Back:	80°	83°	86°	89°	92°	95°	98°	101°
---------------	-----	-----	-----	-----	-----	-----	-----	------

BACK SUPPORTS

BACK UPHOLSTERY

TABUP2	Velcro Adjustable Not with fold-down push handles.	
TABUP3	Tension Adjustable By Straps, Padded Nylon Required for fold-down push handles.	£ 103.00
TABUP5	Tension Adjustable By Straps, AIR Breathable Required for fold-down push handles.	£ 182.00
TAUPC3-BL	Ultrasuede Backrest Stripe, Black Not with AIR breathable upholstery.	£ 98.00
TABUP0	Omit Back Upholstery	

SEAT OPTIONS

SEAT UPHOLSTERY

TASUP1	Tension Adjustable Bolt-On Upholstery, Black Not with ergonomic seat or tapered seat.	
TASUP2	Tension Adjustable By Straps, Black Standard with ergonomic seat and seat taper of 1" (2.5 cm)-3" (7.6 cm).	£ 158.00
TASUP8	Aluminum Solid Seat Ergonomic seat requires CMD016. Not with 10" (25.4 cm) or 11" (27.9 cm) rear seat width.	£ 262.00
TASUP0	Omit Seat Upholstery	

PRECISION LOCK FRONT FORKS

TAFK1	TiLite Standard Fork	
TAFK2	TiLite Slipstream Single-Sided Fork Not with power adaptable frame.	£ 182.00
TAGL1	Glide™ Suspension Fork Black anodize only. Select rider weight.	
	125 lbs (57 kg) 125-180 lbs (57 -82 kg) 180-265 lbs (82 -120 kg)	£ 449.00
TATS1	Titanium Fork Stem	£ 50.00

FRONT WHEELS

TAFW24	3"x1.4" (7.6x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire	
	Silver Hub Black Hub	
TAFW14	4"x0.75" (10.2 x 1.9 cm) Plastic Wheel w/Poly Tire Not with Slipstream fork or power adaptable frame.	
TAFW3	4"x0.75" (10.2 x1.9 cm) Light-Up Micro Caster Not with Slipstream fork or power adaptable frame.	£ 77.00
TAFW26	4"x1.4" (10.2 x 3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire Not with power assist, power add-on system or heavy duty frame.	£ 98.00
TAFW27	4"x1.4" (10.2 x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire	
	Silver Hub Black Hub	£ 170.00
TAFW6	5"x1" (12.7x2.5 cm) Plastic Wheel w/Poly Tire Not with 90° front angle, Slipstream fork or power adaptable frame.	
TAFW28	5"x1.4" (12.7x3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire Not with 90° front angle or power adaptable frame.	£ 98.00
TAFW30	5"x1.4" (12.7x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire Not with 90° front angle.	
	Silver Hub Black Hub	£ 170.00
TAFW9	6"x1" (15.2x2.5 cm) Plastic Wheel w/Poly Tire Not with 85° or 90° front angle, Slipstream fork or power adaptable frame.	
TAFW32	6"x1.4" (15.2x3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire Not with 85° or 90° front angle, Slipstream fork or power adaptable frame.	£ 98.00
TAFW33	6"x1.4" (15.2 x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire Not with 85° or 90° front angle or Slipstream fork.	
	Silver Hub Black Hub	£ 170.00

REAR WHEELS

See rear seat height ranges chart for rear seat height 'D' limitations.

TiLite SHADOW™ (TRRW14-X)		25" and 26" wheels require 15" (38.1cm) minimum seat depth.						£ 510.00	
Wheel Size:	20"(451)	22" (501)	24" (540)	25"(559)	26"(590)				
Spinergy SPOX (TRRW7-X)		25" and 26" wheels require 15" (38.1cm) minimum seat depth. Orange, pink, purple and green spokes only available in 20" size.						£ 510.00	
Wheel Size:	20"(451)	22" (501)	24"(540)	25"(559)	26"(590)				
Spoke Color:	Black	Red	Blue	White	Orange	Pink	Purple	Green	
Spinergy LX (TRRW8-X)		25" and 26" wheels require 15" (38.1cm) minimum seat depth.						£ 716.00	
Wheel Size:	22"(501)	24" (540)	25" (559)	26" (590)					
Spoke Color:	Black	Red	Blue	White	Orange	Pink	Purple	Green	
TRRW9-X	Spinergy Design Lab LX Wheels Black spokes only. If same color is selected, anodized hubs and rims match colour anodized package. 25" and 26" wheels require 15" (38.1cm) minimum seat depth.						£ 716.00		
Wheel Size:	22"(501)	24"(540)	25" (559)	26"(590)					
Anodize Color:	Gold	Green	Blue	Red	Purple	Orange			
TRRW16-X	Spinergy Carbon Blade 2x2 Twill Weave Carbon Fiber. Not with heavy duty frame. 25" wheels require 15" (38.1cm) minimum seat depth.						£ 1,185.00		
Wheel Size:	24" (540)	25"(559)							
TRRW17-X	X-Core Mag Not with heavy duty frame, short tabs, quad release axles, spoke guards or omit handrims options. Requires aluminum silver anodized handrims.						£ 103.00		
Wheel Size:	20" (451)	22" (501)	24" (540)						

AXLES

TRAXL1	Stainless Quick Release	
TRAXL2	Titanium Quick Release	£ 233.00
TRAXL3	Quad Release Not with Mag or 26"(590) Spinergy Spox or LX rear wheels.	£ 144.00

PNEUMATIC REAR TIRES

TRRTR1	Treaded 22" (501), 24" (540), 26" (590)	
TRRTR2	Airless Inserts Not with Spinergy Carbon Blade rear wheels.	£ 88.00
TRRTR31	MBL SpeedLite 20"(451), 22"(501), 24"(540), 25"(559), 26"(590)	
TRRTR30	Primo Sentinel 24"(540), 25"(559), 26"(590)	£ 98.00
TRRTR8	Schwalbe® Marathon Plus Evolution 24" (540), 25"(559), 26"(590)	£ 98.00

SOLID REAR TIRES

TRRTR22	Primo Orion 20"(451), 22"(501), 24"(540), 25"(559) Not with Spinergy Carbon Blade rear wheels.	£ 98.00
TRRTR23	Primo Active 24" (540), 25" (559) Not with Spinergy Carbon Blade rear wheels.	£ 98.00

HANDRIMS

TRRIM1	Aluminum, Silver Anodized	
TRRIM21	Aluminum, Black Anodized	£ 51.00
TRRIM12	Titanium, Satin Finish Not with 20"(451) or 22" (501) rear wheels or 24" (540) knobby tires.	£ 299.00
TRRIM20	Q-Grip Exclusive high-friction, anti-slip coating. Not with 20" (451) rear wheels.	£ 299.00
TRRIM5	Plastic Coated, Black	£ 121.00
TRRIM10	The Surge Large profile. All-In-One oval with Gription™ strip.	£ 299.00
TRRIM11	The Surge LT Small profile. All-In-One oval with Gription™ strip.	£ 299.00
TRRIM14	The Natural-Fit®, Standard Grip Original, large profile. Not with short tabs or Spinergy Carbon Blade rear wheels.	£ 299.00
TRRIM15	The Natural-Fit®, Super Grip Original, large profile. Not with short tabs or Spinergy Carbon Blade rear wheels.	£ 299.00
TRRIM16	The Natural-Fit®, Without Thumb Grip Original, large profile.	£ 299.00
TRRIM17	The Natural-Fit® LT, Standard Grip Reduced weight, small profile. Not with short tabs or Spinergy Carbon Blade rear wheels.	£ 299.00
TRRIM18	The Natural-Fit® LT, Super Grip Reduced weight, small profile. Not with short tabs or Spinergy Carbon Blade rear wheels.	£ 299.00
TRRIM19	The Natural-Fit® LT, Without Thumb Grip Reduced weight, small profile.	£ 299.00

HANDRIM TAB LENGTH

TRRIM7	Long Tabs	
TRRIM8	Short Tabs Not with Mag rear wheels or The Natural-Fit® handrims with thumb grip.	£ 20.00

WHEEL LOCKS

TAWLK7	Compact Composite Push to Lock Available with 0.75" (1.9 cm)-1.5" (3.8 cm) rear wheel spacing only.	
TAWLK8	Compact Composite Pull to Lock Available with 0.75" (1.9 cm)-1.5" (3.8 cm) rear wheel spacing only.	
TAWLK10	Extension Handles for Compact Composite Push/Pull to Lock	£ 83.00
TAWLK11	MBL Composite Scissor Lock	£ 136.00
TAWLK3	Uni-Lock	
	Push Pull	£ 153.00
TAWLK4	Extension Handles for Uni-Lock	£ 83.00
TAWLK15	Grade Aids Push to Lock Not with solid rear tires.	£ 169.00

SIDE GUARDS

TASDG2-S	Aluminum Side Guards, Rigid Removable	£ 182.00
	Small	
TASDG3-S	Aluminum Side Guards, Quad Removable w/Hole	
	Small Standard	£ 190.00
TASDG4-S	Aluminum Fold Down Side Guards, Rigid Not available with ergonomic seats.	
	Small Standard	£ 190.00
TASDG6	Aluminum Fendered Side Guards, Adjustable 24"-25" rear wheels require rear seat height 14.5"-19.5". 26" rear wheels require rear seat height 15.5"-18.5".	£ 190.00
TASDG7-S	Carbon Side Guards, Rigid Removable	
	Small Standard	£ 313.00
TASDG8-S	Carbon Side Guards, Quad Removable w/Hole	
	Small Standard	£ 285.00
TASDG9-S	Carbon Fold Down Side Guards, Rigid Not available with ergonomic seats.	
	Small Standard	£ 313.00
TASDG12	Carbon Fendered Side Guards, Removable	£ 313.00

ARMRESTS

Swing Away Tubular	<i>Not with non-folding, fixed height titanium seat back or height adjustable push handles.</i>		£ 200.00
Range:	6.5"-9.5" (16.5-24.1 cm)	9.5"-12.5" (24.1-31.8 cm)	
TAARM4-9	Swing Away Flip Back Tubular 8.5"-11.5" (21.6-29.2 cm) <i>Not with non-folding, fixed height titanium seat back.</i>		£ 289.00
TAARM2-X	Removable Height Adjustable Desk Arm with Rigid Side Guard <i>Requires 14" (35.6 cm) minimum seat depth. Not with ergonomic seat.</i>		
Range:	9"-12" (22.9-30.5 cm)	12"-15" (30.5-38.1 cm)	
Pad Size:	Desk Length 10" (25.4 cm)	Full Length 14" (35.6 cm)	
TAARM3-X	Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop <i>Requires 15" (38.1 cm) minimum seat depth. Not with ergonomic seat.</i>		£ 341.00
Range:	9"-12" (22.9-30.5 cm)	12"-15" (30.5-38.1 cm)	
Pad Size:	Desk Length 10" (25.4 cm)	Full Length 14" (35.6 cm)	
TAARM5	Armrests Covered in Black Ultrasuede <i>Not with desk arms.</i>		£ 103.00

POSITIONING BELTS

TABLT1	Velcro Adjustable, Black Nylon Webbing	£ 42.00
TABLT10	BodyPoint Optional Band C <i>Lamp Mounting Hardware</i>	£ 20.00
TABLT2	BodyPoint Auto-Style <i>Release Buckle</i>	£ 95.00
TABLT4	BodyPoint 1" Push Button <i>Padded Buckle</i>	£ 173.00
TABLT5	BodyPoint 1.5" Push Button <i>Padded Buckle</i>	£ 173.00
TABLT15	BodyPoint 1" Wide Evoflex	£ 178.00
	Swivel Buckle Push Button Buckle Rehab Latch Buckle	

ANTI-TIPS

TATIP1	Rear Aluminum, Black	£ 150.00
TATIP2	User Friendly Flip-Up	£ 307.00

ACCESSORIES











TAGRD1	Clear Lexan Spoke Guards with TiMotion Logo <i>Not with Mag rear wheels.</i>	£ 121.00
TABCK3	Permobil Medical Necessities Backpack	£ 88.00
TAPCH3	Permobil Medical Necessities Seat Pouch	£ 51.00
TAUEST1	Upper Extremity Support Tray <i>Requires armrests.</i>	£ 266.00
	12"-14" (30.5-35.6 cm) seat widths 13"-15" (33.0-38.1 cm) seat widths	
TALUG1	Luggage Carriers	£ 136.00
TAMPCT2-BL	Black Neoprene Impact Guards with Ultrasuede Stripe	£ 98.00
TACH1	Crutch Holder	£ 136.00

GENERAL

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and the advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. Prices, standard features, options and accessories are subject to change without notice. All rights reserved.

NOTES

TiFit REFERENCE DIAGRAMS



TRA will always have a rounded frame