



## TiLite ZRA - Order Form



Company name

Account number

Address/ Postcode / City

Phone number

Email

Contact person

Rep name

Order number

Quote number

Customer reference

User weight

\* Required field

Special considerations to be noted (e.g., medical diagnosis, specific requirements):

## FRAME STYLE

Z2FS2 **ZRA Titanium Frame** Full adjustability. 265lb (120kg) weight limit. 150lb (68kg) weight limit for seat sizes 10"(25.4cm)x10" to 12"(30.5cm)x12". £ 3,384.00

## FRAME OPTIONS

Z2HDR1 **Heavy Duty Frame** 300lb weight limit. Includes tension adjustable by straps back upholstery. Requires folding aluminum adjustable height backrest, billet aluminum front wheels, Shadow or Spinergy SPOX rear wheels. LX rear wheels only with 0° or 2° camber. Not with Slipstream fork, velcro adjustable upholstery, swing away tubular armrests or swing away flip back tubular armrests.

Z2RFR1 **Reinforced Frame**

Z2WTB **Transport Brackets** Consists of four tie-down brackets. Unoccupied use only. £ 323.00

ZTTDO3 **Transit Tie-Downs** Consists of four tie-down brackets, two pelvic belt mounting brackets and reinforced frame. £ 323.00

## FRAME FINISHES

Z2FF1 **Satin Finish**

Z2SCBT1 **Buffing Pads for Satin Frame** £ 15.00

Z2FF3 **TATTOOS** Tattoos on front frame tubes. Titanium frame finished in satin. Tattoos will be trimmed and adjusted to fit your frame.

ZFF45 Need for Speed ZFF44 Flower Garden ZFF43 Mosaic £ 323.00



Liquid



Bloom



Rebel



Vector

## FRAME COLOR | Powder coated frame

|                     |                              |                            |                              |                            |
|---------------------|------------------------------|----------------------------|------------------------------|----------------------------|
| <b>Frame Color:</b> | ZFF8 High Gloss Black        | <b>ZFF10 Red Pepper</b>    | ZFF29 Neon Pink              | ZFF14 Ocean Blue Metallic  |
|                     | ZFF15 Tangerine Metallic     | ZFF30 Acid Green Metallic  | ZFF17 Midnight Blue Pearl    | ZFF18 White Pearl          |
|                     | ZFF19 Black Lava             | ZFF27 Titanium Grey        | <b>ZFF59 Pomegranate Red</b> | <b>ZFF62 Blue Mist</b>     |
|                     | <b>ZFF57 Indigo Purple</b>   | ZFF40 Hyper Blue           | ZFF41 Flame Orange           | ZFF42 OD Green             |
|                     | <b>ZFF60 Silver Streak</b>   | <b>ZFF63 Lavendar Dusk</b> | <b>ZFF58 Black Galaxy</b>    | <b>ZFF61 Seafoam Green</b> |
|                     | <b>ZFF64 Daffodil Yellow</b> |                            |                              |                            |

## ANODIZED COLOR PACKAGE | Includes caster mount, caster fork and caster caps. If no anodize colour is selected, default will be black.

|                          |              |               |                |                |              |
|--------------------------|--------------|---------------|----------------|----------------|--------------|
| <b>Standard:</b>         | Z2ANO1 Black |               |                |                |              |
| <b>Anodized Package:</b> | Z2ANO12 Gold | Z2ANO15 Green | Z2ANO13 Purple | Z2ANO14 Orange | Z2ANO10 Blue |
|                          | Z2ANO11 Red  |               |                |                |              |

£ 51.00

## TiFit: TAILORED INDIVIDUALIZED FRAME

Measurements shown below are our most popular selections. Not seeing what you want? Contact customer service or view our Creative Mobility Division (CMD) catalog [here](#) to view additional options. Please refer to Reference Diagrams at end of form for more information.

**REAR SEAT WIDTH 'A'** | Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.

|                 |               |               |               |               |               |              |
|-----------------|---------------|---------------|---------------|---------------|---------------|--------------|
| <b>Z2RSW4-X</b> | 10" (25.4cm)  | 11" (27.94cm) | 12" (30.48cm) | 13" (33.02cm) | 14" (35.56cm) | 15" (38.1cm) |
|                 | 16" (40.64cm) | 17" (43.18cm) | 18" (45.72cm) | 19" (48.26cm) |               |              |
| <b>Z2RSW2</b>   | 20" (50.8cm)  |               |               |               |               | £ 461.00     |

**FRONT SEAT WIDTH (SEAT TAPER) 'T'** | Measure from inside of front frame tube to inside of opposite front frame tube. Required with V-front end, not with standard front end.

|               |                            |                                                                                                                                                                                                                                                |  |  |  |          |
|---------------|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|----------|
| <b>Z2FSW1</b> | <b>No Taper</b>            |                                                                                                                                                                                                                                                |  |  |  |          |
| <b>Z2FSW3</b> | <b>1.5" (3.8 cm) Taper</b> | 4" (10.2 cm) narrower than rear seat width. Includes tension adjustable by straps seat upholstery. Not with 10" (25.4 cm) and 11" (27.9 cm) seat widths. <b>Bolt-on adjustable sling available through our Creative Mobility Division #20.</b> |  |  |  | £ 262.00 |

**SEAT DEPTH 'B'** | Measure from front of back post to the front edge of seat sling. Frame bend will start 0.5" (1.27cm) in front of seat sling unless Custom Frame Depth is specified or the combination of specifications affect the rolling dynamics of the chair.

|                |               |               |               |               |               |               |
|----------------|---------------|---------------|---------------|---------------|---------------|---------------|
| <b>Z2SD1-X</b> | 10" (25.4 cm) | 11" (27.9 cm) | 12" (30.5 cm) | 13" (33.0 cm) | 14" (35.6 cm) | 15" (38.1 cm) |
|                | 16" (40.6 cm) | 17" (43.2 cm) | 18" (45.7 cm) | 19" (48.3 cm) |               |               |
| <b>Z2SD2</b>   | 20" (50.8cm)  |               |               |               |               | £ 486.00      |

**ERGONOMIC SEAT 'U'** | Measure from front of back post to beginning of upward bend of seat tube.

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |              |              |              |  |  |          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|--------------|--|--|----------|
| <b>Z2ERG2-X</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 6" (15.24cm) | 7" (17.8 cm) | 8" (20.3 cm) |  |  | £ 384.00 |
| Centre of gravity adjustment may be affected by this option. Not with V-front or seat taper, seat back that locks when folded, desk armrests, depth adjustable backrests, fold down rigid sideguards or fendered adjustable sideguards. <b>Bolt-on adjustable sling available through our Creative Mobility Division #20. Solid seat available through our Creative Mobility Division CMD #16. Minimum seat depth 10" (25.4cm) for 6" (15.24cm). Minimum seat depth 12" (30.48cm) for 7" (17.78cm). Minimum seat depth 13" (33.02cm) for 8" (20.32cm).</b> |              |              |              |  |  |          |

**FRONT SEAT HEIGHT 'C'** | Measure from floor to top of seat tube at front edge of seat sling.

|                 |               |                 |               |                 |               |                 |
|-----------------|---------------|-----------------|---------------|-----------------|---------------|-----------------|
| <b>Z2FSH1-X</b> | 16" (40.6 cm) | 16.5" (41.9 cm) | 17" (43.2 cm) | 17.5" (44.5 cm) | 18" (45.7 cm) | 18.5" (47.0 cm) |
|                 | 19" (48.3 cm) | 19.5" (49.5 cm) | 20" (50.8 cm) | 20.5" (52.1 cm) | 21" (53.3 cm) |                 |

**REAR SEAT HEIGHT 'D'** | Measure from floor to top of seat tube at back post.

|                 |                 |               |                 |               |                 |               |
|-----------------|-----------------|---------------|-----------------|---------------|-----------------|---------------|
| <b>Z2RSH1-X</b> | 12.5" (31.8 cm) | 13" (33.0 cm) | 13.5" (34.3 cm) | 14" (35.6 cm) | 14.5" (36.8 cm) | 15" (38.1 cm) |
|                 | 15.5" (39.4 cm) | 16" (40.6 cm) | 16.5" (41.9 cm) | 17" (43.2 cm) | 17.5" (44.5 cm) | 18" (45.7 cm) |
|                 | 18.5" (47.0 cm) | 19" (48.3 cm) | 19.5" (49.5 cm) | 20" (50.8 cm) |                 |               |

|            |               |                                 |
|------------|---------------|---------------------------------|
| Rear Wheel | 26" (66.04cm) | 15.5" (39.37cm)-20" (50.8cm)    |
|            | 25" (63.5cm)  | 14.5" (36.83cm)-20" (50.8cm)    |
|            | 24" (60.96cm) | 14.5" (36.83cm)-20" (50.8cm)    |
|            | 22" (55.88cm) | 14" (35.56cm)-19" (48.26cm)     |
|            | 20" (50.8cm)  | 12.5" (31.75cm)-18.5" (46.99cm) |

Rear Seat Height Range

**FRONT ANGLE OR OVERALL FRAME LENGHT** | Select one. If Overall Frame Length is selected, front angle will be bent to achieve requested length.

|                 |                        |                                                                                                      |     |     |     |     |
|-----------------|------------------------|------------------------------------------------------------------------------------------------------|-----|-----|-----|-----|
| <b>Z2FA1-70</b> | <b>Frame Angle 'L'</b> | Measure from frame front to floor. 85° not with 6" front wheels. 90° not with 5" or 6" front wheels. |     |     |     |     |
|                 |                        | 70°                                                                                                  | 75° | 80° | 85° | 90° |

|              |                                 |                                                           |
|--------------|---------------------------------|-----------------------------------------------------------|
| <b>Z2FA2</b> | <b>Overall Frame Length 'M'</b> | Measure from front of backrest to front edge of footrest. |
|--------------|---------------------------------|-----------------------------------------------------------|

Specify:

**CENTRE OF GRAVITY 'H'** | Measure from front of back post at the seat tube to the centre of the rear axle. If no centre of gravity is selected the chair will ship with the centre of gravity in the most rearward position. Ergo seat selection may limit available centre of gravity.

|                 |                |                 |               |                |               |                 |
|-----------------|----------------|-----------------|---------------|----------------|---------------|-----------------|
| <b>Z2COG1-X</b> | 0" (0.0 cm)    | 0.25" (0.6 cm)  | 0.5" (1.3 cm) | 0.75" (1.9 cm) | 1" (2.5 cm)   | 1.25" (3.2 cm)  |
|                 | 1.5" (3.8 cm)  | 1.75" (4.5 cm)  | 2" (5.1 cm)   | 2.25" (5.7 cm) | 2.5" (6.4 cm) | 2.75" (7.0 cm)  |
|                 | 3" (7.6 cm)    | 3.25" (8.3 cm)  | 3.5" (8.9 cm) | 3.75" (9.5 cm) | 4" (10.2 cm)  | 4.25" (10.8 cm) |
|                 | 4.5" (11.4 cm) | 4.75" (12.1 cm) | 5" (12.7 cm)  |                |               |                 |

**REAR WHEEL SPACING 'J'** | Measure from outside of back post to inside of rear tire. ZRA 0.75" (1.91cm) rear wheel spacing not available with 0° or 2° camber. Ergonomic seat selection may limit available centre of gravity.

|                 |                                                          |                                                        |             |                |
|-----------------|----------------------------------------------------------|--------------------------------------------------------|-------------|----------------|
| <b>Z2RWS1-X</b> | <b>Fixed Rear Wheel Spacing</b>                          |                                                        |             |                |
|                 |                                                          | 0.75" (1.9 cm)                                         | 1" (2.5 cm) | 1.25" (3.2 cm) |
| <b>Z2CBR12</b>  | <b>Adjustable Rear Wheel Spacing Camber Plugs</b>        |                                                        |             |                |
| <b>Z2CBR9</b>   | <b>Additional Spacers to Increase Rear Wheel Spacing</b> |                                                        |             |                |
| <b>Z2CBR11</b>  | <b>Zero Play Aluminum Camber Plugs</b>                   | Not with power adaptable frame or more than 6° camber. |             |                |

## CAMBER 'K'

|                                                                                                                               |                                                                    |          |
|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|----------|
| Z2CBR1-X                                                                                                                      | 0°    2°    4°    6°                                               |          |
| <i>More than 0° camber not with power adaptable frame. 8° camber may be available through our Creative Mobility Division.</i> |                                                                    |          |
| Z2CBR15                                                                                                                       | <b>Aluminum Camber Tube</b>                                        |          |
| Z2CBR3                                                                                                                        | <b>Titanium Camber Tube</b> <i>Not with power adaptable frame.</i> | £ 182.00 |

## FOOTREST

**FOOTREST WIDTH** | Select standard front end 'I' if no seat taper 'T' has been selected. Select V-front end 'V' if a seat taper 'T' has been selected.

|           |                                               |
|-----------|-----------------------------------------------|
| Z2FE1-0   | <b>Standard Front End No Taper</b>            |
| Z2FE1-1.5 | <b>Standard Front End 1,5" (3.8 cm) Taper</b> |
| Z2FE1-3.5 | <b>Standard Front End 3,5" (8.9 cm) Taper</b> |

*Find your rear seat width 'A' in the chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube.*

|                     |               |                    |                                 |                                 |
|---------------------|---------------|--------------------|---------------------------------|---------------------------------|
| Rear Seat Width 'A' | 10" (25.4cm)  | 7.5" (19.05cm)     |                                 |                                 |
|                     | 11" (27.94cm) | 8.5" (21.59cm)     |                                 |                                 |
|                     | 12" (30.48cm) | 9.5" (24.13cm)     | 8" (20.32cm)                    |                                 |
|                     | 13" (33.02cm) | 10.5" (26.67cm)    | 9" (22.86cm)                    |                                 |
|                     | 14" (35.56cm) | 11.5" (29.21cm)    | 10" (25.4cm)                    |                                 |
|                     | 15" (38.1cm)  | 12.5" (31.75cm)    | 11" (27.94cm)                   | 9" (22.86cm)                    |
|                     | 16" (40.64cm) | 13.5" (34.29cm)    | 12" (30.48cm)                   | 10" (25.4cm)                    |
|                     | 17" (43.18cm) | 14.5" (36.83cm)    | 13" (33.02cm)                   | 11" (27.94cm)                   |
|                     | 18" (45.72cm) | 15.5" (39.37cm)    | 14" (35.56cm)                   | 12" (30.48cm)                   |
|                     | 19" (48.26cm) | 16.5" (41.91cm)    | 15" (38.1cm)                    | 13" (33.02cm)                   |
|                     | 20" (50.8cm)  | 18" (45.72cm)      | 16" (40.64cm)                   | 14" (35.56cm)                   |
|                     |               | No Taper (Z2FE1-0) | 1.5" (3.81cm) Taper (Z2FE1-1.5) | 3.5" (8.89cm) Taper (Z2FE1-3.5) |
| Footrest Width 'I'  |               |                    |                                 |                                 |

|         |                                                                                                                                                                                                                                             |          |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Z2FE2-X | <b>V-Front Taper 'V'</b> <i>Measure from inside of front frame tube to inside of opposite front frame tube 2.5" (6.35cm) above footrest. Titanium footrests have 1" (2.54cm) of adjustment up and down. Not with ergonomic seat frames.</i> |          |
|         | 9" (22.9 cm)    10" (25.4 cm)    11" (27.9 cm)    12" (30.5 cm)    13" (33.0 cm)    14" (35.6 cm)    15" (38.1 cm)                                                                                                                          | £ 108.00 |

## STANDARD FOOTRESTS

|        |                 |               |                 |               |                 |               |
|--------|-----------------|---------------|-----------------|---------------|-----------------|---------------|
| STFR-X | 13.5" (34.3 cm) | 14" (35.6 cm) | 14.5" (36.8 cm) | 15" (38.1 cm) | 15.5" (39.4 cm) | 16" (40.6 cm) |
|        | 16.5" (41.9 cm) | 17" (43.2 cm) | 17.5" (44.5 cm) | 18" (45.7 cm) | 18.5" (47.0 cm) | 19" (48.3 cm) |

*Measure from front edge of seat sling to top rear of footrest. Measurement must be at least 2" (5.08cm) shorter than Front Seat Height 'C'.*

|         |                                                                                                                                                                 |          |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Z2FTR3  | <b>Angle Adjustable Footrest</b>                                                                                                                                |          |
| Z2FTR1  | <b>Titanium Footrest w/Flat ABS Cover</b>                                                                                                                       | £ 182.00 |
| Z2FTR2  | <b>Titanium Open Loop Footrest</b>                                                                                                                              | £ 245.00 |
| Z2FTR12 | <b>Angle Adjustable Flip-Back Footrest</b> <i>Not with 10" (25.4cm) or 11" (27.94cm) rear seat width, heavy duty frame or ABS cover with 2" (5.08cm) sides.</i> | £ 200.00 |

**HIGH MOUNT FOOTREST** | Measure from front edge of seat sling to top rear of footrest.

|        |                                             |         |
|--------|---------------------------------------------|---------|
| STFR-S | <b>7"-9" (17.8-23.0 cm)</b>                 |         |
| STFR-M | <b>9"-11" (22.9-27.9 cm)</b>                |         |
| STFR-L | <b>11"-13" (27.9-33.0 cm)</b>               |         |
|        | <b>Set at (Inch) HMFR-</b>                  |         |
| Z2FTR4 | <b>Angle Adjustable High Mount Footrest</b> | £ 95.00 |

## CALF STRAPS

|          |                                                                                              |                                                   |         |
|----------|----------------------------------------------------------------------------------------------|---------------------------------------------------|---------|
| Z2CLF2-S | <b>Velcro Adjustable</b>                                                                     |                                                   | £ 33.00 |
|          | Small 9"-12" (22.9-30.5 cm) footrest widths                                                  | Medium 11"-15" (27.9-38.1 cm) footrest widths     |         |
|          | Large 14"-17" (35.6-43.2 cm) footrest widths                                                 | Xtra Large 16"-19" (40.6-48.3 cm) footrest widths |         |
| Z2CLF3-S | <b>BodyPoint Padded Velcro Adjustable S</b> <i>Recommended for 8" - 11" footrest widths</i>  |                                                   | £ 98.00 |
| Z2CLF3-M | <b>BodyPoint Padded Velcro Adjustable M</b> <i>Recommended for 11" - 15" footrest widths</i> |                                                   | £ 98.00 |
| Z2CLF1   | <b>Buckle Adjustable, Black Nylon Webbing</b>                                                |                                                   | £ 23.00 |

## BACKREST

### BACK TYPE

|       |                                                                                                                     |          |
|-------|---------------------------------------------------------------------------------------------------------------------|----------|
| Z2SB1 | <b>Folding Aluminum Adjustable Height Back</b> <i>Required for heavy duty frame.</i>                                |          |
| Z2SB2 | <b>Folding Titanium Adjustable Height Back, Rounded Rigidizer Bar</b> <i>Titanium back will match frame finish.</i> | £ 182.00 |

### BACK OPTIONS

|        |                                                                                                                                                                                                                                                                                                                            |          |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Z2SB11 | <b>Backrest Locks When Folded</b> <i>Available on all backs. Not with ergonomic seat.</i>                                                                                                                                                                                                                                  |          |
| Z2SB19 | <b>4" (10.2 cm) Deep Backrest Rigidizer Bar</b> <i>Not a rounded style rigidizer bar. Required for heavy duty frame. Not with non-folding, fixed height titanium back type.</i>                                                                                                                                            |          |
| Z2SB16 | <b>Depth Adjustable Back Frame</b> <i>Seat depths from 10"-18" (25.4-45.7 cm) allow 2" (5.1 cm) rearward adjustment. Height-adjustable push handles have limited range. Not with 19" (48.3cm) or 20" (50.8cm) seat depths, heavy duty frame, tension adjustable by straps seat upholstery or carbon fiber side guards.</i> | £ 190.00 |
| Z2SB3  | <b>TiShaft™ Back Release Bar, Aluminum</b>                                                                                                                                                                                                                                                                                 |          |
| Z2SB5  | <b>TiShaft™ Back Release Bar, 2x2 Twill Weave Carbon Fiber</b>                                                                                                                                                                                                                                                             | £ 65.00  |

### PUSH HANDLES

|       |                                                                                                               |          |
|-------|---------------------------------------------------------------------------------------------------------------|----------|
| Z2SB6 | <b>Integrated Push Handles</b>                                                                                |          |
| Z2SB7 | <b>Integrated Fold-Down Push Handles</b> <i>Requires tension adjustable by straps back upholstery.</i>        | £ 108.00 |
| Z2SB8 | <b>Bolt-On Push Handles</b> <i>Includes 4" (10.2 cm) deep backrest rigidizer bar. Not with titanium back.</i> | £ 182.00 |
| Z2SB9 | <b>Bolt-On Height-Adjustable Push Handles</b> <i>Includes 4" (10.2 cm) deep backrest rigidizer bar.</i>       | £ 313.00 |

### FOLDING BACK HEIGHT 'F' | ZSB1/ZSB2. Set at 0.5" (1.27cm) increments.

| Push Handles        | None / Bolt-On (Z2SB8) | 8.5" -11.5" (21.59-29.21cm)  | 12"-16.5"(30.48-41.91cm)    | 16"-20.5" (40.64-52.07cm)  | Set at SBH:- |
|---------------------|------------------------|------------------------------|-----------------------------|----------------------------|--------------|
|                     | Fold-Down (Z2SB7)      | 13"-15" (33.02-38.10cm)      | 14.5"-18.5"(36.83-46.99cm)  | 18.5"-21" (46.99-53.34cm)  | Set at SBH:- |
|                     | Integrated (Z2SB6)     | 10.5"- 12.5" (26.67-31.75cm) | 13.5"-16.5" (34.29-41.91cm) | 17.5"-20.5"(44.45-52.07cm) | Set at SBH:- |
|                     |                        | Short                        | Medium                      | Tall                       | Specify      |
| Folding Back Height |                        |                              |                             |                            |              |

### BACK ANGLE 'G' | ZSBA1 Measure angle from front of back post to floor.

|          |     |     |     |     |     |     |     |      |
|----------|-----|-----|-----|-----|-----|-----|-----|------|
| Z2SBA1-X | 80° | 83° | 86° | 89° | 92° | 95° | 98° | 101° |
|----------|-----|-----|-----|-----|-----|-----|-----|------|

## BACK SUPPORTS

### BACK UPHOLSTERY

|           |                                                                                                 |          |
|-----------|-------------------------------------------------------------------------------------------------|----------|
| Z2BUP2    | <b>Velcro Adjustable</b> <i>Not with fold-down push handles.</i>                                |          |
| Z2BUP3    | <b>Tension Adjustable By Straps, Padded Nylon</b> <i>Required for fold-down push handles.</i>   | £ 103.00 |
| Z2BUP5    | <b>Tension Adjustable By Straps, AIR Breathable</b> <i>Required for fold-down push handles.</i> | £ 182.00 |
| Z2UPC3-BL | <b>Ultrasuede Backrest Stripe, Black</b> <i>Not with AIR breathable upholstery.</i>             | £ 98.00  |
| Z2BUP0    | <b>Omit Back Upholstery</b>                                                                     |          |

## SEAT OPTIONS

### SEAT UPHOLSTERY

|        |                                                                                                                            |          |
|--------|----------------------------------------------------------------------------------------------------------------------------|----------|
| TRSUP1 | <b>Tension Adjustable Bolt-On Upholstery, Black</b> <i>Not with ergonomic seat or tapered seat.</i>                        |          |
| TRSUP2 | <b>Tension Adjustable By Straps, Black</b> <i>Standard with ergonomic seat and seat taper of 1" (2.5 cm)-3" (7.6 cm).</i>  | £ 158.00 |
| TRSUP8 | <b>Aluminum Solid Seat</b> <i>Ergonomic seat requires CMD016. Not with 10" (25.4 cm) or 11" (27.9 cm) rear seat width.</i> | £ 262.00 |
| TRSUP0 | <b>Omit Seat Upholstery</b>                                                                                                |          |

## FRONT FORKS

|        |                                                                                                          |          |
|--------|----------------------------------------------------------------------------------------------------------|----------|
| Z2FK1  | <b>TiLite Standard Fork</b>                                                                              |          |
| Z2FK2  | <b>TiLite Slipstream Single-Sided Fork</b> <i>Not with heavy duty or power adaptable frame.</i>          | £ 182.00 |
| Z2GL1  | <b>Glide™ Suspension Fork</b> <i>Black anodize only. Not with heavy duty frame. Select rider weight.</i> |          |
|        | UW-55: 125lbs (56 kgg)    UW-80: 125-180lbs (56-81kg)    UW-120: 180-265lbs (81-120kg)                   | £ 449.00 |
| Z2TFS1 | <b>Titanium Fork Stem</b>                                                                                | £ 50.00  |

## FRONT WHEELS

|        |                                                                                |
|--------|--------------------------------------------------------------------------------|
| Z2FW24 | <b>3"x1.4" (7.6x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire</b> |
|        | Silver Hub    Black Hub                                                        |

|        |                                                                           |                                                                            |          |
|--------|---------------------------------------------------------------------------|----------------------------------------------------------------------------|----------|
| Z2FW14 | 4"x0.75" (10.2 x 1.9 cm) Plastic Wheel w/Poly Tire                        | Not with Slipstream fork or power adaptable frame.                         |          |
| Z2FW3  | 4"x0.75" (10.2 x1.9 cm) Light-Up Micro Caster                             | Not with Slipstream fork or power adaptable frame.                         | £ 77.00  |
| Z2FW26 | 4"x1.4" (10.2 x 3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire        | Not with power assist, power add-on system or heavy duty frame.            | £ 98.00  |
| Z2FW27 | 4"x1.4" (10.2 x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire |                                                                            |          |
|        | Silver Hub                                                                | Black Hub                                                                  | £ 170.00 |
| Z2FW6  | 5"x1" (12.7x2.5 cm) Plastic Wheel w/Poly Tire                             | Not with 90° front angle, Slipstream fork or power adaptable frame.        |          |
| Z2FW28 | 5"x1.4" (12.7x3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire          | Not with 90° front angle or power adaptable frame.                         | £ 98.00  |
| Z2FW30 | 5"x1.4" (12.7x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire  | Not with 90° front angle.                                                  |          |
|        | Silver Hub                                                                | Black Hub                                                                  | £ 170.00 |
| Z2FW9  | 6"x1" (15.2x2.5 cm) Plastic Wheel w/Poly Tire                             | Not with 85° or 90° front angle, Slipstream fork or power adaptable frame. |          |
| Z2FW32 | 6"x1.4" (15.2x3.6 cm) LiteSpeed-7 Plastic Wheel w/Soft Roll Tire          | Not with 85° or 90° front angle, Slipstream fork or power adaptable frame. | £ 98.00  |
| Z2FW33 | 6"x1.4" (15.2 x3.6 cm) LiteSpeed-7 Billet Aluminum Wheel w/Soft Roll Tire | Not with 85° or 90° front angle.                                           |          |
|        | Silver Hub                                                                | Black Hub                                                                  | £ 170.00 |

## REAR WHEELS

See rear seat height ranges chart for rear seat height 'D' limitations.

|                                                                                       |                                                                                                                                                                                                         |           |           |           |          |        |        |            |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|-----------|----------|--------|--------|------------|
| TiLite SHADOW™ (Z2RW14-X) 25" and 26" wheels require 15" (38.1cm) minimum seat depth. |                                                                                                                                                                                                         |           |           |           |          |        |        |            |
| Wheel Size:                                                                           | 20"(451)                                                                                                                                                                                                | 22" (501) | 24" (540) | 25"(559)  | 26"(590) |        |        |            |
| Z2RW7-22                                                                              | Spinergy SPOX (Z2RW7-X) 25" and 26" wheels require 15" (38.1cm) minimum seat depth. Orange, pink, purple and green spokes only available in 20" size.                                                   |           |           |           |          |        |        | £ 510.00   |
| Wheel Size:                                                                           | 20"(451)                                                                                                                                                                                                | 22" (501) | 24"(540)  | 25"(559)  | 26"(590) |        |        |            |
| Spoke Color:                                                                          | Black                                                                                                                                                                                                   | Red       | Blue      | White     | Orange   | Pink   | Purple | Green      |
| Z2RW8-22                                                                              | Spinergy LX (Z2RW8-X) 25" and 26" wheels require 15" (38.1cm) minimum seat depth.                                                                                                                       |           |           |           |          |        |        | £ 716.00   |
| Wheel Size:                                                                           | 22"(501)                                                                                                                                                                                                | 24" (540) | 25" (559) | 26" (590) |          |        |        |            |
| Spoke Color:                                                                          | Black                                                                                                                                                                                                   | Red       | Blue      | White     | Orange   | Pink   | Purple | Green      |
| Z2RW9-22                                                                              | Spinergy Design Lab LX Wheels (Z2RW9-X) Black spokes only. If same color is selected, anodized hubs and rims match colour anodized package. 25" and 26" wheels require 15" (38.1cm) minimum seat depth. |           |           |           |          |        |        | £ 716.00   |
| Wheel Size:                                                                           | 22"(501)                                                                                                                                                                                                | 24"(540)  | 25" (559) | 26"(590)  |          |        |        |            |
| Anodize Color:                                                                        | Gold                                                                                                                                                                                                    | Green     | Blue      | Red       | Purple   | Orange |        |            |
| Z2RW16-24                                                                             | Spinergy Carbon Blade (Z2RW16-X) 2x2 Twill Weave Carbon Fiber. Not with heavy duty frame. 25" wheels require 15" (38.1cm) minimum seat depth.                                                           |           |           |           |          |        |        | £ 1,185.00 |
| Wheel Size:                                                                           | 24" (540)                                                                                                                                                                                               | 25"(559)  |           |           |          |        |        |            |
| Z2RW17-22                                                                             | X-Core Mag (Z2RW17-X) Not with heavy duty frame, short tabs, quad release axles, spoke guards or omit handrims options. Requires aluminum silver anodized handrims.                                     |           |           |           |          |        |        | £ 103.00   |
| Wheel Size:                                                                           | 20" (451)                                                                                                                                                                                               | 22" (501) | 24" (540) |           |          |        |        |            |

## AXLES

|        |                         |                                                                    |
|--------|-------------------------|--------------------------------------------------------------------|
| Z2AXL1 | Stainless Quick Release |                                                                    |
| Z2AXL2 | Titanium Quick Release  | £ 245.00                                                           |
| Z2AXL3 | Quad Release            | Not with Mag or 26"(590) Spinergy Spox or LX rear wheels. £ 144.00 |

## PNEUMATIC REAR TIRES

|         |                                                                 |                                                     |
|---------|-----------------------------------------------------------------|-----------------------------------------------------|
| Z2RTR1  | Treaded 22" (501), 24" (540), 26" (590)                         |                                                     |
| Z2RTR2  | Airless Inserts                                                 | Not with Spinergy Carbon Blade rear wheels. £ 88.00 |
| Z2RTR31 | MBL SpeedLite 20"(451), 22"(501), 24"(540), 25"(559), 26"(590)  |                                                     |
| Z2RTR30 | Primo Sentinel 24"(540), 25"(559), 26"(590)                     | £ 98.00                                             |
| Z2RTR8  | Schwalbe® Marathon Plus Evolution 24" (540), 25"(559), 26"(590) | £ 98.00                                             |

## SOLID REAR TIRES

|         |                                                    |                                                     |
|---------|----------------------------------------------------|-----------------------------------------------------|
| Z2RTR22 | Primo Orion 20"(451), 22"(501), 24"(540), 25"(559) | Not with Spinergy Carbon Blade rear wheels. £ 98.00 |
| Z2RTR23 | Primo Active 24" (540), 25" (559)                  | Not with Spinergy Carbon Blade rear wheels. £ 98.00 |

## HANDRIMS

|         |                           |                                                                                      |
|---------|---------------------------|--------------------------------------------------------------------------------------|
| Z2RIM1  | Aluminum, Silver Anodized |                                                                                      |
| Z2RIM21 | Aluminum, Black Anodized  | £ 51.00                                                                              |
| Z2RIM12 | Titanium, Satin Finish    | Not with 20"(451) or 22" (501) rear wheels or 24" (540) knobby tires. £ 299.00       |
| Z2RIM20 | Q-Grip                    | Exclusive high-friction, anti-slip coating. Not with 20" (451) rear wheels. £ 299.00 |

|         |                                                                                                                                           |          |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Z2RIM5  | <b>Plastic Coated, Black</b>                                                                                                              | £ 121.00 |
| Z2RIM10 | <b>The Surge</b> <i>Large profile. All-In-One oval with Gription™ strip.</i>                                                              | £ 299.00 |
| Z2RIM11 | <b>The Surge LT</b> <i>Small profile. All-In-One oval with Gription™ strip.</i>                                                           | £ 299.00 |
| Z2RIM14 | <b>The Natural-Fit®, Standard Grip</b> <i>Original, large profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>          | £ 299.00 |
| Z2RIM15 | <b>The Natural-Fit®, Super Grip</b> <i>Original, large profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>             | £ 299.00 |
| Z2RIM16 | <b>The Natural-Fit®, Without Thumb Grip</b> <i>Original, large profile.</i>                                                               | £ 299.00 |
| Z2RIM17 | <b>The Natural-Fit® LT, Standard Grip</b> <i>Reduced weight, small profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i> | £ 299.00 |
| Z2RIM18 | <b>The Natural-Fit® LT, Super Grip</b> <i>Reduced weight, small profile. Not with short tabs or Spinergy Carbon Blade rear wheels.</i>    | £ 299.00 |
| Z2RIM19 | <b>The Natural-Fit® LT, Without Thumb Grip</b> <i>Reduced weight, small profile.</i>                                                      | £ 299.00 |

## HANDRIM TAB LENGTH

|        |                                                                                                 |         |
|--------|-------------------------------------------------------------------------------------------------|---------|
| Z2RIM7 | <b>Long Tabs</b>                                                                                |         |
| Z2RIM8 | <b>Short Tabs</b> <i>Not with Mag rear wheels or The Natural-Fit® handrims with thumb grip.</i> | £ 20.00 |

## WHEEL LOCKS

|         |                                                                                                                   |          |
|---------|-------------------------------------------------------------------------------------------------------------------|----------|
| Z2WLK7  | <b>Compact Composite Push to Lock</b> <i>Available with 0.75" (1.91cm)-1.5" (3.81cm) rear wheel spacing only.</i> |          |
| Z2WLK8  | <b>Compact Composite Pull to Lock</b> <i>Available with 0.75" (1.91cm)-1.5" (3.81cm) rear wheel spacing only.</i> |          |
| Z2WLK10 | <b>Extension Handles for Compact Composite Push/Pull to Lock</b>                                                  | £ 83.00  |
| Z2WLK11 | <b>MBL Composite Scissor Lock</b>                                                                                 | £ 136.00 |
| Z2WLK3  | <b>Uni-Lock</b>                                                                                                   |          |
|         | Push Pull                                                                                                         | £ 153.00 |
| Z2WLK12 | <b>MBL Performance Aluminum Scissor Lock</b>                                                                      | £ 136.00 |
| Z2WLK3  | <b>Uni-Lock</b>                                                                                                   |          |
|         | Push Pull                                                                                                         |          |
| Z2WLK4  | <b>Extension Handles for Uni-Lock</b>                                                                             | £ 83.00  |
| Z2WLK15 | <b>Grade Aids Push to Lock</b> <i>Not with solid rear tires.</i>                                                  | £ 169.00 |

## SIDE GUARDS

|          |                                                                                                                                                                         |          |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Z2SDG2-S | <b>Aluminum Side Guards, Rigid Removable</b>                                                                                                                            | £ 182.00 |
|          | Small                                                                                                                                                                   |          |
| Z2SDG3-S | <b>Aluminum Side Guards, Quad Removable w/Hole</b>                                                                                                                      |          |
|          | Small Standard                                                                                                                                                          | £ 190.00 |
| Z2SDG4-S | <b>Aluminum Fold Down Side Guards, Rigid</b> <i>Not available with ergonomic seats.</i>                                                                                 |          |
|          | Small Standard                                                                                                                                                          | £ 190.00 |
| Z2SDG6   | <b>Aluminum Fendered Side Guards, Adjustable</b> <i>24"-25" rear wheels require rear seat height 14.5"-19.5". 26" rear wheels require rear seat height 15.5"-18.5".</i> | £ 190.00 |
| Z2SDG7-S | <b>Carbon Side Guards, Rigid Removable</b>                                                                                                                              |          |
|          | Small Standard                                                                                                                                                          | £ 313.00 |
| Z2SDG8-S | <b>Carbon Side Guards, Quad Removable w/Hole</b>                                                                                                                        |          |
|          | Small Standard                                                                                                                                                          | £ 285.00 |
| Z2SDG9-S | <b>Carbon Fold Down Side Guards, Rigid</b> <i>Not available with ergonomic seats.</i>                                                                                   |          |
|          | Small Standard                                                                                                                                                          | £ 313.00 |
| Z2SDG12  | <b>Carbon Fendered Side Guards, Removable</b>                                                                                                                           | £ 313.00 |

## ARMRESTS

|                  |                                                                                                                                                               |                           |          |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------|
| Z2ARM1-X         | <b>Swing Away Tubular</b> <i>Not with non-folding, fixed height titanium seat back or height adjustable push handles.</i>                                     |                           |          |
| <b>Range:</b>    | 6.5"-9.5" (16.5-24.1 cm)                                                                                                                                      | 9.5"-12.5" (24.1-31.8 cm) | £ 200.00 |
| Z2ARM4-9         | <b>Swing Away Flip Back Tubular 8.5"-11.5" (21.6-29.2 cm)</b> <i>Not with heavy duty frame.</i>                                                               |                           |          |
|                  | £ 289.00                                                                                                                                                      |                           |          |
| Z2ARM2-X         | <b>Removable Height Adjustable Desk Arm with Rigid Side Guard</b> <i>Requires 14" (35.56cm) minimum seat depth. Not with ergonomic seat.</i>                  |                           |          |
| <b>Range:</b>    | 9"-12" (22.9-30.5 cm)                                                                                                                                         | 12"-15" (30.5-38.1 cm)    | £ 313.00 |
| <b>Pad Size:</b> | Desk Length 10" (25.4 cm)                                                                                                                                     | Full Length 14" (35.6 cm) | £ 341.00 |
| Z2ARM3-          | <b>Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop</b> <i>Requires 15" (38.1cm) minimum seat depth. Not with ergonomic seat.</i> |                           |          |
|                  | £ 341.00                                                                                                                                                      |                           |          |
| <b>Range:</b>    | 9"-12" (22.9-30.5 cm)                                                                                                                                         | 12"-15" (30.5-38.1 cm)    | £ 313.00 |
| <b>Pad Size:</b> | Desk Length 10" (25.4 cm)                                                                                                                                     | Full Length 14" (35.6 cm) | £ 313.00 |
| Z2ARM5           | <b>Armrests Covered in Black Ultrasuede</b> <i>Not with desk arms.</i>                                                                                        |                           |          |
|                  | £ 103.00                                                                                                                                                      |                           |          |

## POSITIONING BELTS

|         |                                                                |          |
|---------|----------------------------------------------------------------|----------|
| Z2BLT1  | <b>Velcro Adjustable, Black Nylon Webbing</b>                  | £ 42.00  |
| Z2BLT10 | <b>BodyPoint Optional Band C</b> <i>Lamp Mounting Hardware</i> | £ 20.00  |
| Z2BLT2  | <b>BodyPoint Auto-Style</b> <i>Release Buckle</i>              | £ 95.00  |
| Z2BLT4  | <b>BodyPoint 1" Push Button</b> <i>Padded Buckle</i>           | £ 173.00 |
| Z2BLT5  | <b>BodyPoint 1.5" Push Button</b> <i>Padded Buckle</i>         | £ 173.00 |
| Z2BLT15 | <b>BodyPoint 1" Wide Evoflex</b>                               | £ 178.00 |
|         | Swivel Buckle    Push Button Buckle    Rehab Latch Buckle      |          |

## ANTI-TIPS

|        |                              |          |
|--------|------------------------------|----------|
| Z2TIP1 | <b>Rear Aluminum, Black</b>  | £ 150.00 |
| Z2TIP2 | <b>User Friendly Flip-Up</b> | £ 307.00 |

## ACCESSORIES

|            |                                                                                     |          |
|------------|-------------------------------------------------------------------------------------|----------|
| Z2GRD1     | <b>Clear Lexan Spoke Guards with TiMotion Logo</b> <i>Not with Mag rear wheels.</i> | £ 121.00 |
| Z2BCK3     | <b>Permobil Medical Necessities Backpack</b>                                        | £ 88.00  |
| Z2PCH3     | <b>Permobil Medical Necessities Seat Pouch</b>                                      | £ 51.00  |
| Z2UEST1    | <b>Upper Extremity Support Tray</b> <i>Requires armrests.</i>                       | £ 266.00 |
|            | 12"-14" (30.48-35.56cm) seat widths    13" -15" (33.02cm-38.1cm) seat widths        |          |
| Z2LUG1     | <b>Luggage Carriers</b>                                                             | £ 136.00 |
| Z2MPCT2-BL | <b>Black Neoprene Impact Guards with Ultrasuede Stripe</b>                          | £ 98.00  |
| Z2CH1      | <b>Crutch Holder</b>                                                                | £ 136.00 |

## GENERAL

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and the advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. Prices, standard features, options and accessories are subject to change without notice. All rights reserved.

## NOTES

# TiFit REFERENCE DIAGRAMS

